

Juan Manuel Ruiz Sez

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3257436/juan-manuel-ruiz-saez-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

144
papers

5,235
citations

39
h-index

67
g-index

145
ext. papers

5,893
ext. citations

3.9
avg, IF

5.36
L-index

#	Paper	IF	Citations
144	Improvement of the physiological response of barley plants to both Zinc deficiency and toxicity by the application of calcium silicate.. <i>Plant Science</i> , 2022 , 319, 111259	5.3	0
143	Calcium silicate ameliorates zinc deficiency and toxicity symptoms in barley plants through improvements in nitrogen metabolism and photosynthesis. <i>Acta Physiologiae Plantarum</i> , 2021 , 43, 1	2.6	1
142	Evaluation of Physiological and Quality Parameters of Green Asparagus Spears Subjected to Three Treatments against the Decline Syndrome. <i>Agronomy</i> , 2021 , 11, 937	3.6	
141	The application of the silicon-based biostimulant Codasil [®] offset water deficit of lettuce plants. <i>Scientia Horticulturae</i> , 2021 , 285, 110177	4.1	5
140	Study of salt-stress tolerance and defensive mechanisms in Brassica rapa CAX1a TILLING mutants. <i>Environmental and Experimental Botany</i> , 2020 , 175, 104061	5.9	6
139	Assaying the use of sodium thiosulphate as a biostimulant and its effect on cadmium accumulation and tolerance in Brassica oleracea plants. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 200, 110760	7	2
138	Nitrogen and photorespiration pathways, salt stress genotypic tolerance effects in tomato plants (<i>Solanum lycopersicum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2020 , 42, 1	2.6	3
137	Effects of asparagus decline on nutrients and phenolic compounds, spear quality, and allelopathy. <i>Scientia Horticulturae</i> , 2020 , 261, 109029	4.1	6
136	Tolerance to cadmium toxicity and phytoremediation potential of three Brassica rapa CAX1a TILLING mutants. <i>Ecotoxicology and Environmental Safety</i> , 2020 , 189, 109961	7	4
135	CAX1a TILLING Mutations Modify the Hormonal Balance Controlling Growth and Ion Homeostasis in Brassica rapa Plants Subjected to Salinity. <i>Agronomy</i> , 2020 , 10, 1699	3.6	1
134	Possible role of HMA4a TILLING mutants of Brassica rapa in cadmium phytoremediation programs. <i>Ecotoxicology and Environmental Safety</i> , 2019 , 180, 88-94	7	15
133	Effect of CAX1a TILLING mutations and calcium concentration on some primary metabolism processes in Brassica rapa plants. <i>Journal of Plant Physiology</i> , 2019 , 237, 51-60	3.6	4
132	NaSH: Phytotoxin or biostimulant in N assimilation in Brassica oleracea L. Bronco plants?. <i>Scientia Horticulturae</i> , 2019 , 249, 471-477	4.1	1
131	Study of Zn accumulation and tolerance of HMA4 TILLING mutants of Brassica rapa grown under Zn deficiency and Zn toxicity. <i>Plant Science</i> , 2019 , 287, 110201	5.3	8
130	Hydrogen sulphide increase the tolerance to alkalinity stress in cabbage plants (<i>Brassica oleracea</i> L. 'Bronco'). <i>Scientia Horticulturae</i> , 2018 , 235, 349-356	4.1	13
129	Analysis of metabolic and nutritional biomarkers in Brassica oleracea L. cv. Bronco plants under alkaline stress. <i>Journal of Horticultural Science and Biotechnology</i> , 2018 , 93, 279-288	1.9	5
128	Physiological profile of CAX1a TILLING mutants of Brassica rapa exposed to different calcium doses. <i>Plant Science</i> , 2018 , 272, 164-172	5.3	9

127	¿Son los pigmentos fotosintéticos buenos indicadores de la relación del nitrógeno, fósforo y potasio en frijol ejotero?. <i>Ecosistemas Y Recursos Agropecuarios</i> , 2018 , 5, 387	1.1	3
126	Oxidative Stress in Relation With Micronutrient Deficiency or Toxicity 2018 , 181-194		6
125	Influence of the proline metabolism and glycine betaine on tolerance to salt stress in tomato (<i>Solanum lycopersicum</i> L.) commercial genotypes. <i>Journal of Plant Physiology</i> , 2018 , 231, 329-336	3.6	30
124	Comparative study of the toxic effect of salinity in different genotypes of tomato plants: Carboxylates metabolism. <i>Scientia Horticulturae</i> , 2017 , 217, 173-178	4.1	6
123	Zinc biofortification improves phytochemicals and amino-acidic profile in Brassica oleracea cv. Bronco. <i>Plant Science</i> , 2017 , 258, 45-51	5.3	25
122	Study of phytohormone profile and oxidative metabolism as key process to identification of salinity response in tomato commercial genotypes. <i>Journal of Plant Physiology</i> , 2017 , 216, 164-173	3.6	22
121	Zn-biofortification enhanced nitrogen metabolism and photorespiration process in green leafy vegetable <i>Lactuca sativa</i> L. <i>Journal of the Science of Food and Agriculture</i> , 2017 , 97, 1828-1836	4.3	11
120	Silicon-mediated Improvement in Plant Salinity Tolerance: The Role of Aquaporins. <i>Frontiers in Plant Science</i> , 2017 , 8, 948	6.2	93
119	Phytohormone profile in <i>Lactuca sativa</i> and Brassica oleracea plants grown under Zn deficiency. <i>Phytochemistry</i> , 2016 , 130, 85-9	4	21
118	Comparative study of Zn deficiency in <i>L. sativa</i> and <i>B. oleracea</i> plants: NH ₄ (+) assimilation and nitrogen derived protective compounds. <i>Plant Science</i> , 2016 , 248, 8-16	5.3	15
117	Root-zone temperature affects the phytoextraction of iron in contaminated soil. <i>Journal of Plant Nutrition</i> , 2016 , 39, 51-58	2.3	0
116	Accumulation of free polyamines enhances the antioxidant response in fruits of grafted tomato plants under water stress. <i>Journal of Plant Physiology</i> , 2016 , 190, 72-8	3.6	62
115	Response of carboxylate metabolism to zinc deficiency in <i>Lactuca sativa</i> and Brassica oleracea plants. <i>Journal of Plant Nutrition and Soil Science</i> , 2016 , 179, 758-764	2.3	1
114	Roles of some nitrogenous compounds protectors in the resistance to zinc toxicity in <i>Lactuca sativa</i> cv. Phillipus and Brassica oleracea cv. Bronco. <i>Acta Physiologiae Plantarum</i> , 2015 , 37, 1	2.6	17
113	Biofortification with potassium: antioxidant responses during postharvest of cherry tomato fruits in cold storage. <i>Acta Physiologiae Plantarum</i> , 2014 , 36, 283-293	2.6	13
112	Effects of climatic control on tomato yield and nutritional quality in Mediterranean greenhouse. <i>Journal of the Science of Food and Agriculture</i> , 2014 , 94, 63-70	4.3	15
111	Role of GSH homeostasis under Zn toxicity in plants with different Zn tolerance. <i>Plant Science</i> , 2014 , 227, 110-21	5.3	57
110	PSARK::IPT expression causes protection of photosynthesis in tobacco plants during N deficiency. <i>Environmental and Experimental Botany</i> , 2014 , 98, 40-46	5.9	8

109	Comparative study of the toxic effect of Zn in <i>Lactuca sativa</i> and <i>Brassica oleracea</i> plants: I. Growth, distribution, and accumulation of Zn, and metabolism of carboxylates. <i>Environmental and Experimental Botany</i> , 2014 , 107, 98-104	5.9	24
108	Genotype differences in the metabolism of proline and polyamines under moderate drought in tomato plants. <i>Plant Biology</i> , 2014 , 16, 1050-7	3.7	21
107	How does grafting affect the ionome of cherry tomato plants under water stress?. <i>Soil Science and Plant Nutrition</i> , 2014 , 60, 145-155	1.6	18
106	Physiological and Nutritional Evaluation of the Application of Phosphite as a Phosphorus Source in Cucumber Plants. <i>Communications in Soil Science and Plant Analysis</i> , 2014 , 45, 204-222	1.5	5
105	Implication of potassium on the quality of cherry tomato fruits after postharvest during cold storage. <i>International Journal of Food Sciences and Nutrition</i> , 2014 , 65, 203-11	3.7	7
104	Role of Grafting in Resistance to Water Stress in Tomato Plants: Ammonia Production and Assimilation. <i>Journal of Plant Growth Regulation</i> , 2013 , 32, 831-842	4.7	23
103	Iodine effects on phenolic metabolism in lettuce plants under salt stress. <i>Journal of Agricultural and Food Chemistry</i> , 2013 , 61, 2591-6	5.7	32
102	Proline, Betaine, and Choline Responses to Different Phosphorus Levels in Green Bean. <i>Communications in Soil Science and Plant Analysis</i> , 2013 , 44, 465-472	1.5	7
101	NUTRITIONAL BALANCE CHANGES IN LETTUCE PLANT GROWN UNDER DIFFERENT DOSES AND FORMS OF SELENIUM. <i>Journal of Plant Nutrition</i> , 2013 , 36, 1344-1354	2.3	17
100	Phosphorus Levels Influence Plasma Membrane H ⁺ -ATPase Activity and K ⁺ , Ca ²⁺ , and Mg ²⁺ Assimilation in Green Bean. <i>Communications in Soil Science and Plant Analysis</i> , 2013 , 44, 456-464	1.5	4
99	A Fogging System Improves Antioxidative Defense Responses and Productivity in Tomato. <i>Journal of the American Society for Horticultural Science</i> , 2013 , 138, 267-276	2.3	6
98	Response of carbon and nitrogen-rich metabolites to nitrogen deficiency in PSARK::IPT tobacco plants. <i>Plant Physiology and Biochemistry</i> , 2012 , 57, 231-7	5.4	22
97	STUDY OF THE INTERACTIONS BETWEEN IODINE AND MINERAL NUTRIENTS IN LETTUCE PLANTS. <i>Journal of Plant Nutrition</i> , 2012 , 35, 1958-1969	2.3	23
96	Antioxidant response resides in the shoot in reciprocal grafts of drought-tolerant and drought-sensitive cultivars in tomato under water stress. <i>Plant Science</i> , 2012 , 188-189, 89-96	5.3	70
95	Ammonium formation and assimilation in P(SARK)::IPT tobacco transgenic plants under low N. <i>Journal of Plant Physiology</i> , 2012 , 169, 157-62	3.6	17
94	Grafting under water stress in tomato cherry: improving the fruit yield and quality. <i>Annals of Applied Biology</i> , 2012 , 161, 302-312	2.6	34
93	Parameters Symptomatic for Boron Toxicity in Leaves of Tomato Plants. <i>Journal of Botany</i> , 2012 , 2012, 1-17	0	31
92	Phenolic profiles of cherry tomatoes as influenced by hydric stress and rootstock technique. <i>Food Chemistry</i> , 2012 , 134, 775-82	8.5	64

91	Cytokinin-dependent improvement in transgenic P(SARK)::IPT tobacco under nitrogen deficiency. <i>Journal of Agricultural and Food Chemistry</i> , 2011 , 59, 10491-5	5.7	19
90	Ammonia production and assimilation: its importance as a tolerance mechanism during moderate water deficit in tomato plants. <i>Journal of Plant Physiology</i> , 2011 , 168, 816-23	3.6	45
89	Beneficial effects of exogenous iodine in lettuce plants subjected to salinity stress. <i>Plant Science</i> , 2011 , 181, 195-202	5.3	47
88	Effect of cytokinins on oxidative stress in tobacco plants under nitrogen deficiency. <i>Environmental and Experimental Botany</i> , 2011 , 72, 167-173	5.9	48
87	Photosynthesis and metabolism of sugars from lettuce plants (<i>Lactuca sativa</i> L. var. <i>longifolia</i>) subjected to biofortification with iodine. <i>Plant Growth Regulation</i> , 2011 , 65, 137-143	3.2	18
86	Does iodine biofortification affect oxidative metabolism in lettuce plants?. <i>Biological Trace Element Research</i> , 2011 , 142, 831-42	4.5	39
85	Variation in the use efficiency of N under moderate water deficit in tomato plants (<i>Solanum lycopersicum</i>) differing in their tolerance to drought. <i>Acta Physiologiae Plantarum</i> , 2011 , 33, 1861-1865	2.6	11
84	The effect of environmental conditions on nutritional quality of cherry tomato fruits: evaluation of two experimental Mediterranean greenhouses. <i>Journal of the Science of Food and Agriculture</i> , 2011 , 91, 152-62	4.3	67
83	Iodine application affects nitrogen-use efficiency of lettuce plants (<i>Lactuca sativa</i> L.). <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2011 , 61, 378-383	1.1	6
82	Genotypic differences in some physiological parameters symptomatic for oxidative stress under moderate drought in tomato plants. <i>Plant Science</i> , 2010 , 178, 30-40	5.3	246
81	Nitrogen-Use Efficiency in Relation to Different Forms and Application Rates of Se in Lettuce Plants. <i>Journal of Plant Growth Regulation</i> , 2010 , 29, 164-170	4.7	24
80	Photorespiration Process and Nitrogen Metabolism in Lettuce Plants (<i>Lactuca sativa</i> L.): Induced Changes in Response to Iodine Biofortification. <i>Journal of Plant Growth Regulation</i> , 2010 , 29, 477-486	4.7	32
79	Study of the ionome and uptake fluxes in cherry tomato plants under moderate water stress conditions. <i>Plant and Soil</i> , 2010 , 335, 339-347	4.2	47
78	Response of nitrogen metabolism in lettuce plants subjected to different doses and forms of selenium. <i>Journal of the Science of Food and Agriculture</i> , 2010 , 90, 1914-9	4.3	42
77	Environmental conditions affect pectin solubilization in cherry tomato fruits grown in two experimental Mediterranean greenhouses. <i>Environmental and Experimental Botany</i> , 2009 , 67, 320-327	5.9	11
76	Environmental conditions in relation to stress in cherry tomato fruits in two experimental Mediterranean greenhouses. <i>Journal of the Science of Food and Agriculture</i> , 2009 , 89, 735-742	4.3	18
75	Production and detoxification of H ₂ O ₂ in lettuce plants exposed to selenium. <i>Annals of Applied Biology</i> , 2009 , 154, 107-116	2.6	75
74	Response of nitrogen metabolism to boron toxicity in tomato plants. <i>Plant Biology</i> , 2009 , 11, 671-7	3.7	47

73	Involvement of lignification and membrane permeability in the tomato root response to boron toxicity. <i>Plant Science</i> , 2009 , 176, 545-52	5.3	47
72	Biofortification of Se and induction of the antioxidant capacity in lettuce plants. <i>Scientia Horticulturae</i> , 2008 , 116, 248-255	4.1	87
71	Role of nitric oxide under saline stress: implications on proline metabolism. <i>Biologia Plantarum</i> , 2008 , 52, 587-591	2.1	97
70	Regulation of sulphur assimilation in lettuce plants in the presence of selenium. <i>Plant Growth Regulation</i> , 2008 , 56, 43-51	3.2	26
69	Iodine biofortification and antioxidant capacity of lettuce: potential benefits for cultivation and human health. <i>Annals of Applied Biology</i> , 2008 , 152, 289-299	2.6	102
68	Comparative effect of Al, Se, and Mo toxicity on NO ₃ (-) assimilation in sunflower (<i>Helianthus annuus</i> L.) plants. <i>Journal of Environmental Management</i> , 2007 , 83, 207-12	7.9	29
67	Oxidative stress and antioxidants in tomato (<i>Solanum lycopersicum</i>) plants subjected to boron toxicity. <i>Annals of Botany</i> , 2007 , 100, 747-56	4.1	185
66	Proline metabolism in cherry tomato exocarp in relation to temperature and solar radiation. <i>Journal of Horticultural Science and Biotechnology</i> , 2007 , 82, 739-744	1.9	11
65	Sucrolytic activities in cherry tomato fruits in relation to temperature and solar radiation. <i>Scientia Horticulturae</i> , 2007 , 113, 244-249	4.1	35
64	Grafting to improve nitrogen-use efficiency traits in tobacco plants. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 1014-1021	4.3	22
63	Antioxidant content and ascorbate metabolism in cherry tomato exocarp in relation to temperature and solar radiation. <i>Journal of the Science of Food and Agriculture</i> , 2006 , 86, 1545-1551	4.3	94
62	Grafting between tobacco plants to enhance salinity tolerance. <i>Journal of Plant Physiology</i> , 2006 , 163, 1229-37	3.6	18
61	Boron Increases Synthesis of Glutathione in Sunflower Plants Subjected to Aluminum Stress. <i>Plant and Soil</i> , 2006 , 279, 25-30	4.2	39
60	Nicotine-free and salt-tolerant tobacco plants obtained by grafting to salinity-resistant rootstocks of tomato. <i>Physiologia Plantarum</i> , 2005 , 124, 465-475	4.6	44
59	Evaluation of some nutritional and biochemical indicators in selecting salt-resistant tomato cultivars. <i>Environmental and Experimental Botany</i> , 2005 , 54, 193-201	5.9	128
58	Regulation of Nitrogen Assimilation by Sulfur in Bean. <i>Journal of Plant Nutrition</i> , 2005 , 28, 1163-1174	2.3	8
57	Relationship between leaf micronutrient concentrations and fruit yield in new tomato cultivars. <i>Journal of Horticultural Science and Biotechnology</i> , 2005 , 80, 476-480	1.9	2
56	Importance of N source on heat stress tolerance due to the accumulation of proline and quaternary ammonium compounds in tomato plants. <i>Plant Biology</i> , 2004 , 6, 702-7	3.7	25

55	Yield and biosynthesis of nitrogenous compounds in fruits of green bean (<i>Phaseolus vulgaris</i> L cv Strike) in response to increasing N fertilisation. <i>Journal of the Science of Food and Agriculture</i> , 2004 , 84, 575-580	4.3	7
54	Changes in biomass, enzymatic activity and protein concentration in roots and leaves of green bean plants (<i>Phaseolus vulgaris</i> L. cv. Strike) under high NH ₄ NO ₃ application rates. <i>Scientia Horticulturae</i> , 2004 , 99, 237-248	4.1	51
53	Oxidative metabolism in tomato plants subjected to heat stress. <i>Journal of Horticultural Science and Biotechnology</i> , 2004 , 79, 560-564	1.9	49
52	Iron Metabolism in Tomato and Watermelon Plants: Influence of Nitrogen Source. <i>Journal of Plant Nutrition</i> , 2003 , 26, 2413-2424	2.3	6
51	Role of Ca ²⁺ in the metabolism of phenolic compounds in tobacco leaves (<i>Nicotiana tabacum</i> L.). <i>Plant Growth Regulation</i> , 2003 , 41, 173-177	3.2	43
50	The Role of Fungicides in the Physiology of Higher Plants: Implications for Defense Responses. <i>Botanical Review, The</i> , 2003 , 69, 162-172	3.8	49
49	Can grafting in tomato plants strengthen resistance to thermal stress?. <i>Journal of the Science of Food and Agriculture</i> , 2003 , 83, 1315-1319	4.3	50
48	Does grafting provide tomato plants an advantage against H ₂ O ₂ production under conditions of thermal shock?. <i>Physiologia Plantarum</i> , 2003 , 117, 44-50	4.6	61
47	Growth conditions, elemental accumulation and induced physiological changes in Chinese cabbage. <i>Chemosphere</i> , 2003 , 52, 1031-40	8.4	19
46	Preliminary studies on the involvement of biosynthesis of cysteine and glutathione concentration in the resistance to B toxicity in sunflower plants. <i>Plant Science</i> , 2003 , 165, 811-817	5.3	40
45	Influence of temperature on biomass, iron metabolism and some related bioindicators in tomato and watermelon plants. <i>Journal of Plant Physiology</i> , 2003 , 160, 1065-71	3.6	11
44	Sulphur phytoaccumulation in plant species characteristic of Gypsiferous soils. <i>International Journal of Phytoremediation</i> , 2003 , 5, 203-10	3.9	32
43	Salinity-induced glutathione synthesis in <i>Brassica napus</i> . <i>Planta</i> , 2002 , 214, 965-9	4.7	157
42	Is phenol oxidation responsible for the short-term effects of boron deficiency on plasma-membrane permeability and function in squash roots?. <i>Plant Physiology and Biochemistry</i> , 2002 , 40, 853-858	5.4	27
41	Proline metabolism and NAD kinase activity in greenbean plants subjected to cold-shock. <i>Phytochemistry</i> , 2002 , 59, 473-8	4	77
40	Relationship between potassium fertilisation and nitrate assimilation in leaves and fruits of cucumber (<i>Cucumis sativus</i>) plants. <i>Annals of Applied Biology</i> , 2002 , 140, 241-245	2.6	33
39	Supplemental boron stimulates ammonium assimilation in leaves of tobacco plants (<i>Nicotiana tabacum</i> L.). <i>Plant Growth Regulation</i> , 2002 , 36, 231-236	3.2	4
38	Proline metabolism in response to nitrogen deficiency in French Bean plants (<i>Phaseolus vulgaris</i> L. cv Strike). <i>Plant Growth Regulation</i> , 2002 , 36, 261-265	3.2	19

37	Boron in Plant Biology. <i>Plant Biology</i> , 2002 , 4, 205-223	3.7	504
36	NITROGEN PHOSPHORUS POTASSIUM EFFECTS ON FORMS OF SULFUR IN LEAVES AND FRUITS OF CUCUMBER. <i>Journal of Plant Nutrition</i> , 2002 , 25, 2151-2159	2.3	
35	Is the application of carbendazim harmful to healthy plants? Evidence of weak phytotoxicity in tobacco. <i>Journal of Agricultural and Food Chemistry</i> , 2002 , 50, 279-83	5.7	19
34	BORON EFFECT ON MINERAL NUTRIENTS OF TOBACCO. <i>Journal of Plant Nutrition</i> , 2002 , 25, 509-522	2.3	30
33	Renewed debate over transpiration and long-distance transport of minerals in plants. <i>Trends in Plant Science</i> , 2002 , 7, 56	13.1	2
32	Proline metabolism in response to nitrogen toxicity in fruit of French Bean plants (<i>Phaseolus vulgaris</i> L. cv Strike). <i>Scientia Horticulturae</i> , 2002 , 93, 225-233	4.1	27
31	Effect of Soil Temperature on K and Ca Concentrations and on ATPase and Pyruvate Kinase Activity in Potato Roots. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2002 , 37, 325-328	2.4	4
30	Response of oxidative metabolism in watermelon plants subjected to cold stress. <i>Functional Plant Biology</i> , 2002 , 29, 643-648	2.7	25
29	Preliminary studies on the influence of boron on the foliar biomass and quality of tobacco leaves subjected to NO_3^- fertilisation. <i>Journal of the Science of Food and Agriculture</i> , 2001 , 81, 739-744	4.2	8
28	Effect of calcium on mineral nutrient uptake and growth of tobacco. <i>Journal of the Science of Food and Agriculture</i> , 2001 , 81, 1334-1338	4.3	28
27	The response of proline metabolism to nitrogen deficiency in pods and seeds of French bean (<i>Phaseolus vulgaris</i> L cv Strike) plants. <i>Journal of the Science of Food and Agriculture</i> , 2001 , 81, 1471-1475	4.3	1
26	METABOLISM AND EFFICIENCY OF PHOSPHORUS UTILIZATION DURING SENESCENCE IN PEPPER PLANTS: RESPONSE TO NITROGENOUS AND POTASSIUM FERTILIZATION. <i>Journal of Plant Nutrition</i> , 2001 , 24, 1731-1743	2.3	4
25	Direct action of the biocide carbendazim on phenolic metabolism in tobacco plants. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 131-7	5.7	24
24	Proline metabolism in response to highest nitrogen dosages in green bean plants (<i>Phaseolus vulgaris</i> L. cv. Strike). <i>Journal of Plant Physiology</i> , 2001 , 158, 593-598	3.6	63
23	Floating row covers affect Pb and Cd accumulation and antioxidant status in Chinese cabbage. <i>Scientia Horticulturae</i> , 2001 , 89, 85-92	4.1	7
22	Resistance to cold and heat stress: accumulation of phenolic compounds in tomato and watermelon plants. <i>Plant Science</i> , 2001 , 160, 315-321	5.3	45 ¹
21	Influence of CaCl_2 on the foliar biomass and quality of tobacco leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2001 , 49, 3600-5	5.7	4
20	Response of oxidative metabolism to the application of carbendazim plus boron in tobacco. <i>Functional Plant Biology</i> , 2001 , 28, 801	2.7	5

19	Efficiency of the different genotypes of tomato in relation to foliar content of Fe and the response of some bioindicators. <i>Journal of Plant Nutrition</i> , 2000 , 23, 1777-1786	2.3	11
18	Nitrogen metabolism and yield response of cucumber (<i>Cucumis sativus</i> L cv Brunex) plants to phosphorus fertilisation. <i>Journal of the Science of Food and Agriculture</i> , 2000 , 80, 2069-2073	4.3	7
17	Metabolism and efficiency in nitrogen utilization during senescence in pepper plants: Response to nitrogenous fertilization. <i>Journal of Plant Nutrition</i> , 2000 , 23, 91-101	2.3	11
16	Nitrogen metabolism in pepper plants applied with different bioregulators. <i>Journal of Agricultural and Food Chemistry</i> , 2000 , 48, 2925-9	5.7	30
15	Response of phenolic metabolism to the application of carbendazim plus boron in tobacco. <i>Physiologia Plantarum</i> , 1999 , 106, 151-157	4.6	55
14	Pyruvate kinase activity as an indicator of the level of K(+), Mg(2+), and Ca(2+) in leaves and fruits of the cucumber: the role of potassium fertilization. <i>Journal of Agricultural and Food Chemistry</i> , 1999 , 47, 845-9	5.7	9
13	Role of CaCl ₂ in nitrate assimilation in leaves and roots of tobacco plants (<i>Nicotiana tabacum</i> L.). <i>Plant Science</i> , 1999 , 141, 107-115	5.3	34
12	Relationship between boron and phenolic metabolism in tobacco leaves. <i>Phytochemistry</i> , 1998 , 48, 269-272		85
11	Phosphorus Metabolism and Yield Response to Increases in Nitrogen Phosphorus Fertilization: Improvement in Greenhouse Cultivation of Eggplant (<i>Solanum melongena</i> Cv. Bonica). <i>Journal of Agricultural and Food Chemistry</i> , 1998 , 46, 1603-1608	5.7	10
10	Calcium impact on phosphorus and its main bioindicators: Response in the roots and leaves of tobacco. <i>Journal of Plant Nutrition</i> , 1998 , 21, 2273-2285	2.3	10
9	Nitrogen Metabolism in Tobacco Plants (<i>Nicotiana tabacum</i> L.): Role of Boron as a Possible Regulatory Factor. <i>International Journal of Plant Sciences</i> , 1998 , 159, 121-126	2.6	45
8	Nitrogen Metabolism and Yield Response to Increases in Nitrogen Phosphorus Fertilization: Improvement in Greenhouse Cultivation of Eggplant (<i>Solanum melongena</i> Cv. Bonica). <i>Journal of Agricultural and Food Chemistry</i> , 1997 , 45, 4227-4231	5.7	26
7	Response of plant yield and leaf pigments to saline conditions: Effectiveness of different rootstocks in melon plants (<i>Cucumis melo</i> L.). <i>Soil Science and Plant Nutrition</i> , 1997 , 43, 855-862	1.6	80
6	Leaf-macronutrient content and yield in grafted melon plants. A model to evaluate the influence of rootstock genotype. <i>Scientia Horticulturae</i> , 1997 , 71, 227-234	4.1	88
5	Effects of nitrogen, phosphorus and potassium treatments on phosphorus fractions in melon plants. <i>Communications in Soil Science and Plant Analysis</i> , 1996 , 27, 1417-1425	1.5	4
4	Foliar level of phosphorus and its bioindicators in <i>Cucumis melo</i> grafted plants. A possible effect of rootstocks. <i>Journal of Plant Physiology</i> , 1996 , 149, 400-404	3.6	28
3	Influence of nitrogen, phosphorus, and potassium on pigments concentrations in cucumber leaves. <i>Communications in Soil Science and Plant Analysis</i> , 1996 , 27, 1513-1526	1.5	2
2	Effect of bioregulators on the concentration of carbohydrates in pepper fruits. <i>Communications in Soil Science and Plant Analysis</i> , 1996 , 27, 1013-1025	1.5	2

- 1 Influence of nitrogen, phosphorus, and potassium on pigment concentration in cucumber leaves. *Communications in Soil Science and Plant Analysis*, **1996**, 27, 1001-1012 1.5 3