

Juan Manuel Ruiz SÃ¡ez

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3257436/publications.pdf>

Version: 2024-02-01

145
papers

6,761
citations

61945

43
h-index

71651

76
g-index

147
all docs

147
docs citations

147
times ranked

6462
citing authors

#	ARTICLE	IF	CITATIONS
1	Improvement of the physiological response of barley plants to both Zinc deficiency and toxicity by the application of calcium silicate. <i>Plant Science</i> , 2022, 319, 111259.	1.7	6
2	Effect of amino acid-based biostimulants on nitrogen use efficiency (NUE) in lettuce plants. <i>Journal of the Science of Food and Agriculture</i> , 2022, 102, 7098-7106.	1.7	11
3	Evaluation of Physiological and Quality Parameters of Green Asparagus Spears Subjected to Three Treatments against the Decline Syndrome. <i>Agronomy</i> , 2021, 11, 937.	1.3	3
4	The application of the silicon-based biostimulant Codasil® offset water deficit of lettuce plants. <i>Scientia Horticulturae</i> , 2021, 285, 110177.	1.7	13
5	Calcium silicate ameliorates zinc deficiency and toxicity symptoms in barley plants through improvements in nitrogen metabolism and photosynthesis. <i>Acta Physiologiae Plantarum</i> , 2021, 43, 1.	1.0	6
6	Nitrogen and photorespiration pathways, salt stress genotypic tolerance effects in tomato plants (<i>Solanum lycopersicum</i> L.). <i>Acta Physiologiae Plantarum</i> , 2020, 42, 1.	1.0	7
7	Effects of asparagus decline on nutrients and phenolic compounds, spear quality, and allelopathy. <i>Scientia Horticulturae</i> , 2020, 261, 109029.	1.7	18
8	Tolerance to cadmium toxicity and phytoremediation potential of three <i>Brassica rapa</i> CAX1a TILLING mutants. <i>Ecotoxicology and Environmental Safety</i> , 2020, 189, 109961.	2.9	13
9	CAX1a TILLING Mutations Modify the Hormonal Balance Controlling Growth and Ion Homeostasis in <i>Brassica rapa</i> Plants Subjected to Salinity. <i>Agronomy</i> , 2020, 10, 1699.	1.3	3
10	Study of salt-stress tolerance and defensive mechanisms in <i>Brassica rapa</i> CAX1a TILLING mutants. <i>Environmental and Experimental Botany</i> , 2020, 175, 104061.	2.0	13
11	Assaying the use of sodium thiosulphate as a biostimulant and its effect on cadmium accumulation and tolerance in <i>Brassica oleracea</i> plants. <i>Ecotoxicology and Environmental Safety</i> , 2020, 200, 110760.	2.9	9
12	Study of Zn accumulation and tolerance of HMA4 TILLING mutants of <i>Brassica rapa</i> grown under Zn deficiency and Zn toxicity. <i>Plant Science</i> , 2019, 287, 110201.	1.7	14
13	Possible role of HMA4a TILLING mutants of <i>Brassica rapa</i> in cadmium phytoremediation programs. <i>Ecotoxicology and Environmental Safety</i> , 2019, 180, 88-94.	2.9	28
14	Effect of CAX1a TILLING mutations and calcium concentration on some primary metabolism processes in <i>Brassica rapa</i> plants. <i>Journal of Plant Physiology</i> , 2019, 237, 51-60.	1.6	6
15	NaSH: Phytotoxin or biostimulant in N assimilation in <i>Brassica oleracea</i> L. "Bronco" plants?. <i>Scientia Horticulturae</i> , 2019, 249, 471-477.	1.7	1
16	Hydrogen sulphide increase the tolerance to alkalinity stress in cabbage plants (<i>Brassica oleracea</i> L.) Tj ETQq0 0 0 rBT /Overlock 10 Tf	1.7	18
17	Analysis of metabolic and nutritional biomarkers in <i>Brassica oleracea</i> L. cv. Bronco plants under alkaline stress. <i>Journal of Horticultural Science and Biotechnology</i> , 2018, 93, 279-288.	0.9	7
18	Oxidative Stress in Relation With Micronutrient Deficiency or Toxicity. , 2018, , 181-194.		9

#	ARTICLE	IF	CITATIONS
19	Influence of the proline metabolism and glycine betaine on tolerance to salt stress in tomato (<i>Solanum lycopersicum</i> L.) commercial genotypes. <i>Journal of Plant Physiology</i> , 2018, 231, 329-336.	1.6	51
20	Physiological profile of CAX1a TILLING mutants of <i>Brassica rapa</i> exposed to different calcium doses. <i>Plant Science</i> , 2018, 272, 164-172.	1.7	11
21	¿Son los pigmentos fotosintéticos buenos indicadores de la relación del nitrógeno, fósforo y potasio en frijol ejotero?. <i>Ecosistemas Y Recursos Agropecuarios</i> , 2018, 5, 387.	0.0	6
22	Comparative study of the toxic effect of salinity in different genotypes of tomato plants: Carboxylates metabolism. <i>Scientia Horticulturae</i> , 2017, 217, 173-178.	1.7	11
23	Zinc biofortification improves phytochemicals and amino-acidic profile in <i>Brassica oleracea</i> cv. Bronco. <i>Plant Science</i> , 2017, 258, 45-51.	1.7	36
24	Study of phytohormone profile and oxidative metabolism as key process to identification of salinity response in tomato commercial genotypes. <i>Journal of Plant Physiology</i> , 2017, 216, 164-173.	1.6	32
25	Zn-biofortification enhanced nitrogen metabolism and photorespiration process in green leafy vegetable <i>Lactuca sativa</i> L. <i>Journal of the Science of Food and Agriculture</i> , 2017, 97, 1828-1836.	1.7	18
26	Silicon-mediated Improvement in Plant Salinity Tolerance: The Role of Aquaporins. <i>Frontiers in Plant Science</i> , 2017, 8, 948.	1.7	132
27	Response of carboxylate metabolism to zinc deficiency in <i>Lactuca sativa</i> and <i>Brassica oleracea</i> plants. <i>Journal of Plant Nutrition and Soil Science</i> , 2016, 179, 758-764.	1.1	2
28	Phytohormone profile in <i>Lactuca sativa</i> and <i>Brassica oleracea</i> plants grown under Zn deficiency. <i>Phytochemistry</i> , 2016, 130, 85-89.	1.4	33
29	Comparative study of Zn deficiency in <i>L. sativa</i> and <i>B. oleracea</i> plants: NH ₄ ⁺ assimilation and nitrogen derived protective compounds. <i>Plant Science</i> , 2016, 248, 8-16.	1.7	21
30	Root-zone temperature affects the phytoextraction of iron in contaminated soil. <i>Journal of Plant Nutrition</i> , 2016, 39, 51-58.	0.9	2
31	Accumulation of free polyamines enhances the antioxidant response in fruits of grafted tomato plants under water stress. <i>Journal of Plant Physiology</i> , 2016, 190, 72-78.	1.6	84
32	Roles of some nitrogenous compounds protectors in the resistance to zinc toxicity in <i>Lactuca sativa</i> cv. Phillipus and <i>Brassica oleracea</i> cv. Bronco. <i>Acta Physiologiae Plantarum</i> , 2015, 37, 1.	1.0	21
33	Genotype differences in the metabolism of proline and polyamines under moderate drought in tomato plants. <i>Plant Biology</i> , 2014, 16, 1050-1057.	1.8	37
34	How does grafting affect the ionome of cherry tomato plants under water stress?. <i>Soil Science and Plant Nutrition</i> , 2014, 60, 145-155.	0.8	33
35	Physiological and Nutritional Evaluation of the Application of Phosphite as a Phosphorus Source in Cucumber Plants. <i>Communications in Soil Science and Plant Analysis</i> , 2014, 45, 204-222.	0.6	8
36	Implication of potassium on the quality of cherry tomato fruits after postharvest during cold storage. <i>International Journal of Food Sciences and Nutrition</i> , 2014, 65, 203-211.	1.3	10

#	ARTICLE	IF	CITATIONS
37	Biofortification with potassium: antioxidant responses during postharvest of cherry tomato fruits in cold storage. <i>Acta Physiologiae Plantarum</i> , 2014, 36, 283-293.	1.0	17
38	Effects of climatic control on tomato yield and nutritional quality in Mediterranean screenhouse. <i>Journal of the Science of Food and Agriculture</i> , 2014, 94, 63-70.	1.7	25
39	Role of GSH homeostasis under Zn toxicity in plants with different Zn tolerance. <i>Plant Science</i> , 2014, 227, 110-121.	1.7	67
40	PSARK::IPT expression causes protection of photosynthesis in tobacco plants during N deficiency. <i>Environmental and Experimental Botany</i> , 2014, 98, 40-46.	2.0	8
41	Comparative study of the toxic effect of Zn in <i>Lactuca sativa</i> and <i>Brassica oleracea</i> plants: I. Growth, distribution, and accumulation of Zn, and metabolism of carboxylates. <i>Environmental and Experimental Botany</i> , 2014, 107, 98-104.	2.0	33
42	Role of Grafting in Resistance to Water Stress in Tomato Plants: Ammonia Production and Assimilation. <i>Journal of Plant Growth Regulation</i> , 2013, 32, 831-842.	2.8	29
43	Iodine Effects on Phenolic Metabolism in Lettuce Plants under Salt Stress. <i>Journal of Agricultural and Food Chemistry</i> , 2013, 61, 2591-2596.	2.4	47
44	Proline, Betaine, and Choline Responses to Different Phosphorus Levels in Green Bean. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 465-472.	0.6	13
45	NUTRITIONAL BALANCE CHANGES IN LETTUCE PLANT GROWN UNDER DIFFERENT DOSES AND FORMS OF SELENIUM. <i>Journal of Plant Nutrition</i> , 2013, 36, 1344-1354.	0.9	27
46	Phosphorus Levels Influence Plasma Membrane H ⁺ -ATPase Activity and K ⁺ , Ca ²⁺ , and Mg ²⁺ Assimilation in Green Bean. <i>Communications in Soil Science and Plant Analysis</i> , 2013, 44, 456-464.	0.6	6
47	A Fogging System Improves Antioxidative Defense Responses and Productivity in Tomato. <i>Journal of the American Society for Horticultural Science</i> , 2013, 138, 267-276.	0.5	7
48	STUDY OF THE INTERACTIONS BETWEEN IODINE AND MINERAL NUTRIENTS IN LETTUCE PLANTS. <i>Journal of Plant Nutrition</i> , 2012, 35, 1958-1969.	0.9	28
49	Antioxidant response resides in the shoot in reciprocal grafts of drought-tolerant and drought-sensitive cultivars in tomato under water stress. <i>Plant Science</i> , 2012, 188-189, 89-96.	1.7	89
50	Ammonium formation and assimilation in PSARK ⁺ -IPT tobacco transgenic plants under low N. <i>Journal of Plant Physiology</i> , 2012, 169, 157-162.	1.6	21
51	Grafting under water stress in tomato cherry: improving the fruit yield and quality. <i>Annals of Applied Biology</i> , 2012, 161, 302-312.	1.3	45
52	Parameters Symptomatic for Boron Toxicity in Leaves of Tomato Plants. <i>Journal of Botany</i> , 2012, 2012, 1-17.	1.2	52
53	Phenolic profiles of cherry tomatoes as influenced by hydric stress and rootstock technique. <i>Food Chemistry</i> , 2012, 134, 775-782.	4.2	78
54	Response of carbon and nitrogen-rich metabolites to nitrogen deficiency in PSARK ⁺ -IPT tobacco plants. <i>Plant Physiology and Biochemistry</i> , 2012, 57, 231-237.	2.8	29

#	ARTICLE	IF	CITATIONS
55	Cytokinin-Dependent Improvement in Transgenic P _{SARK} :IPT Tobacco under Nitrogen Deficiency. <i>Journal of Agricultural and Food Chemistry</i> , 2011, 59, 10491-10495.	2.4	24
56	Ammonia production and assimilation: Its importance as a tolerance mechanism during moderate water deficit in tomato plants. <i>Journal of Plant Physiology</i> , 2011, 168, 816-823.	1.6	60
57	Beneficial effects of exogenous iodine in lettuce plants subjected to salinity stress. <i>Plant Science</i> , 2011, 181, 195-202.	1.7	65
58	Effect of cytokinins on oxidative stress in tobacco plants under nitrogen deficiency. <i>Environmental and Experimental Botany</i> , 2011, 72, 167-173.	2.0	58
59	Photosynthesis and metabolism of sugars from lettuce plants (<i>Lactuca sativa</i> L. var. <i>longifolia</i>) subjected to biofortification with iodine. <i>Plant Growth Regulation</i> , 2011, 65, 137-143.	1.8	25
60	Does Iodine Biofortification Affect Oxidative Metabolism in Lettuce Plants?. <i>Biological Trace Element Research</i> , 2011, 142, 831-842.	1.9	51
61	Variation in the use efficiency of N under moderate water deficit in tomato plants (<i>Solanum</i>) Tj ETQq1 1 0.784314 150 / Overlock 10 14	1.5	14
62	The effect of environmental conditions on nutritional quality of cherry tomato fruits: evaluation of two experimental Mediterranean greenhouses. <i>Journal of the Science of Food and Agriculture</i> , 2011, 91, 152-162.	1.7	93
63	Iodine application affects nitrogen-use efficiency of lettuce plants (<i>Lactuca sativa</i> L.). <i>Acta Agriculturae Scandinavica - Section B Soil and Plant Science</i> , 2011, 61, 378-383.	0.3	7
64	Nitrogen-Use Efficiency in Relation to Different Forms and Application Rates of Se in Lettuce Plants. <i>Journal of Plant Growth Regulation</i> , 2010, 29, 164-170.	2.8	34
65	Photorespiration Process and Nitrogen Metabolism in Lettuce Plants (<i>Lactuca sativa</i> L.): Induced Changes in Response to Iodine Biofortification. <i>Journal of Plant Growth Regulation</i> , 2010, 29, 477-486.	2.8	44
66	Study of the ionome and uptake fluxes in cherry tomato plants under moderate water stress conditions. <i>Plant and Soil</i> , 2010, 335, 339-347.	1.8	63
67	Response of nitrogen metabolism in lettuce plants subjected to different doses and forms of selenium. <i>Journal of the Science of Food and Agriculture</i> , 2010, 90, 1914-1919.	1.7	57
68	Genotypic differences in some physiological parameters symptomatic for oxidative stress under moderate drought in tomato plants. <i>Plant Science</i> , 2010, 178, 30-40.	1.7	318
69	Environmental conditions affect pectin solubilization in cherry tomato fruits grown in two experimental Mediterranean greenhouses. <i>Environmental and Experimental Botany</i> , 2009, 67, 320-327.	2.0	13
70	Environmental conditions in relation to stress in cherry tomato fruits in two experimental Mediterranean greenhouses. <i>Journal of the Science of Food and Agriculture</i> , 2009, 89, 735-742.	1.7	21
71	Production and detoxification of H ₂ O ₂ in lettuce plants exposed to selenium. <i>Annals of Applied Biology</i> , 2009, 154, 107-116.	1.3	91
72	Response of nitrogen metabolism to boron toxicity in tomato plants. <i>Plant Biology</i> , 2009, 11, 671-677.	1.8	61

#	ARTICLE	IF	CITATIONS
73	Involvement of lignification and membrane permeability in the tomato root response to boron toxicity. <i>Plant Science</i> , 2009, 176, 545-552.	1.7	55
74	Role of nitric oxide under saline stress: implications on proline metabolism. <i>Biologia Plantarum</i> , 2008, 52, 587-591.	1.9	110
75	Regulation of sulphur assimilation in lettuce plants in the presence of selenium. <i>Plant Growth Regulation</i> , 2008, 56, 43-51.	1.8	32
76	Iodine biofortification and antioxidant capacity of lettuce: potential benefits for cultivation and human health. <i>Annals of Applied Biology</i> , 2008, 152, 289-299.	1.3	120
77	Biofortification of Se and induction of the antioxidant capacity in lettuce plants. <i>Scientia Horticulturae</i> , 2008, 116, 248-255.	1.7	111
78	Oxidative Stress and Antioxidants in Tomato (<i>Solanum lycopersicum</i>) Plants Subjected to Boron Toxicity. <i>Annals of Botany</i> , 2007, 100, 747-756.	1.4	217
79	Proline metabolism in cherry tomato exocarp in relation to temperature and solar radiation. <i>Journal of Horticultural Science and Biotechnology</i> , 2007, 82, 739-744.	0.9	14
80	Sucrolytic activities in cherry tomato fruits in relation to temperature and solar radiation. <i>Scientia Horticulturae</i> , 2007, 113, 244-249.	1.7	45
81	Comparative effect of Al, Se, and Mo toxicity on NO ₃ ⁻ assimilation in sunflower (<i>Helianthus annuus</i>) Tj ETQq1 1 0,784314 rgBT /Ove	3.8	37
82	Grafting between tobacco plants to enhance salinity tolerance. <i>Journal of Plant Physiology</i> , 2006, 163, 1229-1237.	1.6	21
83	Boron Increases Synthesis of Glutathione in Sunflower Plants Subjected to Aluminum Stress. <i>Plant and Soil</i> , 2006, 279, 25-30.	1.8	47
84	Grafting to improve nitrogen-use efficiency traits in tobacco plants. <i>Journal of the Science of Food and Agriculture</i> , 2006, 86, 1014-1021.	1.7	26
85	Antioxidant content and ascorbate metabolism in cherry tomato exocarp in relation to temperature and solar radiation. <i>Journal of the Science of Food and Agriculture</i> , 2006, 86, 1545-1551.	1.7	113
86	Nicotine-free and salt-tolerant tobacco plants obtained by grafting to salinity-resistant rootstocks of tomato. <i>Physiologia Plantarum</i> , 2005, 124, 465-475.	2.6	59
87	Evaluation of some nutritional and biochemical indicators in selecting salt-resistant tomato cultivars. <i>Environmental and Experimental Botany</i> , 2005, 54, 193-201.	2.0	156
88	Regulation of Nitrogen Assimilation by Sulfur in Bean. <i>Journal of Plant Nutrition</i> , 2005, 28, 1163-1174.	0.9	8
89	Relationship between leaf micronutrient concentrations and fruit yield in new tomato cultivars. <i>Journal of Horticultural Science and Biotechnology</i> , 2005, 80, 476-480.	0.9	2
90	Importance of N Source on Heat Stress Tolerance Due to the Accumulation of Proline and Quaternary Ammonium Compounds in Tomato Plants. <i>Plant Biology</i> , 2004, 6, 702-707.	1.8	45

#	ARTICLE	IF	CITATIONS
91	Yield and biosynthesis of nitrogenous compounds in fruits of green bean (<i>Phaseolus vulgaris</i> L cv) Tj ETQq1 1 0.784314 rgBT /Overlock 10 84, 575-580.	1.7	7
92	Changes in biomass, enzymatic activity and protein concentration in roots and leaves of green bean plants (<i>Phaseolus vulgaris</i> L. cv. Strike) under high NH ₄ NO ₃ application rates. <i>Scientia Horticulturae</i> , 2004, 99, 237-248.	1.7	65
93	Oxidative metabolism in tomato plants subjected to heat stress. <i>Journal of Horticultural Science and Biotechnology</i> , 2004, 79, 560-564.	0.9	61
94	Role of Ca ²⁺ in the metabolism of phenolic compounds in tobacco leaves (<i>Nicotiana tabacum</i> L.). <i>Plant Growth Regulation</i> , 2003, 41, 173-177.	1.8	50
95	The Role of Fungicides in the Physiology of Higher Plants: Implications for Defense Responses. <i>Botanical Review</i> , The, 2003, 69, 162-172.	1.7	72
96	Can grafting in tomato plants strengthen resistance to thermal stress?. <i>Journal of the Science of Food and Agriculture</i> , 2003, 83, 1315-1319.	1.7	65
97	Does grafting provide tomato plants an advantage against H ₂ O ₂ production under conditions of thermal shock?. <i>Physiologia Plantarum</i> , 2003, 117, 44-50.	2.6	75
98	Growth conditions, elemental accumulation and induced physiological changes in Chinese cabbage. <i>Chemosphere</i> , 2003, 52, 1031-1040.	4.2	19
99	Preliminary studies on the involvement of biosynthesis of cysteine and glutathione concentration in the resistance to B toxicity in sunflower plants. <i>Plant Science</i> , 2003, 165, 811-817.	1.7	44
100	Influence of temperature on biomass, iron metabolism and some related bioindicators in tomato and watermelon plants. <i>Journal of Plant Physiology</i> , 2003, 160, 1065-1071.	1.6	17
101	Sulphur Phytoaccumulation in Plant Species Characteristic of Gypsiferous Soils. <i>International Journal of Phytoremediation</i> , 2003, 5, 203-210.	1.7	38
102	Iron Metabolism in Tomato and Watermelon Plants: Influence of Nitrogen Source. <i>Journal of Plant Nutrition</i> , 2003, 26, 2413-2424.	0.9	6
103	NITROGENâ€“PHOSPHORUSâ€“POTASSIUM EFFECTS ON FORMS OF SULFUR IN LEAVES AND FRUITS OF CUCUMBER. <i>Journal of Plant Nutrition</i> , 2002, 25, 2151-2159.	0.9	0
104	Is the Application of Carbendazim Harmful to Healthy Plants? Evidence of Weak Phytotoxicity in Tobacco. <i>Journal of Agricultural and Food Chemistry</i> , 2002, 50, 279-283.	2.4	22
105	BORON EFFECT ON MINERAL NUTRIENTS OF TOBACCO. <i>Journal of Plant Nutrition</i> , 2002, 25, 509-522.	0.9	42
106	Renewed debate over transpiration and long-distance transport of minerals in plants. <i>Trends in Plant Science</i> , 2002, 7, 56.	4.3	2
107	Proline metabolism in response to nitrogen toxicity in fruit of French Bean plants (<i>Phaseolus</i>) Tj ETQq1 1 0.784314 rgBT /Overlock 10 33	1.7	33
108	Salinity-induced glutathione synthesis in <i>Brassica napus</i> . <i>Planta</i> , 2002, 214, 965-969.	1.6	186

#	ARTICLE	IF	CITATIONS
109	Is phenol oxidation responsible for the short-term effects of boron deficiency on plasma-membrane permeability and function in squash roots?. <i>Plant Physiology and Biochemistry</i> , 2002, 40, 853-858.	2.8	31
110	Proline metabolism and NAD kinase activity in greenbean plants subjected to cold-shock. <i>Phytochemistry</i> , 2002, 59, 473-478.	1.4	88
111	Relationship between potassium fertilisation and nitrate assimilation in leaves and fruits of cucumber (<i>Cucumis sativus</i>) plants. <i>Annals of Applied Biology</i> , 2002, 140, 241-245.	1.3	53
112	Title is missing!. <i>Plant Growth Regulation</i> , 2002, 36, 231-236.	1.8	6
113	Title is missing!. <i>Plant Growth Regulation</i> , 2002, 36, 261-265.	1.8	22
114	Boron in Plant Biology. <i>Plant Biology</i> , 2002, 4, 205-223.	1.8	629
115	Response of oxidative metabolism in watermelon plants subjected to cold stress. <i>Functional Plant Biology</i> , 2002, 29, 643.	1.1	27
116	Effect of Soil Temperature on K and Ca Concentrations and on ATPase and Pyruvate Kinase Activity in Potato Roots. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2002, 37, 325-328.	0.5	8
117	Direct Action of the Biocide Carbendazim on Phenolic Metabolism in Tobacco Plants. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 131-137.	2.4	27
118	Proline metabolism in response to highest nitrogen dosages in green bean plants (<i>Phaseolus vulgaris</i>) Tj ETQq0 0 0 rgBT /Overlock 10 TF	1.8	72
119	Floating row covers affect Pb and Cd accumulation and antioxidant status in Chinese cabbage. <i>Scientia Horticulturae</i> , 2001, 89, 85-92.	1.7	8
120	Resistance to cold and heat stress: accumulation of phenolic compounds in tomato and watermelon plants. <i>Plant Science</i> , 2001, 160, 315-321.	1.7	560
121	Influence of CaCl ₂ on the Foliar Biomass and Quality of Tobacco Leaves. <i>Journal of Agricultural and Food Chemistry</i> , 2001, 49, 3600-3605.	2.4	4
122	Preliminary studies on the influence of boron on the foliar biomass and quality of tobacco leaves subjected to fertilisation. <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 739-744.	1.7	8
123	Effect of calcium on mineral nutrient uptake and growth of tobacco. <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 1334-1338.	1.7	39
124	The response of proline metabolism to nitrogen deficiency in pods and seeds of French bean (<i>Phaseolus vulgaris</i> L. cv Strike) plants. <i>Journal of the Science of Food and Agriculture</i> , 2001, 81, 1471-1475.	1.7	4
125	METABOLISM AND EFFICIENCY OF PHOSPHORUS UTILIZATION DURING SENESCENCE IN PEPPER PLANTS: RESPONSE TO NITROGENOUS AND POTASSIUM FERTILIZATION. <i>Journal of Plant Nutrition</i> , 2001, 24, 1731-1743.	0.9	10
126	Response of oxidative metabolism to the application of carbendazim plus boron in tobacco. <i>Functional Plant Biology</i> , 2001, 28, 801.	1.1	6

#	ARTICLE	IF	CITATIONS
127	Efficiency of the different genotypes of tomato in relation to foliar content of Fe and the response of some bioindicators. <i>Journal of Plant Nutrition</i> , 2000, 23, 1777-1786.	0.9	13
128	Nitrogen metabolism and yield response of cucumber (<i>Cucumis sativus</i> L cv Brunex) plants to phosphorus fertilisation. <i>Journal of the Science of Food and Agriculture</i> , 2000, 80, 2069-2073.	1.7	9
129	Metabolism and efficiency in nitrogen utilization during senescence in pepper plants: Response to nitrogenous fertilization. <i>Journal of Plant Nutrition</i> , 2000, 23, 91-101.	0.9	12
130	Nitrogen Metabolism in Pepper Plants Applied with Different Bioregulators. <i>Journal of Agricultural and Food Chemistry</i> , 2000, 48, 2925-2929.	2.4	43
131	Response of phenolic metabolism to the application of carbendazim plus boron in tobacco. <i>Physiologia Plantarum</i> , 1999, 106, 151-157.	2.6	64
132	Pyruvate Kinase Activity as an Indicator of the Level of K ⁺ , Mg ²⁺ , and Ca ²⁺ in Leaves and Fruits of the Cucumber: The Role of Potassium Fertilization. <i>Journal of Agricultural and Food Chemistry</i> , 1999, 47, 845-849.	2.4	11
133	Role of CaCl ₂ in nitrate assimilation in leaves and roots of tobacco plants (<i>Nicotiana tabacum</i> L.). <i>Plant Science</i> , 1999, 141, 107-115.	1.7	39
134	Relationship between boron and phenolic metabolism in tobacco leaves. <i>Phytochemistry</i> , 1998, 48, 269-272.	1.4	103
135	Phosphorus Metabolism and Yield Response to Increases in Nitrogen~Phosphorus Fertilization: Improvement in Greenhouse Cultivation of Eggplant (<i>Solanum melongena</i> Cv. Bonica). <i>Journal of Agricultural and Food Chemistry</i> , 1998, 46, 1603-1608.	2.4	10
136	Calcium impact on phosphorus and its main bioindicators: Response in the roots and leaves of tobacco. <i>Journal of Plant Nutrition</i> , 1998, 21, 2273-2285.	0.9	13
137	Nitrogen Metabolism in Tobacco Plants (<i>Nicotiana tabacum</i> L.): Role of Boron as a Possible Regulatory Factor. <i>International Journal of Plant Sciences</i> , 1998, 159, 121-126.	0.6	57
138	Nitrogen Metabolism and Yield Response to Increases in Nitrogen~Phosphorus Fertilization: Improvement in Greenhouse Cultivation of Eggplant (<i>Solanum melongena</i> Cv. Bonica). <i>Journal of Agricultural and Food Chemistry</i> , 1997, 45, 4227-4231.	2.4	32
139	Response of plant yield and leaf pigments to saline conditions: Effectiveness of different rootstocks in melon plants (<i>Cucumis melo</i> L.). <i>Soil Science and Plant Nutrition</i> , 1997, 43, 855-862.	0.8	101
140	Leaf-macronutrient content and yield in grafted melon plants. A model to evaluate the influence of rootstock genotype. <i>Scientia Horticulturae</i> , 1997, 71, 227-234.	1.7	123
141	Effects of nitrogen, phosphorus and potassium treatments on phosphorus fractions in melon plants. <i>Communications in Soil Science and Plant Analysis</i> , 1996, 27, 1417-1425.	0.6	6
142	Foliar level of phosphorus and its bioindicators in <i>Cucumis melo</i> grafted plants. A possible effect of rootstocks. <i>Journal of Plant Physiology</i> , 1996, 149, 400-404.	1.6	33
143	Influence of nitrogen, phosphorus, and potassium on pigments concentrations in cucumber leaves. <i>Communications in Soil Science and Plant Analysis</i> , 1996, 27, 1513-1526.	0.6	2
144	Effect of bioregulators on the concentration of carbohydrates in pepper fruits. <i>Communications in Soil Science and Plant Analysis</i> , 1996, 27, 1013-1025.	0.6	3

#	ARTICLE	IF	CITATIONS
145	Influence of nitrogen, phosphorus, and potassium on pigment concentration in cucumber leaves. Communications in Soil Science and Plant Analysis, 1996, 27, 1001-1012.	0.6	8