

Alessandra Colombini

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3257579/alessandra-colombini-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,662
citations

24
h-index

38
g-index

81
ext. papers

2,040
ext. citations

4.8
avg, IF

4.8
L-index

#	Paper	IF	Citations
76	Fat-Derived Stem Cells 2022 , 221-230		
75	A single step, centrifuge-free method to harvest bone marrow highly concentrated in mesenchymal stem cells: results of a pilot trial. <i>International Orthopaedics</i> , 2021 , 1	3.8	1
74	Tendon Cells Derived From The Long Head Of The Biceps And The Supraspinatus Tendons Of Patients Affected By Rotator Cuff Tears Show Different Expression Of Inflammatory Markers. <i>Connective Tissue Research</i> , 2021 , 62, 570-579	3.3	0
73	Amniotic membrane-mesenchymal stromal cells secreted factors and extracellular vesicle-miRNAs: Anti-inflammatory and regenerative features for musculoskeletal tissues. <i>Stem Cells Translational Medicine</i> , 2021 , 10, 1044-1062	6.9	8
72	Letter to the Editor concerning "Classification of endplate lesions in the lumbar spine and association with risk factors, biochemistry, and genetics" by Alessandra Colombini et al. (Eur Spine J; doi: 10.1007/s00586-021-06719-1). <i>European Spine Journal</i> , 2021 , 1	2.7	
71	Cartilage Protective and Immunomodulatory Features of Osteoarthritis Synovial Fluid-Treated Adipose-Derived Mesenchymal Stem Cells Secreted Factors and Extracellular Vesicles-Embedded miRNAs. <i>Cells</i> , 2021 , 10,	7.9	6
70	Adipose-Derived Mesenchymal Stromal Cells Treated with Interleukin 1 Beta Produced Chondro-Protective Vesicles Able to Fast Penetrate in Cartilage. <i>Cells</i> , 2021 , 10,	7.9	1
69	Autologous microfragmented adipose tissue reduces inflammatory and catabolic markers in supraspinatus tendon cells derived from patients affected by rotator cuff tears. <i>International Orthopaedics</i> , 2021 , 45, 419-426	3.8	7
68	Classification of endplate lesions in the lumbar spine and association with risk factors, biochemistry, and genetics. <i>European Spine Journal</i> , 2021 , 30, 2231-2237	2.7	1
67	miR-103a-3p and miR-22-5p Are Reliable Reference Genes in Extracellular Vesicles From Cartilage, Adipose Tissue, and Bone Marrow Cells. <i>Frontiers in Bioengineering and Biotechnology</i> , 2021 , 9, 632440	5.8	3
66	Secreted Factors and EV-miRNAs Orchestrate the Healing Capacity of Adipose Mesenchymal Stem Cells for the Treatment of Knee Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2020 , 21,	6.3	22
65	Inflammatory priming enhances mesenchymal stromal cell secretome potential as a clinical product for regenerative medicine approaches through secreted factors and EV-miRNAs: the example of joint disease. <i>Stem Cell Research and Therapy</i> , 2020 , 11, 165	8.3	35
64	miRNA Reference Genes in Extracellular Vesicles Released from Amniotic Membrane-Derived Mesenchymal Stromal Cells. <i>Pharmaceutics</i> , 2020 , 12,	6.4	5
63	Creatine supplementation improves performance, but is it safe? Double-blind placebo-controlled study. <i>Journal of Sports Medicine and Physical Fitness</i> , 2020 , 60, 1034-1039	1.4	2
62	A2A adenosine receptors are involved in the reparative response of tendon cells to pulsed electromagnetic fields. <i>PLoS ONE</i> , 2020 , 15, e0239807	3.7	
61	In Vitro Study of Extracellular Vesicles Migration in Cartilage-Derived Osteoarthritis Samples Using Real-Time Quantitative Multimodal Nonlinear Optics Imaging. <i>Pharmaceutics</i> , 2020 , 12,	6.4	3
60	In Vitro Induction of Tendon-Specific Markers in Tendon Cells, Adipose- and Bone Marrow-Derived Stem Cells is Dependent on TGF β , BMP-12 and Ascorbic Acid Stimulation. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	24

59	miR-22-5p and miR-29a-5p Are Reliable Reference Genes for Analyzing Extracellular Vesicle-Associated miRNAs in Adipose-Derived Mesenchymal Stem Cells and Are Stable under Inflammatory Priming Mimicking Osteoarthritis Condition. <i>Stem Cell Reviews and Reports</i> , 2019 , 15, 743-754	7.3	15
58	Insights into Inflammatory Priming of Adipose-Derived Mesenchymal Stem Cells: Validation of Extracellular Vesicles-Embedded miRNA Reference Genes as A Crucial Step for Donor Selection. <i>Cells</i> , 2019 , 8,	7.9	13
57	Identification of miRNA Reference Genes in Extracellular Vesicles from Adipose Derived Mesenchymal Stem Cells for Studying Osteoarthritis. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	25
56	Interaction with hyaluronan matrix and miRNA cargo as contributors for in vitro potential of mesenchymal stem cell-derived extracellular vesicles in a model of human osteoarthritic synoviocytes. <i>Stem Cell Research and Therapy</i> , 2019 , 10, 109	8.3	35
55	Human Diseased Articular Cartilage Contains a Mesenchymal Stem Cell-Like Population of Chondroprogenitors with Strong Immunomodulatory Responses. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	21
54	Intra-Articular Injection of Hydrolyzed Collagen to Treat Symptoms of Knee Osteoarthritis. A Functional In Vitro Investigation and a Pilot Retrospective Clinical Study. <i>Journal of Clinical Medicine</i> , 2019 , 8,	5.1	10
53	Mesenchymal stem cells in the treatment of articular cartilage degeneration: New biological insights for an old-timer cell. <i>Cytotherapy</i> , 2019 , 21, 1179-1197	4.8	35
52	Autologous Microfragmented Adipose Tissue Reduces the Catabolic and Fibrosis Response in an In Vitro Model of Tendon Cell Inflammation. <i>Stem Cells International</i> , 2019 , 2019, 5620286	5	4
51	Injective mesenchymal stem cell-based treatments for knee osteoarthritis: from mechanisms of action to current clinical evidences. <i>Knee Surgery, Sports Traumatology, Arthroscopy</i> , 2019 , 27, 2003-2020	5.5	66
50	Housekeeping Gene Stability in Human Mesenchymal Stem and Tendon Cells Exposed to Tenogenic Factors. <i>Tissue Engineering - Part C: Methods</i> , 2018 , 24, 360-367	2.9	12
49	Vitamin D α Effect on the Proliferation and Inflammation of Human Intervertebral Disc Cells in Relation to the Functional Vitamin D Receptor Gene FokI Polymorphism. <i>International Journal of Molecular Sciences</i> , 2018 , 19,	6.3	5
48	Rationale and pre-clinical evidences for the use of autologous cartilage micrografts in cartilage repair. <i>Journal of Orthopaedic Surgery and Research</i> , 2018 , 13, 279	2.8	7
47	Silk/Fibroin Microcarriers for Mesenchymal Stem Cell Delivery: Optimization of Cell Seeding by the Design of Experiment. <i>Pharmaceutics</i> , 2018 , 10,	6.4	11
46	Validation of reference and identity-defining genes in human mesenchymal stem cells cultured under unrelated fetal bovine serum batches for basic science and clinical application. <i>Stem Cell Reviews and Reports</i> , 2018 , 14, 837-846	6.4	6
45	Plasma vitamin D and osteo-cartilaginous markers in Italian males affected by intervertebral disc degeneration: Focus on seasonal and pathological trend of type II collagen degradation. <i>Clinica Chimica Acta</i> , 2017 , 471, 87-93	6.2	8
44	High Levels of Circulating Type II Collagen Degradation Marker (CTX-II) Are Associated with Specific VDR Polymorphisms in Patients with Adult Vertebral Osteochondrosis. <i>International Journal of Molecular Sciences</i> , 2017 , 18,	6.3	6
43	Interplay between low plasma RANKL and VDR-FokI polymorphism in lumbar disc herniation independently from age, body mass, and environmental factors: a case-control study in the Italian population. <i>European Spine Journal</i> , 2016 , 25, 192-199	2.7	20
42	Chondrogenic capability of osteoarthritic chondrocytes from the trapeziometacarpal and hip joints. <i>Cell and Tissue Banking</i> , 2016 , 17, 171-7	2.2	2

41	Bsm1, Apal and TaqI Polymorphisms in the Vitamin D Receptor Gene (VDR) and Association with Lumbar Spine Pathologies: An Italian Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0155004	3.7	30
40	Gender differences in the VDR-FokI polymorphism and conventional non-genetic risk factors in association with lumbar spine pathologies in an Italian case-control study. <i>International Journal of Molecular Sciences</i> , 2015 , 16, 3722-39	6.3	28
39	Bone-muscle unit activity, salivary steroid hormones profile, and physical effort over a 3-week stage race. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2015 , 25, 70-80	4.6	27
38	In vitro characterization and in vivo behavior of human nucleus pulposus and annulus fibrosus cells in clinical-grade fibrin and collagen-enriched fibrin gels. <i>Tissue Engineering - Part A</i> , 2015 , 21, 793-802	3.9	15
37	Fibrin in intervertebral disc tissue engineering. <i>Tissue Engineering - Part B: Reviews</i> , 2014 , 20, 713-21	7.9	15
36	FokI polymorphism in the vitamin D receptor gene (VDR) and its association with lumbar spine pathologies in the Italian population: a case-control study. <i>PLoS ONE</i> , 2014 , 9, e97027	3.7	40
35	Muscular Damage and Kidney Function in Rugby Players after Daily Whole Body Cryostimulation. <i>Physiology Journal</i> , 2014 , 2014, 1-7		3
34	Reciprocal regulation of calcium-/phosphate-regulating hormones in cyclists during the Giro d'Italia 3-week stage race. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2014 , 24, 779-87	4.6	23
33	Low frequency pulsed electromagnetic field affects proliferation, tissue-specific gene expression, and cytokines release of human tendon cells. <i>Cell Biochemistry and Biophysics</i> , 2013 , 66, 697-708	3.2	56
32	Evaluation of a possible direct effect by casein phosphopeptides on paracellular and vitamin D controlled transcellular calcium transport mechanisms in intestinal human HT-29 and Caco2 cell lines. <i>Food and Function</i> , 2013 , 4, 1195-203	6.1	8
31	Vitamin D in exercise: physiologic and analytical concerns. <i>Clinica Chimica Acta</i> , 2013 , 415, 45-53	6.2	29
30	Reticulocytes in sports medicine: an update. <i>Advances in Clinical Chemistry</i> , 2013 , 59, 125-53	5.8	12
29	Relationship between vitamin D receptor gene (VDR) polymorphisms, vitamin D status, osteoarthritis and intervertebral disc degeneration. <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2013 , 138, 24-40	5.1	41
28	Influence on chondrogenesis of human osteoarthritic chondrocytes in co-culture with donor-matched mesenchymal stem cells from infrapatellar fat pad and subcutaneous adipose tissue. <i>International Journal of Immunopathology and Pharmacology</i> , 2013 , 26, 23-31	3	20
27	Orthopedic bioactive implants: Hydrogel enrichment of macroporous titanium for the delivery of mesenchymal stem cells and strontium. <i>Journal of Biomedical Materials Research - Part A</i> , 2013 , 101, 3396-403	5.4	25
26	Hematological profile and martial status in rugby players during whole body cryostimulation. <i>PLoS ONE</i> , 2013 , 8, e55803	3.7	26
25	Estimation of glomerular filtration rate by MDRD equation in athletes: role of body surface area. <i>European Journal of Applied Physiology</i> , 2012 , 112, 201-6	3.4	9
24	Metabolic effects of vitamin D active metabolites in monolayer and micromass cultures of nucleus pulposus and annulus fibrosus cells isolated from human intervertebral disc. <i>International Journal of Biochemistry and Cell Biology</i> , 2012 , 44, 1019-30	5.6	29

23	Bone and energy metabolism parameters in professional cyclists during the Giro d'Italia 3-weeks stage race. <i>PLoS ONE</i> , 2012 , 7, e42077	3.7	31
22	Blood biochemical markers of bone turnover: pre-analytical and technical aspects of sample collection and handling. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 771-89	5.9	41
21	Evaluation of creatinine, cystatin C and eGFR by different equations in professional cyclists during the Giro d'Italia 3-weeks stage race. <i>Scandinavian Journal of Clinical and Laboratory Investigation</i> , 2012 , 72, 114-20	2	15
20	Serum creatine kinase activity and its relationship with renal function indices in professional cyclists during the Giro d'Italia 3-week stage race. <i>Clinical Journal of Sport Medicine</i> , 2012 , 22, 408-13	3.2	14
19	Metabolic markers in sports medicine. <i>Advances in Clinical Chemistry</i> , 2012 , 56, 1-54	5.8	143
18	Haematological and iron metabolism parameters in professional cyclists during the Giro d'Italia 3-weeks stage race. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 949-56	5.9	25
17	Stability of osteopontin in plasma and serum. <i>Clinical Chemistry and Laboratory Medicine</i> , 2012 , 50, 1979-84	3.4	21
16	Cardiac indexes, cardiac damage biomarkers and energy expenditure in professional cyclists during the Giro d'Italia 3-weeks stage race. <i>Biochimica Medica</i> , 2012 , 22, 237-46	2.5	16
15	Stability of haematological parameters and its relevance on the athlete's biological passport model. <i>Sports Medicine</i> , 2011 , 41, 1033-42	10.6	24
14	Biochemistry of adolescent idiopathic scoliosis. <i>Advances in Clinical Chemistry</i> , 2011 , 54, 165-82	5.8	31
13	Seasonal variation of bone turnover markers in top-level female skiers. <i>European Journal of Applied Physiology</i> , 2011 , 111, 433-40	3.4	23
12	Plasma and drainage fluid levels of soluble receptor activator of nuclear factor-kB (sRANK), soluble receptor activator of nuclear factor-kB ligand (sRANKL) and osteoprotegerin (OPG) during proximal humerus fracture healing. <i>International Orthopaedics</i> , 2011 , 35, 777-82	3.8	9
11	Design of microfluidic devices for drug screening on in-vitro cells for osteoporosis therapies. <i>Microelectronic Engineering</i> , 2011 , 88, 1801-1806	2.5	7
10	Analytical variability in sport hematology: its importance in an antidoping setting. <i>Clinical Chemistry and Laboratory Medicine</i> , 2011 , 49, 779-82	5.9	12
9	New Strategies in Cartilage Tissue Engineering for Osteoarthritic Patients: Infrapatellar Fat Pad as an Alternative Source of Progenitor Cells. <i>Journal of Biomaterials and Tissue Engineering</i> , 2011 , 1, 40-48	0.3	9
8	Indirect markers for detecting growth hormone abuse by athletes. <i>Clinical Endocrinology</i> , 2010 , 73, 272-3; author reply 274-5	3.4	
7	Bone metabolism markers in sports medicine. <i>Sports Medicine</i> , 2010 , 40, 697-714	10.6	98
6	Calcium ions enclosed in casein phosphopeptide aggregates are directly involved in the mineral uptake by differentiated HT-29 cells. <i>International Dairy Journal</i> , 2010 , 20, 770-776	3.5	21

5	Serum uric acid in top-level alpine skiers over four consecutive competitive seasons. <i>Clinica Chimica Acta</i> , 2010 , 411, 645-8	6.2	7
4	A world apart: Inaccuracies of laboratory methodologies in antidoping testing. <i>Clinica Chimica Acta</i> , 2010 , 411, 1003-8	6.2	18
3	Whole-body cryotherapy in athletes. <i>Sports Medicine</i> , 2010 , 40, 509-17	10.6	142
2	Matrix metalloproteases MMP-2 and MMP-9: are they early biomarkers of bone remodelling and healing after arthroscopic acromioplasty?. <i>Injury</i> , 2010 , 41, 1204-7	2.5	22
1	Pathophysiology of the human intervertebral disc. <i>International Journal of Biochemistry and Cell Biology</i> , 2008 , 40, 837-42	5.6	78