
Mizanur Khondoker

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3257960/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Cognitive-behavioral therapy for psychogenic nonepileptic seizures. Neurology, 2010, 74, 1986-1994.	1.1	384
2	Daily Use, Especially of High-Potency Cannabis, Drives the Earlier Onset of Psychosis in Cannabis Users. Schizophrenia Bulletin, 2014, 40, 1509-1517.	4.3	364
3	Host Defense against Viral Infection Involves Interferon Mediated Down-Regulation of Sterol Biosynthesis. PLoS Biology, 2011, 9, e1000598.	5.6	241
4	Can Psychological Interventions Reduce Perfectionism? A Systematic Review and Meta-analysis. Behavioural and Cognitive Psychotherapy, 2015, 43, 705-731.	1.2	131
5	Toward personalized cognitive diagnostics of at-genetic-risk Alzheimer's disease. Proceedings of the National Academy of Sciences of the United States of America, 2019, 116, 9285-9292.	7.1	118
6	Differences in HPA-axis and heart rate responsiveness to psychosocial stress in children with autism spectrum disorders with and without co-morbid anxiety. Psychoneuroendocrinology, 2014, 46, 32-45.	2.7	112
7	Identification of a human neonatal immune-metabolic network associated with bacterial infection. Nature Communications, 2014, 5, 4649.	12.8	112
8	A Systematic Review and Meta-Analysis of the Effectiveness of Acetylcholinesterase Inhibitors and Memantine in Treating the Cognitive Symptoms of Dementia. Dementia and Geriatric Cognitive Disorders, 2018, 45, 131-151.	1.5	102
9	Health behaviour change during the UK COVIDâ€19 lockdown: Findings from the first wave of the Câ€19 health behaviour and wellâ€being daily tracker study. British Journal of Health Psychology, 2021, 26, 624-643.	3.5	95
10	Human Trafficking and Health: A Survey of Male and Female Survivors in England. American Journal of Public Health, 2016, 106, 1073-1078.	2.7	87
11	Characteristics of trafficked adults and children with severe mental illness: a historical cohort study. Lancet Psychiatry,the, 2015, 2, 1084-1091.	7.4	77
12	The feasibility and acceptability of a brief Acceptance and Commitment Therapy (ACT) group intervention for people with psychosis: The †ACT for life' study. Journal of Behavior Therapy and Experimental Psychiatry, 2016, 50, 257-263.	1.2	77
13	Cognitive–behavioural therapy in medication-treated adults with attention-deficit/hyperactivity disorder and co-morbid psychopathology: a randomized controlled trial using multi-level analysis. Psychological Medicine, 2015, 45, 2793-2804.	4.5	76
14	Depression and anxiety symptom trajectories in coronary heart disease: Associations with measures of disability and impact on 3-year health care costs. Journal of Psychosomatic Research, 2018, 104, 1-8.	2.6	76
15	Central Coherence in Eating Disorders: A Synthesis of Studies Using the Rey Osterrieth Complex Figure Test. PLoS ONE, 2016, 11, e0165467.	2.5	69
16	Factors Associated with Response to Acetylcholinesterase Inhibition in Dementia: A Cohort Study from a Secondary Mental Health Care Case Register in London. PLoS ONE, 2014, 9, e109484.	2.5	58
17	Self-efficacy and risk of persistent shoulder pain: results of a Classification and Regression Tree (CART) analysis. British Journal of Sports Medicine, 2019, 53, 825-834.	6.7	57
18	Do Children and Adolescents with Anorexia Nervosa Display an Inefficient Cognitive Processing Style?. PLoS ONE, 2015, 10, e0131724.	2.5	56

#	Article	IF	CITATIONS
19	Substance use, medication adherence and outcome one year following a first episode of psychosis. Schizophrenia Research, 2016, 170, 311-317.	2.0	55
20	A comparison of machine learning methods for classification using simulation with multiple real data examples from mental health studies. Statistical Methods in Medical Research, 2016, 25, 1804-1823.	1.5	54
21	Post-deployment screening for mental disorders and tailored advice about help-seeking in the UK military: a cluster randomised controlled trial. Lancet, The, 2017, 389, 1410-1423.	13.7	53
22	Positive and Negative Experiences of Social Support and Risk of Dementia in Later Life: An Investigation Using the English Longitudinal Study of Ageing. Journal of Alzheimer's Disease, 2017, 58, 99-108.	2.6	48
23	Judgements about deprivation of liberty made by various professionals: comparison study. The Psychiatrist, 2011, 35, 344-349.	0.3	47
24	Cholinergic Basal Forebrain Structure Influences the Reconfiguration of White Matter Connections to Support Residual Memory in Mild Cognitive Impairment. Journal of Neuroscience, 2015, 35, 739-747.	3.6	45
25	A randomized controlled trial reporting functional outcomes of cognitive–behavioural therapy in medication-treated adults with ADHD and comorbid psychopathology. European Archives of Psychiatry and Clinical Neuroscience, 2017, 267, 267-276.	3.2	43
26	Fluorescence Lifetime Imaging of Quantum Dot Labeled DNA Microarrays. International Journal of Molecular Sciences, 2009, 10, 1930-1941.	4.1	42
27	Blood-Based Biomarker Candidates of Cerebral Amyloid Using PiB PET in Non-Demented Elderly. Journal of Alzheimer's Disease, 2016, 52, 561-572.	2.6	41
28	Reversible Inhibition of Murine Cytomegalovirus Replication by Gamma Interferon (IFN-γ) in Primary Macrophages Involves a Primed Type I IFN-Signaling Subnetwork for Full Establishment of an Immediate-Early Antiviral State. Journal of Virology, 2011, 85, 10286-10299.	3.4	40
29	A Single, One-Off Measure of Depression and Anxiety Predicts Future Symptoms, Higher Healthcare Costs, and Lower Quality of Life in Coronary Heart Disease Patients: Analysis from a Multi-Wave, Primary Care Cohort Study. PLoS ONE, 2016, 11, e0158163.	2.5	40
30	Associations of centrally acting ACE inhibitors with cognitive decline and survival in Alzheimer's disease. BJPsych Open, 2017, 3, 158-164.	0.7	38
31	Associations of homelessness and residential mobility with length of stay after acute psychiatric admission. BMC Psychiatry, 2012, 12, 121.	2.6	36
32	Obesity, antenatal depression, diet and gestational weight gain in a population cohort study. Archives of Women's Mental Health, 2016, 19, 899-907.	2.6	35
33	Factors associated with use of psychiatric intensive care and seclusion in adult inpatient mental health services. Epidemiology and Psychiatric Sciences, 2018, 27, 51-61.	3.9	33
34	Whole blood gene expression profiling of neonates with confirmed bacterial sepsis. Genomics Data, 2015, 3, 41-48.	1.3	32
35	The relationship between salivary C-reactive protein and cognitive function in children aged 11–14 years: Does psychopathology have a moderating effect?. Brain, Behavior, and Immunity, 2017, 66, 221-229.	4.1	32
36	Impact of co-located welfare advice in healthcare settings: prospective quasi-experimental controlled study. British Journal of Psychiatry, 2017, 211, 388-395.	2.8	31

MIZANUR KHONDOKER

#	Article	IF	CITATIONS
37	Longitudinal Protein Changes in Blood Plasma Associated with the Rate of Cognitive Decline in Alzheimer's Disease. Journal of Alzheimer's Disease, 2016, 49, 1105-1114.	2.6	30
38	Exploring Emotion Recognition in Adults and Adolescents with Anorexia Nervosa Using a Body Motion Paradigm. European Eating Disorders Review, 2015, 23, 262-268.	4.1	30
39	Trajectories of dementia-related cognitive decline in a large mental health records derived patient cohort. PLoS ONE, 2017, 12, e0178562.	2.5	30
40	Influence of perceived and actual neighbourhood disorder on common mental illness. Social Psychiatry and Psychiatric Epidemiology, 2014, 49, 889-901.	3.1	29
41	Predictors of severe relapse in pregnant women with psychotic or bipolar disorders. Journal of Psychiatric Research, 2018, 104, 100-107.	3.1	25
42	Seclusion and Psychiatric Intensive Care Evaluation Study (SPICES): combined qualitative and quantitative approaches to the uses and outcomes of coercive practices in mental health services. Health Services and Delivery Research, 2017, 5, 1-116.	1.4	24
43	Service user satisfaction with cognitive behavioural therapy for psychosis: Associations with therapy outcomes and perceptions of the therapist. British Journal of Clinical Psychology, 2017, 56, 84-102.	3.5	23
44	The electronic frailty index as an indicator of community healthcare service utilisation in the older population. Age and Ageing, 2019, 48, 273-277.	1.6	23
45	Solution state hybridization detection using time-resolved fluorescence anisotropy of quantum dot-DNA bioconjugates. Chemical Physics Letters, 2010, 484, 309-314.	2.6	15
46	Improving Access to psychological therapies for people with severe mental illness (IAPT-SMI): Lessons from the South London and Maudsley psychosis demonstration site. Behaviour Research and Therapy, 2019, 116, 104-110.	3.1	15
47	MULTI-FACTORIAL ANALYSIS OF CLASS PREDICTION ERROR: ESTIMATING OPTIMAL NUMBER OF BIOMARKERS FOR VARIOUS CLASSIFICATION RULES. Journal of Bioinformatics and Computational Biology, 2010, 08, 945-965.	0.8	14
48	Group acceptance and commitment therapy for patients and caregivers in psychosis services: Feasibility of training and a preliminary randomized controlled evaluation. British Journal of Clinical Psychology, 2020, 59, 524-551.	3.5	13
49	Quantitative assessment of human whole blood RNA as a potential biomarker for infectious disease. Analyst, The, 2007, 132, 1200.	3.5	12
50	Home treatment teams and facilitated discharge from psychiatric hospital. Epidemiology and Psychiatric Sciences, 2015, 24, 402-414.	3.9	12
51	Fast DNA and protein microarray tests for the diagnosis of hepatitis C virus infection on a single platform. Analytical and Bioanalytical Chemistry, 2011, 401, 2549-2559.	3.7	11
52	Social Prescribing Programmes to Prevent or Delay Frailty in Community-Dwelling Older Adults. Geriatrics (Switzerland), 2019, 4, 65.	1.7	11
53	Linking Genetics of Brain Changes to Alzheimer's Disease: Sparse Whole Genome Association Scan of Regional MRI Volumes in the ADNI and AddNeuroMed Cohorts. Journal of Alzheimer's Disease, 2015, 45, 851-864.	2.6	10
54	Identifying mortality risks in patients with opioid use disorder using brief screening assessment: Secondary mental health clinical records analysis. Drug and Alcohol Dependence, 2016, 164, 82-88.	3.2	9

MIZANUR KHONDOKER

#	Article	IF	CITATIONS
55	Predicting high-cost care in a mental health setting. BJPsych Open, 2020, 6, e10.	0.7	9
56	A Comparison of Parametric and Nonparametric Methods for Normalising cDNA Microarray Data. Biometrical Journal, 2007, 49, 815-823.	1.0	8
57	Inpatient use and area-level socio-environmental factors in people with psychosis. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 1133-1140.	3.1	8
58	Demographic and clinical factors associated with different antidepressant treatments: a retrospective cohort study design in a UK psychiatric healthcare setting. BMJ Open, 2018, 8, e022170.	1.9	7
59	An emotional regulation approach to psychosis recovery: The Living Through Psychosis group programme. Journal of Behavior Therapy and Experimental Psychiatry, 2021, 72, 101651.	1.2	7
60	Ethnic inequalities in clozapine use among people with treatment-resistant schizophrenia: a retrospective cohort study using data from electronic clinical records. Social Psychiatry and Psychiatric Epidemiology, 2022, 57, 1341-1355.	3.1	7
61	Peptide-tags for enhanced DNA microarray performance. Faraday Discussions, 2011, 149, 201-210.	3.2	6
62	Excess overdose mortality immediately following transfer of patients and their care as well as after cessation of opioid substitution therapy. Addiction, 2018, 113, 946-951.	3.3	6
63	Participant Experiences of Attending a Community CBT Workshop for Insomnia: A Qualitative Six-Year Follow-Up. Behavioral Sleep Medicine, 2019, 17, 156-173.	2.1	4
64	Distinguishing Frontotemporal Dementia From Alzheimer Disease Through Everyday Function Profiles: Trajectories of Change. Journal of Geriatric Psychiatry and Neurology, 2021, 34, 66-75.	2.3	4
65	How does carer management style influence the performance of activities of daily living in people with dementia?. International Journal of Geriatric Psychiatry, 2021, 36, 1891-1898.	2.7	4
66	Management by geographical area or management specialised by disorder? A mixed-methods evaluation of the effects of an organisational intervention on secondary mental health care for common mental disorder. Health Services and Delivery Research, 2016, 4, 1-114.	1.4	4
67	COVID-related hospitalization, intensive care treatment, and all-cause mortality in patients with psychosis and treated with clozapine. European Neuropsychopharmacology, 2022, 56, 92-99.	0.7	4
68	Assessing Proportional Hazards Assumption in Competing Risk Situation. Biometrical Journal, 2002, 44, 456.	1.0	3
69	Most Common Refusals of Personal Care in Advanced Dementia: Psychometric Properties of the Refusal of Care Informant Scale. Gerontologist, The, 2023, 63, 1330-1340.	3.9	3
70	Use of logâ~'log survival function in modeling time-covariate interactions in Cox regression. Journal of Statistical Planning and Inference, 2009, 139, 1968-1973.	0.6	2
71	Patterns of use of the Mental Health Act 1983, from 2007–2008 to 2016–2017, in two major London secondary mental healthcare providers. BJPsych Open, 2019, 5, e102.	0.7	2
72	Immediate Effects of two Isometric Calf Muscle Exercises on Mid-portion Achilles Tendon Pain. International Journal of Sports Medicine, 2021, 42, 1122-1127.	1.7	2

#	Article	IF	CITATIONS
73	[P1–336]: DECLINE IN INSTRUMENTAL ACTIVITIES OF DAILY LIVING IS MORE MARKED IN BEHAVIOURAL VARIAN FRONTOTEMPORAL DEMENTIA THAN IN ALZHEIMER'S DISEASE. Alzheimer's and Dementia, 2017, 13, P385.	Т _{о.8}	1
74	A New and Tidier Setting. Alzheimer Disease and Associated Disorders, 2021, Publish Ahead of Print, 335-341.	1.3	1
75	Contributions of Caregiver Management Styles to the Discrepancy Between Reported and Observed Task Performance in People with Dementia. Journal of Alzheimer's Disease, 2022, , 1-10.	2.6	1
76	COGNITIVE TRAJECTORY BETWEEN AGES 10, 13 AND 18 AND RISK FOR PSYCHOSIS IN ADULTHOOD: A SWEDISH LONGITUDINAL COHORT STUDY. Schizophrenia Research, 2014, 153, S81.	2.0	0
77	P1-008: BLOOD-BASED BIOMARKERS OF ALZHEIMER'S DISEASE PATHOLOGY AND COGNITIVE DECLINE IN NON-DEMENTED ELDERLY. , 2014, 10, P307-P307.		0
78	P4-115: Electronic Records for Dementia Research: Do Behavioural Disturbances, Antihypertensives and Antidepressants Influence Decline Trajectories?. , 2016, 12, P1056-P1057.		0
79	Trajectories of depression and anxiety symptoms in coronary heart disease strongly predict health care costs. European Psychiatry, 2017, 41, S312-S313.	0.2	0
80	Physiotherapy for musculoskeletal shoulder pain: baseline assessment and patient characteristics associated with patient expectation of recovery. Physiotherapy, 2019, 105, e86-e87.	0.4	0
81	Prevalence and predictors of cognitive impairment among the elderly in Bangladesh. Zeitschrift Fur Gesundheitswissenschaften, 0, , .	1.6	0
82	Comparison of Joint Modelling and Landmarking Approaches for Dynamic Prediction Using Bootstrap Simulation. Bulletin of the Malaysian Mathematical Sciences Society, 0, , .	0.9	0
83	Shoulder pain: Is the outcome of manual therapy, acupuncture and electrotherapy different for people with high compared to low pain self-efficacy? An analysis of effect moderation. Shoulder and Elbow, 0, , 175857322211055.	1.5	0
84	Factors affecting the quality of life of family carers of people with dementia: the role of carer anxiety. Psychology, Health and Medicine, 0, , 1-11.	2.4	0