

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3258095/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Bis-(â^')-nor-meptazinols as Novel Nanomolar Cholinesterase Inhibitors with High Inhibitory Potency on Amyloid-β Aggregation. Journal of Medicinal Chemistry, 2008, 51, 2027-2036.	2.9	79
2	Cadmium(II)–Triazole Framework as a Luminescent Probe for Ca ²⁺ and Cyano Complexes. Chemistry - A European Journal, 2016, 22, 10459-10474.	1.7	75
3	Adenosine A _{2A} Receptor Antagonists for Cancer Immunotherapy. Journal of Medicinal Chemistry, 2020, 63, 12196-12212.	2.9	48
4	Microwave-Assisted Synthesis of Phenanthridines by Radical Insertion/Cyclization of Biphenyl Isocyanides. Journal of Organic Chemistry, 2016, 81, 8426-8435.	1.7	42
5	Solvent-Induced Single Crystal–Single Crystal Transformation of an Interpenetrated Three-Dimensional Copper Triazole Catalytic Framework. Inorganic Chemistry, 2016, 55, 4069-4071.	1.9	26
6	Cholinergic Neuron Targeting Nanosystem Delivering Hybrid Peptide for Combinatorial Mitochondrial Therapy in Alzheimer's Disease. ACS Nano, 2022, 16, 11455-11472.	7.3	25
7	Discovery of carbazole carboxamides as novel RORÎ ³ t inverse agonists. European Journal of Medicinal Chemistry, 2018, 148, 465-476.	2.6	24
8	Discovery of novel BTK PROTACs for B-Cell lymphomas. European Journal of Medicinal Chemistry, 2021, 225, 113820.	2.6	24
9	Bis(9)-(â^')-nor-meptazinol as a novel dual-binding AChEI potently ameliorates scopolamine-induced cognitive deficits in mice. Pharmacology Biochemistry and Behavior, 2013, 104, 138-143.	1.3	23
10	The Crystal Structure of a Complex of Acetylcholinesterase with a Bis-(â^')- <i>nor</i> -meptazinol Derivative Reveals Disruption of the Catalytic Triad. Journal of Medicinal Chemistry, 2009, 52, 2543-2549.	2.9	22
11	(â~')-Meptazinol–melatonin hybrids as novel dual inhibitors of cholinesterases and amyloid-β aggregation with high antioxidant potency for Alzheimer's therapy. Bioorganic and Medicinal Chemistry, 2015, 23, 3110-3118.	1.4	22
12	Investigation of the binding mode of (â^')-meptazinol and bis-meptazinol derivatives on acetylcholinesterase using a molecular docking method. Journal of Molecular Modeling, 2006, 12, 390-397.	0.8	20
13	Agonist Lock Touched and Untouched Retinoic Acid Receptor-Related Orphan Receptor-γt (RORγt) Inverse Agonists: Classification Based on the Molecular Mechanisms of Action. Journal of Medicinal Chemistry, 2021, 64, 10519-10536.	2.9	19
14	Discovery of N-indanyl benzamides as potent RORÎ ³ t inverse agonists. European Journal of Medicinal Chemistry, 2019, 167, 37-48.	2.6	18
15	Microwave-assisted synthesis of hydroxyl-containing isoquinolines by metal-free radical cyclization of vinyl isocyanides with alcohols. Organic and Biomolecular Chemistry, 2017, 15, 10044-10052.	1.5	17
16	Novel bis-(â^')-nor-meptazinol derivatives act as dual binding site AChE inhibitors with metal-complexing property. Toxicology and Applied Pharmacology, 2012, 264, 65-72.	1.3	16
17	Meserine, a Novel Carbamate <scp>AC</scp> hE Inhibitor, Ameliorates Scopolamineâ€Induced Dementia and Alleviates Amyloidogenesis of <scp>APP</scp> / <scp>PS</scp> 1 Transgenic Mice. CNS Neuroscience and Therapeutics, 2014, 20, 165-171.	1.9	15
18	On-Water Silver(I)-Catalyzed Cycloisomerization of Acetylenic Free Amines/Amides towards 7-Azaindole/Indole/Isoquinolone Derivatives. Synthesis, 2017, 49, 4845-4852.	1.2	14

QIONG XIE

#	Article	IF	CITATIONS
19	Bis(9)-(â^')-Meptazinol, a novel dual-binding AChE inhibitor, rescues cognitive deficits and pathological changes in APP/PS1 transgenic mice. Translational Neurodegeneration, 2018, 7, 21.	3.6	14
20	The Pharmacological Heterogeneity of Nepenthone Analogs in Conferring Highly Selective and Potent κ-Opioid Agonistic Activities. ACS Chemical Neuroscience, 2017, 8, 766-776.	1.7	13
21	Design, synthesis, and bioavailability evaluation of coumarin-based prodrug of meptazinol. Bioorganic and Medicinal Chemistry Letters, 2005, 15, 4953-4956.	1.0	12
22	Synthetic access to isoxazoline-functionalized isoquinolines <i>via</i> microwave-assisted iminoxyl radical-participated cascade cyclization of vinyl isocyanides. Organic and Biomolecular Chemistry, 2018, 16, 4996-5005.	1.5	12
23	Discovery of a Highly Selective and Potent κ Opioid Receptor Agonist from <i>N</i> -Cyclopropylmethyl-7α-phenyl-6,14-endoethanotetrahydronorthebaines with Reduced Central Nervous System (CNS) Side Effects Navigated by the Message–Address Concept. Journal of Medicinal Chemistry. 2019. 62. 11054-11070.	2.9	12
24	Discovery of aryl-substituted indole and indoline derivatives as RORÎ ³ t agonists. European Journal of Medicinal Chemistry, 2019, 182, 111589.	2.6	11
25	RORÎ ³ t agonist enhances anti-PD-1 therapy by promoting monocyte-derived dendritic cells through CXCL10 in cancers. Journal of Experimental and Clinical Cancer Research, 2022, 41, 155.	3.5	11
26	Pharmacophore-based design and discovery of (â~')-meptazinol carbamates as dual modulators of cholinesterase and amyloidogenesis. Journal of Enzyme Inhibition and Medicinal Chemistry, 2017, 32, 659-671.	2.5	10
27	Design, Synthesis, and Bioevaluation of 2-Aminopteridin-7(8 <i>H</i>)-one Derivatives as Novel Potent Adenosine A _{2A} Receptor Antagonists for Cancer Immunotherapy. Journal of Medicinal Chemistry, 2022, 65, 4367-4386.	2.9	10
28	Synthesis and evaluation of κ-opioid receptor agonistic activity and antinociceptive effect of novel morphine analogues, 7α-phenyl-6α,14α-endo-etheno-tetrahydrothebaine with substituted o-, m- and p-amino group. Medicinal Chemistry Research, 2011, 20, 1364-1370.	1.1	9
29	7β-Methyl substituent is a structural locus associated with activity cliff for nepenthone analogues. Bioorganic and Medicinal Chemistry, 2018, 26, 4254-4263.	1.4	9
30	Discovery of novel 20S proteasome inhibitors by rational topology-based scaffold hopping of bortezomib. Bioorganic and Medicinal Chemistry Letters, 2018, 28, 2148-2152.	1.0	9
31	Effects of BIS-MEP on Reversing Amyloid Plaque Deposition and Spatial Learning and Memory Impairments in a Mouse Model of β-Amyloid Peptide- and Ibotenic Acid-Induced Alzheimer's Disease. Frontiers in Aging Neuroscience, 2019, 11, 3.	1.7	9
32	Discovery of carboxyl-containing biaryl ureas as potent RORÎ ³ t inverse agonists. European Journal of Medicinal Chemistry, 2020, 202, 112536.	2.6	9
33	Discovery of tetrahydroquinolines and benzomorpholines as novel potent RORÎ ³ t agonists. European Journal of Medicinal Chemistry, 2021, 211, 113013.	2.6	8
34	Discovery of an <i>M</i> -Substituted <i>N</i> -Cyclopropylmethyl-7α-phenyl-6,14-endoethanotetrahydronorthebaine as a Selective, Potent, and Orally Active κ-Opioid Receptor Agonist with an Improved Central Nervous System Safety Profile. Journal of Medicinal Chemistry, 2021, 64, 12414-12433.	2.9	8
35	Palladium-Catalyzed Synthesis of β,β-Diaryl α,β-Unsaturated Ketones. Synthesis, 2019, 51, 1455-1465.	1.2	7
36	Exploration of the SAR Connection between Morphinan- and Arylacetamide-Based κ Opioid Receptor (κOR) Agonists Using the Strategy of Bridging. ACS Chemical Neuroscience, 2021, 12, 1018-1030.	1.7	7

QIONG XIE

#	Article	IF	CITATIONS
37	Microwaveâ€Assisted Radical Insertion/Cyclization of Vinyl Isocyanides for the Synthesis of Multiâ€Substituted Isoquinolines. ChemistrySelect, 2017, 2, 8033-8038.	0.7	6
38	RORÎ ³ t agonist synergizes with CTLA-4 antibody to inhibit tumor growth through inhibition of Treg cells via TGF-Î ² signaling in cancer. Pharmacological Research, 2021, 172, 105793.	3.1	6
39	Discovery, synthesis, biological evaluation and structure-based optimization of novel piperidine derivatives as acetylcholine-binding protein ligands. Acta Pharmacologica Sinica, 2017, 38, 146-155.	2.8	5
40	Crystallography-guided discovery of carbazole-based retinoic acid-related orphan receptor gamma-t (RORγt) modulators: insights into different protein behaviors with "short―and "long―inverse agonists. Acta Pharmacologica Sinica, 2021, 42, 1524-1534.	2.8	5
41	Discovery of tert-amine-based RORγt agonists. European Journal of Medicinal Chemistry, 2021, 224, 113704.	2.6	5
42	Determination of a novel carbamate AChE inhibitor meserine in mouse plasma, brain and rat plasma by LC–MS/MS: Application to pharmacokinetic study after intravenous and subcutaneous administration. Journal of Pharmaceutical and Biomedical Analysis, 2014, 96, 156-161.	1.4	4
43	Palladium atalyzed Cascade Saegusa–Heck Reaction: Synthesis of β,βâ€Điarylacroleins from Arylpropanals and Aryl Iodides. European Journal of Organic Chemistry, 2017, 2017, 5880-5883.	1.2	4
44	Discovery of Orally Available Retinoic Acid Receptor-Related Orphan Receptor γ-t/Dihydroorotate Dehydrogenase Dual Inhibitors for the Treatment of Refractory Inflammatory Bowel Disease. Journal of Medicinal Chemistry, 2022, 65, 592-615.	2.9	4
45	Conformational re-analysis of (+)-meptazinol: an opioid with mixed analgesic pharmacophores. Acta Pharmacologica Sinica, 2006, 27, 1247-1252.	2.8	3
46	Determination of Bis(9)-(â^')-Meptazinol, a bis-ligand for Alzheimer's disease, in rat plasma by liquid chromatography–tandem mass spectrometry: Application to pharmacokinetics study. Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences, 2012, 881-882, 126-130.	1.2	2
47	Theoretical and NMR investigations on the conformations of (Ââ ̂ Â)-meptazinol hydrochloride in solution. Molecular Simulation, 2013, 39, 1065-1069.	0.9	2
48	Discovery, cocrystallization and biological evaluation of novel piperidine derivatives as high affinity Ls-AChBP ligands possessing α7 nAChR activities. European Journal of Medicinal Chemistry, 2018, 160, 37-48.	2.6	1
49	1-Ethyl-4-hydroxy-9-azatricyclo[7.4.1.02,7]tetradeca-2,4,6-trien-8-one. Acta Crystallographica Section E: Structure Reports Online, 2009, 65, o3008-o3008.	0.2	0