

Paul Aveyard

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3258570/paul-aveyard-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

338
papers

10,841
citations

54
h-index

93
g-index

377
ext. papers

13,494
ext. citations

5.9
avg, IF

6.61
L-index

#	Paper	IF	Citations
338	The association of weight loss with changes in the gut microbiota diversity, composition, and intestinal permeability: a systematic review and meta-analysis.. <i>Gut Microbes</i> , 2022 , 14, 2020068	8.8	3
337	Associations between body composition, fat distribution and metabolic consequences of excess adiposity with severe COVID-19 outcomes: observational study and Mendelian randomisation analysis.. <i>International Journal of Obesity</i> , 2022 ,	5.5	3
336	Association between smoking, e-cigarette use and severe COVID-19: a cohort study.. <i>International Journal of Epidemiology</i> , 2022 ,	7.8	2
335	The psychological journey of weight gain in psychosis.. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2022 ,	3.5	1
334	Effects of a group-based weight management programme on anxiety and depression: A randomised controlled trial (RCT).. <i>PLoS ONE</i> , 2022 , 17, e0263228	3.7	0
333	Identifying effective characteristics of behavioral weight management interventions for people with serious mental illness: A systematic review with a qualitative comparative analysis. <i>Obesity Reviews</i> , 2022 , 23, e13355	10.6	2
332	The effect of nicotine dependence and withdrawal symptoms on use of nicotine replacement therapy: Secondary analysis of a randomized controlled trial in primary care. <i>Journal of Substance Abuse Treatment</i> , 2022 , 132, 108591	4.2	0
331	Obesity, metabolic risk and adherence to healthy lifestyle behaviours: prospective cohort study in the UK Biobank.. <i>BMC Medicine</i> , 2022 , 20, 65	11.4	2
330	Prevention in practice: why is it neglected and what can we do?. <i>British Journal of General Practice</i> , 2022 , 72, 237-238	1.6	
329	Addressing concerns about smoking cessation and mental health: theoretical review and practical guide for healthcare professionals. <i>BJ Psych Advances</i> , 2021 , 27, 85-95	0.8	2
328	Weight change, cardio-metabolic risk factors and cardiovascular incidence in people with serious mental illness: protocol of a population-based cohort study in the UK from 1998 to 2020. <i>BMJ Open</i> , 2021 , 11, e053427	3	
327	Optimising an intervention to support home-living older adults at risk of malnutrition: a qualitative study. <i>BMC Family Practice</i> , 2021 , 22, 219	2.6	0
326	Interventions for preventing weight gain after smoking cessation. <i>The Cochrane Library</i> , 2021 , 10, CD006319	3.19	4
325	A Mobile Health Salt Reduction Intervention for People With Hypertension: Results of a Feasibility Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2021 , 9, e26233	5.5	0
324	Effect of weight loss on cardiometabolic risk: observational analysis of two randomised controlled trials of community weight-loss programmes. <i>British Journal of General Practice</i> , 2021 , 71, e312-e319	1.6	2
323	Views about integrating smoking cessation treatment within psychological services for patients with common mental illness: A multi-perspective qualitative study. <i>Health Expectations</i> , 2021 , 24, 411-420	3.7	2
322	Discussing weight loss opportunistically and effectively in family practice: a qualitative study of clinical interactions using conversation analysis in UK family practice. <i>Family Practice</i> , 2021 , 38, 321-328	1.9	2

321	Smoking cessation for improving mental health. <i>The Cochrane Library</i> , 2021 , 3, CD013522	5.2	15
320	Associations between dietary patterns and the incidence of total and fatal cardiovascular disease and all-cause mortality in 116,806 individuals from the UK Biobank: a prospective cohort study. <i>BMC Medicine</i> , 2021 , 19, 83	11.4	7
319	What proportion of people have a follow-up biopsy in randomized trials of treatments for non-alcoholic steatohepatitis?: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2021 , 16, e0250385	3.7	1
318	Association of Weight Changes With Changes in Histological Features and Blood Markers in Nonalcoholic Steatohepatitis. <i>Clinical Gastroenterology and Hepatology</i> , 2021 ,	6.9	2
317	Associations between body-mass index and COVID-19 severity in 619 million people in England: a prospective, community-based, cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2021 , 9, 350-359	18.1	107
316	Cost-effectiveness of bariatric surgery and non-surgical weight management programmes for adults with severe obesity: a decision analysis model. <i>International Journal of Obesity</i> , 2021 , 45, 2179-2190	5.5	3
315	General practitioner views on addressing weight opportunistically in primary care: An embedded sequential mixed-methods study. <i>Patient Education and Counseling</i> , 2021 ,	3.1	2
314	Extended follow-up of a short total diet replacement programme: results of the Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET) randomised controlled trial at 3 years. <i>International Journal of Obesity</i> , 2021 , 45, 2432-2438	5.5	1
313	What Makes Opportunistic GP Interventions Effective? An Analysis of Behavior Change Techniques Used in 237 GP-Delivered Brief Interventions for Weight Loss. <i>Annals of Behavioral Medicine</i> , 2021 , 55, 228-241	4.5	2
312	The effect of the magnitude of weight loss on non-alcoholic fatty liver disease: A systematic review and meta-analysis. <i>Metabolism: Clinical and Experimental</i> , 2021 , 115, 154455	12.7	22
311	A systematic review and thematic synthesis of qualitative studies exploring GPs' and nurses' perspectives on discussing weight with patients with overweight and obesity in primary care. <i>Obesity Reviews</i> , 2021 , 22, e13151	10.6	8
310	Gender differences in response to an opportunistic brief intervention for obesity in primary care: Data from the BWEL trial. <i>Clinical Obesity</i> , 2021 , 11, e12418	3.6	
309	Individual inflammatory marker abnormalities or inflammatory marker scores to identify primary care patients with unexpected weight loss for cancer investigation?. <i>British Journal of Cancer</i> , 2021 , 124, 1540-1542	8.7	1
308	Combining simple blood tests to identify primary care patients with unexpected weight loss for cancer investigation: Clinical risk score development, internal validation, and net benefit analysis. <i>PLoS Medicine</i> , 2021 , 18, e1003728	11.6	0
307	Weight loss interventions on health-related quality of life in those with moderate to severe obesity: Findings from an individual patient data meta-analysis of randomized trials. <i>Obesity Reviews</i> , 2021 , 22, e13317	10.6	0
306	Association between characteristics of behavioural weight loss programmes and weight change after programme end: systematic review and meta-analysis. <i>BMJ, The</i> , 2021 , 374, n1840	5.9	3
305	Association between pre-existing respiratory disease and its treatment, and severe COVID-19: a population cohort study. <i>Lancet Respiratory Medicine</i> , 2021 , 9, 909-923	35.1	48
304	Smoking and COVID-19 outcomes: an observational and Mendelian randomisation study using the UK Biobank cohort. <i>Thorax</i> , 2021 ,	7.3	30

303	Behavioural interventions for smoking cessation: an overview and network meta-analysis. <i>The Cochrane Library</i> , 2021 , 1, CD013229	5.2	12
302	Greater Attendance at a Community Weight Loss Programme over the First 12 Weeks Predicts Weight Loss at 2 Years. <i>Obesity Facts</i> , 2020 , 13, 349-360	5.1	2
301	Brief interventions for obesity when patients are asked to pay for weight loss treatment: an observational study in primary care with an embedded randomised trial. <i>British Journal of General Practice</i> , 2020 , 70, e348-e355	1.6	3
300	CrossTalk proposal: The benefits of e-cigarettes outweigh the harms. <i>Journal of Physiology</i> , 2020 , 598, 3049-3051	3.9	1
299	Rebuttal from Rachna Begh and Paul Aveyard. <i>Journal of Physiology</i> , 2020 , 598, 3057	3.9	
298	Effectiveness of a self-regulation intervention for weight loss: A randomized controlled trial. <i>British Journal of Health Psychology</i> , 2020 , 25, 652-676	8.3	4
297	Primary care treatment of insomnia: study protocol for a pragmatic, multicentre, randomised controlled trial comparing nurse-delivered sleep restriction therapy to sleep hygiene (the HABIT trial). <i>BMJ Open</i> , 2020 , 10, e036248	3	2
296	Vaping for weight control: Findings from a qualitative study. <i>Addictive Behaviors Reports</i> , 2020 , 12, 100275	3.5	2
295	The Effect of Moderate Weight Loss on a Non-Invasive Biomarker of Liver Fibrosis: A Randomised Controlled Trial. <i>Obesity Facts</i> , 2020 , 13, 144-151	5.1	2
294	Exploratory Analyses of the Popularity and Efficacy of Four Behavioral Methods of Gradual Smoking Cessation. <i>Nicotine and Tobacco Research</i> , 2020 , 22, 2257-2261	4.9	2
293	The effect of referral to an open-group behavioural weight-management programme on the relative risk of normoglycaemia, non-diabetic hyperglycaemia and type 2 diabetes: Secondary analysis of the WRAP trial. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 2069-2076	6.7	1
292	A systematic review of UK-based long-term nonsurgical interventions for people with severe obesity (BMI ≥ 50 kg/m ²). <i>Journal of Human Nutrition and Dietetics</i> , 2020 , 33, 351-372	3.1	6
291	Smoking cessation for improving mental health. <i>The Cochrane Library</i> , 2020 ,	5.2	1
290	Electronic cigarettes as a smoking cessation aid for patients with cancer: beliefs and behaviours of clinicians in the UK. <i>BMJ Open</i> , 2020 , 10, e037637	3	3
289	Randomised controlled trial of tailored support to increase physical activity and reduce smoking in smokers not immediately ready to quit: protocol for the Trial of physical Activity-assisted Reduction of Smoking (TARS) Study. <i>BMJ Open</i> , 2020 , 10, e043331	3	1
288	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial. <i>PLoS Medicine</i> , 2020 , 17, e1003385	11.6	2
287	Referral to Slimming World in UK Stop Smoking Services (SWISS) versus stop smoking support alone on body weight in quitters: results of a randomised controlled trial. <i>BMJ Open</i> , 2020 , 10, e032271	3	1
286	Patterns in Weight and Physical Activity Tracking Data Preceding a Stop in Weight Monitoring: Observational Analysis. <i>Journal of Medical Internet Research</i> , 2020 , 22, e15790	7.6	9

285	User Experiences of a Smartphone-Based Attentive Eating App and Their Association With Diet and Weight Loss Outcomes: Thematic and Exploratory Analyses From a Randomized Controlled Trial. <i>JMIR MHealth and UHealth</i> , 2020 , 8, e16780	5.5	3
284	A food-based, low-energy, low-carbohydrate diet for people with type 2 diabetes in primary care: A randomized controlled feasibility trial. <i>Diabetes, Obesity and Metabolism</i> , 2020 , 22, 512-520	6.7	18
283	Clinical encounters about obesity: Systematic review of patients' perspectives. <i>Clinical Obesity</i> , 2020 , 10, e12347	3.6	14
282	Obesity, self-reported symptom severity, and quality of life in people with atrial fibrillation: A community-based cross-sectional survey. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2020 , 30, 2221-2229	4.5	
281	Risk of severe COVID-19 disease with ACE inhibitors and angiotensin receptor blockers: cohort study including 8.3 million people. <i>Heart</i> , 2020 , 106, 1503-1511	5.1	174
280	Prioritising primary care patients with unexpected weight loss for cancer investigation: diagnostic accuracy study. <i>BMJ, The</i> , 2020 , 370, m2651	5.9	3
279	Tackling statin intolerance with n-of-1 trials (TaSINI) in primary care: protocol for a feasibility randomised trial to increase statin adherence. <i>BMJ Open</i> , 2020 , 10, e033070	3	2
278	Analysing self-regulatory behaviours in response to daily weighing: a think-aloud study with follow-up interviews. <i>Psychology and Health</i> , 2020 , 35, 16-35	2.9	4
277	The association between unexpected weight loss and cancer diagnosis in primary care: a matched cohort analysis of 65,000 presentations. <i>British Journal of Cancer</i> , 2020 , 122, 1848-1856	8.7	8
276	Heterogeneity in the uptake, attendance, and outcomes in a clinical trial of a total diet replacement weight loss programme. <i>BMC Medicine</i> , 2020 , 18, 86	11.4	
275	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial 2020 , 17, e1003385		
274	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial 2020 , 17, e1003385		
273	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial 2020 , 17, e1003385		
272	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial 2020 , 17, e1003385		
271	Evaluation of an intervention to provide brief support and personalized feedback on food shopping to reduce saturated fat intake (PC-SHOP): A randomized controlled trial 2020 , 17, e1003385		
270	When should unexpected weight loss warrant further investigation to exclude cancer?. <i>BMJ, The</i> , 2019 , 366, l5271	5.9	5
269	A systematic review and meta-analysis of the effectiveness of meal replacements for weight loss. <i>Obesity Reviews</i> , 2019 , 20, 569-587	10.6	57
268	A smartphone based attentive eating intervention for energy intake and weight loss: results from a randomised controlled trial. <i>BMC Public Health</i> , 2019 , 19, 611	4.1	18

267	Weight change and the risk of incident atrial fibrillation: a systematic review and meta-analysis. <i>Heart</i> , 2019 , 105, 1799-1805	5.1	18
266	Replacing meat with alternative plant-based products (RE-MAPs): protocol for a randomised controlled trial of a behavioural intervention to reduce meat consumption. <i>BMJ Open</i> , 2019 , 9, e027016 ³		5
265	Prominent positioning and food swaps are effective interventions to reduce the saturated fat content of the shopping basket in an experimental online supermarket: a randomized controlled trial. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2019 , 16, 50	8.4	15
264	Is Doctor Referral to a Low-Energy Total Diet Replacement Program Cost-Effective for the Routine Treatment of Obesity?. <i>Obesity</i> , 2019 , 27, 391-398	8	8
263	Type 2 diabetes: treating not managing. <i>Lancet Diabetes and Endocrinology</i> , 2019 , 7, 326-327	18.1	3
262	The equity impact of brief opportunistic interventions to promote weight loss in primary care: secondary analysis of the BWeL randomised trial. <i>BMC Medicine</i> , 2019 , 17, 51	11.4	4
261	Dietary Approaches to the Management Of type 2 Diabetes (DIAMOND): protocol for a randomised feasibility trial. <i>BMJ Open</i> , 2019 , 9, e026460	3	3
260	The internal validation of weight and weight change coding using weight measurement data within the UK primary care Electronic Health Record. <i>Clinical Epidemiology</i> , 2019 , 11, 145-155	5.9	7
259	Vaping for weight control: A cross-sectional population study in England. <i>Addictive Behaviors</i> , 2019 , 95, 211-219	4.2	13
258	Experiences of Self-Monitoring in Self-Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. <i>Qualitative Health Research</i> , 2019 , 29, 124-134	3.9	21
257	Communication practices for delivering health behaviour change conversations in primary care: a systematic review and thematic synthesis. <i>BMC Family Practice</i> , 2019 , 20, 111	2.6	16
256	Barriers and facilitators to screening and treating malnutrition in older adults living in the community: a mixed-methods synthesis. <i>BMC Family Practice</i> , 2019 , 20, 100	2.6	19
255	Association of Weight Loss Interventions With Changes in Biomarkers of Nonalcoholic Fatty Liver Disease: A Systematic Review and Meta-analysis. <i>JAMA Internal Medicine</i> , 2019 , 179, 1262-1271	11.5	93
254	The Salt Swap intervention to reduce salt intake in people with high blood pressure: protocol for a feasibility randomised controlled trial. <i>Trials</i> , 2019 , 20, 584	2.8	3
253	Primary Care SHOPping intervention for cardiovascular disease prevention (PC-SHOP): protocol for a randomised controlled trial to reduce saturated fat intake. <i>BMJ Open</i> , 2019 , 9, e027035	3	3
252	A brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: a RCT. <i>Public Health Research</i> , 2019 , 7, 1-66	1.7	5
251	Integrating Smoking Cessation treatment As part of usual Psychological care for depression and anxiety (ESCAPE): protocol for a randomised and controlled, multicentre, acceptability, feasibility and implementation trial. <i>Pilot and Feasibility Studies</i> , 2019 , 5, 16	1.9	4
250	Screening and brief intervention for obesity in primary care: cost-effectiveness analysis in the BWeL trial. <i>International Journal of Obesity</i> , 2019 , 43, 2066-2075	5.5	9

249	Effectiveness of a behavioural intervention involving regular weighing and feedback by community midwives within routine antenatal care to prevent excessive gestational weight gain: POPS2 randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e030174	3	11
248	Testing the effectiveness of a weight loss intervention to enhance self-regulation in adults who are obese: protocol for a randomised controlled trial. <i>BMJ Open</i> , 2019 , 9, e031572	3	1
247	Interventions to increase adherence to medications for tobacco dependence. <i>The Cochrane Library</i> , 2019 , 8, CD009164	5.2	17
246	Examining the effectiveness of general practitioner and nurse promotion of electronic cigarettes versus standard care for smoking reduction and abstinence in hardcore smokers with smoking-related chronic disease: protocol for a randomised controlled trial. <i>Trials</i> , 2019 , 20, 659	2.8	5
245	Determinants and extent of weight recording in UK primary care: an analysis of 5 million adults' electronic health records from 2000 to 2017. <i>BMC Medicine</i> , 2019 , 17, 222	11.4	12
244	Prevention and reversal of Type 2 diabetes: highlights from a symposium at the 2019 Diabetes UK Annual Professional Conference. <i>Diabetic Medicine</i> , 2019 , 36, 359-365	3.5	4
243	Optimising swaps to reduce the salt content of food purchases in a virtual online supermarket: A randomised controlled trial. <i>Appetite</i> , 2019 , 133, 378-386	4.5	13
242	GPs' and nurses' perceptions of electronic cigarettes in England: a qualitative interview study. <i>British Journal of General Practice</i> , 2019 , 69, e8-e14	1.6	16
241	Two observational studies examining the effect of a social norm and a health message on the purchase of vegetables in student canteen settings. <i>Appetite</i> , 2019 , 132, 122-130	4.5	17
240	Smoking reduction interventions for smoking cessation. <i>The Cochrane Library</i> , 2019 , 9, CD013183	5.2	27
239	Effects of empathic and positive communication in healthcare consultations: a systematic review and meta-analysis. <i>Journal of the Royal Society of Medicine</i> , 2018 , 111, 240-252	2.3	100
238	Weight loss as a predictor of cancer in primary care: a systematic review and meta-analysis. <i>British Journal of General Practice</i> , 2018 , 68, e311-e322	1.6	27
237	Electronic cigarettes for smoking cessation. <i>BMJ, The</i> , 2018 , 360, j5543	5.9	57
236	Should we recommend e-cigarettes to help smokers quit?. <i>BMJ, The</i> , 2018 , 361, k1759	5.9	11
235	Mediators of the effect of nicotine pre-treatment on quitting smoking. <i>Addiction</i> , 2018 , 113, 2280-2289	4.6	3
234	Meat consumption, health, and the environment. <i>Science</i> , 2018 , 361,	33.3	461
233	Weight loss as a predictor of cancer and serious disease in primary care: an ISAC-approved CPRD protocol for a retrospective cohort study using routinely collected primary care data from the UK. <i>Diagnostic and Prognostic Research</i> , 2018 , 2, 1	5.5	9
232	Physical activity for antenatal and postnatal depression in women attempting to quit smoking: randomised controlled trial. <i>BMC Pregnancy and Childbirth</i> , 2018 , 18, 156	3.2	7

231	Cognitive and behavioural strategies for weight management in overweight adults: Results from the Oxford Food and Activity Behaviours (OxFAB) cohort study. <i>PLoS ONE</i> , 2018 , 13, e0202072	3.7	6
230	Experiences of Reframing during Self-Directed Weight Loss and Weight Loss Maintenance: Systematic Review of Qualitative Studies. <i>Applied Psychology: Health and Well-Being</i> , 2018 , 10, 309-329	6.8	9
229	Nicotine preloading for smoking cessation: the Preloading RCT. <i>Health Technology Assessment</i> , 2018 , 22, 1-84	4.4	5
228	Bariatric surgery, lifestyle interventions and orlistat for severe obesity: the REBALANCE mixed-methods systematic review and economic evaluation. <i>Health Technology Assessment</i> , 2018 , 22, 1-246	4.4	41
227	Early weight gain after stopping smoking: a predictor of overall large weight gain? A single-site retrospective cohort study. <i>BMJ Open</i> , 2018 , 8, e023987	3	4
226	Behavioural interventions for smoking cessation: an overview and network meta-analysis. <i>The Cochrane Library</i> , 2018 ,	5.2	7
225	Relapse to smoking and health-related quality of life: Secondary analysis of data from a study of smoking relapse prevention. <i>PLoS ONE</i> , 2018 , 13, e0205992	3.7	3
224	Doctor Referral of Overweight People to Low Energy total diet replacement Treatment (DROPLET): pragmatic randomised controlled trial. <i>BMJ, The</i> , 2018 , 362, k3760	5.9	50
223	Interventions targeting conscious determinants of human behaviour to reduce the demand for meat: a systematic review with qualitative comparative analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2018 , 15, 102	8.4	44
222	Restructuring physical micro-environments to reduce the demand for meat: a systematic review and qualitative comparative analysis. <i>Lancet Planetary Health, The</i> , 2018 , 2, e384-e397	9.8	100
221	GP-delivered brief weight loss interventions: a cohort study of patient responses and subsequent actions, using conversation analysis in UK primary care. <i>British Journal of General Practice</i> , 2018 , 68, e646-e653	1.6	11
220	Factors influencing the impact of pharmacogenomic prescribing on adherence to nicotine replacement therapy: A qualitative study of participants from a randomized controlled trial. <i>Translational Behavioral Medicine</i> , 2018 , 8, 18-28	3.2	4
219	A new measure of unhealthy school environments and its implications for critical assessments of health promotion in schools. <i>Critical Public Health</i> , 2017 , 27, 248-262	2.6	7
218	Cognitive and behavioural strategies for self-directed weight loss: systematic review of qualitative studies. <i>Obesity Reviews</i> , 2017 , 18, 335-349	10.6	12
217	Extended and standard duration weight-loss programme referrals for adults in primary care (WRAP): a randomised controlled trial. <i>Lancet, The</i> , 2017 , 389, 2214-2225	40	109
216	How can schools help to reduce the harm associated with teenage substance use? Development of a theoretically driven whole-school approach. <i>Drugs and Alcohol Today</i> , 2017 , 17, 1-11	1.4	3
215	Student- and school-level belonging and commitment and student smoking, drinking and misbehaviour. <i>Health Education Journal</i> , 2017 , 76, 206-220	1.5	9
214	Doctor Referral of Overweight People to a Low-Energy Treatment (DROPLET) in primary care using total diet replacement products: a protocol for a randomised controlled trial. <i>BMJ Open</i> , 2017 , 7, e016709	3	9

213	Smoking cessation and survival in lung, upper aero-digestive tract and bladder cancer: cohort study. <i>British Journal of Cancer</i> , 2017 , 117, 1224-1232	8.7	20
212	Physician Support of Smoking Cessation After Diagnosis of Lung, Bladder, or Upper Aerodigestive Tract Cancer. <i>Annals of Family Medicine</i> , 2017 , 15, 443-450	2.9	8
211	Obesity management in primary care - Authors' reply. <i>Lancet, The</i> , 2017 , 389, 1606-1607	4.0	1
210	Tobacco cessation interventions for young people. <i>The Cochrane Library</i> , 2017 , 11, CD003289	5.2	68
209	A mixed methods feasibility study of nicotine-assisted smoking reduction programmes delivered by community pharmacists - The RedPharm study. <i>BMC Public Health</i> , 2017 , 17, 210	4.1	4
208	Emaciated mannequins: a study of mannequin body size in high street fashion stores. <i>Journal of Eating Disorders</i> , 2017 , 5, 13	4.1	6
207	Impact of variation in functions and delivery on the effectiveness of behavioural and mood management interventions for smoking cessation in people with depression: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2017 , 7, e018617	3	2
206	Insights From Google Play Store User Reviews for the Development of Weight Loss Apps: Mixed-Method Analysis. <i>JMIR MHealth and UHealth</i> , 2017 , 5, e203	5.5	19
205	Using a descriptive social norm to increase vegetable selection in workplace restaurant settings. <i>Health Psychology</i> , 2017 , 36, 1026-1033	5	37
204	Surgical lung cancer patients' views about smoking and support to quit after diagnosis: a qualitative study. <i>Journal of Cancer Survivorship</i> , 2016 , 10, 312-9	5.1	22
203	Association of the OPRM1 Variant rs1799971 (A118G) with Non-Specific Liability to Substance Dependence in a Collaborative de novo Meta-Analysis of European-Ancestry Cohorts. <i>Behavior Genetics</i> , 2016 , 46, 151-69	3.2	77
202	Differences in Longer-Term Smoking Abstinence After Treatment by Specialist or Nonspecialist Advisors: Secondary Analysis of Data From a Relapse Prevention Trial. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1061-6	4.9	12
201	Recent trends in weight loss attempts: repeated cross-sectional analyses from the health survey for England. <i>International Journal of Obesity</i> , 2016 , 40, 1754-1759	5.5	20
200	Screening and brief intervention for obesity in primary care: a parallel, two-arm, randomised trial. <i>Lancet, The</i> , 2016 , 388, 2492-2500	4.0	167
199	Gradual Versus Abrupt Smoking Cessation. <i>Annals of Internal Medicine</i> , 2016 , 165, 742	8	1
198	Should we welcome food industry funding of public health research?. <i>BMJ, The</i> , 2016 , 353, i2161	5.9	13
197	An Exploratory Analysis of the Smoking and Physical Activity Outcomes From a Pilot Randomized Controlled Trial of an Exercise Assisted Reduction to Stop Smoking Intervention in Disadvantaged Groups. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 289-97	4.9	13
196	Provision of smoking cessation support in UK primary care: impact of the 2012 QOF revision. <i>British Journal of General Practice</i> , 2016 , 66, e10-5	1.6	15

195	Drugs for smoking cessation. <i>BMJ, The</i> , 2016 , 352, i571	5.9	10
194	English Stop-Smoking Services: One-Year Outcomes. <i>International Journal of Environmental Research and Public Health</i> , 2016 , 13,	4.6	20
193	Authors' reply to Mendelsohn. <i>BMJ, The</i> , 2016 , 353, i2177	5.9	
192	Factors associated with study attrition in a pilot randomised controlled trial to explore the role of exercise-assisted reduction to stop (EARS) smoking in disadvantaged groups. <i>Trials</i> , 2016 , 17, 524	2.8	8
191	The Effects of Liking Norms and Descriptive Norms on Vegetable Consumption: A Randomized Experiment. <i>Frontiers in Psychology</i> , 2016 , 7, 442	3.4	15
190	Clinical effectiveness of very-low-energy diets in the management of weight loss: a systematic review and meta-analysis of randomized controlled trials. <i>Obesity Reviews</i> , 2016 , 17, 225-34	10.6	56
189	Association between smoking-related attentional bias and craving measured in the clinic and in the natural environment. <i>Psychology of Addictive Behaviors</i> , 2016 , 30, 868-875	3.4	6
188	Gradual Versus Abrupt Smoking Cessation: A Randomized, Controlled Noninferiority Trial. <i>Annals of Internal Medicine</i> , 2016 , 164, 585-92	8	57
187	Where next with theory and research on how the school environment influences young people's substance use?. <i>Health and Place</i> , 2016 , 40, 91-7	4.6	7
186	Inequalities in the uptake of weight management interventions in a pragmatic trial: an observational study in primary care. <i>British Journal of General Practice</i> , 2016 , 66, e258-63	1.6	37
185	The Association Between Treatment Adherence to Nicotine Patches and Smoking Cessation in Pregnancy: A Secondary Analysis of a Randomized Controlled Trial. <i>Nicotine and Tobacco Research</i> , 2016 , 18, 1952-9	4.9	14
184	Does cigarette reduction while using nicotine replacement therapy prior to a quit attempt predict abstinence following quit date?. <i>Addiction</i> , 2016 , 111, 1275-82	4.6	6
183	Which measures of cigarette dependence are predictors of smoking cessation during pregnancy? Analysis of data from a randomized controlled trial. <i>Addiction</i> , 2016 , 111, 1656-65	4.6	18
182	Weight change among people randomized to minimal intervention control groups in weight loss trials. <i>Obesity</i> , 2016 , 24, 772-80	8	26
181	Development of tools to study personal weight control strategies: OxFAB taxonomy. <i>Obesity</i> , 2016 , 24, 314-20	8	25
180	The association of rs1051730 genotype on adherence to and consumption of prescribed nicotine replacement therapy dose during a smoking cessation attempt. <i>Drug and Alcohol Dependence</i> , 2015 , 151, 236-40	4.9	6
179	Authors' reply to Braillon and Bewley. <i>BMJ, The</i> , 2015 , 350, h3555	5.9	
178	The association between smoking cessation and glycaemic control in patients with type 2 diabetes: a THIN database cohort study. <i>Lancet Diabetes and Endocrinology</i> , 2015 , 3, 423-430	18.1	48

177	Lack of attentional retraining effects in cigarette smokers attempting cessation: a proof of concept double-blind randomised controlled trial. <i>Drug and Alcohol Dependence</i> , 2015 , 149, 158-65	4.9	23
176	Study protocol: the effectiveness and cost effectiveness of a brief behavioural intervention to promote regular self-weighing to prevent weight regain after weight loss: randomised controlled trial (The LIMIT Study). <i>BMC Public Health</i> , 2015 , 15, 530	4.1	11
175	Does smoking reduction worsen mental health? A comparison of two observational approaches. <i>BMJ Open</i> , 2015 , 5, e007812	3	2
174	Physical activity for smoking cessation in pregnancy: randomised controlled trial. <i>BMJ, The</i> , 2015 , 350, h2145	5.9	29
173	Does smoking cessation result in improved mental health? A comparison of regression modelling and propensity score matching. <i>BMJ Open</i> , 2015 , 5, e008774	3	8
172	Cluster analysis of behavioural weight management strategies and associations with weight change in young women: a longitudinal analysis. <i>International Journal of Obesity</i> , 2015 , 39, 1601-6	5.5	11
171	Efficacy of water preloading before main meals as a strategy for weight loss in primary care patients with obesity: RCT. <i>Obesity</i> , 2015 , 23, 1785-91	8	27
170	Self-help educational booklets for the prevention of smoking relapse following smoking cessation treatment: a randomized controlled trial. <i>Addiction</i> , 2015 , 110, 2006-14	4.6	13
169	Feasibility and acceptability of regular weighing, setting weight gain limits and providing feedback by community midwives to prevent excess weight gain during pregnancy: randomised controlled trial and qualitative study. <i>BMC Obesity</i> , 2015 , 2, 35	3.6	19
168	Lessons learned from recruiting socioeconomically disadvantaged smokers into a pilot randomized controlled trial to explore the role of Exercise Assisted Reduction then Stop (EARS) smoking. <i>Trials</i> , 2015 , 16, 1	2.8	70
167	Does deterioration in mental health after smoking cessation predict relapse to smoking?. <i>BMC Public Health</i> , 2015 , 15, 1150	4.1	9
166	Does reduced smoking if you can't stop make any difference?. <i>BMC Medicine</i> , 2015 , 13, 257	11.4	44
165	Is self-weighing an effective tool for weight loss: a systematic literature review and meta-analysis. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2015 , 12, 104	8.4	54
164	Effectiveness of regular weighing, weight target setting and feedback by community midwives within routine antenatal care in preventing excessive gestational weight gain: randomised controlled trial. <i>BMC Obesity</i> , 2015 , 3, 7	3.6	9
163	Self-help for weight loss in overweight and obese adults: systematic review and meta-analysis. <i>American Journal of Public Health</i> , 2015 , 105, e43-57	5.1	43
162	Attacking scientists who lead work on reducing sugar intake damages the cause. <i>BMJ, The</i> , 2015 , 350, h1133	5.9	0
161	Financial incentives for smoking cessation in pregnancy: a single-arm intervention study assessing cessation and gaming. <i>Addiction</i> , 2015 , 110, 680-8	4.6	38
160	Is plate clearing a risk factor for obesity? A cross-sectional study of self-reported data in US adults. <i>Obesity</i> , 2015 , 23, 301-4	8	20

159	Interventions to increase adherence to medications for tobacco dependence. <i>The Cochrane Library</i> , 2015 , CD009164	5.2	74
158	Health-care interventions to promote and assist tobacco cessation: a review of efficacy, effectiveness and affordability for use in national guideline development. <i>Addiction</i> , 2015 , 110, 1388-403	4.6	146
157	Differential Efficacy of Nicotine Replacement Among Overweight and Obese Women Smokers. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 855-61	4.9	2
156	The Nicotine Metabolite Ratio in Pregnancy Measured by trans-3'-Hydroxycotinine to Cotinine Ratio: Characteristics and Relationship With Smoking Cessation. <i>Nicotine and Tobacco Research</i> , 2015 , 17, 1318-23	4.9	19
155	Effectiveness and economic evaluation of self-help educational materials for the prevention of smoking relapse: randomised controlled trial. <i>Health Technology Assessment</i> , 2015 , 19, 1-70, v-vi	4.4	13
154	The London Exercise And Pregnant smokers (LEAP) trial: a randomised controlled trial of physical activity for smoking cessation in pregnancy with an economic evaluation. <i>Health Technology Assessment</i> , 2015 , 19, vii-xxiv, 1-135	4.4	19
153	Evaluating Long-term Outcomes of NHS Stop Smoking Services (ELONS): a prospective cohort study. <i>Health Technology Assessment</i> , 2015 , 19, 1-156	4.4	46
152	Effect of behavioural techniques and delivery mode on effectiveness of weight management: systematic review, meta-analysis and meta-regression. <i>Obesity Reviews</i> , 2014 , 15, 598-609	10.6	139
151	Are school physical activity characteristics associated with weight status in primary school children? A multilevel cross-sectional analysis of routine surveillance data. <i>Archives of Disease in Childhood</i> , 2014 , 99, 135-41	2.2	13
150	Weight loss referrals for adults in primary care (WRAP): protocol for a multi-centre randomised controlled trial comparing the clinical and cost-effectiveness of primary care referral to a commercial weight loss provider for 12 weeks, referral for 52 weeks, and a brief self-help intervention [ISRCTN92957232]. <i>BMC Public Health</i> , 2014 , 14, 620	4.1	14
149	Nicotine patch preloading for smoking cessation (the preloading trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2014 , 15, 296	2.8	9
148	Should we educate about the risks of medication overuse headache?. <i>Journal of Headache and Pain</i> , 2014 , 15, 10	8.8	17
147	Regular self-weighing to promote weight maintenance after intentional weight loss: a quasi-randomized controlled trial. <i>Journal of Public Health</i> , 2014 , 36, 259-67	3.5	34
146	What everyone else is eating: a systematic review and meta-analysis of the effect of informational eating norms on eating behavior. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014 , 114, 414-429	3.9	159
145	Visual identification of obesity by healthcare professionals: an experimental study of trainee and qualified GPs. <i>British Journal of General Practice</i> , 2014 , 64, e703-8	1.6	20
144	Authors' reply to Sanderson and colleagues. <i>BMJ, The</i> , 2014 , 348, g2031	5.9	
143	Which weight-loss programmes are as effective as Weight Watchers(R)?: non-inferiority analysis. <i>British Journal of General Practice</i> , 2014 , 64, e128-36	1.6	32
142	Should smokers be advised to cut down as well as quit?. <i>BMJ, The</i> , 2014 , 348, g2787	5.9	4

141	Change in mental health after smoking cessation: systematic review and meta-analysis. <i>BMJ, The</i> , 2014 , 348, g1151	5.9	521
140	Future orientation and smoking cessation: secondary analysis of data from a smoking cessation trial. <i>Addiction</i> , 2014 , 109, 1732-40	4.6	5
139	Synthesis of evidence on heterogeneous interventions with multiple outcomes recorded over multiple follow-up times reported inconsistently: a smoking cessation case-study. <i>Journal of the Royal Statistical Society Series A: Statistics in Society</i> , 2014 , 177, 295-314	2.1	17
138	A randomised controlled trial of the effectiveness of self-weighing as a weight loss intervention. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2014 , 11, 125	8.4	20
137	Diet or exercise interventions vs combined behavioral weight management programs: a systematic review and meta-analysis of direct comparisons. <i>Journal of the Academy of Nutrition and Dietetics</i> , 2014 , 114, 1557-68	3.9	237
136	Factors associated with smoking cessation in early and late pregnancy in the smoking, nicotine, and pregnancy trial: a trial of nicotine replacement therapy. <i>Nicotine and Tobacco Research</i> , 2014 , 16, 381-9	4.9	21
135	Behavioural weight management programmes for adults assessed by trials conducted in everyday contexts: systematic review and meta-analysis. <i>Obesity Reviews</i> , 2014 , 15, 920-32	10.6	94
134	A pilot randomised trial to assess the methods and procedures for evaluating the clinical effectiveness and cost-effectiveness of Exercise Assisted Reduction then Stop (EARS) among disadvantaged smokers. <i>Health Technology Assessment</i> , 2014 , 18, 1-324	4.4	27
133	Reducing high calorie snack food in young adults: a role for social norms and health based messages. <i>International Journal of Behavioral Nutrition and Physical Activity</i> , 2013 , 10, 73	8.4	45
132	Slimming World in Stop Smoking Services (SWISS): study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 182	2.8	4
131	Financial incentives for smoking cessation in pregnancy: protocol for a single arm intervention study. <i>BMC Pregnancy and Childbirth</i> , 2013 , 13, 66	3.2	12
130	Systematic review and meta-analysis: influence of smoking cessation on incidence of pneumonia in HIV. <i>BMC Medicine</i> , 2013 , 11, 15	11.4	29
129	Adherence to and consumption of nicotine replacement therapy and the relationship with abstinence within a smoking cessation trial in primary care. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 1537-44	4.9	32
128	Brief Interventions for Weight Loss in Primary Care. <i>Current Obesity Reports</i> , 2013 , 2, 341-347	8.4	5
127	Development and feasibility testing of a smart phone based attentive eating intervention. <i>BMC Public Health</i> , 2013 , 13, 639	4.1	68
126	Attentional bias retraining in cigarette smokers attempting smoking cessation (ARTS): study protocol for a double blind randomised controlled trial. <i>BMC Public Health</i> , 2013 , 13, 1176	4.1	7
125	A brief intervention for weight management in primary care: study protocol for a randomized controlled trial. <i>Trials</i> , 2013 , 14, 393	2.8	18
124	Does Use of Nicotine Replacement Therapy While Continuing to Smoke Undermine Cessation?: A Systematic Review. <i>Journal of Smoking Cessation</i> , 2013 , 8, 45-56	0.5	11

123	Public health benefits of weight loss: in response to Dixon et al. <i>Journal of Public Health</i> , 2013 , 35, 342	3.5	1
122	Eating attentively: a systematic review and meta-analysis of the effect of food intake memory and awareness on eating. <i>American Journal of Clinical Nutrition</i> , 2013 , 97, 728-42	7	139
121	Gradual reduction vs abrupt cessation as a smoking cessation strategy in smokers who want to quit. <i>JAMA - Journal of the American Medical Association</i> , 2013 , 310, 91-2	27.4	6
120	Association between use of nicotine replacement therapy for harm reduction and smoking cessation: a prospective study of English smokers. <i>Tobacco Control</i> , 2013 , 22, 118-22	5.3	36
119	Lack of association of OPRM1 genotype and smoking cessation. <i>Nicotine and Tobacco Research</i> , 2013 , 15, 739-44	4.9	15
118	Change in anxiety following successful and unsuccessful attempts at smoking cessation: cohort study. <i>British Journal of Psychiatry</i> , 2013 , 202, 62-7	5.4	67
117	Does school ethos explain the relationship between value-added education and teenage substance use? A cohort study. <i>Social Science and Medicine</i> , 2012 , 75, 69-76	5.1	24
116	German medical students lack knowledge of how to treat smoking and problem drinking. <i>Addiction</i> , 2012 , 107, 1878-82	4.6	32
115	A randomised trial of nicotine assisted reduction to stop in pharmacies - the RedPharm study. <i>BMC Public Health</i> , 2012 , 12, 182	4.1	10
114	Physical activity as an aid to smoking cessation during pregnancy (LEAP) trial: study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 186	2.8	26
113	Self-help materials for the prevention of smoking relapse: study protocol for a randomized controlled trial. <i>Trials</i> , 2012 , 13, 69	2.8	9
112	Assessing the association between the use of NRT for smoking reduction and attempts to quit smoking using propensity score matching. <i>Drug and Alcohol Dependence</i> , 2012 , 126, 354-61	4.9	13
111	A commentary on Exercise and smoking cessation (Ussher et al, 2012): And the verdict is... <i>Mental Health and Physical Activity</i> , 2012 , 5, 101-102	5	2
110	Reduction versus abrupt cessation in smokers who want to quit. <i>The Cochrane Library</i> , 2012 , 11, CD008033	3.3	50
109	Effect on adherence to nicotine replacement therapy of informing smokers their dose is determined by their genotype: a randomised controlled trial. <i>PLoS ONE</i> , 2012 , 7, e35249	3.7	35
108	Association between genetic variants on chromosome 15q25 locus and objective measures of tobacco exposure. <i>Journal of the National Cancer Institute</i> , 2012 , 104, 740-8	9.7	178
107	Brief opportunistic smoking cessation interventions: a systematic review and meta-analysis to compare advice to quit and offer of assistance. <i>Addiction</i> , 2012 , 107, 1066-73	4.6	225
106	Effectiveness and cost-effectiveness of computer and other electronic aids for smoking cessation: a systematic review and network meta-analysis. <i>Health Technology Assessment</i> , 2012 , 16, 1-205, iii-v	4.4	101

105	Improving smoking cessation approaches at the individual level. <i>Tobacco Control</i> , 2012 , 21, 252-7	5.3	34
104	Weight gain in smokers after quitting cigarettes: meta-analysis. <i>BMJ, The</i> , 2012 , 345, e4439	5.9	295
103	Mediation analysis of the association between use of NRT for smoking reduction and attempts to stop smoking. <i>Psychology and Health</i> , 2012 , 27, 1118-33	2.9	4
102	Association between nicotinic acetylcholine receptor single nucleotide polymorphisms and smoking cessation. <i>Nicotine and Tobacco Research</i> , 2012 , 14, 993-7	4.9	8
101	Interventions for preventing weight gain after smoking cessation. <i>The Cochrane Library</i> , 2012 , 1, CD006219	5.9	119
100	Managing smoking cessation-related weight gain 2012 , 122, 494-8		8
99	Smoking cessation and development of respiratory health in smokers screened with normal spirometry. <i>Respiratory Medicine</i> , 2011 , 105, 243-9	4.6	9
98	Benefits of medical treatment of obesity. <i>Lancet, The</i> , 2011 , 377, 903	4.0	3
97	Provision of commercial weight management programmes. <i>Lancet, The</i> , 2011 , 378, 1444-5	4.0	3
96	Associations between weight change over 8 years and baseline body mass index in a cohort of continuing and quitting smokers. <i>Addiction</i> , 2011 , 106, 188-96	4.6	92
95	Use of nicotine replacement therapy for smoking reduction and during enforced temporary abstinence: a national survey of English smokers. <i>Addiction</i> , 2011 , 106, 197-204	4.6	36
94	RESPONSE TO SPRING ET AL.: WHAT IS THE BEST METHOD TO ASSESS THE EFFECT OF COMBINED INTERVENTIONS FOR SMOKING CESSATION AND POST-CESSATION WEIGHT GAIN?. <i>Addiction</i> , 2011 , 106, 675-676	4.6	4
93	Commentary on Chan et al. (2011): smoking reduction--where are we now?. <i>Addiction</i> , 2011 , 106, 1164-5	4.6	0
92	Promoting smoking cessation in Pakistani and Bangladeshi men in the UK: pilot cluster randomised controlled trial of trained community outreach workers. <i>Trials</i> , 2011 , 12, 197	2.8	19
91	Preventing the link between SES and high-risk behaviors: "value-added" education, drug use and delinquency in high-risk, urban schools. <i>Prevention Science</i> , 2011 , 12, 211-21	4	27
90	An updated meta-analysis of nicotine preloading for smoking cessation: investigating mediators of the effect. <i>Psychopharmacology</i> , 2011 , 214, 579-92	4.7	46
89	A randomised placebo-controlled trial of oral hydrocortisone for treating tobacco withdrawal symptoms. <i>Psychopharmacology</i> , 2011 , 216, 43-51	4.7	1
88	Response to Rose (2011): nicotine preloading: the importance of a pre-cessation reduction in smoking behavior. <i>Psychopharmacology</i> , 2011 , 218, 459-60	4.7	1

87	Psychometric properties of the processes of change scale for smoking cessation in UK adolescents. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 71-8	2.6	4
86	Experiences of outreach workers in promoting smoking cessation to Bangladeshi and Pakistani men: longitudinal qualitative evaluation. <i>BMC Public Health</i> , 2011 , 11, 452	4.1	10
85	CHRNA3 rs1051730 genotype and short-term smoking cessation. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 982-8	4.9	68
84	Comparison of range of commercial or primary care led weight reduction programmes with minimal intervention control for weight loss in obesity: lighten Up randomised controlled trial. <i>BMJ, The</i> , 2011 , 343, d6500	5.9	261
83	Pharmacogenetics of smoking cessation in general practice: results from the patch II and patch in practice trials. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 157-67	4.9	21
82	Weight change over eight years in relation to alcohol consumption in a cohort of continuing smokers and quitters. <i>Nicotine and Tobacco Research</i> , 2011 , 13, 1149-54	4.9	3
81	Placebo-controlled trial of cytisine for smoking cessation. <i>New England Journal of Medicine</i> , 2011 , 365, 1193-200	59.2	141
80	Temporary abstinence from smoking prior to surgery reduces harm to smokers. <i>International Journal of Clinical Practice</i> , 2010 , 64, 285-8	2.9	2
79	Predicting the life-time benefit of school-based smoking prevention programmes. <i>Addiction</i> , 2010 , 105, 1109-16	4.6	10
78	Influence of smoking cessation after diagnosis of early stage lung cancer on prognosis: systematic review of observational studies with meta-analysis. <i>BMJ, The</i> , 2010 , 340, b5569	5.9	467
77	Is the UK's coalition Government serious about public health?. <i>Lancet, The</i> , 2010 , 376, 589	4.0	1
76	Reduction versus abrupt cessation in smokers who want to quit. <i>Cochrane Database of Systematic Reviews</i> , 2010 , CD008033		38
75	Genome-wide association for smoking cessation success: participants in the Patch in Practice trial of nicotine replacement. <i>Pharmacogenomics</i> , 2010 , 11, 357-67	2.6	42
74	A randomised controlled trial to compare a range of commercial or primary care led weight reduction programmes with a minimal intervention control for weight loss in obesity: the Lighten Up trial. <i>BMC Public Health</i> , 2010 , 10, 439	4.1	29
73	Trial Protocol: Using genotype to tailor prescribing of nicotine replacement therapy: a randomised controlled trial assessing impact of communication upon adherence. <i>BMC Public Health</i> , 2010 , 10, 680	4.1	17
72	Trial protocol and preliminary results for a cluster randomised trial of behavioural support versus brief advice for smoking cessation in adolescents. <i>BMC Research Notes</i> , 2010 , 3, 336	2.3	3
71	Trial Protocol: randomised controlled trial of the effects of very low calorie diet, modest dietary restriction, and sequential behavioural programme on hunger, urges to smoke, abstinence and weight gain in overweight smokers stopping smoking. <i>Trials</i> , 2010 , 11, 94	2.8	5
70	Lack of association of DRD2 rs1800497 (Taq1A) polymorphism with smoking cessation in a nicotine replacement therapy randomized trial. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 404-7	4.9	25

69	Assessing the outcomes of prolonged cessation-induction and aid-to-cessation trials: floating prolonged abstinence. <i>Nicotine and Tobacco Research</i> , 2009 , 11, 475-80	4.9	23
68	The Chinese Intelligence Scale for Young Children: Testing Factor Structure and Measurement Invariance Using the Framework of the Wechsler Intelligence Tests. <i>Educational and Psychological Measurement</i> , 2009 , 69, 459-474	3.1	7
67	Effectiveness and safety of nicotine replacement therapy assisted reduction to stop smoking: systematic review and meta-analysis. <i>BMJ, The</i> , 2009 , 338, b1024	5.9	229
66	What is transtheoretical therapy? A response to Prochaska. <i>Social Science and Medicine</i> , 2009 , 68, 407-409.	4.1	1
65	The effect of Transtheoretical Model based interventions on smoking cessation. <i>Social Science and Medicine</i> , 2009 , 68, 397-403	5.1	57
64	Canadian and English students' beliefs about waterpipe smoking: a qualitative study. <i>BMC Public Health</i> , 2009 , 9, 10	4.1	128
63	Mediated, moderated and direct effects of country of residence, age, and gender on the cognitive and social determinants of adolescent smoking in Spain and the UK: a cross-sectional study. <i>BMC Public Health</i> , 2009 , 9, 173	4.1	10
62	The factor structure and factorial invariance for the decisional balance scale for adolescent smoking. <i>International Journal of Behavioral Medicine</i> , 2009 , 16, 158-63	2.6	15
61	Rapid reduction versus abrupt quitting for smokers who want to stop soon: a randomised controlled non-inferiority trial. <i>Trials</i> , 2009 , 10, 69	2.8	16
60	Promoting smoking cessation in Bangladeshi and Pakistani male adults: design of a pilot cluster randomised controlled trial of trained community smoking cessation workers. <i>Trials</i> , 2009 , 10, 71	2.8	5
59	Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. <i>Addiction</i> , 2009 , 104, 828-38	4.6	18
58	Behavioural interventions to prevent weight gain on smoking cessation: a response. <i>Addiction</i> , 2009 , 104, 2119-20	4.6	6
57	A proof of concept randomised placebo controlled factorial trial to examine the efficacy of St John's wort for smoking cessation and chromium to prevent weight gain on smoking cessation. <i>Drug and Alcohol Dependence</i> , 2009 , 102, 116-22	4.9	20
56	Using latent class and latent transition analysis to examine the transtheoretical model staging algorithm and sequential stage transition in adolescent smoking. <i>Substance Use and Misuse</i> , 2009 , 44, 2028-42	2.2	19
55	Interventions for preventing weight gain after smoking cessation. <i>Cochrane Database of Systematic Reviews</i> , 2009 , CD006219		84
54	Value-added education and smoking uptake in schools: a cohort study. <i>Addiction</i> , 2008 , 103, 155-61	4.6	33
53	Waterpipe smoking in students: prevalence, risk factors, symptoms of addiction, and smoke intake. Evidence from one British university. <i>BMC Public Health</i> , 2008 , 8, 174	4.1	145
52	Physical activity as an aid to smoking cessation during pregnancy: two feasibility studies. <i>BMC Public Health</i> , 2008 , 8, 328	4.1	23

51	A pilot randomised controlled trial of the feasibility of using body scan and isometric exercises for reducing urge to smoke in a smoking cessation clinic. <i>BMC Public Health</i> , 2008 , 8, 349	4.1	13
50	Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: new data from the Patch in Practice trial and pooled analyses. <i>Drug and Alcohol Dependence</i> , 2008 , 98, 77-85	4.9	25
49	Nortriptyline plus nicotine replacement versus placebo plus nicotine replacement for smoking cessation: pragmatic randomised controlled trial. <i>BMJ, The</i> , 2008 , 336, 1223-7	5.9	38
48	Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach. <i>Psychology of Addictive Behaviors</i> , 2008 , 22, 288-94	3.4	20
47	"Intention to Analyze" in Pharmacogenomics Studies. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008 , 17, 740-741	4	2
46	Association of COMT Val108/158Met genotype with smoking cessation. <i>Pharmacogenetics and Genomics</i> , 2008 , 18, 121-8	1.9	52
45	'Cut down to quit' with nicotine replacement therapies in smoking cessation: a systematic review of effectiveness and economic analysis. <i>Health Technology Assessment</i> , 2008 , 12, iii-iv, ix-xi, 1-135	4.4	84
44	Is there a relationship between where students sit in lectures and their performance in examinations?. <i>Medical Education</i> , 2007 , 41, 1234	3.7	
43	Is attributing smoking to genetic causes associated with a reduced probability of quit attempt success? A cohort study. <i>Addiction</i> , 2007 , 102, 1657-64	4.6	16
42	School culture as an influencing factor on youth substance use. <i>Journal of Epidemiology and Community Health</i> , 2007 , 61, 485-90	5.1	53
41	Managing smoking cessation. <i>BMJ, The</i> , 2007 , 335, 37-41	5.9	83
40	Understanding Nicotine and Tobacco Addiction. Edited by Gregory Bock & Jamie Goode. John Wiley & Sons. 2006. 284pp. £80.00 (hb). ISBN 0470016574. <i>British Journal of Psychiatry</i> , 2007 , 191, 272-272	5.4	
39	Weekly versus basic smoking cessation support in primary care: a randomised controlled trial. <i>Thorax</i> , 2007 , 62, 898-903	7.3	63
38	Authors' reply to letter 2007 , 335, 222.2-222		78
37	A preliminary investigation into factors influencing limiting long-standing illness among UK university graduates: a retrospective cohort study. <i>Health (United Kingdom)</i> , 2006 , 10, 47-73	1.9	1
36	A randomized controlled trial to assess the effectiveness of a letter from a consultant surgeon in causing smokers to stop smoking pre-operatively. <i>Public Health</i> , 2006 , 120, 356-8	4	18
35	Does smoking influence survival in cancer patients through effects on respiratory and vascular disease?. <i>European Journal of Cancer Prevention</i> , 2006 , 15, 87-90	2	9
34	Interventions for preventing weight gain after smoking cessation 2006 ,		1

33	The neurobiological basis for partial agonist treatment of nicotine dependence. <i>International Journal of Clinical Practice</i> , 2006 , 60, 507-8	2.9	2
32	A randomized controlled trial of smoking cessation for pregnant women to test the effect of a transtheoretical model-based intervention on movement in stage and interaction with baseline stage. <i>British Journal of Health Psychology</i> , 2006 , 11, 263-78	8.3	30
31	New York City offensive against tobacco. <i>Lancet, The</i> , 2005 , 365, 1831-2	4.0	
30	Is advice to stop smoking from a midwife stressful for pregnant women who smoke? Data from a randomized controlled trial. <i>Preventive Medicine</i> , 2005 , 40, 575-82	4.3	21
29	Is it as easy as young people claim for them to buy cigarettes?. <i>Health Education</i> , 2005 , 105, 103-108	1	1
28	Does stage-based smoking cessation advice in pregnancy result in long-term quitters? 18-month postpartum follow-up of a randomized controlled trial. <i>Addiction</i> , 2005 , 100, 107-16	4.6	46
27	Is inter-school variation in smoking uptake and cessation due to differences in pupil composition? A cohort study. <i>Health and Place</i> , 2005 , 11, 55-65	4.6	26
26	The influence of in-pregnancy smoking cessation programmes on partner quitting and women's social support mobilization: a randomized controlled trial [ISRCTN89131885]. <i>BMC Public Health</i> , 2005 , 5, 80	4.1	19
25	The partial smoking ban in licensed establishments and health inequalities in England: modelling study. <i>BMJ, The</i> , 2005 , 331, 488-9	5.9	8
24	What determines future smoking intentions of 12- to 13-year-old UK African-Caribbean, Indian, Pakistani and white young people?. <i>Health Education Research</i> , 2004 , 19, 15-28	1.8	22
23	School nurses: policies, working practices, roles and value perceptions. <i>Journal of Advanced Nursing</i> , 2004 , 47, 377-85	3.1	40
22	A methodological and substantive review of the evidence that schools cause pupils to smoke. <i>Social Science and Medicine</i> , 2004 , 58, 2253-65	5.1	114
21	The influence of school culture on smoking among pupils. <i>Social Science and Medicine</i> , 2004 , 58, 1767-80	5.1	66
20	A cluster randomised controlled trial of smoking cessation in pregnant women comparing interventions based on the transtheoretical (stages of change) model to standard care. <i>Tobacco Control</i> , 2003 , 12, 168-77	5.3	51
19	The risk of smoking in relation to engagement with a school-based smoking intervention. <i>Social Science and Medicine</i> , 2003 , 56, 869-82	5.1	23
18	A new theory of health promoting schools based on human functioning, school organisation and pedagogic practice. <i>Social Science and Medicine</i> , 2003 , 56, 1209-20	5.1	98
17	A controlled trial of an expert system and self-help manual intervention based on the stages of change versus standard self-help materials in smoking cessation. <i>Addiction</i> , 2003 , 98, 345-54	4.6	57
16	What happens to women's self-reported cigarette consumption and urinary cotinine levels in pregnancy?. <i>Addiction</i> , 2003 , 98, 1315-20	4.6	34

15	The importance of social sources of cigarettes to school students. <i>Tobacco Control</i> , 2003 , 12, 67-73	5.3	80
14	Does smoking status influence the prognosis of bladder cancer? A systematic review. <i>BJU International</i> , 2002 , 90, 228-39	5.6	82
13	The risk of preterm delivery in women from different ethnic groups. <i>BJOG: an International Journal of Obstetrics and Gynaecology</i> , 2002 , 109, 894-9	3.7	64
12	Cost-effectiveness of pharmacological interventions for smoking cessation: a literature review and a decision analytic analysis. <i>Medical Decision Making</i> , 2002 , 22, S26-37	2.5	92
11	Can the stages of change for smoking acquisition be measured reliably in adolescents?. <i>Preventive Medicine</i> , 2002 , 35, 407-14	4.3	7
10	The risk of preterm delivery in women from different ethnic groups 2002 , 109, 894		1
9	The relationship between mean birth weight and poverty using the Townsend deprivation score and the Super Profile classification system. <i>Public Health</i> , 2002 , 116, 308-14	4	3
8	The change-in-stage and updated smoking status results from a cluster-randomized trial of smoking prevention and cessation using the transtheoretical model among British adolescents. <i>Preventive Medicine</i> , 2001 , 33, 313-24	4.3	52
7	The cost effectiveness of including pencils and erasers with self-completion epidemiological questionnaires. <i>Public Health</i> , 2001 , 115, 80-1	4	2
6	Does the multidimensional nature of Super Profiles help district health authorities understand the way social capital affects health?. <i>Journal of Public Health</i> , 2000 , 22, 317-23	3.5	4
5	Cluster randomised controlled trial of expert system based on the transtheoretical ("stages of change") model for smoking prevention and cessation in schools. <i>BMJ: British Medical Journal</i> , 1999 , 319, 948-53		106
4	A fresh look at proportional mortality ratios. <i>Public Health</i> , 1998 , 112, 77-80	4	4
3	Monitoring the performance of general practices. <i>Journal of Evaluation in Clinical Practice</i> , 1997 , 3, 275-81	1.5	7
2	Assessing the performance of general practices caring for patients with asthma. <i>British Journal of General Practice</i> , 1997 , 47, 423-6	1.6	16
1	Associations between COVID-19 infection, tobacco smoking and nicotine use, common respiratory conditions and inhaled corticosteroids: a prospective QResearch-Case Mix Programme data linkage study January-May 2020		2