Scott A Beatson

List of Publications by Citations

Source: https://exaly.com/author-pdf/3260401/scott-a-beatson-publications-by-citations.pdf

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

161 106 11,591 47 h-index g-index citations papers 186 6.16 6.4 15,035 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
161	Genome sequence of the Brown Norway rat yields insights into mammalian evolution. <i>Nature</i> , 2004 , 428, 493-521	50.4	1689
160	BLAST Ring Image Generator (BRIG): simple prokaryote genome comparisons. <i>BMC Genomics</i> , 2011 , 12, 402	4.5	1617
159	Easyfig: a genome comparison visualizer. <i>Bioinformatics</i> , 2011 , 27, 1009-10	7.2	1590
158	An extensive repertoire of type III secretion effectors in Escherichia coli O157 and the role of lambdoid phages in their dissemination. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2006 , 103, 14941-6	11.5	370
157	Global dissemination of a multidrug resistant Escherichia coli clone. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 5694-9	11.5	354
156	Effect of Piperacillin-Tazobactam vs Meropenem on 30-Day Mortality for Patients With E coli or Klebsiella pneumoniae Bloodstream Infection and Ceftriaxone Resistance: A Randomized Clinical Trial. <i>JAMA - Journal of the American Medical Association</i> , 2018 , 320, 984-994	27.4	339
155	Antimicrobial Resistance in ESKAPE Pathogens. Clinical Microbiology Reviews, 2020, 33,	34	2 90
154	Accelerated evolution of the Prdm9 speciation gene across diverse metazoan taxa. <i>PLoS Genetics</i> , 2009 , 5, e1000753	6	203
153	Characterization of a complex chemosensory signal transduction system which controls twitching motility in Pseudomonas aeruginosa. <i>Molecular Microbiology</i> , 2004 , 52, 873-93	4.1	167
152	Insights into a multidrug resistant Escherichia coli pathogen of the globally disseminated ST131 lineage: genome analysis and virulence mechanisms. <i>PLoS ONE</i> , 2011 , 6, e26578	3.7	149
151	Differential regulation of twitching motility and elastase production by Vfr in Pseudomonas aeruginosa. <i>Journal of Bacteriology</i> , 2002 , 184, 3605-13	3.5	148
150	A commensal gone bad: complete genome sequence of the prototypical enterotoxigenic Escherichia coli strain H10407. <i>Journal of Bacteriology</i> , 2010 , 192, 5822-31	3.5	141
149	FpvB, an alternative type I ferripyoverdine receptor of Pseudomonas aeruginosa. <i>Microbiology</i> (United Kingdom), 2004 , 150, 1671-1680	2.9	129
148	Bioinformatics, genomics and evolution of non-flagellar type-III secretion systems: a Darwinian perspective. <i>FEMS Microbiology Reviews</i> , 2005 , 29, 201-29	15.1	124
147	Sequential Acquisition of Virulence and Fluoroquinolone Resistance Has Shaped the Evolution of Escherichia coli ST131. <i>MBio</i> , 2016 , 7, e00347-16	7.8	121
146	Quorum sensing is not required for twitching motility in Pseudomonas aeruginosa. <i>Journal of Bacteriology</i> , 2002 , 184, 3598-604	3.5	115
145	Chaperone-usher fimbriae of Escherichia coli. <i>PLoS ONE</i> , 2013 , 8, e52835	3.7	111

(2005-2003)

144	Proteome analysis of extracellular proteins regulated by the las and rhl quorum sensing systems in Pseudomonas aeruginosa PAO1. <i>Microbiology (United Kingdom)</i> , 2003 , 149, 1311-1322	2.9	111	
143	The serum resistome of a globally disseminated multidrug resistant uropathogenic Escherichia coli clone. <i>PLoS Genetics</i> , 2013 , 9, e1003834	6	106	
142	Variation in bacterial flagellins: from sequence to structure. <i>Trends in Microbiology</i> , 2006 , 14, 151-5	12.4	106	
141	EhaA is a novel autotransporter protein of enterohemorrhagic Escherichia coli O157:H7 that contributes to adhesion and biofilm formation. <i>Environmental Microbiology</i> , 2008 , 10, 589-604	5.2	101	
140	A FimH inhibitor prevents acute bladder infection and treats chronic cystitis caused by multidrug-resistant uropathogenic Escherichia coli ST131. <i>Journal of Infectious Diseases</i> , 2013 , 208, 921-	-8	96	
139	Legionella pneumophila strain 130b possesses a unique combination of type IV secretion systems and novel Dot/Icm secretion system effector proteins. <i>Journal of Bacteriology</i> , 2010 , 192, 6001-16	3.5	95	
138	Bioinformatics analysis of the locus for enterocyte effacement provides novel insights into type-III secretion. <i>BMC Microbiology</i> , 2005 , 5, 9	4.5	95	
137	Stepwise evolution of pandrug-resistance in Klebsiella pneumoniae. <i>Scientific Reports</i> , 2015 , 5, 15082	4.9	87	
136	Pseudomonas aeruginosa fimL regulates multiple virulence functions by intersecting with Vfr-modulated pathways. <i>Molecular Microbiology</i> , 2005 , 55, 1357-78	4.1	79	
135	Identification of type 3 fimbriae in uropathogenic Escherichia coli reveals a role in biofilm formation. <i>Journal of Bacteriology</i> , 2008 , 190, 1054-63	3.5	78	
134	Genomic evolution of the pathogenic Wolbachia strain, wMelPop. <i>Genome Biology and Evolution</i> , 2013 , 5, 2189-204	3.9	77	
133	Evolutionary links between FliH/YscL-like proteins from bacterial type III secretion systems and second-stalk components of the FoF1 and vacuolar ATPases. <i>Protein Science</i> , 2006 , 15, 935-41	6.3	76	
132	The complete genome sequence of Escherichia coli EC958: a high quality reference sequence for the globally disseminated multidrug resistant E. coli O25b:H4-ST131 clone. <i>PLoS ONE</i> , 2014 , 9, e104400	3.7	75	
131	Identification of type II and type III pyoverdine receptors from Pseudomonas aeruginosa. <i>Microbiology (United Kingdom)</i> , 2003 , 149, 821-831	2.9	75	
130	Identification of IncA/C Plasmid Replication and Maintenance Genes and Development of a Plasmid Multilocus Sequence Typing Scheme. <i>Antimicrobial Agents and Chemotherapy</i> , 2017 , 61,	5.9	73	
129	Evolution and comparative genomics of odorant- and pheromone-associated genes in rodents. <i>Genome Research</i> , 2004 , 14, 591-602	9.7	72	
128	UpaH is a newly identified autotransporter protein that contributes to biofilm formation and bladder colonization by uropathogenic Escherichia coli CFT073. <i>Infection and Immunity</i> , 2010 , 78, 1659-6	5 3 ·7	70	
127	The Flag-2 locus, an ancestral gene cluster, is potentially associated with a novel flagellar system from Escherichia coli. <i>Journal of Bacteriology</i> , 2005 , 187, 1430-40	3.5	69	

126	Heat resistance and salt hypersensitivity in Lactococcus lactis due to spontaneous mutation of llmg_1816 (gdpP) induced by high-temperature growth. <i>Applied and Environmental Microbiology</i> , 2012 , 78, 7753-9	4.8	61
125	Multiple antibiotic resistance gene recruitment onto the enterohemorrhagic Escherichia coli virulence plasmid. <i>FASEB Journal</i> , 2010 , 24, 1160-6	0.9	60
124	Exploiting the explosion of information associated with whole genome sequencing to tackle Shiga toxin-producing Escherichia coli (STEC) in global food production systems. <i>International Journal of Food Microbiology</i> , 2014 , 187, 57-72	5.8	58
123	Identification of novel vaccine candidates against multidrug-resistant Acinetobacter baumannii. <i>PLoS ONE</i> , 2013 , 8, e77631	3.7	56
122	An interactive web-based Pseudomonas aeruginosa genome database: discovery of new genes, pathways and structures. <i>Microbiology (United Kingdom)</i> , 2000 , 146 (Pt 10), 2351-2364	2.9	56
121	The co-transcriptome of uropathogenic Escherichia coli-infected mouse macrophages reveals new insights into host-pathogen interactions. <i>Cellular Microbiology</i> , 2015 , 17, 730-46	3.9	55
120	Cadherin-like domains in alpha-dystroglycan, alpha/epsilon-sarcoglycan and yeast and bacterial proteins. <i>Current Biology</i> , 2002 , 12, R197-9	6.3	50
119	Draft genome sequence of the male-killing Wolbachia strain wBol1 reveals recent horizontal gene transfers from diverse sources. <i>BMC Genomics</i> , 2013 , 14, 20	4.5	49
118	Molecular analysis of the Acinetobacter baumannii biofilm-associated protein. <i>Applied and Environmental Microbiology</i> , 2013 , 79, 6535-43	4.8	49
117	Protein secretion systems in Fusobacterium nucleatum: genomic identification of Type 4 piliation and complete Type V pathways brings new insight into mechanisms of pathogenesis. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2005 , 1713, 92-112	3.8	49
116	Conjugative plasmid transfer and adhesion dynamics in an Escherichia coli biofilm. <i>Applied and Environmental Microbiology</i> , 2009 , 75, 6783-91	4.8	48
115	Analysis of a Streptococcus pyogenes puerperal sepsis cluster by use of whole-genome sequencing. Journal of Clinical Microbiology, 2012 , 50, 2224-8	9.7	47
114	Lysogeny with Shiga toxin 2-encoding bacteriophages represses type III secretion in enterohemorrhagic Escherichia coli. <i>PLoS Pathogens</i> , 2012 , 8, e1002672	7.6	46
113	Galleria mellonella infection model demonstrates high lethality of ST69 and ST127 uropathogenic E. coli. <i>PLoS ONE</i> , 2014 , 9, e101547	3.7	45
112	Transfer of scarlet fever-associated elements into the group A Streptococcus M1T1 clone. <i>Scientific Reports</i> , 2015 , 5, 15877	4.9	41
111	Tracing the evolutionary history of the pandemic group A streptococcal M1T1 clone. <i>FASEB Journal</i> , 2012 , 26, 4675-84	0.9	41
110	The metabolic enzyme AdhE controls the virulence of Escherichia coli O157:H7. <i>Molecular Microbiology</i> , 2014 , 93, 199-211	4.1	40
109	Molecular analysis of type 3 fimbrial genes from Escherichia coli, Klebsiella and Citrobacter species. <i>BMC Microbiology</i> , 2010 , 10, 183	4.5	39

(2004-2005)

108	Prevalence of pathogenicity island IICFT073 genes among extraintestinal clinical isolates of Escherichia coli. <i>Journal of Clinical Microbiology</i> , 2005 , 43, 2425-34	9.7	39
107	Transcriptional regulators of the GAD acid stress island are carried by effector protein-encoding prophages and indirectly control type III secretion in enterohemorrhagic Escherichia coli O157:H7. <i>Molecular Microbiology</i> , 2011 , 80, 1349-65	4.1	38
106	Hospital-wide Eradication of a Nosocomial Legionella pneumophila Serogroup 1 Outbreak. <i>Clinical Infectious Diseases</i> , 2016 , 62, 273-279	11.6	37
105	Whole genome analysis of cephalosporin-resistant Escherichia coli from bloodstream infections in Australia, New Zealand and Singapore: high prevalence of CMY-2 producers and ST131 carrying blaCTX-M-15 and blaCTX-M-27. <i>Journal of Antimicrobial Chemotherapy</i> , 2018 , 73, 634-642	5.1	36
104	Population dynamics of an Escherichia coli ST131 lineage during recurrent urinary tract infection. <i>Nature Communications</i> , 2019 , 10, 3643	17.4	36
103	Mechanisms Involved in Acquisition of blaNDM Genes by IncA/C2 and IncFIIY Plasmids. <i>Antimicrobial Agents and Chemotherapy</i> , 2016 , 60, 4082-8	5.9	34
102	Comparative genomics of the Staphylococcus intermedius group of animal pathogens. <i>Frontiers in Cellular and Infection Microbiology</i> , 2012 , 2, 44	5.9	33
101	Origin of the diversity in DNA recognition domains in phasevarion associated modA genes of pathogenic Neisseria and Haemophilus influenzae. <i>PLoS ONE</i> , 2012 , 7, e32337	3.7	32
100	Molecular characterization of a multidrug resistance IncF plasmid from the globally disseminated Escherichia coli ST131 clone. <i>PLoS ONE</i> , 2015 , 10, e0122369	3.7	32
99	Genome sequence of the emerging pathogen Aeromonas caviae. <i>Journal of Bacteriology</i> , 2011 , 193, 128	8 6. 7	30
98	Discovery of -Mediated Colistin Resistance in a Highly Virulent Escherichia coli Lineage. <i>MSphere</i> , 2018 , 3,	5	30
97	Genome-Wide Discovery of Genes Required for Capsule Production by Uropathogenic. <i>MBio</i> , 2017 , 8,	7.8	29
96	UafB is a serine-rich repeat adhesin of Staphylococcus saprophyticus that mediates binding to fibronectin, fibrinogen and human uroepithelial cells. <i>Microbiology (United Kingdom)</i> , 2011 , 157, 1161-17	1 7 9	29
95	Regulatory interplay between pap operons in uropathogenic Escherichia coli. <i>Molecular Microbiology</i> , 2008 , 67, 996-1011	4.1	29
94	The host metabolite D-serine contributes to bacterial niche specificity through gene selection. <i>ISME Journal</i> , 2015 , 9, 1039-51	11.9	28
93	Modifications in the pmrB gene are the primary mechanism for the development of chromosomally encoded resistance to polymyxins in uropathogenic Escherichia coli. <i>Journal of Antimicrobial Chemotherapy</i> , 2017 , 72, 2729-2736	5.1	28
92	Molecular Characterization of the Multidrug Resistant Escherichia coli ST131 Clone. <i>Pathogens</i> , 2015 , 4, 422-30	4.5	28
91	Sub-inhibitory concentrations of ceftazidime and tobramycin reduce the quorum sensing signals of Pseudomonas aeruginosa. <i>Pathology</i> , 2004 , 36, 571-5	1.6	27

90	A Novel Protective Vaccine Antigen from the Core Genome. <i>MSphere</i> , 2016 , 1,	5	26
89	The role of H4 flagella in Escherichia coli ST131 virulence. <i>Scientific Reports</i> , 2015 , 5, 16149	4.9	24
88	Increased S-nitrosylation and proteasomal degradation of caspase-3 during infection contribute to the persistence of adherent invasive Escherichia coli (AIEC) in immune cells. <i>PLoS ONE</i> , 2013 , 8, e68386	3.7	24
87	Within-host whole genome analysis of an antibiotic resistant Pseudomonas aeruginosa strain sub-type in cystic fibrosis. <i>PLoS ONE</i> , 2017 , 12, e0172179	3.7	23
86	Mutual exclusivity of hyaluronan and hyaluronidase in invasive group A Streptococcus. <i>Journal of Biological Chemistry</i> , 2014 , 289, 32303-32315	5.4	23
85	Microbiology. Tracking antibiotic resistance. <i>Science</i> , 2014 , 345, 1454-5	33.3	23
84	Zoocin A immunity factor: a femA-like gene found in a group C streptococcus. <i>FEMS Microbiology Letters</i> , 1998 , 163, 73-7	2.9	23
83	uPEPperoni: an online tool for upstream open reading frame location and analysis of transcript conservation. <i>BMC Bioinformatics</i> , 2014 , 15, 36	3.6	22
82	Characterization of EhaJ, a New Autotransporter Protein from Enterohemorrhagic and Enteropathogenic Escherichia coli. <i>Frontiers in Microbiology</i> , 2011 , 2, 120	5.7	22
81	Molecular Characterization of the Vacuolating Autotransporter Toxin in Uropathogenic Escherichia coli. <i>Journal of Bacteriology</i> , 2016 , 198, 1487-98	3.5	21
80	Genome analysis and CRISPR typing of Salmonella enterica serovar Virchow. <i>BMC Genomics</i> , 2014 , 15, 389	4.5	21
79	Lineage-Specific Methyltransferases Define the Methylome of the Globally Disseminated Escherichia coli ST131 Clone. <i>MBio</i> , 2015 , 6, e01602-15	7.8	21
78	Secretion of flagellin by the LEE-encoded type III secretion system of enteropathogenic Escherichia coli. <i>BMC Microbiology</i> , 2009 , 9, 30	4.5	21
77	Discovery of New Genes Involved in Curli Production by a Uropathogenic Escherichia coli Strain from the Highly Virulent O45:K1:H7 Lineage. <i>MBio</i> , 2018 , 9,	7.8	20
76	Molecular analysis of asymptomatic bacteriuria Escherichia coli strain VR50 reveals adaptation to the urinary tract by gene acquisition. <i>Infection and Immunity</i> , 2015 , 83, 1749-64	3.7	20
75	Novel genes associated with enhanced motility of Escherichia coli ST131. <i>PLoS ONE</i> , 2017 , 12, e0176290	03.7	20
74	New plasmids and putative virulence factors from the draft genome of an Australian clinical isolate of Photorhabdus asymbiotica. <i>FEMS Microbiology Letters</i> , 2010 , 309, 136-43	2.9	19
73	Companion Animals Are Spillover Hosts of the Multidrug-Resistant Human Extraintestinal Pandemic Clones ST131 and ST1193. <i>Frontiers in Microbiology</i> , 2020 , 11, 1968	5.7	19

(2016-2020)

72	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering. <i>PLoS Pathogens</i> , 2020 , 16, e1008287	7.6	18	
71	GIFT domains: linking eukaryotic intraflagellar transport and glycosylation to bacterial gliding. <i>Trends in Biochemical Sciences</i> , 2004 , 29, 396-9	10.3	18	
70	A minimal tiling path cosmid library for functional analysis of the Pseudomonas aeruginosa PAO1 genome. <i>Microbial & Comparative Genomics</i> , 2000 , 5, 189-203		18	
69	Microevolution of Streptococcus agalactiae ST-261 from Australia Indicates Dissemination via Imported Tilapia and Ongoing Adaptation to Marine Hosts or Environment. <i>Applied and Environmental Microbiology</i> , 2018 , 84,	4.8	17	
68	Acquisition of the Sda1-encoding bacteriophage does not enhance virulence of the serotype M1 Streptococcus pyogenes strain SF370. <i>Infection and Immunity</i> , 2013 , 81, 2062-9	3.7	17	
67	A distinct and divergent lineage of genomic island-associated Type IV Secretion Systems in Legionella. <i>PLoS ONE</i> , 2013 , 8, e82221	3.7	17	
66	Discovery and Characterization of Human-Urine Utilization by Asymptomatic-Bacteriuria-Causing Streptococcus agalactiae. <i>Infection and Immunity</i> , 2016 , 84, 307-19	3.7	15	
65	The Intimin-Like Protein FdeC Is Regulated by H-NS and Temperature in Enterohemorrhagic Escherichia coli. <i>Applied and Environmental Microbiology</i> , 2014 , 80, 7337-47	4.8	15	
64	Characterisation of a cell wall-anchored protein of Staphylococcus saprophyticus associated with linoleic acid resistance. <i>BMC Microbiology</i> , 2012 , 12, 8	4.5	15	
63	The comparative in-vitro activity of roxithromycin and other antibiotics against Bordetella pertussis. <i>Journal of Antimicrobial Chemotherapy</i> , 1998 , 41 Suppl B, 23-7	5.1	15	
62	Complete genome sequence of the facultatively chemolithoautotrophic and methylotrophic alpha Proteobacterium Starkeya novella type strain (ATCC 8093T). <i>Standards in Genomic Sciences</i> , 2012 , 7, 44-	-58	15	
61	Genomic Investigation Reveals Contaminated Detergent as the Source of an Extended-Spectrum-Lactamase-Producing Klebsiella michiganensis Outbreak in a Neonatal Unit. <i>Journal of Clinical Microbiology</i> , 2020 , 58,	9.7	15	
60	OmicTApproaches to Study Uropathogenic Escherichia coli Virulence. <i>Trends in Microbiology</i> , 2017 , 25, 729-740	12.4	14	
59	Integrating multiple genomic technologies to investigate an outbreak of carbapenemase-producing Enterobacter hormaechei. <i>Nature Communications</i> , 2020 , 11, 466	17.4	14	
58	Stability of active prophages in industrial Lactococcus lactis strains in the presence of heat, acid, osmotic, oxidative and antibiotic stressors. <i>International Journal of Food Microbiology</i> , 2016 , 220, 26-32	5.8	14	
57	Genetic variation in IRF4 expression modulates growth characteristics, tyrosinase expression and interferon-gamma response in melanocytic cells. <i>Pigment Cell and Melanoma Research</i> , 2018 , 31, 51-63	4.5	13	
56	Repurposing a neurodegenerative disease drug to treat Gram-negative antibiotic-resistant bacterial sepsis. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	13	
55	Comprehensive analysis of type 1 fimbriae regulation in fimB-null strains from the multidrug resistant Escherichia coli ST131 clone. <i>Molecular Microbiology</i> , 2016 , 101, 1069-87	4.1	13	

54	Use of whole genome sequencing to investigate an increase in Neisseria gonorrhoeae infection among women in urban areas of Australia. <i>Scientific Reports</i> , 2018 , 8, 1503	4.9	12
53	Complete genome sequence of the facultatively chemolithoautotrophic and methylotrophic alpha Proteobacterium Starkeya novella type strain (ATCC 8093(T)). <i>Standards in Genomic Sciences</i> , 2012 , 7, 44-58		12
52	Genomic Comparison of Two O111:H- Enterohemorrhagic Escherichia coli Isolates from a Historic Hemolytic-Uremic Syndrome Outbreak in Australia. <i>Infection and Immunity</i> , 2016 , 84, 775-81	3.7	11
51	Epidemiology. Outsmarting outbreaks. <i>Science</i> , 2012 , 338, 1161-2	33.3	11
50	Molecular and Structural Characterization of a Novel Escherichia coli Interleukin Receptor Mimic Protein. <i>MBio</i> , 2016 , 7, e02046	7.8	11
49	Detection of Epidemic Scarlet Fever Group A Streptococcus in Australia. <i>Clinical Infectious Diseases</i> , 2019 , 69, 1232-1234	11.6	10
48	Streptococcal collagen-like protein A and general stress protein 24 are immunomodulating virulence factors of group A Streptococcus. <i>FASEB Journal</i> , 2013 , 27, 2633-43	0.9	10
47	Extragenic suppressor mutations that restore twitching motility to fimL mutants of Pseudomonas aeruginosa are associated with elevated intracellular cyclic AMP levels. <i>MicrobiologyOpen</i> , 2012 , 1, 490-	5 01	10
46	Physical and Linkage Maps for Drosophila serrata, a Model Species for Studies of Clinal Adaptation and Sexual Selection. <i>G3: Genes, Genomes, Genetics</i> , 2012 , 2, 287-97	3.2	10
45	Whole genome sequencing reveals the emergence of a Pseudomonas aeruginosa shared strain sub-lineage among patients treated within a single cystic fibrosis centre. <i>BMC Genomics</i> , 2018 , 19, 644	4.5	10
44	Variation in hemolysin A expression between uropathogenic isolates determines NLRP3-dependent -independent macrophage cell death and host colonization. <i>FASEB Journal</i> , 2019 , 33, 7437-7450	0.9	9
43	Third-generation cephalosporin resistance conferred by a chromosomally encoded blaCMY-23 gene in the Escherichia coli ST131 reference strain EC958. <i>Journal of Antimicrobial Chemotherapy</i> , 2015 , 70, 1969-72	5.1	9
42	Contiguity: Contig adjacency graph construction and visualisation		9
41	Differential Regulation of the Surface-Exposed and Secreted SslE Lipoprotein in Extraintestinal Pathogenic Escherichia coli. <i>PLoS ONE</i> , 2016 , 11, e0162391	3.7	8
40	Genomic analysis of carbapenemase-producing in Queensland reveals widespread transmission of on an IncHI2 plasmid. <i>Microbial Genomics</i> , 2020 , 6,	4.4	7
39	SMRT sequencing reveals differential patterns of methylation in two O111:H- STEC isolates from a hemolytic uremic syndrome outbreak in Australia. <i>Scientific Reports</i> , 2019 , 9, 9436	4.9	6
38	Complex Multilevel Control of Hemolysin Production by Uropathogenic Escherichia coli. <i>MBio</i> , 2019 , 10,	7.8	6
37	Complete Genome Sequence of Serotype III Sequence Type 17 Strain 874391. <i>Genome Announcements</i> , 2017 , 5,		6

36	Comprehensive analysis of IncC plasmid conjugation identifies a crucial role for the transcriptional regulator AcaB. <i>Nature Microbiology</i> , 2020 , 5, 1340-1348	26.6	6
35	Genomic surveillance, characterization and intervention of a polymicrobial multidrug-resistant outbreak in critical care. <i>Microbial Genomics</i> , 2021 , 7,	4.4	6
34	Complete genome sequence of the haloalkaliphilic, obligately chemolithoautotrophic thiosulfate and sulfide-oxidizing Eproteobacterium Thioalkalimicrobium cyclicum type strain ALM 1 (DSM 14477(T)). Standards in Genomic Sciences, 2016, 11, 38		5
33	Genome Sequence of Hydrothermal Arsenic-Respiring Bacterium Marinobacter santoriniensis NKSG1T. <i>Genome Announcements</i> , 2013 , 1,		5
32	Diving Deep Into Hospital-Acquired Legionella pneumophila With Whole-Genome Sequencing. <i>Clinical Infectious Diseases</i> , 2017 , 64, 1260-1262	11.6	4
31	Control of Bacterial Sulfite Detoxification by Conserved and Species-Specific Regulatory Circuits. <i>Frontiers in Microbiology</i> , 2019 , 10, 960	5.7	4
30	Novel insights into pasteurellosis in captive pinnipeds. <i>Veterinary Microbiology</i> , 2019 , 231, 232-237	3.3	4
29	Identification of a haemolysin-like peptide with antibacterial activity using the draft genome sequence of Staphylococcus epidermidis strain A487. <i>FEMS Immunology and Medical Microbiology</i> , 2011 , 62, 273-82		4
28	Contiguity: Contig adjacency graph construction and visualisation		4
27	Phase variation in latB associated with a fatal Pasteurella multocida outbreak in captive squirrel gliders. <i>Veterinary Microbiology</i> , 2020 , 243, 108612	3.3	3
26	Draft Genome Sequence of Pseudomonas fluorescens SRM1, an Isolate from Spoiled Raw Milk. <i>Genome Announcements</i> , 2015 , 3,		3
25	Using genomics to understand inter- and intra- outbreak diversity of isolates associated with fowl cholera in meat chickens. <i>Microbial Genomics</i> , 2020 , 6,	4.4	3
24	Sequential acquisition of virulence and fluoroquinolone resistance has shaped the evolution of Escherichia coli ST131		3
23	Emergence and impact of oprD mutations in Pseudomonas aeruginosa strains in cystic fibrosis. <i>Journal of Cystic Fibrosis</i> , 2021 ,	4.1	3
22	Whole-genome sequencing as an improved means of investigating Neisseria gonorrhoeae treatment failures. <i>Sexual Health</i> , 2019 , 16, 500-507	2	2
21	Differential Afa/Dr Fimbriae Expression in the Multidrug-Resistant Escherichia coli ST131 Clone <i>MBio</i> , 2022 , e0351921	7.8	2
20	Integrating multiple genomic technologies to investigate an outbreak of carbapenemase-producing Enterobacter hormaechei		2
19	Multiple evolutionary trajectories for non-O157 Shiga toxigenic Escherichia coli		2

18	Genomic characterisation and context of the blaNDM-1 carbapenemase in Escherichia coli ST101		2
17	Fatal Respiratory Diphtheria Caused by Elactam-Resistant Corynebacterium diphtheriae. <i>Clinical Infectious Diseases</i> , 2021 , 73, e4531-e4538	11.6	2
16	Rescuing Tetracycline Class Antibiotics for the Treatment of Multidrug-Resistant Acinetobacter baumannii Pulmonary Infection <i>MBio</i> , 2022 , e0351721	7.8	1
15	Plasmid-mediated ciprofloxacin resistance imparts a selective advantage on ST131. <i>Antimicrobial Agents and Chemotherapy</i> , 2021 , AAC0214621	5.9	1
14	Whole genome sequencing reveals the emergence of aPseudomonas aeruginosashared strain sub-lineage among patients treated within a single cystic fibrosis centre		1
13	Strain and lineage-level methylome heterogeneity in the multi-drug resistant pathogenic Escherichia coli ST101 clone		1
12	Molecular Epidemiology of Clinical and Colonizing Methicillin-Resistant Isolates in Companion Animals. <i>Frontiers in Veterinary Science</i> , 2021 , 8, 620491	3.1	1
11	Optimising Treatment Outcomes for Children and Adults Through Rapid Genome Sequencing of Sepsis Pathogens. A Study Protocol for a Prospective, Multi-Centre Trial (DIRECT). <i>Frontiers in Cellular and Infection Microbiology</i> , 2021 , 11, 667680	5.9	1
10	MicroPIPE: validating an end-to-end workflow for high-quality complete bacterial genome construction. <i>BMC Genomics</i> , 2021 , 22, 474	4.5	1
9	Outbreak of multi-drug-resistant (MDR) Shigella flexneri in northern Australia due to an endemic regional clone acquiring an IncFII plasmid. <i>European Journal of Clinical Microbiology and Infectious Diseases</i> , 2021 , 40, 279-286	5.3	O
8	Characterization of DtrJ as an IncC plasmid conjugative DNA transfer component. <i>Molecular Microbiology</i> , 2021 , 116, 154-167	4.1	O
7	Deep sequence characterisation of a divergent HPIV-4a from an adult with prolonged influenza-like illness. <i>Virology Reports</i> , 2015 , 5, 19-28		
6	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering. <i>FASEB Journal</i> , 2020 , 34, 1-1	0.9	
5	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering 2020 , 16, e1008287		
4	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering 2020 , 16, e1008287		
3	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering 2020 , 16, e1008287		
2	Predicting nitroimidazole antibiotic resistance mutations in Mycobacterium tuberculosis with protein engineering 2020 , 16, e1008287		
1	SRA Down Under: Cache and Analysis Platform for Infectious Disease. <i>Studies in Health Technology and Informatics</i> , 2019 , 266, 76-82	0.5	