

Erik D Roberson

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3262685/erik-d-roberson-publications-by-year.pdf>

Version: 2024-04-25

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

124
papers

12,658
citations

47
h-index

112
g-index

138
ext. papers

15,489
ext. citations

8.9
avg, IF

5.78
L-index

#	Paper	IF	Citations
124	Periodontal Infection Aggravates C1q-Mediated Microglial Activation and Synapse Pruning in Alzheimer's Mice.. <i>Frontiers in Immunology</i> , 2022 , 13, 816640	8.4	0
123	Proposed research criteria for prodromal behavioural variant frontotemporal dementia.. <i>Brain</i> , 2022 ,	11.2	1
122	Dissection of the polygenic architecture of neuronal A β production using a large sample of individual iPSC lines derived from Alzheimer's disease patients. <i>Nature Aging</i> , 2022 , 2, 125-139		0
121	Manifestations of Alzheimer's disease genetic risk in the blood are evident in a multiomic analysis in healthy adults aged 18 to 90.. <i>Scientific Reports</i> , 2022 , 12, 6117	4.9	1
120	Comprehensive cross-sectional and longitudinal analyses of plasma neurofilament light across FTD spectrum disorders.. <i>Cell Reports Medicine</i> , 2022 , 3, 100607	18	0
119	TAU ablation in excitatory neurons and postnatal TAU knockdown reduce epilepsy, SUDEP, and autism behaviors in a Dravet syndrome model.. <i>Science Translational Medicine</i> , 2022 , 14, eabm5527	17.5	1
118	Tau-Atrophy Variability Reveals Phenotypic Heterogeneity in Alzheimer's Disease. <i>Annals of Neurology</i> , 2021 , 90, 751-762	9.4	3
117	Plasma Neurofilament Light for Prediction of Disease Progression in Familial Frontotemporal Lobar Degeneration. <i>Neurology</i> , 2021 , 96, e2296-e2312	6.5	12
116	Templated β Synuclein Inclusion Formation Is Independent of Endogenous Tau. <i>ENeuro</i> , 2021 , 8,	3.9	3
115	Dynamic Amyloid PET: Relationships to Flortaucipir Tau PET Measures. <i>Journal of Nuclear Medicine</i> , 2021 ,	8.9	1
114	A trial of gantenerumab or solanezumab in dominantly inherited Alzheimer's disease. <i>Nature Medicine</i> , 2021 , 27, 1187-1196	50.5	51
113	Brain volumetric deficits in MAPT mutation carriers: a multisite study. <i>Annals of Clinical and Translational Neurology</i> , 2021 , 8, 95-110	5.3	4
112	Novel Alzheimer Disease Risk Loci and Pathways in African American Individuals Using the African Genome Resources Panel: A Meta-analysis. <i>JAMA Neurology</i> , 2021 , 78, 102-113	17.2	32
111	Development of a multi-component intervention to promote participation of Black and Latinx individuals in biomedical research. <i>Journal of Clinical and Translational Science</i> , 2021 , 5, e134	0.4	
110	Racial Differences in Alzheimer's Disease Specialist Encounters Are Associated with Usage of Molecular Imaging and Dementia Medications: An Enterprise-Wide Analysis Using i2b2. <i>Journal of Alzheimers Disease</i> , 2021 , 79, 543-557	4.3	2
109	Aberrant regulation of a poison exon caused by a non-coding variant in a mouse model of Scn1a-associated epileptic encephalopathy. <i>PLoS Genetics</i> , 2021 , 17, e1009195	6	5
108	Dysregulated clock gene expression and abnormal diurnal regulation of hippocampal inhibitory transmission and spatial memory in amyloid precursor protein transgenic mice. <i>Neurobiology of Disease</i> , 2021 , 158, 105454	7.5	3

107	Aberrant regulation of a poison exon caused by a non-coding variant in a mouse model of Scn1a-associated epileptic encephalopathy 2021 , 17, e1009195		
106	Aberrant regulation of a poison exon caused by a non-coding variant in a mouse model of Scn1a-associated epileptic encephalopathy 2021 , 17, e1009195		
105	Aberrant regulation of a poison exon caused by a non-coding variant in a mouse model of Scn1a-associated epileptic encephalopathy 2021 , 17, e1009195		
104	Aberrant regulation of a poison exon caused by a non-coding variant in a mouse model of Scn1a-associated epileptic encephalopathy 2021 , 17, e1009195		
103	Amyloid redirects norepinephrine signaling to activate the pathogenic GSK3 β /tau cascade. <i>Science Translational Medicine</i> , 2020 , 12,	17.5	43
102	Genetic screening of a large series of North American sporadic and familial frontotemporal dementia cases. <i>Alzheimers and Dementia</i> , 2020 , 16, 118-130	1.2	25
101	Utility of the global CDR plus NACC FTLTD rating and development of scoring rules: Data from the ARTFL/LEFFTDS Consortium. <i>Alzheimers and Dementia</i> , 2020 , 16, 106-117	1.2	27
100	Non-coding and Loss-of-Function Coding Variants in TET2 are Associated with Multiple Neurodegenerative Diseases. <i>American Journal of Human Genetics</i> , 2020 , 106, 632-645	11	23
99	Revised Self-Monitoring Scale: A potential endpoint for frontotemporal dementia clinical trials. <i>Neurology</i> , 2020 , 94, e2384-e2395	6.5	14
98	Alzheimer's disease risk gene induces Tau-dependent network hyperexcitability. <i>ELife</i> , 2020 , 9,	8.9	10
97	Human tau pathology transmits glial tau aggregates in the absence of neuronal tau. <i>Journal of Experimental Medicine</i> , 2020 , 217,	16.6	39
96	A peptide inhibitor of Tau-SH3 interactions ameliorates amyloid- β toxicity. <i>Neurobiology of Disease</i> , 2020 , 134, 104668	7.5	10
95	Reactions to Multiple Ascending Doses of the Microtubule Stabilizer TPI-287 in Patients With Alzheimer Disease, Progressive Supranuclear Palsy, and Corticobasal Syndrome: A Randomized Clinical Trial. <i>JAMA Neurology</i> , 2020 , 77, 215-224	17.2	42
94	Clinical and volumetric changes with increasing functional impairment in familial frontotemporal lobar degeneration. <i>Alzheimers and Dementia</i> , 2020 , 16, 49-59	1.2	17
93	Elevated levels of extracellular vesicles in progranulin-deficient mice and FTD-GRN Patients. <i>Annals of Clinical and Translational Neurology</i> , 2020 , 7, 2433-2449	5.3	4
92	Assessment of executive function declines in presymptomatic and mildly symptomatic familial frontotemporal dementia: NIH-EXAMINER as a potential clinical trial endpoint. <i>Alzheimers and Dementia</i> , 2020 , 16, 11-21	1.2	18
91	Individualized atrophy scores predict dementia onset in familial frontotemporal lobar degeneration. <i>Alzheimers and Dementia</i> , 2020 , 16, 37-48	1.2	18
90	Functional insights from biophysical study of TREM2 interactions with apoE and A β <i>Alzheimers and Dementia</i> , 2020 , 17, 475	1.2	19

89	Biomarker Localization, Analysis, Visualization, Extraction, and Registration (BLAzER) Methodology for Research and Clinical Brain PET Applications. <i>Journal of Alzheimer's Disease</i> , 2019 , 70, 1241-1257	4.3	2
88	Pathogenic Tau Impairs Axon Initial Segment Plasticity and Excitability Homeostasis. <i>Neuron</i> , 2019 , 104, 458-470.e5	13.9	49
87	Comparison of Pittsburgh compound B and florbetapir in cross-sectional and longitudinal studies. <i>Alzheimer's and Dementia: Diagnosis, Assessment and Disease Monitoring</i> , 2019 , 11, 180-190	5.2	46
86	Genetic meta-analysis of diagnosed Alzheimer's disease identifies new risk loci and implicates A β tau, immunity and lipid processing. <i>Nature Genetics</i> , 2019 , 51, 414-430	36.3	917
85	Neurodegenerative Disease-Associated Variants in TREM2 Destabilize the Apical Ligand-Binding Region of the Immunoglobulin Domain. <i>Frontiers in Neurology</i> , 2019 , 10, 1252	4.1	12
84	Impaired β -glucocerebrosidase activity and processing in frontotemporal dementia due to progranulin mutations. <i>Acta Neuropathologica Communications</i> , 2019 , 7, 218	7.3	24
83	Genome sequencing for early-onset or atypical dementia: high diagnostic yield and frequent observation of multiple contributory alleles. <i>Journal of Physical Education and Sports Management</i> , 2019 , 5,	2.8	15
82	Severity dependent distribution of impairments in PSP and CBS: Interactive visualizations. <i>Parkinsonism and Related Disorders</i> , 2019 , 60, 138-145	3.6	4
81	Reduction of microglial progranulin does not exacerbate pathology or behavioral deficits in neuronal progranulin-insufficient mice. <i>Neurobiology of Disease</i> , 2019 , 124, 152-162	7.5	6
80	Medical decision-making in progressive supranuclear palsy: A comparison to other neurodegenerative disorders. <i>Parkinsonism and Related Disorders</i> , 2019 , 61, 77-81	3.6	3
79	Progranulin Gene Therapy Improves Lysosomal Dysfunction and Microglial Pathology Associated with Frontotemporal Dementia and Neuronal Ceroid Lipofuscinosis. <i>Journal of Neuroscience</i> , 2018 , 38, 2341-2358	6.6	79
78	Shared Functions of Perirhinal and Parahippocampal Cortices: Implications for Cognitive Aging. <i>Trends in Neurosciences</i> , 2018 , 41, 349-359	13.3	35
77	Partial Tmem106b reduction does not correct abnormalities due to progranulin haploinsufficiency. <i>Molecular Neurodegeneration</i> , 2018 , 13, 32	19	17
76	Transethnic genome-wide scan identifies novel Alzheimer's disease loci. <i>Alzheimer's and Dementia</i> , 2017 , 13, 727-738	1.2	106
75	Holocranohistochemistry enables the visualization of β -synuclein expression in the murine olfactory system and discovery of its systemic anti-microbial effects. <i>Journal of Neural Transmission</i> , 2017 , 124, 721-738	4.3	28
74	Restoring neuronal progranulin reverses deficits in a mouse model of frontotemporal dementia. <i>Brain</i> , 2017 , 140, 1447-1465	11.2	37
73	Genetic influences on cognition in progressive supranuclear palsy. <i>Movement Disorders</i> , 2017 , 32, 1764-1771		5
72	F-flortaucipir tau positron emission tomography distinguishes established progressive supranuclear palsy from controls and Parkinson disease: A multicenter study. <i>Annals of Neurology</i> , 2017 , 82, 622-634	9.4	106

71	Rare coding variants in PLCG2, ABI3, and TREM2 implicate microglial-mediated innate immunity in Alzheimer's disease. <i>Nature Genetics</i> , 2017 , 49, 1373-1384	36.3	508
70	Clinical, imaging, pathological, and biochemical characterization of a novel presenilin 1 mutation (N135Y) causing Alzheimer's disease. <i>Neurobiology of Aging</i> , 2017 , 49, 216.e7-216.e13	5.6	13
69	A novel Alzheimer disease locus located near the gene encoding tau protein. <i>Molecular Psychiatry</i> , 2016 , 21, 108-17	15.1	175
68	Progranulin haploinsufficiency causes biphasic social dominance abnormalities in the tube test. <i>Genes, Brain and Behavior</i> , 2016 , 15, 588-603	3.6	22
67	Assessment of the genetic variance of late-onset Alzheimer's disease. <i>Neurobiology of Aging</i> , 2016 , 41, 200.e13-200.e20	5.6	119
66	Incidence and impact of subclinical epileptiform activity in Alzheimer's disease. <i>Annals of Neurology</i> , 2016 , 80, 858-870	9.4	218
65	Tau-dependent Kv4.2 depletion and dendritic hyperexcitability in a mouse model of Alzheimer's disease. <i>Journal of Neuroscience</i> , 2015 , 35, 6221-30	6.6	92
64	The Alzheimer's disease risk factor CD2AP maintains blood-brain barrier integrity. <i>Human Molecular Genetics</i> , 2015 , 24, 6667-74	5.6	26
63	Vascular amyloidosis impairs the gliovascular unit in a mouse model of Alzheimer's disease. <i>Brain</i> , 2015 , 138, 3716-33	11.2	88
62	Noradrenergic dysfunction in Alzheimer's disease. <i>Frontiers in Neuroscience</i> , 2015 , 9, 220	5.1	102
61	Rarity of the Alzheimer disease-protective APP A673T variant in the United States. <i>JAMA Neurology</i> , 2015 , 72, 209-16	17.2	31
60	O3-06-01: Vascular amyloidosis impairs the gliovascular unit in a mouse model of Alzheimer's disease 2015 , 11, P230-P230		1
59	Effects of Exercise on Progranulin Levels and Gliosis in Progranulin-Insufficient Mice. <i>ENeuro</i> , 2015 , 2,	3.9	5
58	The dendritic hypothesis for Alzheimer's disease pathophysiology. <i>Brain Research Bulletin</i> , 2014 , 103, 18-28	3.9	66
57	Early retinal neurodegeneration and impaired Ran-mediated nuclear import of TDP-43 in progranulin-deficient FTLD. <i>Journal of Experimental Medicine</i> , 2014 , 211, 1937-45	16.6	67
56	AlphaScreen HTS and live-cell bioluminescence resonance energy transfer (BRET) assays for identification of Tau-Fyn SH3 interaction inhibitors for Alzheimer disease. <i>Journal of Biomolecular Screening</i> , 2014 , 19, 1338-49		13
55	Seizure resistance without parkinsonism in aged mice after tau reduction. <i>Neurobiology of Aging</i> , 2014 , 35, 2617-2624	5.6	53
54	Davunetide in patients with progressive supranuclear palsy: a randomised, double-blind, placebo-controlled phase 2/3 trial. <i>Lancet Neurology</i> , 2014 , 13, 676-85	24.1	197

53	Tau-mediated NMDA receptor impairment underlies dysfunction of a selectively vulnerable network in a mouse model of frontotemporal dementia. <i>Journal of Neuroscience</i> , 2014 , 34, 16482-95	6.6	49
52	MicroRNA-124 modulates social behavior in frontotemporal dementia. <i>Nature Medicine</i> , 2014 , 20, 1381-30.5	3.0	6
51	Effects of multiple genetic loci on age at onset in late-onset Alzheimer disease: a genome-wide association study. <i>JAMA Neurology</i> , 2014 , 71, 1394-404	17.2	129
50	ALS-associated mutation FUS-R521C causes DNA damage and RNA splicing defects. <i>Journal of Clinical Investigation</i> , 2014 , 124, 981-99	15.9	179
49	Early retinal neurodegeneration and impaired Ran-mediated nuclear import of TDP-43 in progranulin-deficient FTL. <i>Journal of Cell Biology</i> , 2014 , 206, 2065OIA144	7.3	
48	The advantages of frontotemporal degeneration drug development (part 2 of frontotemporal degeneration: the next therapeutic frontier). <i>Alzheimers and Dementia</i> , 2013 , 9, 189-98	1.2	42
47	Frontotemporal degeneration, the next therapeutic frontier: molecules and animal models for frontotemporal degeneration drug development. <i>Alzheimers and Dementia</i> , 2013 , 9, 176-88	1.2	45
46	Amyloid- β signals through tau to drive ectopic neuronal cell cycle re-entry in Alzheimer's disease. <i>Journal of Cell Science</i> , 2013 , 126, 1278-86	5.3	111
45	Dissociation of frontotemporal dementia-related deficits and neuroinflammation in progranulin haploinsufficient mice. <i>Journal of Neuroscience</i> , 2013 , 33, 5352-61	6.6	107
44	Common genetic variants in the CLDN2 and PRSS1-PRSS2 loci alter risk for alcohol-related and sporadic pancreatitis. <i>Nature Genetics</i> , 2012 , 44, 1349-54	36.3	223
43	Mouse models of frontotemporal dementia. <i>Annals of Neurology</i> , 2012 , 72, 837-49	9.4	61
42	Novel late-onset Alzheimer disease loci variants associate with brain gene expression. <i>Neurology</i> , 2012 , 79, 221-8	6.5	124
41	Mouse models of Alzheimer's disease. <i>Brain Research Bulletin</i> , 2012 , 88, 3-12	3.9	191
40	Challenges and opportunities for characterizing cognitive aging across species. <i>Frontiers in Aging Neuroscience</i> , 2012 , 4, 6	5.3	10
39	Evidence for a role of the rare p.A152T variant in MAPT in increasing the risk for FTD-spectrum and Alzheimer's diseases. <i>Human Molecular Genetics</i> , 2012 , 21, 3500-12	5.6	174
38	Usp14 deficiency increases tau phosphorylation without altering tau degradation or causing tau-dependent deficits. <i>PLoS ONE</i> , 2012 , 7, e47884	3.7	24
37	Alzheimer's Disease and Frontotemporal Dementia. <i>Methods in Molecular Biology</i> , 2011 ,	1.4	3
36	Geriatric epilepsy: research and clinical directions for the future. <i>Epilepsy and Behavior</i> , 2011 , 22, 103-113.2	3.2	14

35	Common variants at MS4A4/MS4A6E, CD2AP, CD33 and EPHA1 are associated with late-onset Alzheimer's disease. <i>Nature Genetics</i> , 2011 , 43, 436-41	36.3	1367
34	Step-by-step in situ hybridization method for localizing gene expression changes in the brain. <i>Methods in Molecular Biology</i> , 2011 , 670, 207-30	1.4	18
33	Amyloid- β /Fyn-induced synaptic, network, and cognitive impairments depend on tau levels in multiple mouse models of Alzheimer's disease. <i>Journal of Neuroscience</i> , 2011 , 31, 700-11	6.6	479
32	Contemporary approaches to Alzheimer's disease and frontotemporal dementia. <i>Methods in Molecular Biology</i> , 2011 , 670, 1-9	1.4	7
31	Quantifying biomarkers of cognitive dysfunction and neuronal network hyperexcitability in mouse models of Alzheimer's disease: depletion of calcium-dependent proteins and inhibitory hippocampal remodeling. <i>Methods in Molecular Biology</i> , 2011 , 670, 245-62	1.4	47
30	Meta-analysis confirms CR1, CLU, and PICALM as alzheimer disease risk loci and reveals interactions with APOE genotypes. <i>Archives of Neurology</i> , 2010 , 67, 1473-84		330
29	Loss of Hsp70 exacerbates pathogenesis but not levels of fibrillar aggregates in a mouse model of Huntington's disease. <i>Journal of Neuroscience</i> , 2009 , 29, 9104-14	6.6	95
28	Enkephalin elevations contribute to neuronal and behavioral impairments in a transgenic mouse model of Alzheimer's disease. <i>Journal of Neuroscience</i> , 2008 , 28, 5007-17	6.6	62
27	Abnormal social behaviors in mice lacking Fgf17. <i>Genes, Brain and Behavior</i> , 2008 , 7, 344-54	3.6	90
26	Aberrant excitatory neuronal activity and compensatory remodeling of inhibitory hippocampal circuits in mouse models of Alzheimer's disease. <i>Neuron</i> , 2007 , 55, 697-711	13.9	1038
25	Reducing endogenous tau ameliorates amyloid beta-induced deficits in an Alzheimer's disease mouse model. <i>Science</i> , 2007 , 316, 750-4	33.3	1431
24	Frontotemporal dementia. <i>Current Neurology and Neuroscience Reports</i> , 2006 , 6, 481-9	6.6	16
23	100 years and counting: prospects for defeating Alzheimer's disease. <i>Science</i> , 2006 , 314, 781-4	33.3	444
22	Anti-amyloidogenic and neuroprotective functions of cathepsin B: implications for Alzheimer's disease. <i>Neuron</i> , 2006 , 51, 703-14	13.9	300
21	Frontotemporal dementia progresses to death faster than Alzheimer disease. <i>Neurology</i> , 2005 , 65, 719-25		219
20	Frontotemporal lobar degeneration: demographic characteristics of 353 patients. <i>Archives of Neurology</i> , 2005 , 62, 925-30		272
19	Polyneuropathy following gastric bypass surgery. <i>American Journal of Medicine</i> , 2003 , 115, 679-80	2.4	25
18	Memory-forming chemical reactions. <i>Reviews in the Neurosciences</i> , 2001 , 12, 41-50	4.7	13

17	MAPK regulation of gene expression in the central nervous system. <i>Acta Neurobiologiae Experimentalis</i> , 2000 , 60, 377-94	1	50
16	The mitogen-activated protein kinase cascade couples PKA and PKC to cAMP response element binding protein phosphorylation in area CA1 of hippocampus. <i>Journal of Neuroscience</i> , 1999 , 19, 4337-48	6.6	473
15	A Biochemical Blueprint for Long-Term Memory. <i>Learning and Memory</i> , 1999 , 6, 381-388	2.8	30
14	Protected-site phosphorylation of protein kinase C in hippocampal long-term potentiation. <i>Journal of Neurochemistry</i> , 1998 , 71, 1075-85	6	48
13	A role for superoxide in protein kinase C activation and induction of long-term potentiation. <i>Journal of Biological Chemistry</i> , 1998 , 273, 4516-22	5.4	148
12	Mice lacking ataxin-1 display learning deficits and decreased hippocampal paired-pulse facilitation. <i>Journal of Neuroscience</i> , 1998 , 18, 5508-16	6.6	181
11	A biochemist's view of long-term potentiation. <i>Learning and Memory</i> , 1996 , 3, 1-24	2.8	93
10	Transient activation of cyclic AMP-dependent protein kinase during hippocampal long-term potentiation. <i>Journal of Biological Chemistry</i> , 1996 , 271, 30436-41	5.4	132
9	Regulation of adenylyl cyclase in LTP. <i>Behavioral and Brain Sciences</i> , 1995 , 18, 485	0.9	1
8	Pathophysiology and animal models of frontotemporal dementia 197-210		
7	Animal models of dementia 77-93		
6	Animal models of dementia 131-141		
5	Association of Performance on the Financial Capacity Instrument Short Form With Brain Amyloid Load and Cortical Thickness in Older Adults. <i>Neurology: Clinical Practice</i> , 10.1212/CPJ.0000000000001157	1.7	
4	Functional insights from biophysical study of TREM2 interactions with ApoE and A β -42		1
3	Genome sequencing for early-onset dementia: high diagnostic yield and frequent observation of multiple contributory alleles		1
2	Non-Coding and Loss-of-Function Coding Variants in TET2 are Associated with Multiple Neurodegenerative Diseases		2
1	A peptide inhibitor of Tau-SH3 interactions ameliorates amyloid- β toxicity		1