

Catherine L Tomasetto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3262977/publications.pdf>

Version: 2024-02-01

124
papers

10,058
citations

34493

54
h-index

40945

97
g-index

140
all docs

140
docs citations

140
times ranked

9677
citing authors

#	ARTICLE	IF	CITATIONS
1	Wnt5a Promotes Lysosomal Cholesterol Egress and Protects Against Atherosclerosis. <i>Circulation Research</i> , 2022, 130, 184-199.	2.0	12
2	In situ artificial contact sites (ISACS) between synthetic and endogenous organelle membranes allow for quantification of protein-tethering activities. <i>Journal of Biological Chemistry</i> , 2022, 298, 101780.	1.6	1
3	Metabolomic Impact of Lidocaine on a Triple Negative Breast Cancer Cell Line. <i>Frontiers in Pharmacology</i> , 2022, 13, 821779.	1.6	4
4	Lipid Intake and Breast Cancer Risk: Is There a Link? A New Focus and Meta-Analysis. <i>The Journal of Breast Health</i> , 2022, 18, 108-126.	0.4	4
5	MOSPD2 is an endoplasmic reticulum lipid droplet tether functioning in LD homeostasis. <i>Journal of Cell Biology</i> , 2022, 221, .	2.3	13
6	Ghrelin Gene Deletion Alters Pulsatile Growth Hormone Secretion in Adult Female Mice. <i>Frontiers in Endocrinology</i> , 2021, 12, 754522.	1.5	3
7	Faraway, so close! Functions of Endoplasmic reticulum Endosome contacts. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2020, 1865, 158490.	1.2	17
8	Anticancer activity of ruthenium and osmium cyclometalated compounds: identification of ABCB1 and EGFR as resistance mechanisms. <i>Inorganic Chemistry Frontiers</i> , 2020, 7, 678-688.	3.0	34
9	Matrix Metalloproteinase-11 Promotes Early Mouse Mammary Gland Tumor Growth through Metabolic Reprogramming and Increased IGF1/AKT/FoxO1 Signaling Pathway, Enhanced ER Stress and Alteration in Mitochondrial UPR. <i>Cancers</i> , 2020, 12, 2357.	1.7	17
10	FFAT motif phosphorylation controls formation and lipid transfer function of interorganelle contacts. <i>EMBO Journal</i> , 2020, 39, e104369.	3.5	73
11	Probiotics Upregulate Trefoil Factors and Downregulate Pepsinogen in the Mouse Stomach. <i>International Journal of Molecular Sciences</i> , 2019, 20, 3901.	1.8	13
12	STARD3: A Swiss Army Knife for Intracellular Cholesterol Transport. <i>Contact (Thousand Oaks)</i> 10, Tf 50 302	0.4	6
13	Interleukin-32 Contributes to Human Nonalcoholic Fatty Liver Disease and Insulin Resistance. <i>Hepatology Communications</i> , 2019, 3, 1205-1220.	2.0	38
14	A novel machine learning-derived decision tree including uPA/PAI-1 for breast cancer care. <i>Clinical Chemistry and Laboratory Medicine</i> , 2019, 57, 901-910.	1.4	6
15	Intracellular and Plasma Membrane Cholesterol Labeling and Quantification Using Filipin and GFP-D4. <i>Methods in Molecular Biology</i> , 2019, 1949, 137-152.	0.4	39
16	A Third Musketeer on the ER: MOSPD2 is a Novel VAP-related Receptor for FFAT Motifs. <i>Contact (Thousand Oaks (Ventura County, Calif))</i> , 2018, 1, 251525641880973.	0.4	0
17	Why and How Should We Improve Breast Cancer Management in Elderly Women?. <i>The Journal of Breast Health</i> , 2018, 14, 132-133.	0.4	0
18	Identification of MOSPD2, a novel scaffold for endoplasmic reticulum membrane contact sites. <i>EMBO Reports</i> , 2018, 19, .	2.0	85

#	ARTICLE	IF	CITATIONS
19	Antitumor Effects of Lidocaine on Human Breast Cancer Cells: An In Vitro and In Vivo Experimental Trial. <i>Anticancer Research</i> , 2018, 38, 95-105.	0.5	52
20	<scp>STARD</scp>3 mediates endoplasmic reticulumâ€”endosome cholesterol transport at membrane contact sites. <i>EMBO Journal</i> , 2017, 36, 1412-1433.	3.5	191
21	Breast cancer in elderly women and altered clinico-pathological characteristics: a systematic review. <i>Breast Cancer Research and Treatment</i> , 2017, 166, 657-668.	1.1	62
22	Combination of Selective Immunoassays and Mass Spectrometry to Characterize Preproghrelin-Derived Peptides in Mouse Tissues. <i>Frontiers in Neuroscience</i> , 2017, 11, 211.	1.4	4
23	Matrix metalloproteinase 11 protects from diabetes and promotes metabolic switch. <i>Scientific Reports</i> , 2016, 6, 25140.	1.6	22
24	A prospective study to assess the clinical utility of serum HER2 extracellular domain in breast cancer with HER2 overexpression. <i>Breast Cancer Research and Treatment</i> , 2016, 160, 249-259.	1.1	25
25	TouchÃ©! STARD3 and STARD3NL tether the ER to endosomes. <i>Biochemical Society Transactions</i> , 2016, 44, 493-498.	1.6	19
26	Local adipocyte cancer cell paracrine loop: can â€œsick fatâ€”be more detrimental?. <i>Hormone Molecular Biology and Clinical Investigation</i> , 2015, 21, 43-56.	0.3	18
27	Stromal matrix metalloproteinase-11 is involved in the mammary gland postnatal development. <i>Oncogene</i> , 2014, 33, 4050-4059.	2.6	35
28	The phosphoinositide-binding protein TRAF4 modulates tight junction stability and migration of cancer cells. <i>Tissue Barriers</i> , 2014, 2, e975597.	1.6	11
29	An Early Reduction in GH Peak Amplitude in Preproghrelin-Deficient Male Mice Has a Minor Impact on Linear Growth. <i>Endocrinology</i> , 2014, 155, 3561-3571.	1.4	35
30	Functional relationship between matrix metalloproteinaseâ€”11 and matrix metalloproteinaseâ€”14. <i>Cancer Medicine</i> , 2014, 3, 1197-1210.	1.3	21
31	START ships lipids across interorganelle space. <i>Biochimie</i> , 2014, 96, 85-95.	1.3	89
32	MLN51 triggers P-body disassembly and formation of a new type of RNA granules. <i>Journal of Cell Science</i> , 2014, 127, 4692-701.	1.2	18
33	STARD3: A Lipid Transfer Protein in Breast Cancer and Cholesterol Trafficking. , 2014, , 119-138.		1
34	Ghrelin knockout mice show decreased voluntary alcohol consumption and reduced ethanol-induced conditioned place preference. <i>Peptides</i> , 2013, 43, 48-55.	1.2	74
35	STARD3/STARD3NL and VAP make a novel molecular tether between late endosomes and the ER. <i>Journal of Cell Science</i> , 2013, 126, 5500-12.	1.2	206
36	TRAF4 Is a Novel Phosphoinositide-Binding Protein Modulating Tight Junctions and Favoring Cell Migration. <i>PLoS Biology</i> , 2013, 11, e1001726.	2.6	48

#	ARTICLE	IF	CITATIONS
37	EJC core component MLN51 interacts with eIF3 and activates translation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 5903-5908.	3.3	60
38	Perispeckles are major assembly sites for the exon junction core complex. <i>Molecular Biology of the Cell</i> , 2012, 23, 1765-1782.	0.9	56
39	Human CWC22 escorts the helicase eIF4AIII to spliceosomes and promotes exon junction complex assembly. <i>Nature Structural and Molecular Biology</i> , 2012, 19, 983-990.	3.6	97
40	In Vivo Evidence That TRAF4 Is Required for Central Nervous System Myelin Homeostasis. <i>PLoS ONE</i> , 2012, 7, e30917.	1.1	33
41	Inhibition of cyclooxygenase-2 causes regression of gastric adenomas in trefoil factor 1 deficient mice. <i>International Journal of Cancer</i> , 2012, 131, 1032-1041.	2.3	9
42	Inhibition of Gastric Carcinogenesis by the Hormone Gastrin Is Mediated by Suppression of TFF1 Epigenetic Silencing. <i>Gastroenterology</i> , 2011, 140, 879-891.e18.	0.6	108
43	Deficiency in trefoil factor 1 (TFF1) increases tumorigenicity of human breast cancer cells and mammary tumor development in TFF1-knockout mice. <i>Oncogene</i> , 2011, 30, 3261-3273.	2.6	89
44	Matrix metalloproteinase 11/stromelysin-3 exerts both activator and repressor functions during the hematogenous metastatic process in mice. <i>International Journal of Cancer</i> , 2010, 127, 1347-1355.	2.3	25
45	Methyl Donor Deficiency Affects Fetal Programming of Gastric Ghrelin Cell Organization and Function in the Rat. <i>American Journal of Pathology</i> , 2010, 176, 270-277.	1.9	32
46	Synthetic Analogue of Rocaglaol Displays a Potent and Selective Cytotoxicity in Cancer Cells: Involvement of Apoptosis Inducing Factor and Caspase-12. <i>Journal of Medicinal Chemistry</i> , 2009, 52, 5176-5187.	2.9	94
47	The potential of ghrelin as a prokinetic. <i>Regulatory Peptides</i> , 2009, 155, 24-27.	1.9	16
48	Caveolin-1 (P132L), a Common Breast Cancer Mutation, Confers Mammary Cell Invasiveness and Defines a Novel Stem Cell/Metastasis-Associated Gene Signature. <i>American Journal of Pathology</i> , 2009, 174, 1650-1662.	1.9	73
49	Matrix metalloproteinase-11/stromelysin-3 exhibits collagenolytic function against collagen VI under normal and malignant conditions. <i>Oncogene</i> , 2008, 27, 6347-6355.	2.6	104
50	Amplification and invasiveness of epithelial progenitors during gastric carcinogenesis in trefoil factor 1 knockout mice. <i>Cell Proliferation</i> , 2008, 41, 923-935.	2.4	28
51	Tumor Necrosis Factor Receptor-Associated Factor 4 Is a Dynamic Tight Junction-Related Shuttle Protein Involved in Epithelium Homeostasis. <i>PLoS ONE</i> , 2008, 3, e3518.	1.1	26
52	Pregnancy and post-partum breast cancer: a prospective study. <i>Anticancer Research</i> , 2008, 28, 2447-52.	0.5	58
53	The exon-junction-complex-component metastatic lymph node 51 functions in stress-granule assembly. <i>Journal of Cell Science</i> , 2007, 120, 2774-2784.	1.2	69
54	The Exon Junction Complex factor MLN51 is recruited to mRNA granules during cellular stress. <i>FASEB Journal</i> , 2007, 21, A653.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Ghrelin gastrokinetic action in patients with neurogenic gastroparesis. <i>Peptides</i> , 2006, 27, 1603-1606.	1.2	92
56	Characterization of the putative cholesterol transport protein metastatic lymph node 64 in the brain. <i>Neuroscience</i> , 2006, 139, 1031-1038.	1.1	10
57	MLN64 and MENTHO, two mediators of endosomal cholesterol transport. <i>Biochemical Society Transactions</i> , 2006, 34, 343-345.	1.6	55
58	Serum biomarkers for detection of breast cancers: a prospective study. <i>Breast Cancer Research and Treatment</i> , 2006, 96, 83-90.	1.1	83
59	Cytotoxicity of a natural anthraquinone (Aloin) against human breast cancer cell lines with and without ErbB-2: Topoisomerase II-alpha coamplification. <i>Cancer Biology and Therapy</i> , 2006, 5, 97-103.	1.5	60
60	Genetic determinants of pancreatic β -cell development. <i>Developmental Biology</i> , 2005, 286, 217-224.	0.9	166
61	The exon junction core complex is locked onto RNA by inhibition of eIF4AIII ATPase activity. <i>Nature Structural and Molecular Biology</i> , 2005, 12, 861-869.	3.6	282
62	Granulomatous Mastitis and Corynebacteria: Clinical and Pathologic Correlations. <i>Breast Journal</i> , 2005, 11, 357-357.	0.4	31
63	Spatial and temporal distribution of the traf4 genes during zebrafish development. <i>Gene Expression Patterns</i> , 2005, 5, 545-552.	0.3	19
64	Trefoil factors. <i>Cellular and Molecular Life Sciences</i> , 2005, 62, 2916-2920.	2.4	40
65	Improvement in intramammary sentinel lymph node removal using a novel prototype hand held probe during breast conservative surgery. <i>Breast Cancer Research and Treatment</i> , 2005, 89, 305-308.	1.1	14
66	Give lipids a START: the StAR-related lipid transfer (START) domain in mammals. <i>Journal of Cell Science</i> , 2005, 118, 2791-2801.	1.2	345
67	Stromelysin-3 Is a Potent Negative Regulator of Adipogenesis Participating to Cancer Cell-Adipocyte Interaction/Crosstalk at the Tumor Invasive Front. <i>Cancer Research</i> , 2005, 65, 10862-10871.	0.4	160
68	Functional Characterization of the MENTAL Domain. <i>Journal of Biological Chemistry</i> , 2005, 280, 17945-17952.	1.6	60
69	The Role of the Small Bowel in the Regulation of Circulating Ghrelin Levels and Food Intake in the Obese Zucker Rat. <i>Endocrinology</i> , 2005, 146, 1745-1751.	1.4	80
70	Evidence for the presence of motilin, ghrelin, and the motilin and ghrelin receptor in neurons of the myenteric plexus. <i>Regulatory Peptides</i> , 2005, 124, 119-125.	1.9	106
71	Association of the Breast Cancer Protein MLN51 with the Exon Junction Complex via Its Speckle Localizer and RNA Binding Module. <i>Journal of Biological Chemistry</i> , 2004, 279, 33702-33715.	1.6	96
72	Trefoil factor 1 is required for the commitment programme of mouse oxyntic epithelial progenitors. <i>Gut</i> , 2004, 53, 1408-1415.	6.1	67

#	ARTICLE	IF	CITATIONS
73	Urinary pS2/TFF1 levels in the management of hormonodependent breast carcinomas. <i>Peptides</i> , 2004, 25, 737-743.	1.2	11
74	Profiling trefoil factor family (TFF) expression in the mouse: identification of an antisense TFF1-related transcript in the kidney and liver. <i>Peptides</i> , 2004, 25, 755-762.	1.2	29
75	Metastatic lymph node 64 (MLN64), a gene overexpressed in breast cancers, is regulated by Sp/KLF transcription factors. <i>Oncogene</i> , 2003, 22, 3770-3780.	2.6	27
76	Two new peptides to improve post-operative gastric ileus in dog. <i>Peptides</i> , 2003, 24, 531-534.	1.2	57
77	Cyclooxygenase-2 expression and effect of celecoxib in gastric adenomas of trefoil factor 1-deficient mice. <i>Cancer Research</i> , 2003, 63, 3032-6.	0.4	51
78	Dual stromelysin-3 function during natural mouse mammary tumor virus-ras tumor progression. <i>Cancer Research</i> , 2003, 63, 5844-9.	0.4	67
79	Impaired neural tube closure, axial skeleton malformations, and tracheal ring disruption in TRAF4-deficient mice. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 5585-5590.	3.3	100
80	MENTHO, a MLN64 Homologue Devoid of the START Domain. <i>Journal of Biological Chemistry</i> , 2002, 277, 50780-50787.	1.6	50
81	The trefoil factor 1 participates in gastrointestinal cell differentiation by delaying G1-S phase transition and reducing apoptosis. <i>Journal of Cell Biology</i> , 2002, 157, 761-770.	2.3	166
82	Ultradian Rhythmicity of Ghrelin Secretion in Relation with GH, Feeding Behavior, and Sleep-Wake Patterns in Rats. <i>Endocrinology</i> , 2002, 143, 1353-1361.	1.4	266
83	Ghrelin/motilin-related peptide is a potent prokinetic to reverse gastric postoperative ileus in rat. <i>American Journal of Physiology - Renal Physiology</i> , 2002, 282, G948-G952.	1.6	229
84	TreFoil Factor 1 (TFF1/pS2) Deficiency Activates the Unfolded Protein Response. <i>Molecular Medicine</i> , 2002, 8, 273-282.	1.9	36
85	Metastatic Lymph Node 51, a novel nucleo-cytoplasmic protein overexpressed in breast cancer. <i>Oncogene</i> , 2002, 21, 4422-4434.	2.6	34
86	Trefoil factor 1 (TFF1/pS2) deficiency activates the unfolded protein response. <i>Molecular Medicine</i> , 2002, 8, 273-82.	1.9	14
87	Human pS2/Trefoil Factor 1: Production and Characterization in <i>Pichia pastoris</i> . <i>Protein Expression and Purification</i> , 2001, 21, 92-98.	0.6	20
88	Niemann-Pick C1 Disease: Correlations between NPC1 Mutations, Levels of NPC1 Protein, and Phenotypes Emphasize the Functional Significance of the Putative Sterol-Sensing Domain and of the Cysteine-Rich Luminal Loop. <i>American Journal of Human Genetics</i> , 2001, 68, 1373-1385.	2.6	187
89	Identification of cDNA encoding motilin related peptide/ghrelin precursor from dog fundus. <i>Peptides</i> , 2001, 22, 2055-2059.	1.2	48
90	Mouse Trefoil Factor genes: genomic organization, sequences and methylation analyses. <i>Gene</i> , 2001, 266, 67-75.	1.0	53

#	ARTICLE	IF	CITATIONS
91	In vivo and in vitro Effects of Ghrelin/Motilin-Related Peptide on Growth Hormone Secretion in the Rat. <i>Neuroendocrinology</i> , 2001, 73, 54-61.	1.2	152
92	The Steroidogenic Acute Regulatory Protein Homolog MLN64, a Late Endosomal Cholesterol-binding Protein. <i>Journal of Biological Chemistry</i> , 2001, 276, 4261-4269.	1.6	152
93	Transcription Regulation and Protein Subcellular Localization of the Truncated Basic Hair Keratin hHb1- β in Human Breast Cancer Cells. <i>Journal of Biological Chemistry</i> , 2001, 276, 22954-22964.	1.6	6
94	C2PA, a new protein expressed during mouse spermatogenesis. <i>FEBS Letters</i> , 2000, 480, 249-254.	1.3	8
95	Identification and characterization of a novel gastric peptide hormone: The motilin-related peptide. <i>Gastroenterology</i> , 2000, 119, 395-405.	0.6	213
96	pS2/TFF1 interacts directly with the VWFC cysteine-rich domains of mucins. <i>Gastroenterology</i> , 2000, 118, 70-80.	0.6	174
97	Expression of a truncated form of hHb1 hair keratin in human breast carcinomas. <i>British Journal of Cancer</i> , 1998, 78, 1640-1644.	2.9	12
98	The pS2/TFF1 trefoil factor, from basic research to clinical applications. <i>Biochimica Et Biophysica Acta: Reviews on Cancer</i> , 1998, 1378, F61-F77.	3.3	66
99	Chromosomal assignment and expression pattern of the murine Lasp-1 gene. <i>Gene</i> , 1998, 207, 171-175.	1.0	31
100	Tumor necrosis factor receptor associated factor 4 (TRAF4) expression pattern during mouse development. <i>Mechanisms of Development</i> , 1998, 71, 187-191.	1.7	44
101	TRAF-4 Expression in Breast Carcinomas. <i>American Journal of Pathology</i> , 1998, 153, 2007-2008.	1.9	6
102	Lasp-1, a Novel Type of Actin-Binding Protein Accumulating in Cell Membrane Extensions. <i>Molecular Medicine</i> , 1998, 4, 675-687.	1.9	86
103	Expression of Matrix Metalloproteinases during Rat Skin Wound Healing: Evidence that Membrane Type-1 Matrix Metalloproteinase Is a Stromal Activator of Pro-Gelatinase A. <i>Journal of Cell Biology</i> , 1997, 137, 67-77.	2.3	210
104	MLN64 contains a domain with homology to the steroidogenic acute regulatory protein (StAR) that stimulates steroidogenesis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1997, 94, 8462-8467.	3.3	227
105	MLN64 exhibits homology with the steroidogenic acute regulatory protein (STAR) and is over-expressed in human breast carcinomas. <i>International Journal of Cancer</i> , 1997, 71, 183-191.	2.3	126
106	A PvuII polymorphism detected by a cDNA clone of the gene encoding the human spasmodic protein (SML1 gene), one of three members of the trefoil peptide gene family clustered on chromosome 21q22.3. <i>Clinical Genetics</i> , 1997, 52, 247-248.	1.0	1
107	Gastric Mucosa Abnormalities and Tumorigenesis in Mice Lacking the pS2 Trefoil Protein. <i>Science</i> , 1996, 274, 259-262.	6.0	481
108	Comparative expression of the pS2 (S100A7) and S100C genes in breast carcinoma and co-localization to human chromosome 1q21-q22. <i>International Journal of Cancer</i> , 1995, 63, 297-303.	2.3	79

#	ARTICLE	IF	CITATIONS
109	The Tissue Inhibitor of Metalloproteinases-3 Gene in Breast Carcinoma: Identification of Multiple Polyadenylation Sites and a Stromal Pattern of Expression. <i>Molecular Medicine</i> , 1995, 1, 418-427.	1.9	36
110	Presence of a New Conserved Domain in CART1, a Novel Member of the Tumor Necrosis Factor Receptor-associated Protein Family, Which Is Expressed in Breast Carcinoma. <i>Journal of Biological Chemistry</i> , 1995, 270, 25715-25721.	1.6	210
111	Identification of Four Novel Human Genes Amplified and Overexpressed in Breast Carcinoma and Localized to the q11-q21.3 Region of Chromosome 17. <i>Genomics</i> , 1995, 28, 367-376.	1.3	237
112	Lasp-1 (MLN 50) defines a new LIM protein subfamily characterized by the association of LIM and SH3 domains. <i>FEBS Letters</i> , 1995, 373, 245-249.	1.3	132
113	Specificity of gap junction communication among human mammary cells and connexin transfectants in culture. <i>Journal of Cell Biology</i> , 1993, 122, 157-167.	2.3	125
114	The mouse one P-domain (pS2) and two P-domain (mSP) genes exhibit distinct patterns of expression. <i>Journal of Cell Biology</i> , 1993, 122, 191-198.	2.3	91
115	Transcriptional downregulation of gap-junction proteins blocks junctional communication in human mammary tumor cell lines.. <i>Journal of Cell Biology</i> , 1992, 118, 1213-1221.	2.3	226
116	Down-regulation of a member of the S100 gene family in mammary carcinoma cells and reexpression by azadeoxycytidine treatment.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1992, 89, 2504-2508.	3.3	142
117	The gene encoding the human spasmolytic protein (SML1hSP) is in 21q 22.3, physically linked to the homologous breast cancer marker gene BCE1pS2. <i>Genomics</i> , 1992, 13, 1328-1330.	1.3	30
118	Vaccinia recombinants expressing secreted and transmembrane forms of breast cancer-associated epithelial tumour antigen (ETA). <i>Vaccine</i> , 1991, 9, 618-626.	1.7	19
119	Induction of pS2 and hSP genes as markers of mucosal ulceration of the digestive tract. <i>Gastroenterology</i> , 1991, 100, 375-379.	0.6	184
120	Positive selection of candidate tumor-suppressor genes by subtractive hybridization.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 2825-2829.	3.3	299
121	Epidermal growth factor (EGF/URO) induces expression of regulatory peptides in damaged human gastrointestinal tissues. <i>Journal of Pathology</i> , 1990, 162, 279-284.	2.1	227
122	Vaccination against polyoma virus (PYV) tumors using vaccinia-PYV recombinants: A major tumor-specific transplantation antigen (TSTA) epitope resides within the C-terminal segment of middle-T protein. <i>International Journal of Cancer</i> , 1990, 45, 185-189.	2.3	5
123	Breast Cancer Protein PS2 Synthesis in Mammary Gland of Transgenic Mice and Secretion into Milk. <i>Molecular Endocrinology</i> , 1989, 3, 1579-1584.	3.7	52
124	Breast cancer-associated pS2 protein: synthesis and secretion by normal stomach mucosa. <i>Science</i> , 1988, 241, 705-708.	6.0	338