Wenjun Ouyang

List of Publications by Citations

Source: https://exaly.com/author-pdf/3262979/wenjun-ouyang-publications-by-citations.pdf

Version: 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

65 20,771 115 113 h-index g-index citations papers 6.78 16.9 115 24,575 avg, IF L-index ext. citations ext. papers

#	Paper	IF	Citations
113	The biological functions of T helper 17 cell effector cytokines in inflammation. <i>Immunity</i> , 2008 , 28, 454-	6 3 2.3	1498
112	Interleukin-22, a T(H)17 cytokine, mediates IL-23-induced dermal inflammation and acanthosis. <i>Nature</i> , 2007 , 445, 648-51	50.4	1486
111	Interleukin-22 mediates early host defense against attaching and effacing bacterial pathogens. Nature Medicine, 2008, 14, 282-9	50.5	1429
110	Regulation and functions of the IL-10 family of cytokines in inflammation and disease. <i>Annual Review of Immunology</i> , 2011 , 29, 71-109	34.7	1132
109	Landscape of Infiltrating T Cells in Liver Cancer Revealed by Single-Cell Sequencing. <i>Cell</i> , 2017 , 169, 134	12 5 - 0.3 50	6.&J6
108	STAT3 links IL-22 signaling in intestinal epithelial cells to mucosal wound healing. <i>Journal of Experimental Medicine</i> , 2009 , 206, 1465-72	16.6	732
107	The clinical KRAS(G12C) inhibitor AMG 510 drives anti-tumour immunity. <i>Nature</i> , 2019 , 575, 217-223	50.4	703
106	Inhibition of Th1 development mediated by GATA-3 through an IL-4-independent mechanism. <i>Immunity</i> , 1998 , 9, 745-55	32.3	651
105	Stat6-independent GATA-3 autoactivation directs IL-4-independent Th2 development and commitment. <i>Immunity</i> , 2000 , 12, 27-37	32.3	573
104	Signaling and transcription in T helper development. <i>Annual Review of Immunology</i> , 2000 , 18, 451-94	34.7	548
103	IL-22BP is regulated by the inflammasome and modulates tumorigenesis in the intestine. <i>Nature</i> , 2012 , 491, 259-63	50.4	515
102	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019 , 49, 1457-1973	6.1	485
101	The effects of IL-20 subfamily cytokines on reconstituted human epidermis suggest potential roles in cutaneous innate defense and pathogenic adaptive immunity in psoriasis. <i>Journal of Immunology</i> , 2007 , 178, 2229-40	5.3	398
100	Therapeutic opportunities of the IL-22-IL-22R1 system. <i>Nature Reviews Drug Discovery</i> , 2014 , 13, 21-38	64.1	362
99	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , 2017 , 47, 1584-1797	6.1	359
98	Lineage tracking reveals dynamic relationships of T cells in colorectal cancer. <i>Nature</i> , 2018 , 564, 268-27	2 50.4	352
97	An interleukin-17-mediated paracrine network promotes tumor resistance to anti-angiogenic therapy. <i>Nature Medicine</i> , 2013 , 19, 1114-23	50.5	321

(2011-2013)

96	IL-22, not simply a Th17 cytokine. <i>Immunological Reviews</i> , 2013 , 252, 116-32	11.3	312
95	Th22 cells are an important source of IL-22 for host protection against enteropathogenic bacteria. <i>Immunity</i> , 2012 , 37, 1061-75	32.3	310
94	IL-17C regulates the innate immune function of epithelial cells in an autocrine manner. <i>Nature Immunology</i> , 2011 , 12, 1159-66	19.1	308
93	IL-10 Family Cytokines IL-10 and IL-22: from Basic Science to Clinical Translation. <i>Immunity</i> , 2019 , 50, 871-891	32.3	298
92	Immune response in silico (IRIS): immune-specific genes identified from a compendium of microarray expression data. <i>Genes and Immunity</i> , 2005 , 6, 319-31	4.4	281
91	Interleukin-22 alleviates metabolic disorders and restores mucosal immunity in diabetes. <i>Nature</i> , 2014 , 514, 237-41	50.4	276
90	Notch2-dependent classical dendritic cells orchestrate intestinal immunity to attaching-and-effacing bacterial pathogens. <i>Nature Immunology</i> , 2013 , 14, 937-48	19.1	272
89	ERM is required for transcriptional control of the spermatogonial stem cell niche. <i>Nature</i> , 2005 , 436, 1030-4	50.4	255
88	A genomic regulatory element that directs assembly and function of immune-specific AP-1-IRF complexes. <i>Science</i> , 2012 , 338, 975-80	33.3	246
87	IL-22-producing neutrophils contribute to antimicrobial defense and restitution of colonic epithelial integrity during colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013 , 110, 12768-73	11.5	240
86	Single-Cell Analyses Inform Mechanisms of Myeloid-Targeted Therapies in Colon Cancer. <i>Cell</i> , 2020 , 181, 442-459.e29	56.2	226
85	Interleukin (IL)-23 mediates Toxoplasma gondii-induced immunopathology in the gut via matrixmetalloproteinase-2 and IL-22 but independent of IL-17. <i>Journal of Experimental Medicine</i> , 2009 , 206, 3047-59	16.6	220
84	IL-18-stimulated GADD45 beta required in cytokine-induced, but not TCR-induced, IFN-gamma production. <i>Nature Immunology</i> , 2001 , 2, 157-64	19.1	220
83	A coreceptor interaction between the CD28 and TNF receptor family members B and T lymphocyte attenuator and herpesvirus entry mediator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005 , 102, 1116-21	11.5	207
82	The cytokine IL-22 promotes pathogen colonization by suppressing related commensal bacteria. <i>Immunity</i> , 2014 , 40, 262-73	32.3	205
81	The IL-20 subfamily of cytokinesfrom host defence to tissue homeostasis. <i>Nature Reviews Immunology</i> , 2014 , 14, 783-95	36.5	199
80	Induction of interferon-gamma production in Th1 CD4+ T cells: evidence for two distinct pathways for promoter activation. <i>European Journal of Immunology</i> , 1999 , 29, 548-55	6.1	166
79	Transcription factor c-Maf mediates the TGF-Edependent suppression of IL-22 production in T(H)17 cells. <i>Nature Immunology</i> , 2011 , 12, 1238-45	19.1	156

78	Viral infection. Prevention and cure of rotavirus infection via TLR5/NLRC4-mediated production of IL-22 and IL-18. <i>Science</i> , 2014 , 346, 861-5	33.3	154
77	NRROS negatively regulates reactive oxygen species during host defence and autoimmunity. <i>Nature</i> , 2014 , 509, 235-9	50.4	146
76	IL-22 from conventional NK cells is epithelial regenerative and inflammation protective during influenza infection. <i>Mucosal Immunology</i> , 2013 , 6, 69-82	9.2	137
75	IL-22 bridges the lymphotoxin pathway with the maintenance of colonic lymphoid structures during infection with Citrobacter rodentium. <i>Nature Immunology</i> , 2011 , 12, 941-8	19.1	134
74	Interleukin-22 induces interleukin-18 expression from epithelial cells during intestinal infection. <i>Immunity</i> , 2015 , 42, 321-331	32.3	124
73	Phosphatidylserine receptor Tim-4 is essential for the maintenance of the homeostatic state of resident peritoneal macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 8712-7	11.5	121
72	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4-ERK5 axis. <i>Journal of Experimental Medicine</i> , 2015 , 212, 1571-87	16.6	118
71	IL-17RC is required for IL-17A- and IL-17F-dependent signaling and the pathogenesis of experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , 2010 , 184, 4307-16	5.3	111
70	IL-17RC is required for immune signaling via an extended SEF/IL-17R signaling domain in the cytoplasmic tail. <i>Journal of Immunology</i> , 2010 , 185, 1063-70	5.3	108
69	Dectin-1-dependent interleukin-22 contributes to early innate lung defense against Aspergillus fumigatus. <i>Infection and Immunity</i> , 2012 , 80, 410-7	3.7	104
68	The function role of GATA-3 in Th1 and Th2 differentiation. <i>Immunologic Research</i> , 2003 , 28, 25-37	4.3	103
67	The IL-17 family cytokines in immunity and disease. <i>Journal of Clinical Immunology</i> , 2010 , 30, 185-95	5.7	101
66	Regulation of epithelial immunity by IL-17 family cytokines. <i>Trends in Immunology</i> , 2012 , 33, 343-9	14.4	96
65	An instructive component in T helper cell type 2 (Th2) development mediated by GATA-3. <i>Journal of Experimental Medicine</i> , 2001 , 193, 643-50	16.6	95
64	The IL-17 pathway as a major therapeutic target in autoimmune diseases. <i>Annals of the New York Academy of Sciences</i> , 2011 , 1217, 60-76	6.5	92
63	Signaling via the IL-20 receptor inhibits cutaneous production of IL-14 and IL-17A to promote infection with methicillin-resistant Staphylococcus aureus. <i>Nature Immunology</i> , 2013 , 14, 804-11	19.1	89
62	The Ets transcription factor ERM is Th1-specific and induced by IL-12 through a Stat4-dependent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999 , 96, 388	88 ⁻¹ 9 ¹ 3 ⁵	86
61	Distinct roles of IL-22 in human psoriasis and inflammatory bowel disease. <i>Cytokine and Growth Factor Reviews</i> , 2010 , 21, 435-41	17.9	85

(2008-2013)

60	The psoriasis-associated D10N variant of the adaptor Act1 with impaired regulation by the molecular chaperone hsp90. <i>Nature Immunology</i> , 2013 , 14, 72-81	19.1	82
59	Deubiquitinase DUBA is a post-translational brake on interleukin-17 production in T cells. <i>Nature</i> , 2015 , 518, 417-21	50.4	80
58	Activation of epithelial STAT3 regulates intestinal homeostasis. Cell Cycle, 2010, 9, 652-5	4.7	79
57	Opposing consequences of IL-23 signaling mediated by innate and adaptive cells in chemically induced colitis in mice. <i>Mucosal Immunology</i> , 2012 , 5, 99-109	9.2	78
56	Friend of GATA-1 represses GATA-3-dependent activity in CD4+ T cells. <i>Journal of Experimental Medicine</i> , 2001 , 194, 1461-71	16.6	78
55	Role of IL-22 in microbial host defense. Current Topics in Microbiology and Immunology, 2014 , 380, 213-3	36 .3	69
54	Pulmonary Th17 Antifungal Immunity Is Regulated by the Gut Microbiome. <i>Journal of Immunology</i> , 2016 , 197, 97-107	5.3	69
53	Targeting IL-10 Family Cytokines for the Treatment of Human Diseases. <i>Cold Spring Harbor Perspectives in Biology</i> , 2019 , 11,	10.2	67
52	A role for Th17 cells in the regulation of tertiary lymphoid follicles. <i>European Journal of Immunology</i> , 2012 , 42, 2255-62	6.1	66
51	Regulation of Interleukin-10 Expression. Advances in Experimental Medicine and Biology, 2016, 941, 89-1	1 56 6	66
50	Minor Structural Change to Tertiary Sulfonamide RORc Ligands Led to Opposite Mechanisms of Action. <i>ACS Medicinal Chemistry Letters</i> , 2015 , 6, 276-81	4.3	65
49	Human Anti-tumor Immunity: Insights from Immunotherapy Clinical Trials. <i>Immunity</i> , 2020 , 52, 36-54	32.3	65
48	Homeostatic IL-23 receptor signaling limits Th17 response through IL-22-mediated containment of commensal microbiota. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2014 , 111, 13942-7	11.5	65
47	Targeting the development and effector functions of TH17 cells. Seminars in Immunology, 2007, 19, 383	8- 9 3.7	64
46	Regulation of interleukin-10 and interleukin-22 expression in T helper cells. <i>Current Opinion in Immunology</i> , 2011 , 23, 605-12	7.8	52
45	Discovery of 1-{4-[3-fluoro-4-((3s,6r)-3-methyl-1,1-dioxo-6-phenyl-[1,2]thiazinan-2-ylmethyl)-phenyl]-piperazin-1-yl}-6 (GNE-3500): a potent, selective, and orally bioavailable retinoic acid receptor-related orphan	et&i à uo	ne_1
44	Structure-based design of substituted hexafluoroisopropanol-arylsulfonamides as modulators of RORc. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2013 , 23, 6604-9	2.9	51
43	IL-22 in mucosal immunity. <i>Mucosal Immunology</i> , 2008 , 1, 335-8	9.2	50

42	Discovery of imidazo[1,5-a]pyridines and -pyrimidines as potent and selective RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2015 , 25, 2907-12	2.9	49
41	IL-17-induced Act1-mediated signaling is critical for cuprizone-induced demyelination. <i>Journal of Neuroscience</i> , 2012 , 32, 8284-92	6.6	48
40	Proteomic profiling of surface proteins on Th1 and Th2 cells. <i>Journal of Proteome Research</i> , 2005 , 4, 40	0-9 .6	45
39	Reduction in lipophilicity improved the solubility, plasma-protein binding, and permeability of tertiary sulfonamide RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 3891	-7 ^{2.9}	42
38	Unexpected characteristics of the IFN-gamma reporters in nontransformed T cells. <i>Journal of Immunology</i> , 2001 , 167, 855-65	5.3	37
37	Mice deficient in NRROS show abnormal microglial development and neurological disorders. <i>Nature Immunology</i> , 2017 , 18, 633-641	19.1	36
36	Post-translational regulation of ROREA therapeutic target for the modulation of interleukin-17-mediated responses in autoimmune diseases. <i>Cytokine and Growth Factor Reviews</i> , 2016 , 30, 1-17	17.9	35
35	IL-17A-Induced PLET1 Expression Contributes to Tissue Repair and Colon Tumorigenesis. <i>Journal of Immunology</i> , 2017 , 199, 3849-3857	5.3	33
34	Integrative biology approach identifies cytokine targeting strategies for psoriasis. <i>Science Translational Medicine</i> , 2014 , 6, 223ra22	17.5	31
33	Targeting interferon-alpha: a promising approach for systemic lupus erythematosus therapy. <i>Lupus</i> , 2004 , 13, 348-52	2.6	31
32	IL-22R Ligands IL-20, IL-22, and IL-24 Promote Wound Healing in Diabetic db/db Mice. <i>PLoS ONE</i> , 2017 , 12, e0170639	3.7	30
31	The serine protease marapsin is expressed in stratified squamous epithelia and is up-regulated in the hyperproliferative epidermis of psoriasis and regenerating wounds. <i>Journal of Biological Chemistry</i> , 2009 , 284, 218-228	5.4	28
30	Murine insulin growth factor-like (IGFL) and human IGFL1 proteins are induced in inflammatory skin conditions and bind to a novel tumor necrosis factor receptor family member, IGFLR1. <i>Journal of Biological Chemistry</i> , 2011 , 286, 18969-81	5.4	27
29	Th17 cells at the crossroads of autoimmunity, inflammation, and atherosclerosis. <i>Immunity</i> , 2014 , 40, 10-2	32.3	24
28	A novel IL-25 signaling pathway through STAT5. Journal of Immunology, 2015, 194, 4528-34	5.3	23
27	A reversed sulfonamide series of selective RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2014 , 24, 5769-5776	2.9	23
26	PILREnegatively regulates mouse inflammatory arthritis. <i>Journal of Immunology</i> , 2014 , 193, 860-70	5.3	22
25	Deciphering the crosstalk among IL-1 and IL-10 family cytokines in intestinal immunity. <i>Trends in Immunology</i> , 2015 , 36, 471-8	14.4	21

(2018-2018)

24	Pre-clinical and translational pharmacology of a human interleukin-22 IgG fusion protein for potential treatment of infectious or inflammatory diseases. <i>Biochemical Pharmacology</i> , 2018 , 152, 224-	-235	20	
23	TRAF4-SMURF2-mediated DAZAP2 degradation is critical for IL-25 signaling and allergic airway inflammation. <i>Journal of Immunology</i> , 2015 , 194, 2826-37	5.3	19	
22	Innate-like function of memory Th17 cells for enhancing endotoxin-induced acute lung inflammation through IL-22. <i>International Immunology</i> , 2016 , 28, 233-43	4.9	18	
21	Novel therapeutic targets along the Th17 pathway. European Journal of Immunology, 2009, 39, 670-5	6.1	15	
20	Cutting Edge: IL-17B Uses IL-17RA and IL-17RB to Induce Type 2 Inflammation from Human Lymphocytes. <i>Journal of Immunology</i> , 2019 , 202, 1935-1941	5.3	13	
19	LILRB1 Blockade Enhances Bispecific T Cell Engager Antibody-Induced Tumor Cell Killing by Effector CD8 T Cells. <i>Journal of Immunology</i> , 2019 , 203, 1076-1087	5.3	13	
18	Unravelling the heterogeneity and dynamic relationships of tumor-infiltrating T cells by single-cell RNA sequencing analysis. <i>Journal of Leukocyte Biology</i> , 2020 , 107, 917-932	6.5	11	
17	Psoriasis-like skin lesions are dependent on IL-23 but develop in the absence of IL-22 in a model mouse. <i>Journal of Dermatological Science</i> , 2014 , 73, 261-4	4.3	9	
16	The Itch to degrade ROR-E. <i>Nature Immunology</i> , 2016 , 17, 898-900	19.1	5	
15	STARTRAC analyses of scRNAseq data from tumor models reveal T cell dynamics and therapeutic targets. <i>Journal of Experimental Medicine</i> , 2021 , 218,	16.6	5	
14	Impaired B cell immunity in IL-22 knock-out mice in collagen induced arthritis. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, A58-A59	2.4	4	
13	Even neurons are excited by Th17 cells. <i>Immunity</i> , 2010 , 33, 298-300	32.3	4	
12	The effects of 2ip and 2,4-D on rice calli differentiation. <i>Plant Growth Regulation</i> , 1996 , 19, 19-24	3.2	4	
11	Exposure-Effect Relationships in Established Rat Adjuvant-Induced and Collagen-Induced Arthritis: A Translational Pharmacokinetic-Pharmacodynamic Analysis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 369, 406-418	4.7	3	
10	Dual Mechanisms for Balancing Th17 and Treg Cell Fate by CREB. <i>EBioMedicine</i> , 2017 , 25, 20-21	8.8	3	
9	Inflammatory Bowel Disease Susceptibility Gene Regulates Intestinal Epithelial Permeability. <i>ImmunoHorizons</i> , 2018 , 2, 164-171	2.7	3	
8	Nonclinical safety assessment of a human interleukin-22FC IGIFusion protein demonstrates in vitro to in vivo and cross-species translatability. <i>Pharmacology Research and Perspectives</i> , 2018 , 6, e00434	3.1	3	
7	TRIMming TGF-Bignals in Th17 cells. <i>Journal of Experimental Medicine</i> , 2018 , 215, 1775-1776	16.6	1	

6	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4ERK5 axis. <i>Journal of Cell Biology</i> , 2015 , 210, 2106OIA178	7.3	О
5	The Roles of IL-22 and Its Related Family Members in the Pathogenesis of Psoriasis 2011 , 445-462		
4	Role of cytokine therapy in the treatment of psoriasis. <i>Drug Discovery Today: Therapeutic Strategies</i> , 2007 , 4, 25-31		
3	The IL-20 Subfamily of Cytokines and Their Receptors 2016 , 554-562		
2	STAT3 links IL-22 signaling in intestinal epithelial cells to mucosal wound healing. <i>Journal of Cell Biology</i> , 2009 , 186, i1-i1	7.3	
1	Interleukin-22: A Bridge Between Epithelial Innate Host Defense and Immune Cells 2014 , 147-177		