

# Wenjun Ouyang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3262979/wenjun-ouyang-publications-by-year.pdf>

**Version:** 2024-04-20

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

113  
papers

20,771  
citations

65  
h-index

115  
g-index

115  
ext. papers

24,575  
ext. citations

16.9  
avg, IF

6.78  
L-index

#	Paper	IF	Citations
113	STARTRAC analyses of scRNAseq data from tumor models reveal T cell dynamics and therapeutic targets. <i>Journal of Experimental Medicine</i> , <b>2021</b> , 218,	16.6	5
112	Human Anti-tumor Immunity: Insights from Immunotherapy Clinical Trials. <i>Immunity</i> , <b>2020</b> , 52, 36-54	32.3	65
111	Unravelling the heterogeneity and dynamic relationships of tumor-infiltrating T cells by single-cell RNA sequencing analysis. <i>Journal of Leukocyte Biology</i> , <b>2020</b> , 107, 917-932	6.5	11
110	Single-Cell Analyses Inform Mechanisms of Myeloid-Targeted Therapies in Colon Cancer. <i>Cell</i> , <b>2020</b> , 181, 442-459.e29	56.2	226
109	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , <b>2019</b> , 49, 1457-1973	6.1	485
108	IL-10 Family Cytokines IL-10 and IL-22: from Basic Science to Clinical Translation. <i>Immunity</i> , <b>2019</b> , 50, 871-891	32.3	298
107	Exposure-Effect Relationships in Established Rat Adjuvant-Induced and Collagen-Induced Arthritis: A Translational Pharmacokinetic-Pharmacodynamic Analysis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , <b>2019</b> , 369, 406-418	4.7	3
106	Cutting Edge: IL-17B Uses IL-17RA and IL-17RB to Induce Type 2 Inflammation from Human Lymphocytes. <i>Journal of Immunology</i> , <b>2019</b> , 202, 1935-1941	5.3	13
105	LILRB1 Blockade Enhances Bispecific T Cell Engager Antibody-Induced Tumor Cell Killing by Effector CD8 T Cells. <i>Journal of Immunology</i> , <b>2019</b> , 203, 1076-1087	5.3	13
104	The clinical KRAS(G12C) inhibitor AMG 510 drives anti-tumour immunity. <i>Nature</i> , <b>2019</b> , 575, 217-223	50.4	703
103	Targeting IL-10 Family Cytokines for the Treatment of Human Diseases. <i>Cold Spring Harbor Perspectives in Biology</i> , <b>2019</b> , 11,	10.2	67
102	Pre-clinical and translational pharmacology of a human interleukin-22 IgG fusion protein for potential treatment of infectious or inflammatory diseases. <i>Biochemical Pharmacology</i> , <b>2018</b> , 152, 224-235	6.5	20
101	Inflammatory Bowel Disease Susceptibility Gene Regulates Intestinal Epithelial Permeability. <i>ImmunoHorizons</i> , <b>2018</b> , 2, 164-171	2.7	3
100	Nonclinical safety assessment of a human interleukin-22FC IgG fusion protein demonstrates in vitro to in vivo and cross-species translatability. <i>Pharmacology Research and Perspectives</i> , <b>2018</b> , 6, e00434	3.1	3
99	Lineage tracking reveals dynamic relationships of T cells in colorectal cancer. <i>Nature</i> , <b>2018</b> , 564, 268-272	50.4	352
98	TRIMming TGF-β signals in Th17 cells. <i>Journal of Experimental Medicine</i> , <b>2018</b> , 215, 1775-1776	16.6	1
97	Mice deficient in NRROS show abnormal microglial development and neurological disorders. <i>Nature Immunology</i> , <b>2017</b> , 18, 633-641	19.1	36

96	Landscape of Infiltrating T Cells in Liver Cancer Revealed by Single-Cell Sequencing. <i>Cell</i> , <b>2017</b> , 169, 1342-1356	16.1	816
95	IL-17A-Induced PLET1 Expression Contributes to Tissue Repair and Colon Tumorigenesis. <i>Journal of Immunology</i> , <b>2017</b> , 199, 3849-3857	5.3	33
94	Guidelines for the use of flow cytometry and cell sorting in immunological studies. <i>European Journal of Immunology</i> , <b>2017</b> , 47, 1584-1797	6.1	359
93	Dual Mechanisms for Balancing Th17 and Treg Cell Fate by CREB. <i>EBioMedicine</i> , <b>2017</b> , 25, 20-21	8.8	3
92	IL-22R Ligands IL-20, IL-22, and IL-24 Promote Wound Healing in Diabetic db/db Mice. <i>PLoS ONE</i> , <b>2017</b> , 12, e0170639	3.7	30
91	The Itch to degrade ROR- $\beta$ . <i>Nature Immunology</i> , <b>2016</b> , 17, 898-900	19.1	5
90	Innate-like function of memory Th17 cells for enhancing endotoxin-induced acute lung inflammation through IL-22. <i>International Immunology</i> , <b>2016</b> , 28, 233-43	4.9	18
89	The IL-20 Subfamily of Cytokines and Their Receptors <b>2016</b> , 554-562		
88	Pulmonary Th17 Antifungal Immunity Is Regulated by the Gut Microbiome. <i>Journal of Immunology</i> , <b>2016</b> , 197, 97-107	5.3	69
87	Regulation of Interleukin-10 Expression. <i>Advances in Experimental Medicine and Biology</i> , <b>2016</b> , 941, 89-116	15.6	66
86	Post-translational regulation of ROR $\beta$ A therapeutic target for the modulation of interleukin-17-mediated responses in autoimmune diseases. <i>Cytokine and Growth Factor Reviews</i> , <b>2016</b> , 30, 1-17	17.9	35
85	Discovery of 1-{4-[3-fluoro-4-((3s,6r)-3-methyl-1,1-dioxo-6-phenyl-[1,2]thiazinan-2-ylmethyl)-phenyl]-piperazin-1-yl}-ethanone (GNE-3500): a potent, selective, and orally bioavailable retinoic acid receptor-related orphan receptor 2 (ROR $\gamma$ 2) agonist. <i>Journal of Medicinal Chemistry</i> , <b>2015</b> , 58, 5222-32	16.3	51
84	Deciphering the crosstalk among IL-1 and IL-10 family cytokines in intestinal immunity. <i>Trends in Immunology</i> , <b>2015</b> , 36, 471-8	14.4	21
83	A novel IL-25 signaling pathway through STAT5. <i>Journal of Immunology</i> , <b>2015</b> , 194, 4528-34	5.3	23
82	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4-ERK5 axis. <i>Journal of Experimental Medicine</i> , <b>2015</b> , 212, 1571-87	16.6	118
81	Minor Structural Change to Tertiary Sulfonamide ROR $\gamma$ c Ligands Led to Opposite Mechanisms of Action. <i>ACS Medicinal Chemistry Letters</i> , <b>2015</b> , 6, 276-81	4.3	65
80	Deubiquitinase DUBA is a post-translational brake on interleukin-17 production in T cells. <i>Nature</i> , <b>2015</b> , 518, 417-21	50.4	80
79	TRAF4-SMURF2-mediated DAZAP2 degradation is critical for IL-25 signaling and allergic airway inflammation. <i>Journal of Immunology</i> , <b>2015</b> , 194, 2826-37	5.3	19

78	Discovery of imidazo[1,5-a]pyridines and -pyrimidines as potent and selective RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2015</b> , 25, 2907-12	2.9	49
77	Interleukin-22 induces interleukin-18 expression from epithelial cells during intestinal infection. <i>Immunity</i> , <b>2015</b> , 42, 321-331	32.3	124
76	A novel IL-17 signaling pathway controlling keratinocyte proliferation and tumorigenesis via the TRAF4/IRK5 axis. <i>Journal of Cell Biology</i> , <b>2015</b> , 210, 2106-2118	7.3	0
75	NLRP3 negatively regulates reactive oxygen species during host defence and autoimmunity. <i>Nature</i> , <b>2014</b> , 509, 235-9	50.4	146
74	Therapeutic opportunities of the IL-22-IL-22R1 system. <i>Nature Reviews Drug Discovery</i> , <b>2014</b> , 13, 21-38	64.1	362
73	Th17 cells at the crossroads of autoimmunity, inflammation, and atherosclerosis. <i>Immunity</i> , <b>2014</b> , 40, 10-2	32.3	24
72	Psoriasis-like skin lesions are dependent on IL-23 but develop in the absence of IL-22 in a model mouse. <i>Journal of Dermatological Science</i> , <b>2014</b> , 73, 261-4	4.3	9
71	Viral infection. Prevention and cure of rotavirus infection via TLR5/NLRC4-mediated production of IL-22 and IL-18. <i>Science</i> , <b>2014</b> , 346, 861-5	33.3	154
70	Homeostatic IL-23 receptor signaling limits Th17 response through IL-22-mediated containment of commensal microbiota. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2014</b> , 111, 13942-7	11.5	65
69	Role of IL-22 in microbial host defense. <i>Current Topics in Microbiology and Immunology</i> , <b>2014</b> , 380, 213-363	36.3	69
68	Interleukin-22 alleviates metabolic disorders and restores mucosal immunity in diabetes. <i>Nature</i> , <b>2014</b> , 514, 237-41	50.4	276
67	Reduction in lipophilicity improved the solubility, plasma-protein binding, and permeability of tertiary sulfonamide RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2014</b> , 24, 3891-7	2.9	42
66	The cytokine IL-22 promotes pathogen colonization by suppressing related commensal bacteria. <i>Immunity</i> , <b>2014</b> , 40, 262-73	32.3	205
65	NLRP3 negatively regulates mouse inflammatory arthritis. <i>Journal of Immunology</i> , <b>2014</b> , 193, 860-70	5.3	22
64	A reversed sulfonamide series of selective RORc inverse agonists. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2014</b> , 24, 5769-5776	2.9	23
63	The IL-20 subfamily of cytokines--from host defence to tissue homeostasis. <i>Nature Reviews Immunology</i> , <b>2014</b> , 14, 783-95	36.5	199
62	Integrative biology approach identifies cytokine targeting strategies for psoriasis. <i>Science Translational Medicine</i> , <b>2014</b> , 6, 223ra22	17.5	31
61	Interleukin-22: A Bridge Between Epithelial Innate Host Defense and Immune Cells <b>2014</b> , 147-177		

60	Notch2-dependent classical dendritic cells orchestrate intestinal immunity to attaching-and-effacing bacterial pathogens. <i>Nature Immunology</i> , <b>2013</b> , 14, 937-48	19.1	272
59	An interleukin-17-mediated paracrine network promotes tumor resistance to anti-angiogenic therapy. <i>Nature Medicine</i> , <b>2013</b> , 19, 1114-23	50.5	321
58	Structure-based design of substituted hexafluoroisopropanol-arylsulfonamides as modulators of RORc. <i>Bioorganic and Medicinal Chemistry Letters</i> , <b>2013</b> , 23, 6604-9	2.9	51
57	IL-22 from conventional NK cells is epithelial regenerative and inflammation protective during influenza infection. <i>Mucosal Immunology</i> , <b>2013</b> , 6, 69-82	9.2	137
56	The psoriasis-associated D10N variant of the adaptor Act1 with impaired regulation by the molecular chaperone hsp90. <i>Nature Immunology</i> , <b>2013</b> , 14, 72-81	19.1	82
55	IL-22, not simply a Th17 cytokine. <i>Immunological Reviews</i> , <b>2013</b> , 252, 116-32	11.3	312
54	Signaling via the IL-20 receptor inhibits cutaneous production of IL-1 $\beta$ and IL-17A to promote infection with methicillin-resistant <i>Staphylococcus aureus</i> . <i>Nature Immunology</i> , <b>2013</b> , 14, 804-11	19.1	89
53	IL-22-producing neutrophils contribute to antimicrobial defense and restitution of colonic epithelial integrity during colitis. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2013</b> , 110, 12768-73	11.5	240
52	Th22 cells are an important source of IL-22 for host protection against enteropathogenic bacteria. <i>Immunity</i> , <b>2012</b> , 37, 1061-75	32.3	310
51	Regulation of epithelial immunity by IL-17 family cytokines. <i>Trends in Immunology</i> , <b>2012</b> , 33, 343-9	14.4	96
50	A role for Th17 cells in the regulation of tertiary lymphoid follicles. <i>European Journal of Immunology</i> , <b>2012</b> , 42, 2255-62	6.1	66
49	A genomic regulatory element that directs assembly and function of immune-specific AP-1-IRF complexes. <i>Science</i> , <b>2012</b> , 338, 975-80	33.3	246
48	IL-17-induced Act1-mediated signaling is critical for cuprizone-induced demyelination. <i>Journal of Neuroscience</i> , <b>2012</b> , 32, 8284-92	6.6	48
47	IL-22BP is regulated by the inflammasome and modulates tumorigenesis in the intestine. <i>Nature</i> , <b>2012</b> , 491, 259-63	50.4	515
46	Dectin-1-dependent interleukin-22 contributes to early innate lung defense against <i>Aspergillus fumigatus</i> . <i>Infection and Immunity</i> , <b>2012</b> , 80, 410-7	3.7	104
45	Opposing consequences of IL-23 signaling mediated by innate and adaptive cells in chemically induced colitis in mice. <i>Mucosal Immunology</i> , <b>2012</b> , 5, 99-109	9.2	78
44	The Roles of IL-22 and Its Related Family Members in the Pathogenesis of Psoriasis <b>2011</b> , 445-462		
43	IL-17C regulates the innate immune function of epithelial cells in an autocrine manner. <i>Nature Immunology</i> , <b>2011</b> , 12, 1159-66	19.1	308

42	Regulation of interleukin-10 and interleukin-22 expression in T helper cells. <i>Current Opinion in Immunology</i> , <b>2011</b> , 23, 605-12	7.8	52
41	The IL-17 pathway as a major therapeutic target in autoimmune diseases. <i>Annals of the New York Academy of Sciences</i> , <b>2011</b> , 1217, 60-76	6.5	92
40	Regulation and functions of the IL-10 family of cytokines in inflammation and disease. <i>Annual Review of Immunology</i> , <b>2011</b> , 29, 71-109	34.7	1132
39	Transcription factor c-Maf mediates the TGF- $\beta$ -dependent suppression of IL-22 production in T(H)17 cells. <i>Nature Immunology</i> , <b>2011</b> , 12, 1238-45	19.1	156
38	Murine insulin growth factor-like (IGFL) and human IGFL1 proteins are induced in inflammatory skin conditions and bind to a novel tumor necrosis factor receptor family member, IGFLR1. <i>Journal of Biological Chemistry</i> , <b>2011</b> , 286, 18969-81	5.4	27
37	Impaired B cell immunity in IL-22 knock-out mice in collagen induced arthritis. <i>Annals of the Rheumatic Diseases</i> , <b>2011</b> , 70, A58-A59	2.4	4
36	IL-22 bridges the lymphotoxin pathway with the maintenance of colonic lymphoid structures during infection with <i>Citrobacter rodentium</i> . <i>Nature Immunology</i> , <b>2011</b> , 12, 941-8	19.1	134
35	Phosphatidylserine receptor Tim-4 is essential for the maintenance of the homeostatic state of resident peritoneal macrophages. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2010</b> , 107, 8712-7	11.5	121
34	IL-17RC is required for immune signaling via an extended SEF/IL-17R signaling domain in the cytoplasmic tail. <i>Journal of Immunology</i> , <b>2010</b> , 185, 1063-70	5.3	108
33	IL-17RC is required for IL-17A- and IL-17F-dependent signaling and the pathogenesis of experimental autoimmune encephalomyelitis. <i>Journal of Immunology</i> , <b>2010</b> , 184, 4307-16	5.3	111
32	Activation of epithelial STAT3 regulates intestinal homeostasis. <i>Cell Cycle</i> , <b>2010</b> , 9, 652-5	4.7	79
31	Distinct roles of IL-22 in human psoriasis and inflammatory bowel disease. <i>Cytokine and Growth Factor Reviews</i> , <b>2010</b> , 21, 435-41	17.9	85
30	The IL-17 family cytokines in immunity and disease. <i>Journal of Clinical Immunology</i> , <b>2010</b> , 30, 185-95	5.7	101
29	Even neurons are excited by Th17 cells. <i>Immunity</i> , <b>2010</b> , 33, 298-300	32.3	4
28	The serine protease marapsin is expressed in stratified squamous epithelia and is up-regulated in the hyperproliferative epidermis of psoriasis and regenerating wounds. <i>Journal of Biological Chemistry</i> , <b>2009</b> , 284, 218-228	5.4	28
27	Interleukin (IL)-23 mediates <i>Toxoplasma gondii</i> -induced immunopathology in the gut via matrixmetalloproteinase-2 and IL-22 but independent of IL-17. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 3047-59	16.6	220
26	STAT3 links IL-22 signaling in intestinal epithelial cells to mucosal wound healing. <i>Journal of Experimental Medicine</i> , <b>2009</b> , 206, 1465-72	16.6	732
25	Novel therapeutic targets along the Th17 pathway. <i>European Journal of Immunology</i> , <b>2009</b> , 39, 670-5	6.1	15

24	STAT3 links IL-22 signaling in intestinal epithelial cells to mucosal wound healing. <i>Journal of Cell Biology</i> , <b>2009</b> , 186, i1-i1	7.3	
23	Interleukin-22 mediates early host defense against attaching and effacing bacterial pathogens. <i>Nature Medicine</i> , <b>2008</b> , 14, 282-9	50.5	1429
22	The biological functions of T helper 17 cell effector cytokines in inflammation. <i>Immunity</i> , <b>2008</b> , 28, 454-63	32.3	1498
21	IL-22 in mucosal immunity. <i>Mucosal Immunology</i> , <b>2008</b> , 1, 335-8	9.2	50
20	Role of cytokine therapy in the treatment of psoriasis. <i>Drug Discovery Today: Therapeutic Strategies</i> , <b>2007</b> , 4, 25-31		
19	Interleukin-22, a T(H)17 cytokine, mediates IL-23-induced dermal inflammation and acanthosis. <i>Nature</i> , <b>2007</b> , 445, 648-51	50.4	1486
18	The effects of IL-20 subfamily cytokines on reconstituted human epidermis suggest potential roles in cutaneous innate defense and pathogenic adaptive immunity in psoriasis. <i>Journal of Immunology</i> , <b>2007</b> , 178, 2229-40	5.3	398
17	Targeting the development and effector functions of TH17 cells. <i>Seminars in Immunology</i> , <b>2007</b> , 19, 383-93	23.7	64
16	ERM is required for transcriptional control of the spermatogonial stem cell niche. <i>Nature</i> , <b>2005</b> , 436, 1030-4	50.4	255
15	Proteomic profiling of surface proteins on Th1 and Th2 cells. <i>Journal of Proteome Research</i> , <b>2005</b> , 4, 400-9	9.6	45
14	Immune response in silico (IRIS): immune-specific genes identified from a compendium of microarray expression data. <i>Genes and Immunity</i> , <b>2005</b> , 6, 319-31	4.4	281
13	A coreceptor interaction between the CD28 and TNF receptor family members B and T lymphocyte attenuator and herpesvirus entry mediator. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>2005</b> , 102, 1116-21	11.5	207
12	Targeting interferon-alpha: a promising approach for systemic lupus erythematosus therapy. <i>Lupus</i> , <b>2004</b> , 13, 348-52	2.6	31
11	The function role of GATA-3 in Th1 and Th2 differentiation. <i>Immunologic Research</i> , <b>2003</b> , 28, 25-37	4.3	103
10	IL-18-stimulated GADD45 beta required in cytokine-induced, but not TCR-induced, IFN-gamma production. <i>Nature Immunology</i> , <b>2001</b> , 2, 157-64	19.1	220
9	Unexpected characteristics of the IFN-gamma reporters in nontransformed T cells. <i>Journal of Immunology</i> , <b>2001</b> , 167, 855-65	5.3	37
8	An instructive component in T helper cell type 2 (Th2) development mediated by GATA-3. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 193, 643-50	16.6	95
7	Friend of GATA-1 represses GATA-3-dependent activity in CD4+ T cells. <i>Journal of Experimental Medicine</i> , <b>2001</b> , 194, 1461-71	16.6	78

6	Signaling and transcription in T helper development. <i>Annual Review of Immunology</i> , <b>2000</b> , 18, 451-94	34.7	548
5	Stat6-independent GATA-3 autoactivation directs IL-4-independent Th2 development and commitment. <i>Immunity</i> , <b>2000</b> , 12, 27-37	32.3	573
4	The Ets transcription factor ERM is Th1-specific and induced by IL-12 through a Stat4-dependent pathway. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , <b>1999</b> , 96, 3888-93	11.5	86
3	Induction of interferon-gamma production in Th1 CD4+ T cells: evidence for two distinct pathways for promoter activation. <i>European Journal of Immunology</i> , <b>1999</b> , 29, 548-55	6.1	166
2	Inhibition of Th1 development mediated by GATA-3 through an IL-4-independent mechanism. <i>Immunity</i> , <b>1998</b> , 9, 745-55	32.3	651
1	The effects of 2ip and 2,4-D on rice calli differentiation. <i>Plant Growth Regulation</i> , <b>1996</b> , 19, 19-24	3.2	4