

Momin T Siddiqui

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3263572/publications.pdf>

Version: 2024-02-01

67
papers

1,161
citations

331670

21
h-index

454955

30
g-index

69
all docs

69
docs citations

69
times ranked

1251
citing authors

#	ARTICLE	IF	CITATIONS
1	Combining molecular testing and the Bethesda category III:VI ratio for thyroid fine-needle aspirates: A quality assurance metric for evaluating diagnostic performance in a cytopathology laboratory. <i>Cancer Cytopathology</i> , 2022, 130, 259-274.	2.4	13
2	Evaluating the role of Z-stack to improve the morphologic evaluation of urine cytology whole slide images for high-grade urothelial carcinoma: Results and review of a pilot study. <i>Cancer Cytopathology</i> , 2022, 130, 630-639.	2.4	13
3	Assessing the diagnostic accuracy for pleomorphic adenoma and Warthin tumor by employing the Milan System for Reporting Salivary Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2021, 129, 43-52.	2.4	27
4	High-grade urothelial carcinoma in urine cytology: different spaces – different faces, highlighting morphologic variance. <i>Journal of the American Society of Cytopathology</i> , 2021, 10, 36-40.	0.5	6
5	Standardizing a volume benchmark for cerebrospinal fluids for optimal diagnostic accuracy. <i>Diagnostic Cytopathology</i> , 2021, 49, 258-266.	1.0	2
6	Cytopathology of extra-renal perivascular epithelioid cell tumor (PEComa): a series of 7 cases and review of the literature. <i>Journal of the American Society of Cytopathology</i> , 2021, 10, 175-186.	0.5	2
7	Incorporating cytologic adequacy assessment into precision oncology workflow using telepathology: An institutional experience. <i>Cancer Cytopathology</i> , 2021, 129, 874-883.	2.4	4
8	Next-Generation Sequencing of Cell-Free DNA Extracted From Pleural Effusion Supernatant: Applications and Challenges. <i>Frontiers in Medicine</i> , 2021, 8, 662312.	2.6	3
9	Nuclear hypochromasia: Shedding light on the ‘lightness’ of high-grade urothelial carcinoma. <i>Diagnostic Cytopathology</i> , 2021, 49, 1032-1035.	1.0	4
10	Cytopathology of chondromyxoid fibroma: a case series and review of the literature. <i>Journal of the American Society of Cytopathology</i> , 2021, 10, 366-381.	0.5	5
11	Fine-needle aspiration cytopathology of soft tissue myoepithelioma: an analysis of seven cases. <i>Journal of the American Society of Cytopathology</i> , 2021, , .	0.5	2
12	A Subset of Intrahepatic Cholangiocarcinomas Express Albumin RNA as Detected by In Situ Hybridization. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2021, 29, 175-179.	1.2	4
13	Ancillary Techniques in Cytologic Specimens Obtained from Solid Lesions of the Pancreas: A Review. <i>Acta Cytologica</i> , 2020, 64, 103-123.	1.3	5
14	The diagnostic utility of zinc E-box 1 (ZEB1) transcription factor for identification of pulmonary sarcomatoid carcinoma in cytologic and surgical specimens. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 55-61.	0.5	1
15	Utility of Claudin-4 versus BerEP4 and B72.3 in pleural fluids with metastatic lung adenocarcinoma. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 146-151.	0.5	13
16	Cytomorphologic findings of low-grade fibromyxoid sarcoma. <i>Journal of the American Society of Cytopathology</i> , 2020, 9, 191-201.	0.5	10
17	Next-generation sequencing of residual cytologic fixative preserved DNA from pancreatic lesions: A pilot study. <i>Cancer Cytopathology</i> , 2020, 128, 840-851.	2.4	6
18	Pulmonary sclerosing pneumocytoma: Cytomorphology and immunoprofile. <i>Cancer Cytopathology</i> , 2020, 128, 414-423.	2.4	8

#	ARTICLE	IF	CITATIONS
19	Preanalytic variables in quality and quantity of nucleic acids extracted from FNA specimens of thyroid gland nodules collected in CytoLyt: Cellularity and storage time. <i>Cancer Cytopathology</i> , 2020, 128, 656-672.	2.4	10
20	Serous cavity fluids: Momentum, molecules, markers and more!. <i>Cancer Cytopathology</i> , 2020, 128, 381-383.	2.4	4
21	Insulinoma-associated protein 1 is a sensitive and specific marker for lung neuroendocrine tumors in cytologic and surgical specimens. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 299-308.	0.5	25
22	Importance of anal cytology and screening for anal dysplasia in individuals living with HIV with an emphasis on women. <i>Cancer Cytopathology</i> , 2019, 127, 407-413.	2.4	10
23	Mucoepidermoid carcinoma, acinic cell carcinoma, and adenoid cystic carcinoma on fine-needle aspiration biopsy and The Milan System: an international multi-institutional study. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 270-277.	0.5	19
24	Application of the Milan System for Reporting Submandibular Gland Cytopathology: An international, multi-institutional study. <i>Cancer Cytopathology</i> , 2019, 127, 306-315.	2.4	45
25	Digital image analysis supports a nuclear-to-cytoplasmic ratio cutoff value below 0.7 for positive for high-grade urothelial carcinoma and suspicious for high-grade urothelial carcinoma in urine cytology specimens. <i>Cancer Cytopathology</i> , 2019, 127, 120-124.	2.4	26
26	Orthopedia homeobox protein (OTP) is a sensitive and specific marker for primary pulmonary carcinoid tumors in cytologic and surgical specimens. <i>Journal of the American Society of Cytopathology</i> , 2019, 8, 39-46.	0.5	13
27	The role of BRCA1-associated protein 1 in the diagnosis of malignant mesothelioma in effusion and fine-needle aspiration cytology. <i>Diagnostic Cytopathology</i> , 2019, 47, 160-165.	1.0	14
28	Acquired myospherulosis secondary to gluteal augmentation on fine needle aspiration cytology: A diagnostic challenge. <i>Diagnostic Cytopathology</i> , 2018, 46, 438-442.	1.0	0
29	The Paris system for reporting urinary cytology improves correlation with surgical pathology biopsy diagnoses of the lower urinary tract. <i>Diagnostic Cytopathology</i> , 2018, 46, 221-227.	1.0	33
30	Diagnostic Utility of PD-L1 Expression in Lung Adenocarcinoma: Immunohistochemistry and RNA In Situ Hybridization. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2018, 26, e86-e90.	1.2	8
31	Immunohistochemical staining for S100P, SMAD4, and IMP3 on cell block preparations is sensitive and highly specific for pancreatic ductal adenocarcinoma. <i>Journal of the American Society of Cytopathology</i> , 2018, 7, 318-323.	0.5	14
32	Immunohistochemical analysis of OTP and NKX6.1 in neuroendocrine tumors of the lung and pancreas. <i>Diagnostic Cytopathology</i> , 2018, 46, 1010-1014.	1.0	11
33	HPV test result monitoring of different Bethesda categories in gynaecologic cytology: A valuable quality assurance measure. <i>Diagnostic Cytopathology</i> , 2018, 46, 914-918.	1.0	2
34	The role of the Milan System for Reporting Salivary Gland Cytopathology: A 5-year institutional experience. <i>Cancer Cytopathology</i> , 2018, 126, 541-551.	2.4	95
35	Improved correlation of urinary cytology specimens using The Paris System in biopsy-proven upper tract urothelial carcinomas. <i>Cancer Cytopathology</i> , 2018, 126, 498-504.	2.4	29
36	Cytologic diagnosis of adenocarcinoma on bile duct brushings in the presence of stent associated changes: A retrospective analysis. <i>Diagnostic Cytopathology</i> , 2018, 46, 826-832.	1.0	8

#	ARTICLE	IF	CITATIONS
37	Nodular oncocytic hyperplasia: Can cytomorphology allow for the preoperative diagnosis of a nonneoplastic salivary disease?. <i>Cancer Cytopathology</i> , 2017, 125, 627-634.	2.4	26
38	Double staining: diagnostic utility in non-small cell lung carcinoma in the era of tissue conservation. <i>Journal of the American Society of Cytopathology</i> , 2017, 6, 170-175.	0.5	4
39	LEF-1: Diagnostic utility in distinguishing basaloid neoplasms of the salivary gland. <i>Diagnostic Cytopathology</i> , 2017, 45, 1078-1083.	1.0	26
40	Nodular fasciitis: A frequent diagnostic pitfall on fine needle aspiration. <i>Cancer Cytopathology</i> , 2017, 125, 20-29.	2.4	34
41	MYC Immunohistochemistry Predicts MYC Rearrangements by FISH. <i>Frontiers in Oncology</i> , 2017, 7, 209.	2.8	19
42	Expression of LEF-1 and β -Catenin: Is There a Role for LEF-1 in Differentiating Colorectal Adenocarcinoma from Gastric and Pancreatic Adenocarcinoma, and Hepatocellular Carcinoma?. <i>American Journal of Clinical Pathology</i> , 2016, 146, .	0.7	0
43	Utility of folate receptor alpha immunohistochemistry in cytology specimens of metastatic breast carcinoma, metastatic serous carcinoma of Müllerian origin, and primary lung adenocarcinoma. <i>Diagnostic Cytopathology</i> , 2016, 44, 369-376.	1.0	2
44	Predicting histological subtypes of follicular variant of papillary thyroid carcinoma based on cytomorphology. Can cytomorphology optimize use of molecular testing?. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 345-350.	0.5	9
45	MYB expression: Potential role in separating adenoid cystic carcinoma (ACC) from pleomorphic adenoma (PA). <i>Diagnostic Cytopathology</i> , 2016, 44, 799-804.	1.0	22
46	TROP-2 expression in papillary thyroid carcinoma. <i>Diagnostic Cytopathology</i> , 2016, 44, 26-31.	1.0	22
47	GATA3 immunohistochemical expression in invasive urothelial carcinoma. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2016, 34, 432.e9-432.e13.	1.6	25
48	Pseudomyxoma peritonei: cytomorphologic findings and clinicopathologic correlates. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 43-49.	0.5	0
49	GATA-3 and FOXA1 expression is useful to differentiate breast carcinoma from other carcinomas. <i>Human Pathology</i> , 2016, 47, 26-31.	2.0	75
50	Cytomorphologic characteristics and differential diagnoses of lymphoepithelial carcinoma of the parotid. <i>Journal of the American Society of Cytopathology</i> , 2016, 5, 93-99.	0.5	10
51	GATA3 immunohistochemical expression in urothelial carcinoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, e16135-e16135.	1.6	0
52	P62/Ubiquitin IHC Expression Correlated with Clinicopathologic Parameters and Outcome in Gastrointestinal Carcinomas. <i>Frontiers in Oncology</i> , 2015, 5, 70.	2.8	39
53	Accuracy of diagnosis of solid pseudopapillary tumor of the pancreas on fine needle aspiration: A multi-institution experience of ten cases. <i>CytoJournal</i> , 2015, 12, 29.	1.7	13
54	GATA3 expression in metastatic urothelial carcinoma in fine needle aspiration cell blocks: A review of 25 cases. <i>Diagnostic Cytopathology</i> , 2014, 42, 809-815.	1.0	15

#	ARTICLE	IF	CITATIONS
55	DOG1, p63, and S100 protein: a novel immunohistochemical panel in the differential diagnosis of oncocytic salivary gland neoplasms in fine-needle aspiration cell blocks. <i>Journal of the American Society of Cytopathology</i> , 2014, 3, 303-308.	0.5	18
56	Pulmonary neuroendocrine neoplasms: A review of clinicopathologic and cytologic features. <i>Diagnostic Cytopathology</i> , 2010, 38, 607-617.	1.0	13
57	Extranodal lymphomas: Review of clinicopathologic and cytologic features. <i>Diagnostic Cytopathology</i> , 2009, 37, 220-229.	1.0	9
58	Cytologic features of meningiomas on crush preparations: A review. <i>Diagnostic Cytopathology</i> , 2008, 36, 202-206.	1.0	22
59	Detecting High-Grade Cervical Disease on ASC-H Cytology. <i>American Journal of Clinical Pathology</i> , 2008, 130, 765-770.	0.7	31
60	ProEx C Immunocytochemistry and High-Risk Human Papillomavirus DNA Testing in Papanicolaou Tests With Atypical Squamous Cell (ASC-US) Cytology: Correlation Study With Histologic Biopsy. <i>Archives of Pathology and Laboratory Medicine</i> , 2008, 132, 1648-1652.	2.5	33
61	Pathologist performed fine needle aspirations & implementation of JCAHO Universal Protocol and "Time out". <i>CytoJournal</i> , 2007, 4, 19.	1.7	6
62	Actinomyces Associated With Persistent Vaginal Granulation Tissue. <i>Infectious Diseases in Obstetrics and Gynecology</i> , 2005, 13, 53-55.	1.5	7
63	Comparison of ThinPrep and conventional smears in detecting carcinoma in bile duct brushings. <i>Cancer</i> , 2003, 99, 205-210.	4.1	41
64	Diagnostic utility of the HepPar1 antibody to differentiate hepatocellular carcinoma from metastatic carcinoma in fine-needle aspiration samples. <i>Cancer</i> , 2002, 96, 49-52.	4.1	68
65	Diagnostic utility of the HepPar1 antibody to differentiate hepatocellular carcinoma from metastatic carcinoma in fine-needle aspiration samples. <i>Cancer</i> , 2002, 96, 49-52.	4.1	17
66	Clinical relevance of benign endometrial cells in postmenopausal women. <i>Diagnostic Cytopathology</i> , 2001, 25, 235-238.	1.0	25
67	Fine-Needle Aspiration Biopsy Features in a Case of Giant Cell Fibroblastoma of the Chest Wall. <i>Archives of Pathology and Laboratory Medicine</i> , 2001, 125, 1091-1094.	2.5	14