

Juliana Mika Kato

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3264799/publications.pdf>

Version: 2024-02-01

9
papers

66
citations

1478505
6
h-index

1588992
8
g-index

9
all docs

9
docs citations

9
times ranked

90
citing authors

#	ARTICLE	IF	CITATIONS
1	Lacrimal System Obstruction After Radioiodine Therapy in Differentiated Thyroid Carcinomas: A Prospective Comparative Study. <i>Thyroid</i> , 2016, 26, 1761-1767.	4.5	18
2	Laparoscopic totally extraperitoneal (TEP) hernioplasty using two trocars: anatomical landmarks and surgical technique. <i>Arquivos Brasileiros De Cirurgia Digestiva: ABCD = Brazilian Archives of Digestive Surgery</i> , 2015, 28, 121-123.	0.5	11
3	Bactecâ„¸ blood culture bottles allied to MALDI-TOF mass spectrometry: rapid etiologic diagnosis of bacterial endophthalmitis. <i>Diagnostic Microbiology and Infectious Disease</i> , 2017, 88, 222-224.	1.8	11
4	Visual loss after aesthetic facial filler injection: a literature review on an ophthalmologic issue. <i>Arquivos Brasileiros De Oftalmologia</i> , 2022, 85, .	0.5	8
5	Correlation among ocular surface disease, xerostomia, and nasal symptoms in patients with differentiated thyroid carcinoma subjected to radioiodine therapy: A prospective comparative study. <i>Head and Neck</i> , 2017, 39, 2381-2396.	2.0	7
6	Surveillance of post-cataract endophthalmitis at a tertiary referral center: a 10-year critical evaluation. <i>International Journal of Retina and Vitreous</i> , 2021, 7, 14.	1.9	6
7	Diagnostic value of pediatric blood culture bottles for acute postoperative endophthalmitis. <i>Clinics</i> , 2019, 74, e837.	1.5	4
8	Detection of coronavirus-2 by real-time reverse transcription polymerase chain reaction in conjunctival swabs from patients with severe form of Coronavirus disease 2019 in SÃ£o Paulo, Brazil. <i>Clinics</i> , 2021, 76, e2913.	1.5	1
9	ObstruÃ§Ã£o lacrimal pÃ³s-tratamento oncolÃ³gico: revisÃ£o de literatura. <i>Revista Brasileira De Oftalmologia</i> , 2022, 81, .	0.1	0