

Joost G J Hoenderop

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3265480/publications.pdf>

Version: 2024-02-01

243
papers

16,316
citations

16411

64
h-index

19136

118
g-index

247
all docs

247
docs citations

247
times ranked

10315
citing authors

#	ARTICLE	IF	CITATIONS
1	Possible role for rare <i>TRPM7</i> variants in patients with hypomagnesaemia with secondary hypocalcaemia. <i>Nephrology Dialysis Transplantation</i> , 2023, 38, 679-690.	0.4	6
2	Magnesium to prevent kidney disease-associated vascular calcification: crystal clear?. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 421-429.	0.4	22
3	Colonic expression of calcium transporter TRPV6 is regulated by dietary sodium butyrate. <i>Pflügers Archiv European Journal of Physiology</i> , 2022, 474, 293-302.	1.3	3
4	Nephron mass determines the excretion rate of urinary extracellular vesicles. <i>Journal of Extracellular Vesicles</i> , 2022, 11, e12181.	5.5	25
5	Dietary magnesium supplementation inhibits abdominal vascular calcification in an experimental animal model of chronic kidney disease. <i>Nephrology Dialysis Transplantation</i> , 2022, 37, 1049-1058.	0.4	11
6	Mechanisms of ion transport regulation by HNF1 β in the kidney: beyond transcriptional regulation of channels and transporters. <i>Pflügers Archiv European Journal of Physiology</i> , 2022, 474, 901-916.	1.3	5
7	Title: Jealous protons sour another happy marriage; the story of how TRPV5 and PI(4,5)P2 split up.. <i>Cell Calcium</i> , 2022, , 102609.	1.1	0
8	Mechanisms of proton pump inhibitor-induced hypomagnesemia. <i>Acta Physiologica</i> , 2022, 235, .	1.8	31
9	FAM111A is dispensable for electrolyte homeostasis in mice. <i>Scientific Reports</i> , 2022, 12, .	1.6	3
10	Framework From a Multidisciplinary Approach for Transitioning Variants of Unknown Significance From Clinical Genetic Testing in Kidney Disease to a Definitive Classification. <i>Kidney International Reports</i> , 2022, , .	0.4	0
11	Low plasma magnesium concentration and future abdominal aortic calcifications in moderate chronic kidney disease. <i>BMC Nephrology</i> , 2021, 22, 71.	0.8	3
12	Proteomic Profile of Urinary Extracellular Vesicles Identifies AGP1 as a Potential Biomarker of Primary Aldosteronism. <i>Endocrinology</i> , 2021, 162, .	1.4	12
13	Comparing Approaches to Normalize, Quantify, and Characterize Urinary Extracellular Vesicles. <i>Journal of the American Society of Nephrology: JASN</i> , 2021, 32, 1210-1226.	3.0	53
14	Bifunctional protein PCBD2 operates as a co-factor for hepatocyte nuclear factor 1 β and modulates gene transcription. <i>FASEB Journal</i> , 2021, 35, e21366.	0.2	1
15	The phenotypic and genetic spectrum of patients with heterozygous mutations in cyclin M2 (CNNM2). <i>Human Mutation</i> , 2021, 42, 473-486.	1.1	21
16	Genetic and drug-induced hypomagnesemia: different cause, same mechanism. <i>Proceedings of the Nutrition Society</i> , 2021, 80, 327-338.	0.4	11
17	Extracellular vesicles regulate purinergic signaling and epithelial sodium channel expression in renal collecting duct cells. <i>FASEB Journal</i> , 2021, 35, e21506.	0.2	9
18	Cyclin M2 (CNNM2) knockout mice show mild hypomagnesaemia and developmental defects. <i>Scientific Reports</i> , 2021, 11, 8217.	1.6	18

#	ARTICLE	IF	CITATIONS
19	The role of Transcription Factor Hepatocyte Nuclear Factor 1 β in a Transcriptional Network Regulating Cell Polarity in Epithelial Kidney Cells. <i>FASEB Journal</i> , 2021, 35, .	0.2	0
20	Serum Magnesium Is Inversely Associated With Heart Failure, Atrial Fibrillation, and Microvascular Complications in Type 2 Diabetes. <i>Diabetes Care</i> , 2021, 44, 1757-1765.	4.3	21
21	ARL15 modulates magnesium homeostasis through N-glycosylation of CNNMs. <i>Cellular and Molecular Life Sciences</i> , 2021, 78, 5427-5445.	2.4	18
22	CNNM proteins selectively bind to the TRPM7 channel to stimulate divalent cation entry into cells. <i>PLoS Biology</i> , 2021, 19, e3001496.	2.6	18
23	Calciprotein particle inhibition explains magnesium-mediated protection against vascular calcification. <i>Nephrology Dialysis Transplantation</i> , 2020, 35, 765-773.	0.4	43
24	Magnesium prevents vascular calcification in Klotho deficiency. <i>Kidney International</i> , 2020, 97, 487-501.	2.6	50
25	Tacrolimus-induced hypomagnesemia and hypercalciuria requires FKBP12 suggesting a role for calcineurin. <i>Physiological Reports</i> , 2020, 8, e14316.	0.7	19
26	Recent Advances in Extracellular Vesicles as Drug Delivery Systems and Their Potential in Precision Medicine. <i>Pharmaceutics</i> , 2020, 12, 1006.	2.0	31
27	Dietary Mg ²⁺ Intake and the Na ⁺ /Mg ²⁺ Exchanger SLC41A1 Influence Components of Mitochondrial Energetics in Murine Cardiomyocytes. <i>International Journal of Molecular Sciences</i> , 2020, 21, 8221.	1.8	4
28	Pannexin1 mediates fluid shear stress-sensitive purinergic signaling and cyst growth in polycystic kidney disease. <i>FASEB Journal</i> , 2020, 34, 6382-6398.	0.2	15
29	Sensing of tubular flow and renal electrolyte transport. <i>Nature Reviews Nephrology</i> , 2020, 16, 337-351.	4.1	41
30	Metformin regulates TRPM6, a potential explanation for magnesium imbalance in type 2 diabetes patients. <i>Canadian Journal of Physiology and Pharmacology</i> , 2020, 98, 400-411.	0.7	15
31	Novel Aspects of Extracellular Vesicles in the Regulation of Renal Physiological and Pathophysiological Processes. <i>Frontiers in Cell and Developmental Biology</i> , 2020, 8, 244.	1.8	18
32	ARL15 Regulates CNNM2-dependent Mg ²⁺ Transport by Modulating its N-linked Glycosylation. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
33	Calciprotein Particle Inhibition Explains Magnesium-mediated Protection against Vascular Calcification. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
34	Low gut microbiota diversity and dietary magnesium intake are associated with the development of PPI-induced hypomagnesemia. <i>FASEB Journal</i> , 2019, 33, 11235-11246.	0.2	32
35	Development of a villi-like micropatterned porous membrane for intestinal magnesium and calcium uptake studies. <i>Acta Biomaterialia</i> , 2019, 99, 110-120.	4.1	10
36	Quantitative Translation of Microfluidic Transporter <i>in Vitro</i> Data to <i>in Vivo</i> Reveals Impaired Albumin-Facilitated Indoxyl Sulfate Secretion in Chronic Kidney Disease. <i>Molecular Pharmaceutics</i> , 2019, 16, 4551-4562.	2.3	30

#	ARTICLE	IF	CITATIONS
37	Renal phospholipidosis and impaired magnesium handling in high-fat diet-fed mice. <i>FASEB Journal</i> , 2019, 33, 7192-7201.	0.2	12
38	Effect of Dapagliflozin Treatment on the Expression of Renal Sodium Transporters/Channels on High-Fat Diet Diabetic Mice. <i>Nephron</i> , 2019, 142, 51-60.	0.9	13
39	Diabetes-induced hypomagnesemia is not modulated by metformin treatment in mice. <i>Scientific Reports</i> , 2019, 9, 1770.	1.6	9
40	Tubular flow activates magnesium transport in the distal convoluted tubule. <i>FASEB Journal</i> , 2019, 33, 5034-5044.	0.2	12
41	SLC41A1 is essential for magnesium homeostasis in vivo. <i>Pflugers Archiv European Journal of Physiology</i> , 2019, 471, 845-860.	1.3	29
42	Increased NEFA levels reduce blood Mg ²⁺ in hypertriglycerolaemic states via direct binding of NEFA to Mg ²⁺ . <i>Diabetologia</i> , 2019, 62, 311-321.	2.9	14
43	Magnesium prevents vascular calcification in vitro by inhibition of hydroxyapatite crystal formation. <i>Scientific Reports</i> , 2018, 8, 2069.	1.6	82
44	Genome-Wide Meta-Analysis Unravels Interactions between Magnesium Homeostasis and Metabolic Phenotypes. <i>Journal of the American Society of Nephrology: JASN</i> , 2018, 29, 335-348.	3.0	34
45	Dominant functional role of the novel phosphorylation site S811 in the human renal NaCl cotransporter. <i>FASEB Journal</i> , 2018, 32, 4482-4493.	0.2	5
46	Transcription factor HNF1 β regulates expression of the calcium-sensing receptor in the thick ascending limb of the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F27-F35.	1.3	18
47	Polycystin-1 dysfunction impairs electrolyte and water handling in a renal precystic mouse model for ADPKD. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F537-F546.	1.3	17
48	Effects of a high-sodium/low-potassium diet on renal calcium, magnesium, and phosphate handling. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 315, F110-F122.	1.3	27
49	Routine hemodialysis induces a decline in plasma magnesium concentration in most patients: a prospective observational cohort study. <i>Scientific Reports</i> , 2018, 8, 10256.	1.6	26
50	Magnesium deficiency prevents high-fat-diet-induced obesity in mice. <i>Diabetologia</i> , 2018, 61, 2030-2042.	2.9	16
51	Primary cilia-regulated transcriptome in the renal collecting duct. <i>FASEB Journal</i> , 2018, 32, 3653-3668.	0.2	18
52	Uromodulin regulates renal magnesium homeostasis through the ion channel transient receptor potential melastatin 6 (TRPM6). <i>Journal of Biological Chemistry</i> , 2018, 293, 16488-16502.	1.6	43
53	The rise and fall of novel renal magnesium transporters. <i>American Journal of Physiology - Renal Physiology</i> , 2018, 314, F1027-F1033.	1.3	40
54	Differential regulation of the Na ⁺ -Ca ²⁺ exchanger 3 (NCX3) by protein kinase PKC and PKA. <i>Cell Calcium</i> , 2017, 65, 52-62.	1.1	13

#	ARTICLE	IF	CITATIONS
55	Hydrochlorothiazide treatment increases the abundance of the NaCl cotransporter in urinary extracellular vesicles of essential hypertensive patients. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 312, F1063-F1072.	1.3	15
56	Fluid shear stress increases transepithelial transport of Ca ²⁺ in ciliated distal convoluted and connecting tubule cells. <i>FASEB Journal</i> , 2017, 31, 1796-1806.	0.2	17
57	TRP channels in calcium homeostasis: from hormonal control to structure-function relationship of TRPV5 and TRPV6. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2017, 1864, 883-893.	1.9	65
58	Loss of transcriptional activation of the potassium channel Kir5.1 by HNF1 β drives autosomal dominant tubulointerstitial kidney disease. <i>Kidney International</i> , 2017, 92, 1145-1156.	2.6	41
59	Common single nucleotide polymorphisms in transient receptor potential melastatin type 6 increase the risk for proton pump inhibitor-induced hypomagnesemia. <i>Pharmacogenetics and Genomics</i> , 2017, 27, 83-88.	0.7	29
60	A Novel Hypokalemic-Alkalotic Salt-Losing Tubulopathy in Patients with CLDN10 Mutations. <i>Journal of the American Society of Nephrology: JASN</i> , 2017, 28, 3118-3128.	3.0	52
61	Determinants of hypomagnesemia in patients with type 2 diabetes mellitus. <i>European Journal of Endocrinology</i> , 2017, 176, 11-19.	1.9	59
62	NaCl cotransporter abundance in urinary vesicles is increased by calcineurin inhibitors and predicts thiazide sensitivity. <i>PLoS ONE</i> , 2017, 12, e0176220.	1.1	30
63	Calcium Extrusion Pump PMCA4: A New Player in Renal Calcium Handling?. <i>PLoS ONE</i> , 2016, 11, e0153483.	1.1	12
64	Alternative splice variant of the thiazide-sensitive NaCl cotransporter: a novel player in renal salt handling. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 310, F204-F216.	1.3	20
65	Identification of SLC41A3 as a novel player in magnesium homeostasis. <i>Scientific Reports</i> , 2016, 6, 28565.	1.6	50
66	Functionomics of NCC mutations in Gitelman syndrome using a novel mammalian cell-based activity assay. <i>American Journal of Physiology - Renal Physiology</i> , 2016, 311, F1159-F1167.	1.3	22
67	Inhibition of PRL-2 β -CENPM3 Protein Complex Formation Decreases Breast Cancer Proliferation and Tumor Growth. <i>Journal of Biological Chemistry</i> , 2016, 291, 10716-10725.	1.6	39
68	TRPV4 mediates afferent pathways in the urinary bladder. A spinal c-fos study showing TRPV1 related adaptations in the TRPV4 knockout mouse. <i>Pflügers Archiv European Journal of Physiology</i> , 2016, 468, 1741-1749.	1.3	8
69	Calpain-3-mediated regulation of the Na ⁺ -Ca ²⁺ exchanger isoform 3. <i>Pflügers Archiv European Journal of Physiology</i> , 2016, 468, 243-255.	1.3	12
70	Urinary β -galactosidase stimulates Ca ²⁺ transport by stabilizing TRPV5 at the plasma membrane. <i>Glycobiology</i> , 2016, 26, 472-481.	1.3	6
71	Regulation of Mg ²⁺ Reabsorption and Transient Receptor Potential Melastatin Type 6 Activity by cAMP Signaling. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 804-813.	3.0	21
72	1,25-Vitamin D3 Deficiency Induces Albuminuria. <i>American Journal of Pathology</i> , 2016, 186, 794-804.	1.9	20

#	ARTICLE	IF	CITATIONS
73	Hypomagnesemia in Type 2 Diabetes: A Vicious Circle?. <i>Diabetes</i> , 2016, 65, 3-13.	0.3	217
74	P2X6 Knockout Mice Exhibit Normal Electrolyte Homeostasis. <i>PLoS ONE</i> , 2016, 11, e0156803.	1.1	7
75	Lifelong challenge of calcium homeostasis in male mice lacking TRPV5 leads to changes in bone and calcium metabolism. <i>Oncotarget</i> , 2016, 7, 24928-24941.	0.8	6
76	The Na ⁺ /Ca ²⁺ Exchanger 1 (NCX1) Variant 3 as the Major Extrusion System in Renal Distal Tubular Transcellular Ca ²⁺ -Transport. <i>Nephron</i> , 2015, 131, 145-152.	0.9	7
77	Hypomagnesemia as First Clinical Manifestation of ADTKD-HNF1B: A Case Series and Literature Review. <i>American Journal of Nephrology</i> , 2015, 42, 85-90.	1.4	46
78	Uremic Toxins Induce ET-1 Release by Human Proximal Tubule Cells, which Regulates Organic Cation Uptake Time-Dependently. <i>Cells</i> , 2015, 4, 234-252.	1.8	5
79	Flavaglines Stimulate Transient Receptor Potential Melastatin Type 6 (TRPM6) Channel Activity. <i>PLoS ONE</i> , 2015, 10, e0119028.	1.1	13
80	Dietary Inulin Fibers Prevent Proton-Pump Inhibitor (PPI)-Induced Hypocalcemia in Mice. <i>PLoS ONE</i> , 2015, 10, e0138881.	1.1	24
81	SP019RECLIRRENT FXYD2 P.GLY41ARG MUTATION IN PATIENTS WITH ISOLATED DOMINANT HYPOMAGNESEMIA. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, iii387-iii387.	0.4	0
82	Segmental transport of Ca ²⁺ and Mg ²⁺ along the gastrointestinal tract. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 308, G206-G216.	1.6	47
83	The impact of formative testing on study behaviour and study performance of (bio)medical students: a smartphone application intervention study. <i>BMC Medical Education</i> , 2015, 15, 72.	1.0	30
84	Recurrent FXYD2 p.Gly41Arg mutation in patients with isolated dominant hypomagnesaemia. <i>Nephrology Dialysis Transplantation</i> , 2015, 30, 952-957.	0.4	51
85	Magnesium in Man: Implications for Health and Disease. <i>Physiological Reviews</i> , 2015, 95, 1-46.	13.1	1,099
86	Development of a living membrane comprising a functional human renal proximal tubule cell monolayer on polyethersulfone polymeric membrane. <i>Acta Biomaterialia</i> , 2015, 14, 22-32.	4.1	45
87	Towards Understanding the Role of the Na ⁺ -Ca ²⁺ Exchanger Isoform 3. <i>Reviews of Physiology, Biochemistry and Pharmacology</i> , 2015, 168, 31-57.	0.9	15
88	Vitamin D attenuates proteinuria by inhibition of heparanase expression in the podocyte. <i>Journal of Pathology</i> , 2015, 237, 472-481.	2.1	38
89	Shedding of klotho by ADAMs in the kidney. <i>American Journal of Physiology - Renal Physiology</i> , 2015, 309, F359-F368.	1.3	46
90	A smart rhodamine-pyridine conjugate for bioimaging of thiocyanate in living cells. <i>RSC Advances</i> , 2015, 5, 103350-103357.	1.7	10

#	ARTICLE	IF	CITATIONS
91	Thrombin receptor deficiency leads to a high bone mass phenotype by decreasing the RANKL/OPG ratio. <i>Bone</i> , 2015, 72, 14-22.	1.4	22
92	Variant Specific Cleavage of the Na ⁺ + Ca ²⁺ Exchanger NCX3 During Excitotoxicity. <i>FASEB Journal</i> , 2015, 29, LB620.	0.2	0
93	Importance of dietary calcium and vitamin D in the treatment of hypercalcaemia in Williams-Beuren syndrome. <i>Journal of Pediatric Endocrinology and Metabolism</i> , 2014, 27, 757-61.	0.4	16
94	Î²1-Adrenergic Receptor Signaling Activates the Epithelial Calcium Channel, Transient Receptor Potential Vanilloid Type 5 (TRPV5), via the Protein Kinase A Pathway. <i>Journal of Biological Chemistry</i> , 2014, 289, 18489-18496.	1.6	9
95	CNNM2 Mutations Cause Impaired Brain Development and Seizures in Patients with Hypomagnesemia. <i>PLoS Genetics</i> , 2014, 10, e1004267.	1.5	118
96	A novel KCNA1 mutation causing episodic ataxia type I. <i>Muscle and Nerve</i> , 2014, 50, 289-291.	1.0	15
97	Mg ²⁺ homeostasis. <i>Current Opinion in Nephrology and Hypertension</i> , 2014, 23, 361-369.	1.0	35
98	Function and Regulation of the Na ⁺ -Ca ²⁺ Exchanger NCX3 Splice Variants in Brain and Skeletal Muscle. <i>Journal of Biological Chemistry</i> , 2014, 289, 11293-11303.	1.6	33
99	Ankyrin-3 is a novel binding partner of the voltage-gated potassium channel Kv1.1 implicated in renal magnesium handling. <i>Kidney International</i> , 2014, 85, 94-102.	2.6	10
100	P2X4 receptor regulation of transient receptor potential melastatin type 6 (TRPM6) Mg ²⁺ channels. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 1941-1952.	1.3	27
101	Coordinated regulation of TRPV5-mediated Ca ²⁺ transport in primary distal convolution cultures. <i>Pflügers Archiv European Journal of Physiology</i> , 2014, 466, 2077-2087.	1.3	33
102	Mutations in PCBD1 Cause Hypomagnesemia and Renal Magnesium Wasting. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 574-586.	3.0	68
103	Glucose Specifically Regulates TRPC6 Expression in the Podocyte in an AngII-Dependent Manner. <i>American Journal of Pathology</i> , 2014, 184, 1715-1726.	1.9	62
104	Cationic uremic toxins affect human renal proximal tubule cell functioning through interaction with the organic cation transporter. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 1701-1714.	1.3	50
105	Structural analysis of calmodulin binding to ion channels demonstrates the role of its plasticity in regulation. <i>Pflügers Archiv European Journal of Physiology</i> , 2013, 465, 1507-1519.	1.3	42
106	Vitamin D Down-Regulates TRPC6 Expression in Podocyte Injury and Proteinuric Glomerular Disease. <i>American Journal of Pathology</i> , 2013, 182, 1196-1204.	1.9	44
107	Early Development of Hyperparathyroidism Due to Loss of PTH Transcriptional Repression in Patients With HNF1Î² Mutations?. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2013, 98, 4089-4096.	1.8	26
108	The Epithelial Calcium Channel TRPV5 Is Regulated Differentially by Klotho and Sialidase. <i>Journal of Biological Chemistry</i> , 2013, 288, 29238-29246.	1.6	42

#	ARTICLE	IF	CITATIONS
109	Cisplatin-induced injury of the renal distal convoluted tubule is associated with hypomagnesaemia in mice. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 879-889.	0.4	50
110	The vitamin D analog ZK191784 normalizes decreased bone matrix mineralization in mice lacking the calcium channel TRPV5. <i>Journal of Cellular Physiology</i> , 2013, 228, 402-407.	2.0	5
111	Evaluation of Hypomagnesemia: Lessons From Disorders of Tubular Transport. <i>American Journal of Kidney Diseases</i> , 2013, 62, 377-383.	2.1	27
112	Calcium Channels. , 2013, , 2167-2185.		0
113	A molecular update on pseudohypoaldosteronism type II. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1513-F1520.	1.3	49
114	Laboratory aspects of circulating \hat{A} -Klotho. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 2283-2287.	0.4	75
115	Elucidation of the distal convoluted tubule transcriptome identifies new candidate genes involved in renal Mg^{2+} handling. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F1563-F1573.	1.3	46
116	New TRPC6 gain-of-function mutation in a non-consanguineous Dutch family with late-onset focal segmental glomerulosclerosis. <i>Nephrology Dialysis Transplantation</i> , 2013, 28, 1830-1838.	0.4	47
117	Autosomal Dominant Hypercalciuria in a Mouse Model Due to a Mutation of the Epithelial Calcium Channel, TRPV5. <i>PLoS ONE</i> , 2013, 8, e55412.	1.1	35
118	A primary culture of distal convoluted tubules expressing functional thiazide-sensitive NaCl transport. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, F886-F892.	1.3	31
119	Drug-induced alterations in Mg^{2+} homeostasis. <i>Clinical Science</i> , 2012, 123, 1-14.	1.8	58
120	Functional TRPV6 channels are crucial for transepithelial Ca^{2+} absorption. <i>American Journal of Physiology - Renal Physiology</i> , 2012, 303, G879-G885.	1.6	59
121	Regulation of magnesium balance: lessons learned from human genetic disease. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, i15-i24.	1.4	123
122	Urinary Plasmin Inhibits TRPV5 in Nephrotic-Range Proteinuria. <i>Journal of the American Society of Nephrology: JASN</i> , 2012, 23, 1824-1834.	3.0	19
123	Membrane Topology and Intracellular Processing of Cyclin M2 (CNNM2). <i>Journal of Biological Chemistry</i> , 2012, 287, 13644-13655.	1.6	86
124	Characterization of vitamin D-deficient <i>klotho</i> ^{-/-} mice: do increased levels of serum 1,25(OH) ₂ D ₃ cause disturbed calcium and phosphate homeostasis in <i>klotho</i> ^{-/-} mice?. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, 4061-4068.	0.4	19
125	Sensing mechanisms involved in Ca^{2+} and Mg^{2+} homeostasis. <i>Kidney International</i> , 2012, 82, 1157-1166.	2.6	45
126	The transient receptor potential channel TRPV6 is dynamically expressed in bone cells but is not crucial for bone mineralization in mice. <i>Journal of Cellular Physiology</i> , 2012, 227, 1951-1959.	2.0	36

#	ARTICLE	IF	CITATIONS
127	Transport of Calcium, Magnesium, and Phosphate. , 2012, , 226-251.		8
128	Transient Receptor Potential Melastatin 6 Knockout Mice Are Lethal whereas Heterozygous Deletion Results in Mild Hypomagnesemia. Nephron Physiology, 2011, 117, p11-p19.	1.5	72
129	Angiotensin II Contributes to Podocyte Injury by Increasing TRPC6 Expression via an NFAT-Mediated Positive Feedback Signaling Pathway. American Journal of Pathology, 2011, 179, 1719-1732.	1.9	180
130	HNF-1B specifically regulates the transcription of the β -subunit of the Na ⁺ /K ⁺ -ATPase. Biochemical and Biophysical Research Communications, 2011, 404, 284-290.	1.0	64
131	Insight into renal Mg ²⁺ transporters. Current Opinion in Nephrology and Hypertension, 2011, 20, 169-176.	1.0	36
132	Molecular basis of epithelial Ca ²⁺ and Mg ²⁺ transport: insights from the TRP channel family. Journal of Physiology, 2011, 589, 1535-1542.	1.3	84
133	Role of the Calcium-Sensing Receptor in Reducing the Risk for Calcium Stones. Clinical Journal of the American Society of Nephrology: CJASN, 2011, 6, 2076-2082.	2.2	18
134	β -Adducin Stimulates the Thiazide-sensitive NaCl Cotransporter. Journal of the American Society of Nephrology: JASN, 2011, 22, 508-517.	3.0	21
135	Role of the Transient Receptor Potential Vanilloid 5 (TRPV5) Protein N Terminus in Channel Activity, Tetramerization, and Trafficking. Journal of Biological Chemistry, 2011, 286, 32132-32139.	1.6	18
136	Novel molecular pathways in renal Mg ²⁺ transport: a guided tour along the nephron. Current Opinion in Nephrology and Hypertension, 2010, 19, 456-462.	1.0	27
137	A helix-breaking mutation in the epithelial Ca ²⁺ channel TRPV5 leads to reduced Ca ²⁺ -dependent inactivation. Cell Calcium, 2010, 48, 275-287.	1.1	13
138	Methionine Sulfoxide Reductase B1 (MsrB1) Recovers TRPM6 Channel Activity during Oxidative Stress. Journal of Biological Chemistry, 2010, 285, 26081-26087.	1.6	71
139	Functional Analysis of the Kv1.1 N255D Mutation Associated with Autosomal Dominant Hypomagnesemia. Journal of Biological Chemistry, 2010, 285, 171-178.	1.6	50
140	Calcitonin-stimulated renal Ca ²⁺ reabsorption occurs independently of TRPV5. Nephrology Dialysis Transplantation, 2010, 25, 1428-1435.	0.4	14
141	Testosterone increases urinary calcium excretion and inhibits expression of renal calcium transport proteins. Kidney International, 2010, 77, 601-608.	2.6	63
142	Involvement of claudin 3 and claudin 4 in idiopathic infantile hypercalcaemia: a novel hypothesis?. Nephrology Dialysis Transplantation, 2010, 25, 3504-3509.	0.4	12
143	The Identification of Histidine 712 as a Critical Residue for Constitutive TRPV5 Internalization. Journal of Biological Chemistry, 2010, 285, 28481-28487.	1.6	13
144	New molecular players facilitating Mg ²⁺ reabsorption in the distal convoluted tubule. Kidney International, 2010, 77, 17-22.	2.6	61

#	ARTICLE	IF	CITATIONS
145	Epithelial Mg ²⁺ channel TRPM6: insight into the molecular regulation. <i>Magnesium Research</i> , 2009, 22, 127-132.	0.4	31
146	Parathyroid Hormone Activates TRPV5 via PKA-Dependent Phosphorylation. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 1693-1704.	3.0	142
147	Conditional fast expression and function of multimeric TRPV5 channels using Shield-1. <i>American Journal of Physiology - Renal Physiology</i> , 2009, 296, F204-F211.	1.3	6
148	New molecular insights in calcium and magnesium (re)absorption. <i>Comparative Biochemistry and Physiology Part A, Molecular & Integrative Physiology</i> , 2009, 153, S78.	0.8	0
149	Activation of the Ca ²⁺ -sensing receptor stimulates the activity of the epithelial Ca ²⁺ channel TRPV5. <i>Cell Calcium</i> , 2009, 45, 331-339.	1.1	82
150	Active Ca ²⁺ reabsorption in the connecting tubule. <i>Pflugers Archiv European Journal of Physiology</i> , 2009, 458, 99-109.	1.3	108
151	The role of transient receptor potential channels in kidney disease. <i>Nature Reviews Nephrology</i> , 2009, 5, 441-449.	4.1	125
152	Regulation of magnesium reabsorption in DCT. <i>Pflugers Archiv European Journal of Physiology</i> , 2009, 458, 89-98.	1.3	31
153	Identification of Nipsnap1 as a novel auxiliary protein inhibiting TRPV6 activity. <i>Pflugers Archiv European Journal of Physiology</i> , 2008, 457, 91-101.	1.3	26
154	Bone Resorption Inhibitor Alendronate Normalizes the Reduced Bone Thickness of TRPV5 ^{-/-} Mice. <i>Journal of Bone and Mineral Research</i> , 2008, 23, 1815-1824.	3.1	25
155	RACK1 Inhibits TRPM6 Activity via Phosphorylation of the Fused $\hat{\pm}$ -Kinase Domain. <i>Current Biology</i> , 2008, 18, 168-176.	1.8	67
156	Murine TNF $\hat{\gamma}$ ARE Crohn's disease model displays diminished expression of intestinal Ca ²⁺ transporters. <i>Inflammatory Bowel Diseases</i> , 2008, 14, 803-811.	0.9	41
157	TRPV5: an ingeniously controlled calcium channel. <i>Kidney International</i> , 2008, 74, 1241-1246.	2.6	76
158	TRPV5 Is Internalized via Clathrin-dependent Endocytosis to Enter a Ca ²⁺ -controlled Recycling Pathway. <i>Journal of Biological Chemistry</i> , 2008, 283, 4077-4086.	1.6	35
159	Epidermal Growth Factor Receptor Signaling in the Kidney. <i>Hypertension</i> , 2008, 52, 987-993.	1.3	94
160	Role of the $\hat{\pm}$ -Kinase Domain in Transient Receptor Potential Melastatin 6 Channel and Regulation by Intracellular ATP. <i>Journal of Biological Chemistry</i> , 2008, 283, 19999-20007.	1.6	48
161	Calcitropic and Magnesiotropic TRP Channels. <i>Physiology</i> , 2008, 23, 32-40.	1.6	87
162	Insight into the molecular regulation of the epithelial magnesium channel TRPM6. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 373-378.	1.0	16

#	ARTICLE	IF	CITATIONS
163	Calcium Channels. , 2008, , 1769-1783.		0
164	Prednisolone-induced Ca ²⁺ malabsorption is caused by diminished expression of the epithelial Ca ²⁺ channel TRPV6. American Journal of Physiology - Renal Physiology, 2007, 292, G92-G97.	1.6	99
165	Regulation of the epithelial calcium channel TRPV5 by extracellular factors. Current Opinion in Nephrology and Hypertension, 2007, 16, 319-324.	1.0	33
166	TRP channels in kidney disease. Biochimica Et Biophysica Acta - Molecular Basis of Disease, 2007, 1772, 928-936.	1.8	60
167	Magnesium wasting associated with epidermal-growth-factor receptor-targeting antibodies in colorectal cancer: a prospective study. Lancet Oncology, The, 2007, 8, 387-394.	5.1	200
168	TRPV5-mediated Ca ²⁺ Reabsorption and Hypercalciuria. AIP Conference Proceedings, 2007, , .	0.3	0
169	TRPM6 and TRPM7 Chanzymes Essential for Magnesium Homeostasis. , 2007, , 34-45.		0
170	Epithelial Ca ²⁺ and Mg ²⁺ Channels in Kidney Disease. Advances in Chronic Kidney Disease, 2006, 13, 110-117.	0.6	23
171	The novel vitamin D analog ZK191784 as an intestine-specific vitamin D antagonist. FASEB Journal, 2006, 20, 2171-2173.	0.2	15
172	Recent advances in renal tubular calcium reabsorption. Current Opinion in Nephrology and Hypertension, 2006, 15, 524-529.	1.0	46
173	Tissue kallikrein stimulates Ca ²⁺ reabsorption via PKC-dependent plasma membrane accumulation of TRPV5. EMBO Journal, 2006, 25, 4707-4716.	3.5	71
174	Interaction of the epithelial Ca ²⁺ channels TRPV5 and TRPV6 with the intestine- and kidney-enriched PDZ protein NHERF4. Pflugers Archiv European Journal of Physiology, 2006, 452, 407-417.	1.3	32
175	The novel vitamin D analog ZK191784 as an intestine-specific vitamin D antagonist. FASEB Journal, 2006, , .	0.2	15
176	Acid-Base Status Determines the Renal Expression of Ca ²⁺ and Mg ²⁺ Transport Proteins. Journal of the American Society of Nephrology: JASN, 2006, 17, 617-626.	3.0	142
177	Age-dependent alterations in Ca ²⁺ homeostasis: role of TRPV5 and TRPV6. American Journal of Physiology - Renal Physiology, 2006, 291, F1177-F1183.	1.3	52
178	The immunophilin FKBP52 inhibits the activity of the epithelial Ca ²⁺ channel TRPV5. American Journal of Physiology - Renal Physiology, 2006, 290, F1253-F1259.	1.3	36
179	Regulation of TRPV5 and TRPV6 by associated proteins. American Journal of Physiology - Renal Physiology, 2006, 290, F1295-F1302.	1.3	87
180	Identification of BSPRY as a Novel Auxiliary Protein Inhibiting TRPV5 Activity. Journal of the American Society of Nephrology: JASN, 2006, 17, 26-30.	3.0	30

#	ARTICLE	IF	CITATIONS
181	Direct Interaction with Rab11a Targets the Epithelial Ca ²⁺ Channels TRPV5 and TRPV6 to the Plasma Membrane. <i>Molecular and Cellular Biology</i> , 2006, 26, 303-312.	1.1	120
182	Coordinated control of renal Ca ²⁺ transport proteins by parathyroid hormone. <i>Kidney International</i> , 2005, 68, 1708-1721.	2.6	179
183	The epithelial calcium channels TRPV5 and TRPV6: regulation and implications for disease. <i>Naunyn-Schmiedeberg's Archives of Pharmacology</i> , 2005, 371, 295-306.	1.4	83
184	Characterization of a Madin-Darby canine kidney cell line stably expressing TRPV5. <i>Pflugers Archiv European Journal of Physiology</i> , 2005, 450, 236-244.	1.3	14
185	TRPV5 and TRPV6 in Ca ²⁺ (re)absorption: regulating Ca ²⁺ entry at the gate. <i>Pflugers Archiv European Journal of Physiology</i> , 2005, 451, 181-192.	1.3	111
186	Enhanced passive Ca ²⁺ reabsorption and reduced Mg ²⁺ channel abundance explains thiazide-induced hypocalcemia and hypomagnesemia. <i>Journal of Clinical Investigation</i> , 2005, 115, 1651-1658.	3.9	410
187	Tissue Kallikrein-Deficient Mice Display a Defect in Renal Tubular Calcium Absorption. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3602-3610.	3.0	54
188	Hypervitaminosis D Mediates Compensatory Ca ²⁺ Hyperabsorption in TRPV5 Knockout Mice. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3188-3195.	3.0	85
189	The epithelial Ca ²⁺ channel TRPV5 is essential for proper osteoclastic bone resorption. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2005, 102, 17507-17512.	3.3	164
190	Is vitamin D indispensable for Ca ²⁺ homeostasis: lessons from knockout mouse models?. <i>Nephrology Dialysis Transplantation</i> , 2005, 20, 864-867.	0.4	11
191	Epithelial Ca ²⁺ and Mg ²⁺ Channels in Health and Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 15-26.	3.0	160
192	Calcium Absorption Across Epithelia. <i>Physiological Reviews</i> , 2005, 85, 373-422.	13.1	746
193	Characterization of a murine renal distal convoluted tubule cell line for the study of transcellular calcium transport. <i>American Journal of Physiology - Renal Physiology</i> , 2004, 286, F483-F489.	1.3	37
194	Altered Renal Distal Tubule Structure and Renal Na ⁺ and Ca ²⁺ Handling in a Mouse Model for Gitelman's Syndrome. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 2276-2288.	3.0	205
195	Downregulation of Ca ²⁺ and Mg ²⁺ Transport Proteins in the Kidney Explains Tacrolimus (FK506)-Induced Hypercalciuria and Hypomagnesemia. <i>Journal of the American Society of Nephrology: JASN</i> , 2004, 15, 549-557.	3.0	169
196	TRPM6 Forms the Mg ²⁺ Influx Channel Involved in Intestinal and Renal Mg ²⁺ Absorption. <i>Journal of Biological Chemistry</i> , 2004, 279, 19-25.	1.6	552
197	Regulation of the Mouse Epithelial Ca ²⁺ Channel TRPV6 by the Ca ²⁺ -sensor Calmodulin. <i>Journal of Biological Chemistry</i> , 2004, 279, 28855-28861.	1.6	126
198	80K-H as a New Ca ²⁺ Sensor Regulating the Activity of the Epithelial Ca ²⁺ Channel Transient Receptor Potential Cation Channel V5 (TRPV5). <i>Journal of Biological Chemistry</i> , 2004, 279, 26351-26357.	1.6	65

#	ARTICLE	IF	CITATIONS
199	Molecular Determinants in TRPV5 Channel Assembly. <i>Journal of Biological Chemistry</i> , 2004, 279, 54304-54311.	1.6	79
200	Regulation of gene expression by dietary Ca ²⁺ in kidneys of 25-hydroxyvitamin D ₃ -1 α -hydroxylase knockout mice. <i>Kidney International</i> , 2004, 65, 531-539.	2.6	59
201	Effects of vitamin D compounds on renal and intestinal Ca ²⁺ transport proteins in 25-hydroxyvitamin D ₃ -1 α -hydroxylase knockout mice ¹ . <i>Kidney International</i> , 2004, 66, 1082-1089.	2.6	48
202	Regulation of the epithelial Ca ²⁺ channels TRPV5 and TRPV6 by 1 α ,25-dihydroxy Vitamin D ₃ and dietary Ca ²⁺ . <i>Journal of Steroid Biochemistry and Molecular Biology</i> , 2004, 89-90, 303-308.	1.2	51
203	Functional expression of the epithelial Ca ²⁺ channels (TRPV5 and TRPV6) requires association of the S100A10-annexin 2 complex. <i>EMBO Journal</i> , 2003, 22, 1478-1487.	3.5	253
204	The carboxyl terminus of the epithelial Ca ²⁺ channel ECaC1 is involved in Ca ²⁺ -dependent inactivation. <i>Pflügers Archiv European Journal of Physiology</i> , 2003, 445, 584-588.	1.3	56
205	(Patho)physiological implications of the novel epithelial Ca ²⁺ channels TRPV5 and TRPV6. <i>Pflügers Archiv European Journal of Physiology</i> , 2003, 446, 401-409.	1.3	70
206	Epithelial calcium channels: from identification to function and regulation. <i>Pflügers Archiv European Journal of Physiology</i> , 2003, 446, 304-308.	1.3	90
207	The epithelial calcium channels, TRPV5 & TRPV6: from identification towards regulation. <i>Cell Calcium</i> , 2003, 33, 497-507.	1.1	187
208	Thiazide-induced hypocalciuria is accompanied by a decreased expression of Ca ²⁺ transport proteins in kidney. <i>Kidney International</i> , 2003, 64, 555-564.	2.6	107
209	Localization and Regulation of the Epithelial Ca ²⁺ Channel TRPV6 in the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, 2731-2740.	3.0	185
210	Regulation of the epithelial Ca ²⁺ channels in small intestine as studied by quantitative mRNA detection. <i>American Journal of Physiology - Renal Physiology</i> , 2003, 285, G78-G85.	1.6	155
211	Renal Ca ²⁺ wasting, hyperabsorption, and reduced bone thickness in mice lacking TRPV5. <i>Journal of Clinical Investigation</i> , 2003, 112, 1906-1914.	3.9	202
212	Renal Ca ²⁺ wasting, hyperabsorption, and reduced bone thickness in mice lacking TRPV5. <i>Journal of Clinical Investigation</i> , 2003, 112, 1906-1914.	3.9	406
213	Vitamin D: Biological Effects of 1,25(OH) ₂ D ₃ in the Intestine and the Kidney. , 2003, , 615-620.		0
214	Modulation of renal Ca ²⁺ transport protein genes by dietary Ca ²⁺ and 1,25-dihydroxyvitamin D ₃ in 25-hydroxyvitamin D ₃ -1 α -hydroxylase knockout mice. <i>FASEB Journal</i> , 2002, 16, 1398-1406.	0.2	228
215	Molecular Mechanism of Active Ca ²⁺ Reabsorption in the Distal Nephron. <i>Annual Review of Physiology</i> , 2002, 64, 529-549.	5.6	221
216	Fast and Slow Inactivation Kinetics of the Ca ²⁺ Channels ECaC1 and ECaC2 (TRPV5 and TRPV6). <i>Journal of Biological Chemistry</i> , 2002, 277, 30852-30858.	1.6	92

#	ARTICLE	IF	CITATIONS
217	Epithelial Ca ²⁺ channel (ECAC1) in autosomal dominant idiopathic hypercalciuria. <i>Nephrology Dialysis Transplantation</i> , 2002, 17, 1614-1620.	0.4	42
218	Expression of the Novel Epithelial Ca ²⁺ Channel ECaC1 in Rat Pancreatic Islets. <i>Journal of Histochemistry and Cytochemistry</i> , 2002, 50, 789-798.	1.3	30
219	Native LDL potentiate TNF α and IL-8 production by human mononuclear cells. <i>Journal of Lipid Research</i> , 2002, 43, 1065-1071.	2.0	15
220	1,25-Dihydroxyvitamin D ₃ -Independent Stimulatory Effect of Estrogen on the Expression of ECaC1 in the Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 2102-2109.	3.0	132
221	ECaC: the gatekeeper of transepithelial Ca ²⁺ transport. <i>Biochimica Et Biophysica Acta - Proteins and Proteomics</i> , 2002, 1600, 6-11.	1.1	58
222	Na/P i cotransporter (Npt2) gene disruption increases duodenal calcium absorption and expression of epithelial calcium channels 1 and 2. <i>Pflugers Archiv European Journal of Physiology</i> , 2002, 444, 670-676.	1.3	22
223	Hormonal regulation of phospholipase D activity in Ca ²⁺ transporting cells of rabbit connecting tubule and cortical collecting duct. <i>Biochimica Et Biophysica Acta - Molecular Cell Research</i> , 2001, 1538, 329-338.	1.9	1
224	CaT1 and the Calcium Release-activated Calcium Channel Manifest Distinct Pore Properties. <i>Journal of Biological Chemistry</i> , 2001, 276, 47767-47770.	1.6	212
225	The epithelial calcium channel, ECaC1: molecular details of a novel player in renal calcium handling. <i>Nephrology Dialysis Transplantation</i> , 2001, 16, 1329-1335.	0.4	21
226	Modulation of the epithelial Ca ²⁺ channel ECaC by extracellular pH. <i>Pflugers Archiv European Journal of Physiology</i> , 2001, 442, 237-242.	1.3	51
227	Pharmacological modulation of monovalent cation currents through the epithelial Ca ²⁺ channel ECaC1. <i>British Journal of Pharmacology</i> , 2001, 134, 453-462.	2.7	106
228	Pore properties and ionic block of the rabbit epithelial calcium channel expressed in HEK 293 cells. <i>Journal of Physiology</i> , 2001, 530, 183-191.	1.3	73
229	Distribution of transcellular calcium and sodium transport pathways along mouse distal nephron. <i>American Journal of Physiology - Renal Physiology</i> , 2001, 281, F1021-F1027.	1.3	297
230	The Single Pore Residue Asp542 Determines Ca ²⁺ Permeation and Mg ²⁺ Block of the Epithelial Ca ²⁺ Channel. <i>Journal of Biological Chemistry</i> , 2001, 276, 1020-1025.	1.6	161
231	Calcitriol Controls the Epithelial Calcium Channel in Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2001, 12, 1342-1349.	3.0	220
232	Epithelial calcium channel: gate-keeper of active calcium reabsorption. <i>Current Opinion in Nephrology and Hypertension</i> , 2000, 9, 335-340.	1.0	41
233	Whole-cell and single channel monovalent cation currents through the novel rabbit epithelial Ca ²⁺ channel ECaC. <i>Journal of Physiology</i> , 2000, 527, 239-248.	1.3	145
234	Toward a comprehensive molecular model of active calcium reabsorption. <i>American Journal of Physiology - Renal Physiology</i> , 2000, 278, F352-F360.	1.3	85

#	ARTICLE	IF	CITATIONS
235	Permeation and Gating Properties of the Novel Epithelial Ca ²⁺ Channel. Journal of Biological Chemistry, 2000, 275, 3963-3969.	1.6	288
236	Gene Structure and Chromosomal Mapping of Human Epithelial Calcium Channel. Biochemical and Biophysical Research Communications, 2000, 275, 47-52.	1.0	71
237	Localization of the Epithelial Ca ²⁺ Channel in Rabbit Kidney and Intestine. Journal of the American Society of Nephrology: JASN, 2000, 11, 1171-1178.	3.0	196
238	Hormone-stimulated Ca ²⁺ transport in rabbit kidney: multiple sites of inhibition by exogenous ATP. American Journal of Physiology - Renal Physiology, 1999, 277, F899-F906.	1.3	13
239	Molecular Identification of the Apical Ca ²⁺ Channel in 1,25-Dihydroxyvitamin D ₃ -responsive Epithelia. Journal of Biological Chemistry, 1999, 274, 8375-8378.	1.6	534
240	Hormone-stimulated Ca ²⁺ reabsorption in rabbit kidney cortical collecting system is cAMP-independent and involves a phorbol ester-insensitive PKC isotype. Kidney International, 1999, 55, 225-233.	2.6	68
241	The Epithelial Calcium Channel, ECaC, Is Activated by Hyperpolarization and Regulated by Cytosolic Calcium. Biochemical and Biophysical Research Communications, 1999, 261, 488-492.	1.0	104
242	Adenosine-stimulated Ca ²⁺ reabsorption is mediated by apical A ₁ receptors in rabbit cortical collecting system. American Journal of Physiology - Renal Physiology, 1998, 274, F736-F743.	1.3	19
243	Ruthenium red selectively depletes inositol 1,4,5-trisphosphate-sensitive calcium stores in permeabilized rabbit pancreatic acinar cells. Journal of Membrane Biology, 1993, 135, 153-163.	1.0	10