

Shiu-Dong Chung

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3265820/shiu-dong-chung-publications-by-citations.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

1,845
citations

23
h-index

32
g-index

172
ext. papers

2,183
ext. citations

3.3
avg, IF

4.91
L-index

#	Paper	IF	Citations
164	Association between ischemic stroke and iron-deficiency anemia: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e82952	3.7	71
163	Elevation of serum c-reactive protein in patients with OAB and IC/BPS implies chronic inflammation in the urinary bladder. <i>Neurourology and Urodynamics</i> , 2011 , 30, 417-20	2.3	68
162	CKD as a risk factor for bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 743-53	7.4	44
161	Laparoendoscopic single-site (LESS) retroperitoneal adrenalectomy using a homemade single-access platform and standard laparoscopic instruments. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 1251-6	5.2	41
160	Comorbidity profile of chronic rhinosinusitis: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1536-41	3.6	40
159	Increased risk of stroke among men with erectile dysfunction: a nationwide population-based study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 240-6	1.1	38
158	A case-control study on the association between chronic prostatitis/chronic pelvic pain syndrome and erectile dysfunction. <i>BJU International</i> , 2012 , 110, 726-30	5.6	35
157	Increased risk of diabetes in patients with urinary calculi: a 5-year followup study. <i>Journal of Urology</i> , 2011 , 186, 1888-93	2.5	33
156	Urgency severity scale could predict urodynamic detrusor overactivity in patients with overactive bladder syndrome. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1300-4	2.3	33
155	A 5-Year Follow-up Study on the Relationship between Obstructive Sleep Apnea and Parkinson Disease. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 1403-8	3.1	31
154	Augmentation enterocystoplasty is effective in relieving refractory ketamine-related bladder pain. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1207-11	2.3	31
153	Increased serum C-reactive protein level is associated with increased storage lower urinary tract symptoms in men with benign prostatic hyperplasia. <i>PLoS ONE</i> , 2014 , 9, e85588	3.7	29
152	Increased healthcare service utilizations for patients with dementia: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e105789	3.7	28
151	Population-based estimates of medical comorbidities in erectile dysfunction in a Taiwanese population. <i>Journal of Sexual Medicine</i> , 2011 , 8, 3316-24	1.1	28
150	Long-term outcome of hand-assisted laparoscopic radical nephroureterectomy for upper-tract urothelial carcinoma: comparison with open surgery. <i>Journal of Endourology</i> , 2007 , 21, 595-9	2.7	28
149	Health care service utilization among patients with chronic rhinosinusitis: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1285-9	3.6	27
148	Association between chronic prostatitis/chronic pelvic pain syndrome and anxiety disorder: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e64630	3.7	27

147	No increased risk of dementia in patients receiving androgen deprivation therapy for prostate cancer: a 5-year follow-up study. <i>Asian Journal of Andrology</i> , 2017 , 19, 414-417	2.8	27
146	The efficacy of additive tolterodine extended release for 1-year in older men with storage symptoms and clinical benign prostatic hyperplasia. <i>Neurology and Urodynamics</i> , 2011 , 30, 568-71	2.3	26
145	Healthcare Service Utilization by Patients with Obstructive Sleep Apnea: A Population-Based Study. <i>PLoS ONE</i> , 2015 , 10, e0137459	3.7	25
144	Attention-deficit/hyperactivity disorder increased the risk of injury: a population-based follow-up study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 640-3	3.1	24
143	Chronic prostatitis and depressive disorder: a three year population-based study. <i>Journal of Affective Disorders</i> , 2011 , 134, 404-9	6.6	24
142	Purple urine bag syndrome with acidic urine. <i>International Journal of Infectious Diseases</i> , 2008 , 12, 526-7	10.5	24
141	Routine endoscopy for esophageal cancer is suggestive for patients with oral, oropharyngeal and hypopharyngeal cancer. <i>PLoS ONE</i> , 2013 , 8, e72097	3.7	23
140	Intravesical onabotulinumtoxinA injections for refractory painful bladder syndrome. <i>Pain Physician</i> , 2012 , 15, 197-202	1.8	23
139	A population-based study on the associations between chronic periodontitis and the risk of cancer. <i>International Journal of Clinical Oncology</i> , 2016 , 21, 219-223	4.2	21
138	Statin use increases the risk of depressive disorder in stroke patients: a population-based study. <i>Journal of the Neurological Sciences</i> , 2015 , 348, 89-93	3.2	21
137	Bladder pain syndrome/interstitial cystitis is associated with anxiety disorder. <i>Neurology and Urodynamics</i> , 2014 , 33, 101-5	2.3	21
136	Obstructive sleep apnea and urological comorbidities in males: a population-based study. <i>Sleep and Breathing</i> , 2016 , 20, 1203-1208	3.1	21
135	Increased risk of Parkinson disease following a diagnosis of neovascular age-related macular degeneration: a retrospective cohort study. <i>American Journal of Ophthalmology</i> , 2014 , 157, 464-469.e1	4.9	20
134	Association of rhinosinusitis with nasopharyngeal carcinoma: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1515-20	3.6	20
133	Psoriasis and the risk of erectile dysfunction: a population-based case-control study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 130-5	1.1	20
132	Association of erectile dysfunction with atopic dermatitis: a population-based case-control study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 679-85	1.1	20
131	Comparison of 90-day re-admission rates between open retropubic radical prostatectomy (RRP), laparoscopic RP (LRP) and robot-assisted laparoscopic prostatectomy (RALP). <i>BJU International</i> , 2012 , 110, E966-71	5.6	20
130	Transabdominal ultrasonography of detrusor wall thickness in women with overactive bladder. <i>BJU International</i> , 2010 , 105, 668-72	5.6	20

129	Patients receiving androgen deprivation therapy for prostate cancer have an increased risk of depressive disorder. <i>PLoS ONE</i> , 2017 , 12, e0173266	3.7	20
128	Urinary calculi and an increased risk of stroke: a population-based follow-up study. <i>BJU International</i> , 2012 , 110, E1053-9	5.6	19
127	Association between sepsis and dementia. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 1430-3	2.2	18
126	Increased risk for cancer following erectile dysfunction: a nationwide population-based follow-up study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1513-20	1.1	18
125	Zolpidem Use and the Risk of Injury: A Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2013 , 8, e67459	3.7	18
124	Association between sudden sensorineural hearing loss and anxiety disorder: a population-based study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 2673-8	3.5	17
123	Hormone therapy for prostate cancer and the risk of stroke: a 5-year follow-up study. <i>BJU International</i> , 2012 , 109, 1001-5	5.6	17
122	Association between allergic rhinitis and nasopharyngeal carcinoma: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1744-9	3.6	15
121	A case-control study on the association between bladder cancer and prior bladder calculus. <i>BMC Cancer</i> , 2013 , 13, 117	4.8	15
120	More than 9-times increased risk for pancreatic cancer among patients with acute pancreatitis in Chinese population. <i>Pancreas</i> , 2012 , 41, 142-6	2.6	15
119	Rheumatoid Arthritis Was Negatively Associated with Alzheimer's Disease: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0168106	3.7	15
118	Botulinum Toxin A for Bladder Pain Syndrome/Interstitial Cystitis. <i>Toxins</i> , 2016 , 8,	4.9	15
117	A population-based study on the association between statin use and sudden sensorineural hearing loss. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 152, 319-25	5.5	14
116	Increased Fall Risk in Patients Receiving Androgen Deprivation Therapy for Prostate Cancer. <i>Urology</i> , 2016 , 95, 145-50	1.6	14
115	Herpes zoster is associated with prior statin use: a population-based case-control study. <i>PLoS ONE</i> , 2014 , 9, e111268	3.7	14
114	Poor clinical outcomes among pneumonia patients with depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e116436	3.7	14
113	Feasibility and safety of total extraperitoneal inguinal hernia repair after previous lower abdominal surgery: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3353-6	5.2	14
112	Laparoendoscopic single-site (LESS) nephroureterectomy and en bloc resection of bladder cuff with a novel extravesical endoloop technique. <i>Surgical Innovation</i> , 2010 , 17, 361-5	2	14

111	Intermediate follow-up of hand-assisted retroperitoneoscopic nephroureterectomy for management of upper urinary tract urothelial carcinoma: comparison with open nephroureterectomy. <i>Urology</i> , 2007 , 69, 1030-4	1.6	14
110	Endometriosis increased the risk of bladder pain syndrome/interstitial cystitis: A population-based study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1413-1418	2.3	13
109	Dementia is associated with iron-deficiency anemia in females: a population-based study. <i>Journal of the Neurological Sciences</i> , 2014 , 346, 90-3	3.2	13
108	Bladder pain syndrome/interstitial cystitis increase the risk of coronary heart disease. <i>Neurourology and Urodynamics</i> , 2014 , 33, 511-5	2.3	13
107	A population-based study on the association between urinary calculi and kidney cancer. <i>Canadian Urological Association Journal</i> , 2013 , 7, E716-21	1.2	13
106	Minilaparoscopic varicocelectomy with preservation of testicular artery and lymphatic vessels by using intracorporeal knot-tying technique: five-year experience. <i>World Journal of Surgery</i> , 2011 , 35, 1785-1790	3.0	13
105	Association between viral hepatitis and erectile dysfunction: a population-based case-control analysis. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1295-302	1.1	12
104	Primary synovial sarcoma of the kidney. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 344-7	3.2	12
103	Allergic Rhinitis Is Associated With Periodontitis: A Population-Based Study. <i>Journal of Periodontology</i> , 2016 , 87, 749-55	4.6	12
102	Sialolithiasis is associated with nephrolithiasis: a case-control study. <i>Acta Oto-Laryngologica</i> , 2016 , 136, 497-500	1.6	11
101	Urinary calculi increase the risk for adverse pregnancy outcomes: a nationwide study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 69-74	3.8	11
100	Association between Testicular Cancer and Epididymoorchitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016 , 6, 23079	4.9	11
99	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015 , 38, 6-12	1.6	10
98	Preliminary evidence of polymorphisms of cell cycle regulatory genes and their roles in urinary tract urothelial cancer susceptibility and prognosis in a Taiwan population. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 543.e7-543.e16	2.8	10
97	Robot-Assisted Laparoscopic Nephroureterectomy versus Hand-Assisted Laparoscopic Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: A Matched Comparison Study. <i>BioMed Research International</i> , 2015 , 2015, 918486	3	10
96	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 921-5	3.8	10
95	Quinolone prophylaxis in transrectal ultrasound guided prostate biopsy: an eight-year single center experience. <i>Scientific World Journal, The</i> , 2013 , 2013, 452107	2.2	10
94	Association between neovascular age-related macular degeneration and dementia: a population-based case-control study in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0120003	3.7	10

93	Hyperlipidemia Is Associated with Chronic Urticaria: A Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0150304	10
92	Follow-up study on the relationship between alopecia areata and risk of autoimmune diseases. <i>Journal of Dermatology</i> , 2016 , 43, 228-9	1.6 9
91	Appendectomy increased the risk of ischemic heart disease. <i>Journal of Surgical Research</i> , 2015 , 199, 435-49	8
90	Statin use and thyroid cancer: a population-based case-control study. <i>Clinical Endocrinology</i> , 2015 , 83, 111-6	3.4 8
89	Prevalence of chronic diseases among physicians in Taiwan: a population-based cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e009954	3 8
88	Allergic rhinitis is associated with open-angle glaucoma: a population-based case-control study. <i>American Journal of Rhinology and Allergy</i> , 2014 , 28, e148-51	2.4 8
87	Open-angle glaucoma and the risk of erectile dysfunction: a population-based case-control study. <i>Ophthalmology</i> , 2012 , 119, 289-93	7.3 8
86	Lower utilization of cervical cancer screening by nurses in Taiwan: a nationwide population-based study. <i>Preventive Medicine</i> , 2011 , 53, 82-4	4.3 8
85	L-shaped cross-fused kidney with stone. <i>Urology</i> , 2009 , 73, 61-2	1.6 8
84	Association between prostate cancer and urinary calculi: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e57743	3.7 8
83	I-Tiao-Gung extract through its active component daidzin improves cyclophosphamide-induced bladder dysfunction in rat model. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2560-2570	2.3 8
82	Alopecia Areata Increases the Risk of Stroke: a 3-year Follow-Up Study. <i>Scientific Reports</i> , 2015 , 5, 11718	4.9 7
81	Association between statin use and Bell's palsy: a population-based study. <i>Drug Safety</i> , 2014 , 37, 735-42	5.1 7
80	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: a population-based matched-cohort study. <i>Neurourology and Urodynamics</i> , 2014 , 33, 278-82	2.3 7
79	Nonoperative treatment for intraperitoneal bladder rupture. <i>Urological Science</i> , 2014 , 25, 70-72	0.3 7
78	Association between psoriasis and neovascular age-related macular degeneration: A population-based study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 1090-2	4.5 7
77	Increased risk of pneumonia in patients receiving gonadotropin-releasing hormone agonists for prostate cancer. <i>PLoS ONE</i> , 2014 , 9, e101254	3.7 7
76	Laparoscopic resection of gastric gastrointestinal stromal tumors presenting as left adrenal tumors. <i>World Journal of Gastroenterology</i> , 2012 , 18, 96-8	5.6 7

75	Association of sialolithiasis with cholelithiasis: A population-based study. <i>Head and Neck</i> , 2016 , 38, 560-34.2		7
74	Increased risk of depressive disorder following a diagnosis of neovascular age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2015 , 93, e176-7	3.7	6
73	Increased risk for stroke in burn patients: a population-based one-year follow-up study. <i>Burns</i> , 2014 , 40, 54-60	2.3	6
72	Association between urinary calculi and erectile dysfunction: a case-control study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2876-82	1.1	6
71	Surgery decreases the long-term incident stroke risk in patients with primary aldosteronism. <i>Surgery</i> , 2020 , 167, 367-377	3.6	6
70	Increased Risk of Clinically Significant Gallstones Following an Appendectomy: A Five-Year Follow-Up Study. <i>PLoS ONE</i> , 2016 , 11, e0165829	3.7	6
69	A case-control study of chronic prostatitis/chronic pelvic pain syndrome and colorectal cancer. <i>BJU International</i> , 2012 , 110, 550-4	5.6	5
68	Association between herpes zoster and alopecia areata: A population-based study. <i>Journal of Dermatology</i> , 2015 , 42, 824-5	1.6	5
67	Dementia is associated with chronic rhinosinusitis: a population-based case-controlled study. <i>American Journal of Rhinology and Allergy</i> , 2015 , 29, 44-7	2.4	5
66	Health care service utilization among patients with bladder pain syndrome/interstitial cystitis in a single payer healthcare system. <i>PLoS ONE</i> , 2014 , 9, e87522	3.7	5
65	Bladder pain syndrome/interstitial cystitis is associated with hyperthyroidism. <i>PLoS ONE</i> , 2013 , 8, e72284.7		5
64	Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3-Year Follow-up Study. <i>Journal of Clinical Pharmacology</i> , 2017 , 57, 1064-1070	2.9	4
63	Increased fall risk in patients with neovascular age-related macular degeneration: a three-year follow-up study. <i>Acta Ophthalmologica</i> , 2017 , 95, e800-e801	3.7	4
62	Increased risk of ischemic stroke among women with bladder pain syndrome/interstitial cystitis: a cohort study from Taiwan. <i>Neurourology and Urodynamics</i> , 2015 , 34, 44-9	2.3	4
61	Increased risk for urological cancer associated with anxiety disorder: a retrospective cohort study. <i>BMC Urology</i> , 2016 , 16, 67	2.2	4
60	Increased risk of pneumonia following pyogenic liver abscess: a nationwide population-based study. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e634-7	10.5	4
59	Incremental Healthcare Service Utilization for Open-angle Glaucoma: A Population-Based Study. <i>Journal of Glaucoma</i> , 2015 , 24, e116-20	2.1	4
58	Increased risk of depressive disorder within 1 year after diagnosis with urinary calculi in Taiwan. <i>Psychiatry Research</i> , 2012 , 198, 332-3	9.9	4

57	Laparo-endoscopic single-site (LESS) bilateral nephroureterectomy for patients with end-stage renal disease. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2013 , 22, 61-4	2.1	4
56	Retroperitoneoscopic laparo-endoscopic single-site radical nephrectomy (RLESS-RN): initial experience with a homemade port. <i>World Journal of Surgical Oncology</i> , 2011 , 9, 138	3.4	4
55	Intrathoracic kidney with right Bochdalek's hernia. <i>Kidney International</i> , 2010 , 77, 166	9.9	4
54	Alzheimer's disease is associated with prostate cancer: a population-based study. <i>Oncotarget</i> , 2018 , 9, 7616-7622	3.3	4
53	Associations between Peripheral Thromboembolic Vascular Disease and Androgen Deprivation Therapy in Asian Prostate Cancer Patients. <i>Scientific Reports</i> , 2019 , 9, 14231	4.9	3
52	Bladder pain syndrome/interstitial cystitis is associated with asthma: A case-control study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1773-1778	2.3	3
51	Increased Risk for Adhesive Capsulitis of the Shoulder following Cervical Disc Surgery. <i>Scientific Reports</i> , 2016 , 6, 26898	4.9	3
50	Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1029-34	2.6	3
49	Correlation Between Bladder Pain Syndrome/Interstitial Cystitis and Pelvic Inflammatory Disease. <i>Medicine (United States)</i> , 2015 , 94, e1878	1.8	3
48	Weekly and holiday-related patterns of panic attacks in panic disorder: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e100913	3.7	3
47	Increased risk of benign prostatic enlargement among patients with liver cirrhosis: a nationwide population-based study. <i>Journal of Andrology</i> , 2011 , 32, 159-64		3
46	Hyperthyroidism and female urinary incontinence: a population-based cohort study. <i>Clinical Endocrinology</i> , 2011 , 75, 704-8	3.4	3
45	Bilateral renal infarction. <i>Urology</i> , 2009 , 73, 273-4	1.6	3
44	Urethro-subcutaneous fistula and bilateral abscesses of the thighs. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e523-4	10.5	3
43	Emphysematous pyelonephritis with acute renal failure. <i>Urology</i> , 2008 , 72, 521-2	1.6	3
42	Metastatic prostatic adenocarcinoma in an inguinal hernia sac in a patient with undetectable serum prostate specific antigen level. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 397-9	3.2	3
41	Comparing Oncological Outcomes and Surgical Complications of Hand-Assisted, Laparoscopic and Robotic Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 731460	5.3	3
40	Decreased clinic visits for acute respiratory infections following an adult tonsillectomy: A population-based study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017 , 38, 488-491	2.8	2

39	Chronic prostatitis/chronic pelvic pain syndrome is associated with previous colonoscopy. <i>Canadian Urological Association Journal</i> , 2017 , 11, E367-E371	1.2	2
38	Thyroxin Use Is Associated With Increased Risk of Thyroid Cancer in Patients With Hypothyroidism. <i>Journal of Clinical Pharmacology</i> , 2018 , 58, 29-33	2.9	2
37	A tonsillectomy increased the risk of chronic rhinosinusitis among children: A three-year follow-up study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 91, 82-85	1.7	2
36	Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. <i>Scientific Reports</i> , 2015 , 5, 18044	4.9	2
35	An unusual cause of pyonephrosis and intra-peritoneal abscess: ureteral urothelial carcinoma. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e39-40	10.5	2
34	Pyelo-hepatic fistula. <i>Urology</i> , 2008 , 72, 524	1.6	2
33	Renal stone-associated squamous cell carcinoma and pyelo-colo-duodenal fistula. <i>Urology</i> , 2008 , 72, 1013	1.6	2
32	Healthcare utilization and costs in patients with benign prostatic hyperplasia: a population-based study. <i>Asian Journal of Andrology</i> , 2016 , 18, 942-945	2.8	2
31	Tumor distribution affects bladder recurrence but not survival outcome of multifocal upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Scientific Reports</i> , 2021 , 11, 19059	4.9	2
30	Robot-assisted laparoscopic nephroureterectomy for upper tract urothelial carcinoma (UT-UC). <i>Urological Science</i> , 2017 , 28, 63-65	0.3	1
29	Relation Between Mitral Valve Prolapse and Erectile Dysfunction (from a Nationwide Case-Control Study). <i>American Journal of Cardiology</i> , 2019 , 124, 1590-1593	3	1
28	Fewer acute respiratory infection episodes among patients receiving treatment for gastroesophageal reflux disease. <i>PLoS ONE</i> , 2017 , 12, e0172436	3.7	1
27	Percutaneous nephrolithotomy increases the risk of diabetes: a 5-year follow-up study. <i>International Journal of Urology</i> , 2014 , 21, 664-8	2.3	1
26	Association of cataract with chronic rhinosinusitis: a population-based case-control study. <i>Ophthalmic Epidemiology</i> , 2014 , 21, 391-6	1.9	1
25	Acute abdomen with coffee bean sign. <i>Emergency Medicine Journal</i> , 2011 , 28, 826	1.5	1
24	Primary obstructive megaureter with ruptured kidney. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 133.e5-133.e6	2.9	1
23	Bilateral seminal vesicle abscesses. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e37-8	10.5	1
22	Lethal infected seminal vesicle cyst. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e197-8	10.5	1

21	Novel treatments for men with lower urinary tract symptoms suggestive of benign prostate hyperplasia. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 349-52	3.2	1
20	Nephrectomy Type Was Not Associated with a Subsequent Risk of Coronary Heart Disease: A Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0163253	3.7	1
19	Association of erectile dysfunction with tinnitus: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 6982	4.9	1
18	Comparison of oncological outcomes for hand-assisted and pure laparoscopic radical nephroureterectomy: results from the Taiwan Upper Tract Urothelial Cancer Collaboration Group. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	0
17	Changes in Glucose Metabolism after Adrenalectomy or Treatment with a Mineralocorticoid Receptor Antagonist for Primary Aldosteronism. <i>Endocrinology and Metabolism</i> , 2020 , 35, 838-846	3.5	0
16	Increased risk of acute coronary syndrome among patients with urinary stone disease: a nationwide population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e102349	3.7	0
15	Impact of Adjuvant Chemotherapy on Variant Histology of Upper Tract Urothelial Carcinoma: A Propensity Score-Matched Cohort Analysis.. <i>Frontiers in Oncology</i> , 2022 , 12, 843715	5.3	0
14	Onabotulinumtoxin-A for the treatment of interstitial cystitis refractory to conventional therapy. <i>Tzu Chi Medical Journal</i> , 2012 , 24, 43-45	1.1	
13	Robot-assisted nephroureterectomy for upper tract urothelial carcinoma: Initial experience. <i>Tzu Chi Medical Journal</i> , 2013 , 25, 165-167	1.1	
12	Re: Kim et al.: The efficacy of extracorporeal magnetic stimulation for treatment of chronic prostatitis/chronic pelvic pain syndrome patients who do not respond to pharmacotherapy (Urology 2013;82:894-898). <i>Urology</i> , 2014 , 83, 959-60	1.6	
11	Pneumoureter. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e79-80	10.5	
10	Pott's disease with bilateral paraspinal abscesses. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e335-6	10.5	
9	Afebrile emphysematous pyelonephritis. <i>International Journal of Infectious Diseases</i> , 2008 , 12, e161	10.5	
8	Re: Zhiwen Chen, Peng He, Xiaozhou Zhou, et al. Preliminary Functional Outcome Following Robotic Intracorporeal Orthotopic Ileal Neobladder Suspension with Round Ligaments in Women with Bladder Cancer. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.012 .. <i>European Urology</i> , 2022	10.2	
7	Concomitant carcinoma in situ is an independent prognostic predictor for patients with localized lymph node-negative upper-tract urothelial carcinoma undergoing nephroureterectomy. <i>Journal of Clinical Urology</i> , 205141582110407	0.2	
6	Chronic kidney disease stages, intravesical therapy regimens, and regular cystoscopic follow-up may also impact the survival of urinary tract urothelial carcinoma patients.. <i>Translational Andrology and Urology</i> , 2022 , 11, 571-572	2.3	
5	Comments on "Ureteroscopy lithotripsy combined with paravertebral block anesthesia or general anesthesia: A propensity matched case-control study".. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	
4	Re: Britta Gröbe, Fabian Siegel, Frank Waldbillig, et al. Long-term Reinterventions after Thulium Laser Enucleation of the Prostate: 12-Year Experience with more than 1000 Patients. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2021.12.006 .. <i>European Urology Focus</i> , 2022 ,	5.1	

- 3 Laparoscopic adrenalectomy with partial hepatectomy for a locally advanced pheochromocytoma.. *Asian Journal of Surgery*, **2022**, 1.6
- 2 Re:The influence of the long duration from biopsy to surgery on biochemical recurrence after robot-assisted radical prostatectomy in Japanese patients.. *Asian Journal of Surgery*, **2022**, 1.6
- 1 Cystic pheochromocytoma leading to multisystem crisis: A silent and hazardous neoplasm.. *Asian Journal of Surgery*, **2022**, 1.6