

Shiu-Dong Chung

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3265820/shiu-dong-chung-publications-by-year.pdf>

Version: 2024-04-27

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

164
papers

1,845
citations

23
h-index

32
g-index

172
ext. papers

2,183
ext. citations

3.3
avg, IF

4.91
L-index

#	Paper	IF	Citations
164	Re: Zhiwen Chen, Peng He, Xiaozhou Zhou, et al. Preliminary Functional Outcome Following Robotic Intracorporeal Orthotopic Ileal Neobladder Suspension with Round Ligaments in Women with Bladder Cancer. <i>Eur Urol</i> . In press. https://doi.org/10.1016/j.eururo.2021.11.012 . <i>European Urology</i> , 2022 , 11, 571-572	10.2	
163	Chronic kidney disease stages, intravesical therapy regimens, and regular cystoscopic follow-up may also impact the survival of urinary tract urothelial carcinoma patients.. <i>Translational Andrology and Urology</i> , 2022 , 11, 571-572	2.3	
162	Comments on "Ureteroscopic lithotripsy combined with paravertebral block anesthesia or general anesthesia: A propensity matched case-control study" .. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	
161	Re: Britta Grße, Fabian Siegel, Frank Waldbillig, et al. Long-term Reinterventions after Thulium Laser Enucleation of the Prostate: 12-Year Experience with more than 1000 Patients. <i>Eur Urol Focus</i> . In press. https://doi.org/10.1016/j.euf.2021.12.006 . <i>European Urology Focus</i> , 2022 ,	5.1	
160	Laparoscopic adrenalectomy with partial hepatectomy for a locally advanced pheochromocytoma.. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	
159	Re:The influence of the long duration from biopsy to surgery on biochemical recurrence after robot-assisted radical prostatectomy in Japanese patients.. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	
158	Impact of Adjuvant Chemotherapy on Variant Histology of Upper Tract Urothelial Carcinoma: A Propensity Score-Matched Cohort Analysis.. <i>Frontiers in Oncology</i> , 2022 , 12, 843715	5.3	0
157	Cystic pheochromocytoma leading to multisystem crisis: A silent and hazardous neoplasm.. <i>Asian Journal of Surgery</i> , 2022 ,	1.6	
156	Comparing Oncological Outcomes and Surgical Complications of Hand-Assisted, Laparoscopic and Robotic Nephroureterectomy for Upper Tract Urothelial Carcinoma. <i>Frontiers in Oncology</i> , 2021 , 11, 731460	5.2	3
155	Comparison of oncological outcomes for hand-assisted and pure laparoscopic radical nephroureterectomy: results from the Taiwan Upper Tract Urothelial Cancer Collaboration Group. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2021 , 1	5.2	0
154	Association of erectile dysfunction with tinnitus: a nationwide population-based study. <i>Scientific Reports</i> , 2021 , 11, 6982	4.9	1
153	Tumor distribution affects bladder recurrence but not survival outcome of multifocal upper tract urothelial carcinoma treated with radical nephroureterectomy. <i>Scientific Reports</i> , 2021 , 11, 19059	4.9	2
152	Changes in Glucose Metabolism after Adrenalectomy or Treatment with a Mineralocorticoid Receptor Antagonist for Primary Aldosteronism. <i>Endocrinology and Metabolism</i> , 2020 , 35, 838-846	3.5	0
151	Surgery decreases the long-term incident stroke risk in patients with primary aldosteronism. <i>Surgery</i> , 2020 , 167, 367-377	3.6	6
150	Relation Between Mitral Valve Prolapse and Erectile Dysfunction (from a Nationwide Case-Control Study). <i>American Journal of Cardiology</i> , 2019 , 124, 1590-1593	3	1
149	Associations between Peripheral Thromboembolic Vascular Disease and Androgen Deprivation Therapy in Asian Prostate Cancer Patients. <i>Scientific Reports</i> , 2019 , 9, 14231	4.9	3
148	Bladder pain syndrome/interstitial cystitis is associated with asthma: A case-control study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1773-1778	2.3	3

147	Endometriosis increased the risk of bladder pain syndrome/interstitial cystitis: A population-based study. <i>Neurourology and Urodynamics</i> , 2018 , 37, 1413-1418	2.3	13
146	Thyroxin Use Is Associated With Increased Risk of Thyroid Cancer in Patients With Hypothyroidism. <i>Journal of Clinical Pharmacology</i> , 2018 , 58, 29-33	2.9	2
145	I-Tiao-Gung extract through its active component daidzin improves cyclophosphamide-induced bladder dysfunction in rat model. <i>Neurourology and Urodynamics</i> , 2018 , 37, 2560-2570	2.3	8
144	Alzheimer's disease is associated with prostate cancer: a population-based study. <i>Oncotarget</i> , 2018 , 9, 7616-7622	3.3	4
143	Antimuscarinic Use in Females With Overactive Bladder Syndrome Increases the Risk of Depressive Disorder: A 3-Year Follow-up Study. <i>Journal of Clinical Pharmacology</i> , 2017 , 57, 1064-1070	2.9	4
142	Decreased clinic visits for acute respiratory infections following an adult tonsillectomy: A population-based study. <i>American Journal of Otolaryngology - Head and Neck Medicine and Surgery</i> , 2017 , 38, 488-491	2.8	2
141	Robot-assisted laparoscopic nephroureterectomy for upper tract urothelial carcinoma (UT-UC). <i>Urological Science</i> , 2017 , 28, 63-65	0.3	1
140	Increased fall risk in patients with neovascular age-related macular degeneration: a three-year follow-up study. <i>Acta Ophthalmologica</i> , 2017 , 95, e800-e801	3.7	4
139	Fewer acute respiratory infection episodes among patients receiving treatment for gastroesophageal reflux disease. <i>PLoS ONE</i> , 2017 , 12, e0172436	3.7	1
138	Chronic prostatitis/chronic pelvic pain syndrome is associated with previous colonoscopy. <i>Canadian Urological Association Journal</i> , 2017 , 11, E367-E371	1.2	2
137	Preliminary evidence of polymorphisms of cell cycle regulatory genes and their roles in urinary tract urothelial cancer susceptibility and prognosis in a Taiwan population. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2017 , 35, 543.e7-543.e16	2.8	10
136	Patients receiving androgen deprivation therapy for prostate cancer have an increased risk of depressive disorder. <i>PLoS ONE</i> , 2017 , 12, e0173266	3.7	20
135	No increased risk of dementia in patients receiving androgen deprivation therapy for prostate cancer: a 5-year follow-up study. <i>Asian Journal of Andrology</i> , 2017 , 19, 414-417	2.8	27
134	A population-based study on the associations between chronic periodontitis and the risk of cancer. <i>International Journal of Clinical Oncology</i> , 2016 , 21, 219-223	4.2	21
133	Increased Fall Risk in Patients Receiving Androgen Deprivation Therapy for Prostate Cancer. <i>Urology</i> , 2016 , 95, 145-50	1.6	14
132	Increased Risk for Adhesive Capsulitis of the Shoulder following Cervical Disc Surgery. <i>Scientific Reports</i> , 2016 , 6, 26898	4.9	3
131	A tonsillectomy increased the risk of chronic rhinosinusitis among children: A three-year follow-up study. <i>International Journal of Pediatric Otorhinolaryngology</i> , 2016 , 91, 82-85	1.7	2
130	Prevalence of chronic diseases among physicians in Taiwan: a population-based cross-sectional study. <i>BMJ Open</i> , 2016 , 6, e009954	3	8

129	Increased risk for urological cancer associated with anxiety disorder: a retrospective cohort study. <i>BMC Urology</i> , 2016 , 16, 67	2.2	4
128	Sialolithiasis is associated with nephrolithiasis: a case-control study. <i>Acta Oto-Laryngologica</i> , 2016 , 136, 497-500	1.6	11
127	Hyperlipidemia Is Associated with Chronic Urticaria: A Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0150304	3.0	10
126	Nephrectomy Type Was Not Associated with a Subsequent Risk of Coronary Heart Disease: A Population-Based Study. <i>PLoS ONE</i> , 2016 , 11, e0163253	3.7	1
125	Rheumatoid Arthritis Was Negatively Associated with Alzheimer's Disease: A Population-Based Case-Control Study. <i>PLoS ONE</i> , 2016 , 11, e0168106	3.7	15
124	Healthcare utilization and costs in patients with benign prostatic hyperplasia: a population-based study. <i>Asian Journal of Andrology</i> , 2016 , 18, 942-945	2.8	2
123	Increased Risk of Clinically Significant Gallstones Following an Appendectomy: A Five-Year Follow-Up Study. <i>PLoS ONE</i> , 2016 , 11, e0165829	3.7	6
122	Botulinum Toxin A for Bladder Pain Syndrome/Interstitial Cystitis. <i>Toxins</i> , 2016 , 8,	4.9	15
121	Follow-up study on the relationship between alopecia areata and risk of autoimmune diseases. <i>Journal of Dermatology</i> , 2016 , 43, 228-9	1.6	9
120	Association of sialolithiasis with cholelithiasis: A population-based study. <i>Head and Neck</i> , 2016 , 38, 560-34.2	4.2	7
119	Association between Testicular Cancer and Epididymoorchitis: A Population-Based Case-Control Study. <i>Scientific Reports</i> , 2016 , 6, 23079	4.9	11
118	Obstructive sleep apnea and urological comorbidities in males: a population-based study. <i>Sleep and Breathing</i> , 2016 , 20, 1203-1208	3.1	21
117	Allergic Rhinitis Is Associated With Periodontitis: A Population-Based Study. <i>Journal of Periodontology</i> , 2016 , 87, 749-55	4.6	12
116	Increased risk of ischemic stroke among women with bladder pain syndrome/interstitial cystitis: a cohort study from Taiwan. <i>Neurourology and Urodynamics</i> , 2015 , 34, 44-9	2.3	4
115	Appendectomy increased the risk of ischemic heart disease. <i>Journal of Surgical Research</i> , 2015 , 199, 435-40	4.0	8
114	A population-based study on the association between statin use and sudden sensorineural hearing loss. <i>Otolaryngology - Head and Neck Surgery</i> , 2015 , 152, 319-25	5.5	14
113	Association between sepsis and dementia. <i>Journal of Clinical Neuroscience</i> , 2015 , 22, 1430-3	2.2	18
112	Alopecia Areata Increases the Risk of Stroke: a 3-year Follow-Up Study. <i>Scientific Reports</i> , 2015 , 5, 117184.9	4.9	7

111	Increased risk of depressive disorder following a diagnosis of neovascular age-related macular degeneration. <i>Acta Ophthalmologica</i> , 2015 , 93, e176-7	3.7	6
110	Laparoendoscopic single-site (LESS) retroperitoneal partial adrenalectomy using a custom-made single-access platform and standard laparoscopic instruments: technical considerations and surgical outcomes. <i>Asian Journal of Surgery</i> , 2015 , 38, 6-12	1.6	10
109	Statin use and thyroid cancer: a population-based case-control study. <i>Clinical Endocrinology</i> , 2015 , 83, 111-6	3.4	8
108	Association between sudden sensorineural hearing loss and anxiety disorder: a population-based study. <i>European Archives of Oto-Rhino-Laryngology</i> , 2015 , 272, 2673-8	3.5	17
107	Acute Appendicitis Is Associated with Peptic Ulcers: A Population-based Study. <i>Scientific Reports</i> , 2015 , 5, 18044	4.9	2
106	Association between herpes zoster and alopecia areata: A population-based study. <i>Journal of Dermatology</i> , 2015 , 42, 824-5	1.6	5
105	Dementia is associated with chronic rhinosinusitis: a population-based case-controlled study. <i>American Journal of Rhinology and Allergy</i> , 2015 , 29, 44-7	2.4	5
104	Incremental Healthcare Service Utilization for Open-angle Glaucoma: A Population-Based Study. <i>Journal of Glaucoma</i> , 2015 , 24, e116-20	2.1	4
103	Healthcare Service Utilization by Patients with Obstructive Sleep Apnea: A Population-Based Study. <i>PLoS ONE</i> , 2015 , 10, e0137459	3.7	25
102	Robot-Assisted Laparoscopic Nephroureterectomy versus Hand-Assisted Laparoscopic Nephroureterectomy for Upper Urinary Tract Urothelial Carcinoma: A Matched Comparison Study. <i>BioMed Research International</i> , 2015 , 2015, 918486	3	10
101	A 5-Year Follow-up Study on the Relationship between Obstructive Sleep Apnea and Parkinson Disease. <i>Journal of Clinical Sleep Medicine</i> , 2015 , 11, 1403-8	3.1	31
100	Association between psoriasis and neovascular age-related macular degeneration: A population-based study. <i>Journal of the American Academy of Dermatology</i> , 2015 , 72, 1090-2	4.5	7
99	Correlation Between Bladder Pain Syndrome/Interstitial Cystitis and Pelvic Inflammatory Disease. <i>Medicine (United States)</i> , 2015 , 94, e1878	1.8	3
98	Statin use increases the risk of depressive disorder in stroke patients: a population-based study. <i>Journal of the Neurological Sciences</i> , 2015 , 348, 89-93	3.2	21
97	Association between neovascular age-related macular degeneration and dementia: a population-based case-control study in Taiwan. <i>PLoS ONE</i> , 2015 , 10, e0120003	3.7	10
96	Dementia is associated with iron-deficiency anemia in females: a population-based study. <i>Journal of the Neurological Sciences</i> , 2014 , 346, 90-3	3.2	13
95	Prescriptions for category D and X drugs during pregnancy in Taiwan: a population-based study. <i>Pharmacoepidemiology and Drug Safety</i> , 2014 , 23, 1029-34	2.6	3
94	Association between statin use and Bell's palsy: a population-based study. <i>Drug Safety</i> , 2014 , 37, 735-42	5.1	7

93	Obstructive sleep apnea increases the risk of bladder pain syndrome/interstitial cystitis: a population-based matched-cohort study. <i>Neurourology and Urodynamics</i> , 2014 , 33, 278-82	2.3	7
92	Percutaneous nephrolithotomy increases the risk of diabetes: a 5-year follow-up study. <i>International Journal of Urology</i> , 2014 , 21, 664-8	2.3	1
91	Association between allergic rhinitis and nasopharyngeal carcinoma: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1744-9	3.6	15
90	Increased risk of Parkinson disease following a diagnosis of neovascular age-related macular degeneration: a retrospective cohort study. <i>American Journal of Ophthalmology</i> , 2014 , 157, 464-469.e1	4.9	20
89	Association of rhinosinusitis with nasopharyngeal carcinoma: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1515-20	3.6	20
88	Nonoperative treatment for intraperitoneal bladder rupture. <i>Urological Science</i> , 2014 , 25, 70-72	0.3	7
87	Increased risk for stroke in burn patients: a population-based one-year follow-up study. <i>Burns</i> , 2014 , 40, 54-60	2.3	6
86	Allergic rhinitis is associated with open-angle glaucoma: a population-based case-control study. <i>American Journal of Rhinology and Allergy</i> , 2014 , 28, e148-51	2.4	8
85	Health care service utilization among patients with bladder pain syndrome/interstitial cystitis in a single payer healthcare system. <i>PLoS ONE</i> , 2014 , 9, e87522	3.7	5
84	Weekly and holiday-related patterns of panic attacks in panic disorder: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e100913	3.7	3
83	Increased risk of pneumonia in patients receiving gonadotropin-releasing hormone agonists for prostate cancer. <i>PLoS ONE</i> , 2014 , 9, e101254	3.7	7
82	Increased healthcare service utilizations for patients with dementia: a population-based study. <i>PLoS ONE</i> , 2014 , 9, e105789	3.7	28
81	Herpes zoster is associated with prior statin use: a population-based case-control study. <i>PLoS ONE</i> , 2014 , 9, e111268	3.7	14
80	Poor clinical outcomes among pneumonia patients with depressive disorder. <i>PLoS ONE</i> , 2014 , 9, e116436	3.7	14
79	Association of cataract with chronic rhinosinusitis: a population-based case-control study. <i>Ophthalmic Epidemiology</i> , 2014 , 21, 391-6	1.9	1
78	Bladder pain syndrome/interstitial cystitis increase the risk of coronary heart disease. <i>Neurourology and Urodynamics</i> , 2014 , 33, 511-5	2.3	13
77	Comorbidity profile of chronic rhinosinusitis: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1536-41	3.6	40
76	Bladder pain syndrome/interstitial cystitis is associated with anxiety disorder. <i>Neurourology and Urodynamics</i> , 2014 , 33, 101-5	2.3	21

75	Association of dysmenorrhea with interstitial cystitis/bladder pain syndrome: a case-control study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2014 , 93, 921-5	3.8	10
74	Health care service utilization among patients with chronic rhinosinusitis: a population-based study. <i>Laryngoscope</i> , 2014 , 124, 1285-9	3.6	27
73	Augmentation enterocystoplasty is effective in relieving refractory ketamine-related bladder pain. <i>Neurourology and Urodynamics</i> , 2014 , 33, 1207-11	2.3	31
72	Re: Kim et al.: The efficacy of extracorporeal magnetic stimulation for treatment of chronic prostatitis/chronic pelvic pain syndrome patients who do not respond to pharmacotherapy (Urology 2013;82:894-898). <i>Urology</i> , 2014 , 83, 959-60	1.6	
71	Increased serum C-reactive protein level is associated with increased storage lower urinary tract symptoms in men with benign prostatic hyperplasia. <i>PLoS ONE</i> , 2014 , 9, e85588	3.7	29
70	Increased risk of acute coronary syndrome among patients with urinary stone disease: a nationwide population-based cohort study. <i>PLoS ONE</i> , 2014 , 9, e102349	3.7	0
69	A case-control study on the association between bladder cancer and prior bladder calculus. <i>BMC Cancer</i> , 2013 , 13, 117	4.8	15
68	Increased risk of pneumonia following pyogenic liver abscess: a nationwide population-based study. <i>International Journal of Infectious Diseases</i> , 2013 , 17, e634-7	10.5	4
67	Robot-assisted nephroureterectomy for upper tract urothelial carcinoma: Initial experience. <i>Tzu Chi Medical Journal</i> , 2013 , 25, 165-167	1.1	
66	Urinary calculi increase the risk for adverse pregnancy outcomes: a nationwide study. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2013 , 92, 69-74	3.8	11
65	Attention-deficit/hyperactivity disorder increased the risk of injury: a population-based follow-up study. <i>Acta Paediatrica, International Journal of Paediatrics</i> , 2013 , 102, 640-3	3.1	24
64	Laparo-endoscopic single-site (LESS) bilateral nephroureterectomy for patients with end-stage renal disease. <i>Minimally Invasive Therapy and Allied Technologies</i> , 2013 , 22, 61-4	2.1	4
63	A population-based study on the association between urinary calculi and kidney cancer. <i>Canadian Urological Association Journal</i> , 2013 , 7, E716-21	1.2	13
62	Routine endoscopy for esophageal cancer is suggestive for patients with oral, oropharyngeal and hypopharyngeal cancer. <i>PLoS ONE</i> , 2013 , 8, e72097	3.7	23
61	Quinolone prophylaxis in transrectal ultrasound guided prostate biopsy: an eight-year single center experience. <i>Scientific World Journal, The</i> , 2013 , 2013, 452107	2.2	10
60	Association between prostate cancer and urinary calculi: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e57743	3.7	8
59	Association between chronic prostatitis/chronic pelvic pain syndrome and anxiety disorder: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e64630	3.7	27
58	Zolpidem Use and the Risk of Injury: A Population-Based Follow-Up Study. <i>PLoS ONE</i> , 2013 , 8, e67459	3.7	18

57	Bladder pain syndrome/interstitial cystitis is associated with hyperthyroidism. <i>PLoS ONE</i> , 2013 , 8, e72284.7		5
56	Association between ischemic stroke and iron-deficiency anemia: a population-based study. <i>PLoS ONE</i> , 2013 , 8, e82952	3.7	71
55	Psoriasis and the risk of erectile dysfunction: a population-based case-control study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 130-5	1.1	20
54	Association of erectile dysfunction with atopic dermatitis: a population-based case-control study. <i>Journal of Sexual Medicine</i> , 2012 , 9, 679-85	1.1	20
53	Association between viral hepatitis and erectile dysfunction: a population-based case-control analysis. <i>Journal of Sexual Medicine</i> , 2012 , 9, 1295-302	1.1	12
52	Onabotulinumtoxin-A for the treatment of interstitial cystitis refractory to conventional therapy. <i>Tzu Chi Medical Journal</i> , 2012 , 24, 43-45	1.1	
51	Hormone therapy for prostate cancer and the risk of stroke: a 5-year follow-up study. <i>BJU International</i> , 2012 , 109, 1001-5	5.6	17
50	A case-control study on the association between chronic prostatitis/chronic pelvic pain syndrome and erectile dysfunction. <i>BJU International</i> , 2012 , 110, 726-30	5.6	35
49	A case-control study of chronic prostatitis/chronic pelvic pain syndrome and colorectal cancer. <i>BJU International</i> , 2012 , 110, 550-4	5.6	5
48	Comparison of 90-day re-admission rates between open retropubic radical prostatectomy (RRP), laparoscopic RP (LRP) and robot-assisted laparoscopic prostatectomy (RALP). <i>BJU International</i> , 2012 , 110, E966-71	5.6	20
47	Urinary calculi and an increased risk of stroke: a population-based follow-up study. <i>BJU International</i> , 2012 , 110, E1053-9	5.6	19
46	Increased risk of depressive disorder within 1 year after diagnosis with urinary calculi in Taiwan. <i>Psychiatry Research</i> , 2012 , 198, 332-3	9.9	4
45	Open-angle glaucoma and the risk of erectile dysfunction: a population-based case-control study. <i>Ophthalmology</i> , 2012 , 119, 289-93	7.3	8
44	More than 9-times increased risk for pancreatic cancer among patients with acute pancreatitis in Chinese population. <i>Pancreas</i> , 2012 , 41, 142-6	2.6	15
43	Laparoscopic resection of gastric gastrointestinal stromal tumors presenting as left adrenal tumors. <i>World Journal of Gastroenterology</i> , 2012 , 18, 96-8	5.6	7
42	Intravesical onabotulinumtoxinA injections for refractory painful bladder syndrome. <i>Pain Physician</i> , 2012 , 15, 197-202	1.8	23
41	Increased risk of benign prostatic enlargement among patients with liver cirrhosis: a nationwide population-based study. <i>Journal of Andrology</i> , 2011 , 32, 159-64		3
40	Increased risk of diabetes in patients with urinary calculi: a 5-year followup study. <i>Journal of Urology</i> , 2011 , 186, 1888-93	2.5	33

39	Hyperthyroidism and female urinary incontinence: a population-based cohort study. <i>Clinical Endocrinology</i> , 2011 , 75, 704-8	3.4	3
38	Increased risk of stroke among men with erectile dysfunction: a nationwide population-based study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 240-6	1.1	38
37	Increased risk for cancer following erectile dysfunction: a nationwide population-based follow-up study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 1513-20	1.1	18
36	Association between urinary calculi and erectile dysfunction: a case-control study. <i>Journal of Sexual Medicine</i> , 2011 , 8, 2876-82	1.1	6
35	Population-based estimates of medical comorbidities in erectile dysfunction in a Taiwanese population. <i>Journal of Sexual Medicine</i> , 2011 , 8, 3316-24	1.1	28
34	Lower utilization of cervical cancer screening by nurses in Taiwan: a nationwide population-based study. <i>Preventive Medicine</i> , 2011 , 53, 82-4	4.3	8
33	Chronic prostatitis and depressive disorder: a three year population-based study. <i>Journal of Affective Disorders</i> , 2011 , 134, 404-9	6.6	24
32	Laparoendoscopic single-site (LESS) retroperitoneal adrenalectomy using a homemade single-access platform and standard laparoscopic instruments. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 1251-6	5.2	41
31	Feasibility and safety of total extraperitoneal inguinal hernia repair after previous lower abdominal surgery: a case-control study. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2011 , 25, 3353-6	5.2	14
30	Minilaparoscopic varicocelectomy with preservation of testicular artery and lymphatic vessels by using intracorporeal knot-tying technique: five-year experience. <i>World Journal of Surgery</i> , 2011 , 35, 1785-90	3.3	13
29	Retroperitoneoscopic laparo-endoscopic single-site radical nephrectomy (RLESS-RN): initial experience with a homemade port. <i>World Journal of Surgical Oncology</i> , 2011 , 9, 138	3.4	4
28	The efficacy of additive tolterodine extended release for 1-year in older men with storage symptoms and clinical benign prostatic hyperplasia. <i>Neurourology and Urodynamics</i> , 2011 , 30, 568-71	2.3	26
27	Elevation of serum c-reactive protein in patients with OAB and IC/BPS implies chronic inflammation in the urinary bladder. <i>Neurourology and Urodynamics</i> , 2011 , 30, 417-20	2.3	68
26	Urgency severity scale could predict urodynamic detrusor overactivity in patients with overactive bladder syndrome. <i>Neurourology and Urodynamics</i> , 2011 , 30, 1300-4	2.3	33
25	Acute abdomen with coffee bean sign. <i>Emergency Medicine Journal</i> , 2011 , 28, 826	1.5	1
24	Transabdominal ultrasonography of detrusor wall thickness in women with overactive bladder. <i>BJU International</i> , 2010 , 105, 668-72	5.6	20
23	Laparoendoscopic single-site (LESS) nephroureterectomy and en bloc resection of bladder cuff with a novel extravesical endoloop technique. <i>Surgical Innovation</i> , 2010 , 17, 361-5	2	14
22	Intrathoracic kidney with right Bochdalek hernia. <i>Kidney International</i> , 2010 , 77, 166	9.9	4

21	L-shaped cross-fused kidney with stone. <i>Urology</i> , 2009 , 73, 61-2	1.6	8
20	Bilateral renal infarction. <i>Urology</i> , 2009 , 73, 273-4	1.6	3
19	Primary obstructive megaureter with ruptured kidney. <i>American Journal of Emergency Medicine</i> , 2009 , 27, 133.e5-133.e6	2.9	1
18	An unusual cause of pyonephrosis and intra-peritoneal abscess: ureteral urothelial carcinoma. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e39-40	10.5	2
17	Bilateral seminal vesicle abscesses. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e37-8	10.5	1
16	Pneumoureter. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e79-80	10.5	
15	Lethal infected seminal vesicle cyst. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e197-8	10.5	1
14	Pott's disease with bilateral paraspinal abscesses. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e335-6	10.5	
13	Urethro-subcutaneous fistula and bilateral abscesses of the thighs. <i>International Journal of Infectious Diseases</i> , 2009 , 13, e523-4	10.5	3
12	Novel treatments for men with lower urinary tract symptoms suggestive of benign prostate hyperplasia. <i>Journal of the Formosan Medical Association</i> , 2009 , 108, 349-52	3.2	1
11	Pyelo-hepatic fistula. <i>Urology</i> , 2008 , 72, 524	1.6	2
10	Emphysematous pyelonephritis with acute renal failure. <i>Urology</i> , 2008 , 72, 521-2	1.6	3
9	Renal stone-associated squamous cell carcinoma and pyelo-colo-duodenal fistula. <i>Urology</i> , 2008 , 72, 1013	1.6	2
8	Purple urine bag syndrome with acidic urine. <i>International Journal of Infectious Diseases</i> , 2008 , 12, 526-7	10.5	24
7	Afebrile emphysematous pyelonephritis. <i>International Journal of Infectious Diseases</i> , 2008 , 12, e161	10.5	
6	Primary synovial sarcoma of the kidney. <i>Journal of the Formosan Medical Association</i> , 2008 , 107, 344-7	3.2	12
5	Long-term outcome of hand-assisted laparoscopic radical nephroureterectomy for upper-tract urothelial carcinoma: comparison with open surgery. <i>Journal of Endourology</i> , 2007 , 21, 595-9	2.7	28
4	CKD as a risk factor for bladder recurrence after nephroureterectomy for upper urinary tract urothelial carcinoma. <i>American Journal of Kidney Diseases</i> , 2007 , 50, 743-53	7.4	44

3	Intermediate follow-up of hand-assisted retroperitoneoscopic nephroureterectomy for management of upper urinary tract urothelial carcinoma: comparison with open nephroureterectomy. <i>Urology</i> , 2007 , 69, 1030-4	1.6	14
2	Metastatic prostatic adenocarcinoma in an inguinal hernia sac in a patient with undetectable serum prostate specific antigen level. <i>Journal of the Formosan Medical Association</i> , 2007 , 106, 397-9	3.2	3
1	Concomitant carcinoma in situ is an independent prognostic predictor for patients with localized lymph node-negative upper-tract urothelial carcinoma undergoing nephroureterectomy. <i>Journal of Clinical Urology</i> , 205141582110407	0.2	