Ana Carneiro

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3266311/publications.pdf

Version: 2024-02-01

471061 476904 2,354 31 17 29 citations h-index g-index papers 33 33 33 4917 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Tertiary lymphoid structures improve immunotherapy and survival in melanoma. Nature, 2020, 577, 561-565.	13.7	1,209
2	Vedolizumab treatment for immune checkpoint inhibitor-induced enterocolitis. Cancer Immunology, Immunotherapy, 2017, 66, 581-592.	2.0	189
3	Molecular stratification of metastatic melanoma using gene expression profiling: Prediction of survival outcome and benefit from molecular targeted therapy. Oncotarget, 2015, 6, 12297-12309.	0.8	148
4	<i><scp>NF</scp>1</i> â€mutated melanoma tumors harbor distinct clinical and biological characteristics. Molecular Oncology, 2017, 11, 438-451.	2.1	112
5	Multiregion Whole-Exome Sequencing Uncovers the Genetic Evolution and Mutational Heterogeneity of Early-Stage Metastatic Melanoma. Cancer Research, 2016, 76, 4765-4774.	0.4	86
6	The PEMDAC phase 2 study of pembrolizumab and entinostat in patients with metastatic uveal melanoma. Nature Communications, 2021, 12, 5155.	5.8	85
7	Prognostic Impact of Array-based Genomic Profiles in Esophageal Squamous Cell Cancer. BMC Cancer, 2008, 8, 98.	1.1	77
8	The X-Linked DDX3X RNA Helicase Dictates Translation Reprogramming and Metastasis in Melanoma. Cell Reports, 2019, 27, 3573-3586.e7.	2.9	66
9	Concomitant use of pembrolizumab and entinostat in adult patients with metastatic uveal melanoma (PEMDAC study): protocol for a multicenter phase II open label study. BMC Cancer, 2019, 19, 415.	1.1	49
10	A prognostic model for soft tissue sarcoma of the extremities and trunk wall based on size, vascular invasion, necrosis, and growth pattern. Cancer, 2011, 117, 1279-1287.	2.0	48
11	Indistinguishable genomic profiles and shared prognostic markers in undifferentiated pleomorphic sarcoma and leiomyosarcoma: different sides of a single coin?. Laboratory Investigation, 2009, 89, 668-675.	1.7	42
12	The Role of PTEN Loss in Immune Escape, Melanoma Prognosis and Therapy Response. Cancers, 2020, 12, 742.	1.7	38
13	Analysis of DNA methylation patterns in the tumor immune microenvironment of metastatic melanoma. Molecular Oncology, 2020, 14, 933-950.	2.1	29
14	Lenvatinib (len) plus pembrolizumab (pembro) for patients (pts) with advanced melanoma and confirmed progression on a PD-1 or PD-L1 inhibitor: Updated findings of LEAP-004 Journal of Clinical Oncology, 2021, 39, 9504-9504.	0.8	23
15	Ezrin expression predicts local recurrence and development of metastases in soft tissue sarcomas. Journal of Clinical Pathology, 2011, 64, 689-694.	1.0	20
16	Efficacy and safety of nivolumab (NIVO) in patients with advanced melanoma (MEL) and poor prognostic factors who progressed on or after ipilimumab (IPI): Results from a phase II study (CheckMate 172) Journal of Clinical Oncology, 2017, 35, 9524-9524.	0.8	17
17	A Population-Based Comparison of the AJCC 7th and AJCC 8th Editions for Patients Diagnosed with Stage III Cutaneous Malignant Melanoma in Sweden. Annals of Surgical Oncology, 2019, 26, 2839-2845.	0.7	16
18	Human G-MDSCs are neutrophils at distinct maturation stages promoting tumor growth in breast cancer. Life Science Alliance, 2020, 3, e202000893.	1.3	14

#	Article	IF	CITATIONS
19	Distinct gene expression profiles in ovarian cancer linked to Lynch syndrome. Familial Cancer, 2014, 13, 537-545.	0.9	13
20	Rescue Effect Inherited in Colony Formation Assays Affects Radiation Response. Radiation Research, 2018, 189, 44-52.	0.7	10
21	A first-in-human phase I study in patients with advanced and/or refractory solid malignancies to evaluate the safety of ATOR-1015, a CTLA-4 x OX40 bispecific antibody Journal of Clinical Oncology, 2020, 38, 3061-3061.	0.8	6
22	Surgery of metastatic melanoma after systemic therapy – the SUMMIST trial: study protocol for a randomized controlled trial. Acta Oncol³gica, 2021, 60, 52-55.	0.8	5
23	Discovery-Based Protein Expression Profiling Identifies Distinct Subgroups and Pathways in Leiomyosarcomas. Molecular Cancer Research, 2014, 12, 1729-1739.	1.5	4
24	Genetic Profiling Differentiates Second Primary Tumors from Metastases in Adult Metachronous Soft Tissue Sarcoma. Sarcoma, 2008, 2008, 1 -7.	0.7	2
25	Prognostic value of proliferation in pleomorphic soft tissue sarcomas: a new look at an old measure. Human Pathology, 2012, 43, 2247-2254.	1.1	2
26	Nivolumab (NIVO) safety in patients with advanced melanoma (MEL) who have progressed on or after ipilimumab (IPI): A single-arm, open-label, multicenter, phase II study (CheckMate 172) Journal of Clinical Oncology, 2016, 34, 9526-9526.	0.8	2
27	A first-in-human, multicenter, open-label, phase 1 study of ATOR-1017, a 4-1BB antibody, in patients with advanced solid malignancies Journal of Clinical Oncology, 2021, 39, 2646-2646.	0.8	1
28	17-BI-1206-02 Phase $1/2a$ Clinical Trial of BI-1206, a Monoclonal Antibody to Fcgriib, in Combination with Rituximab in Subjects with Indolent B-Cell Non-Hodgkin Lymphoma That Has Relapsed or Is Refractory to Rituximab. Blood, 2020, 136, 36-37.	0.6	1
29	A first-in-human, multicenter, open label, phase I study in patients with advanced and/or refractory solid malignancies to evaluate the safety of intravenously administered ATOR-1015 Journal of Clinical Oncology, 2019, 37, TPS2653-TPS2653.	0.8	0
30	Phase $1/2a$ Clinical Trial of BI-1206, a Monoclonal Antibody to $Fc\hat{l}^3$ riib, in Combination with Rituximab in Subjects with Indolent B-Cell Non-Hodgkin Lymphoma That Has Relapsed or Is Refractory to Rituximab. Blood, 2021, 138, 1354-1354.	0.6	0
31	Initial findings from a first-in-human, multicenter, open-label study of ATOR-1017, a 4-1BB antibody, in patients with advanced solid malignancies Journal of Clinical Oncology, 2022, 40, 2529-2529.	0.8	0