## Wen-Juan Liu

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3267312/publications.pdf

Version: 2024-02-01

759233 794594 24 369 12 19 h-index citations g-index papers 24 24 24 496 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	A Comprehensive and Uniform Sample of Broad-line Active Galactic Nuclei from the SDSS DR7. Astrophysical Journal, Supplement Series, 2019, 243, 21.	7.7	54
2	A COMPREHENSIVE STUDY OF BROAD ABSORPTION LINE QUASARS. I. PREVALENCE OF He i* ABSORPTION LINE MULTIPLETS IN LOW-IONIZATION OBJECTS. Astrophysical Journal, Supplement Series, 2015, 217, 11.	7.7	36
3	A Uniformly Selected Sample of Low-mass Black Holes in Seyfert 1 Galaxies. II. The SDSS DR7 Sample. Astrophysical Journal, Supplement Series, 2018, 235, 40.	7.7	29
4	ANOMALOUSLY STEEP REDDENING LAW IN QUASARS: AN EXCEPTIONAL EXAMPLE OBSERVED IN IRAS 14026+4341. Astronomical Journal, 2013, 145, 157.	4.7	26
5	Photoionization-driven Absorption-line Variability in Balmer Absorption Line Quasar LBQS 1206+1052. Astrophysical Journal, 2017, 838, 88.	4.5	24
6	STRONG VARIABILITY OF OVERLAPPING IRON BROAD ABSORPTION LINES IN FIVE RADIO-SELECTED QUASARS. Astrophysical Journal, 2015, 803, 58.	4.5	21
7	DETECTION OF THE INTERMEDIATE-WIDTH EMISSION LINE REGION IN QUASAR OI 287 WITH THE BROAD EMISSION LINE REGION OBSCURED BY THE DUSTY TORUS. Astrophysical Journal, 2015, 812, 99.	4.5	20
8	DISCOVERY OF EXTREMELY BROAD BALMER ABSORPTION LINES IN SDSS J152350.42+391405.2. Astrophysical Journal, 2015, 815, 113.	4.5	19
9	UNSHIFTED METASTABLE He I* MINI-BROAD ABSORPTION LINE SYSTEM IN THE NARROW-LINE TYPE 1 QUASAR SDSS J080248.18+551328.9. Astrophysical Journal, 2015, 800, 56.	4.5	18
10	Fast inflows as the adjacent fuel of supermassive black hole accretion disks in quasars. Nature, 2019, 573, 83-86.	27.8	17
11	THE REDSHIFTED HYDROGEN BALMER AND METASTABLE He i ABSORPTION LINE SYSTEM IN MINI-FELOBAL QUASAR SDSS J112526.12+002901.3: A PARSEC-SCALE ACCRETION INFLOW?. Astrophysical Journal, 2016, 829, 96.	4.5	16
12	SDSS J163459.82+204936.0: A RINGED INFRARED-LUMINOUS QUASAR WITH OUTFLOWS IN BOTH ABSORPTION AND EMISSION LINES. Astrophysical Journal, 2016, 822, 64.	4.5	13
13	Ultraviolet and Optical Emission Line Outflows in the Heavily Obscured Quasar SDSS J000610.67+121501.2: At the Scale of the Dusty Torus and Beyond. Astrophysical Journal, 2017, 836, 86.	4.5	12
14	AN UNOBSCURED TYPE II QUASAR CANDIDATE: SDSS J012032.19-005501.9. Astronomical Journal, 2015, 149, 75.	4.7	11
15	Reddening and He i <sup><math>\hat{a}</math>-</sup> $\hat{b}$ 10830 Absorption Lines in Three Narrow-line Seyfert 1 Galaxies. Astrophysical Journal, 2017, 845, 126.	4.5	10
16	Ring Galaxies Through Off-center Minor Collisions by Tuning Bulge-to-disk Mass Ratio of Progenitors. Astrophysical Journal, 2018, 864, 72.	4.5	9
17	Mrk 1239: a Type-2 Counterpart of Narrow-line Seyfert-1?. Astrophysical Journal, 2021, 912, 118.	4.5	7
18	A Deeply Buried Narrow-line Seyfert 1 Nucleus Uncovered in Scattered Light. Astrophysical Journal, 2019, 870, 75.	4.5	6

#	Article	IF	CITATION
19	Low-mass Active Galactic Nuclei on the Fundamental Plane of Black Hole Activity. Astrophysical Journal, 2018, 860, 134.	4.5	5
20	Local Active Galactic Nuclei with Large Broad-HÎ $\pm$ Variability Reside in Red Galaxies. Astrophysical Journal, 2021, 915, 63.	4.5	5
21	Discovery of six high-redshift quasars with the Lijiang 2.4 m telescope and the Multiple Mirror Telescope. Research in Astronomy and Astrophysics, 2012, 12, 1185-1190.	1.7	3
22	A Ringed Dwarf LINER 1 Galaxy Hosting an Intermediate-mass Black Hole with Large-scale Rotation-like Emission. Astrophysical Journal, 2017, 837, 109.	4.5	3
23	Discovery of Metastable He I* λ10830 Mini-broad Absorption Lines and Very Narrow Paschen α Emission Lines in the ULIRG Quasar IRAS F11119+3257. Astrophysical Journal, 2019, 883, 173.	4.5	3
24	Galactic-scale Broad Absorption Line Outflow in the Quasar SDSS J144842.45+042403.1. Astrophysical Journal, 2019, 877, 72.	4.5	2