

# Lars Nepper-Christensen

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3267869/publications.pdf>

Version: 2024-02-01

32  
papers

462  
citations

933447

10  
h-index

713466

21  
g-index

32  
all docs

32  
docs citations

32  
times ranked

728  
citing authors

#	ARTICLE	IF	CITATIONS
1	Comparison of Effect of Ischemic Postconditioning on Cardiovascular Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention With Versus Without Thrombectomy. <i>American Journal of Cardiology</i> , 2022, 166, 18-24.	1.6	6
2	Clinical outcomes of no stenting in patients with ST-segment elevation myocardial infarction undergoing deferred primary percutaneous coronary intervention. <i>EuroIntervention</i> , 2022, 18, 482-491.	3.2	10
3	Does infarct localization and collateral supply confound the association between antiplatelet treatment and infarct size in STEMI?. <i>International Journal of Cardiology</i> , 2021, 326, 42.	1.7	0
4	Impact of age on reperfusion success and long-term prognosis in ST-segment elevation myocardial infarction – A cardiac magnetic resonance imaging study. <i>IJC Heart and Vasculature</i> , 2021, 33, 100731.	1.1	4
5	Ischemia From Nonculprit Stenoses Is Not Associated With Reduced Culprit Infarct Size in Patients with ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Imaging</i> , 2021, 14, e012290.	2.6	2
6	Sub-acute cardiac magnetic resonance to predict irreversible reduction in left ventricular ejection fraction after ST-segment elevation myocardial infarction: A DANAMI-3 sub-study. <i>International Journal of Cardiology</i> , 2020, 301, 215-219.	1.7	3
7	Interaction of ischaemic postconditioning and thrombectomy in patients with ST-elevation myocardial infarction. <i>Heart</i> , 2020, 106, 24-32.	2.9	11
8	Early Q-wave morphology in prediction of reperfusion success in patients with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention – A cardiac magnetic resonance imaging study. <i>Journal of Electrocardiology</i> , 2020, 58, 135-142.	0.9	3
9	Degree of ST-segment elevation in patients with STEMI reflects the acute ischemic burden and the salvage potential. <i>Journal of Electrocardiology</i> , 2020, 63, 28-34.	0.9	2
10	Usefulness of High Sensitivity Troponin T to Predict Long-Term Left Ventricular Dysfunction After ST-Elevation Myocardial Infarction. <i>American Journal of Cardiology</i> , 2020, 134, 8-13.	1.6	9
11	Clinical outcome following late reperfusion with percutaneous coronary intervention in patients with ST-segment elevation myocardial infarction. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2020, , .	1.0	5
12	Infarct size following loading with Ticagrelor/Prasugrel versus Clopidogrel in ST-segment elevation myocardial infarction. <i>International Journal of Cardiology</i> , 2020, 314, 7-12.	1.7	16
13	Looking beyond antiplatelet effect of P2Y12 inhibitors: is there anything to see?. <i>International Journal of Cardiology</i> , 2020, 320, 25.	1.7	0
14	Electrocardiogram to predict reperfusion success in late presenters with ST-segment elevation myocardial infarction treated with primary percutaneous coronary intervention. <i>Journal of Electrocardiology</i> , 2020, 59, 74-80.	0.9	0
15	Importance of elevated heart rate in the very early phase of ST-segment elevation myocardial infarction: Results from the DANAMI-3 trial. <i>European Heart Journal: Acute Cardiovascular Care</i> , 2019, 8, 318-328.	1.0	12
16	Assessment of the myocardial area at risk: comparing T2-weighted cardiovascular magnetic resonance imaging with contrast-enhanced cine (CE-SSFP) imaging – a DANAMI3 substudy. <i>European Heart Journal Cardiovascular Imaging</i> , 2019, 20, 361-366.	1.2	10
17	Impact of Multiple Myocardial Scars Detected by CMR in Patients Following STEMI. <i>JACC: Cardiovascular Imaging</i> , 2019, 12, 2168-2178.	5.3	15
18	Complete Revascularization Versus Culprit Lesion Only in Patients With ST-Segment Elevation Myocardial Infarction and Multivessel Disease. <i>JACC: Cardiovascular Interventions</i> , 2019, 12, 721-730.	2.9	15

#	ARTICLE	IF	CITATIONS
19	Early risk stratification using Rubidium-82 positron emission tomography in STEMI patients. <i>Journal of Nuclear Cardiology</i> , 2019, 26, 471-482.	2.1	4
20	Relation of Bleeding Events to Mortality in Patients With ST-Segment Elevation Myocardial Infarction Treated by Percutaneous Coronary Intervention (a DANAMI-3 Substudy). <i>American Journal of Cardiology</i> , 2018, 121, 781-788.	1.6	2
21	Danegaptide for primary percutaneous coronary intervention in acute myocardial infarction patients: a phase 2 randomised clinical trial. <i>Heart</i> , 2018, 104, 1593-1599.	2.9	20
22	Subacute cardiac rubidium-82 positron emission tomography (82Rb-PET) to assess myocardial area at risk, final infarct size, and myocardial salvage after STEMI. <i>Journal of Nuclear Cardiology</i> , 2018, 25, 970-981.	2.1	6
23	Benefit From Reperfusion With Primary Percutaneous Coronary Intervention Beyond 12 Hours of Symptom Duration in Patients With ST-Segment Elevation Myocardial Infarction. <i>Circulation: Cardiovascular Interventions</i> , 2018, 11, e006842.	3.9	29
24	Can copeptin and troponin T ratio predict final infarct size and myocardial salvage index in patients with ST-elevation myocardial infarction: A sub-study of the DANAMI-3 trial. <i>Clinical Biochemistry</i> , 2018, 59, 37-42.	1.9	4
25	Bleeding Events After ST-segment Elevation Myocardial Infarction in Patients Randomized to an All-comer Clinical Trial Compared With Unselected Patients. <i>American Journal of Cardiology</i> , 2018, 122, 1287-1296.	1.6	7
26	Comparison between patients included in randomized controlled trials of ischemic heart disease and real-world data. A nationwide study. <i>American Heart Journal</i> , 2018, 204, 128-138.	2.7	7
27	Impact of diagnostic ECG-to-wire delay in STEMI patients treated with primary PCI: a DANAMI-3 substudy. <i>EuroIntervention</i> , 2018, 14, 700-707.	3.2	10
28	Left Ventricular Hypertrophy Is Associated With Increased Infarct Size and Decreased Myocardial Salvage in Patients With ST-Segment Elevation Myocardial Infarction Undergoing Primary Percutaneous Coronary Intervention. <i>Journal of the American Heart Association</i> , 2017, 6, .	3.7	39
29	Association Between Early Q Waves and Reperfusion Success in Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Percutaneous Coronary Intervention. <i>Circulation: Cardiovascular Interventions</i> , 2017, 10, .	3.9	10
30	Effect of Ischemic Postconditioning During Primary Percutaneous Coronary Intervention for Patients With ST-Segment Elevation Myocardial Infarction. <i>JAMA Cardiology</i> , 2017, 2, 490.	6.1	105
31	Myocardial Damage in Patients With Deferred Stenting After STEMI. <i>Journal of the American College of Cardiology</i> , 2017, 69, 2794-2804.	2.8	37
32	Impact of Acute Hyperglycemia on Myocardial Infarct Size, Area at Risk, and Salvage in Patients With STEMI and the Association With Exenatide Treatment: Results From a Randomized Study. <i>Diabetes</i> , 2014, 63, 2474-2485.	0.6	59