

Joost Dekker

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3268061/joost-dekker-publications-by-citations.pdf>

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

453
papers

21,602
citations

64
h-index

134
g-index

472
ext. papers

24,700
ext. citations

3.1
avg. IF

6.63
L-index

#	Paper	IF	Citations
453	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 34-42	5.7	5497
452	The impact of physical therapy on functional outcomes after stroke: what's the evidence?. <i>Clinical Rehabilitation</i> , 2004 , 18, 833-62	3.3	663
451	Prevalence of chronic benign pain disorder among adults: a review of the literature. <i>Pain</i> , 1998 , 77, 231-239	2.3	474
450	Potential barriers to the use of health services among ethnic minorities: a review. <i>Family Practice</i> , 2006 , 23, 325-48	1.9	451
449	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 335-41	2.4	393
448	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review of randomized clinical trials. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1361-9		346
447	Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. <i>BMJ, The</i> , 2006 , 333, 1196	5.9	309
446	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. <i>Journal of the Neurological Sciences</i> , 2017 , 372, 331-341	3.2	264
445	Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 118-23	2.4	219
444	Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: a randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2004 , 51, 722-9		204
443	Range of joint motion and disability in patients with osteoarthritis of the knee or hip. <i>Rheumatology</i> , 2000 , 39, 955-61	3.9	204
442	Effectiveness of exercise therapy: a best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 71-85		201
441	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 524-34	5.7	199
440	Validity of the Canadian Occupational Performance Measure: a client-centred outcome measurement. <i>Clinical Rehabilitation</i> , 2004 , 18, 660-7	3.3	199
439	Local dynamic stability and variability of gait are associated with fall history in elderly subjects. <i>Gait and Posture</i> , 2012 , 36, 527-31	2.6	195
438	Community occupational therapy for older patients with dementia and their care givers: cost effectiveness study. <i>BMJ, The</i> , 2008 , 336, 134-8	5.9	189
437	Course of functional status and pain in osteoarthritis of the hip or knee: a systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006 , 55, 779-85		186

436	Comorbidity of chronic diseases: effects of disease pairs on physical and mental functioning. <i>Quality of Life Research</i> , 2005 , 14, 45-55	3.7	184
435	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1245-53		179
434	Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine months' follow up. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 1123-30	2.4	177
433	Effects of community occupational therapy on quality of life, mood, and health status in dementia patients and their caregivers: a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 1002-9	6.4	176
432	Pain and disability in osteoarthritis: a review of biobehavioral mechanisms. <i>Journal of Behavioral Medicine</i> , 1992 , 15, 189-214	3.6	167
431	Occupational therapy for stroke patients: a systematic review. <i>Stroke</i> , 2003 , 34, 676-87	6.7	162
430	Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 95	2.8	154
429	Proprioception in knee osteoarthritis: a narrative review. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 381-8	6.2	140
428	Exercise adherence improving long-term patient outcome in patients with osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010 , 62, 1087-94	4.7	135
427	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 620-33	6.2	131
426	Effectiveness of exercise therapy and manual mobilisation in ankle sprain and functional instability: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2006 , 52, 27-37		125
425	Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004 , 33, 453-60	3	122
424	Risk factors for functional decline in osteoarthritis of the hip or knee. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 520-4	5.3	116
423	Forefoot joint damage, pain and disability in rheumatoid arthritis patients with foot complaints: the role of plantar pressure and gait characteristics. <i>Rheumatology</i> , 2006 , 45, 465-9	3.9	116
422	Psychometric evaluation of osteoarthritis questionnaires: a systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006 , 55, 480-92		109
421	Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Rheumatology</i> , 2006 , 45, 890-902	3.9	109
420	Joint proprioception, muscle strength, and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007 , 57, 787-93		106
419	Muscle strength, pain and disability in patients with osteoarthritis. <i>Clinical Rehabilitation</i> , 2001 , 15, 331-43		103

418	A systematic review of instruments assessing participation: challenges in defining participation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 983-97	2.8	102
417	Prognosis of limitations in activities in osteoarthritis of the hip or knee: a 3-year cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 58-66	2.8	101
416	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1413-9	2.4	95
415	Effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e257	7.6	95
414	Mortality in patients with rheumatoid arthritis: a 15-year prospective cohort study. <i>Rheumatology International</i> , 2017 , 37, 487-493	3.6	94
413	Negative affect, pain and disability in osteoarthritis patients: the mediating role of muscle weakness. <i>Behaviour Research and Therapy</i> , 1993 , 31, 203-6	5.2	92
412	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2006 , 55, 925-34		89
411	Prevalence and course of forefoot impairments and walking disability in the first eight years of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1596-602		88
410	Identification of phenotypes with different clinical outcomes in knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2011 , 63, 1535-42	4.7	86
409	Responsiveness of the Canadian occupational performance measure. <i>Journal of Rehabilitation Research and Development</i> , 2011 , 48, 517-28		86
408	Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 233-41		86
407	Efficacy of strategy training in left hemisphere stroke patients with apraxia: A randomised clinical trial. <i>Neuropsychological Rehabilitation</i> , 2001 , 11, 549-566	3.1	84
406	The reproducibility of the Canadian Occupational Performance Measure. <i>Clinical Rehabilitation</i> , 2005 , 19, 888-94	3.3	83
405	"Beating osteoARThritis": development of a stepped care strategy to optimize utilization and timing of non-surgical treatment modalities for patients with hip or knee osteoarthritis. <i>Clinical Rheumatology</i> , 2011 , 30, 1623-9	3.9	82
404	Prognosis of Pain and Physical Functioning in Patients With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016 , 68, 481-92	4.7	80
403	Prevalence of apraxia among patients with a first left hemisphere stroke in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2000 , 14, 130-6	3.3	79
402	Course and prognosis of elbow complaints: a cohort study in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 1331-6	2.4	75
401	The course of limitations in activities over 5 years in patients with knee and hip osteoarthritis with moderate functional limitations: risk factors for future functional decline. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 503-10	6.2	74

400	Evidence of the efficacy of occupational therapy in different conditions: an overview of systematic reviews. <i>Clinical Rehabilitation</i> , 2005 , 19, 247-54	3.3	73
399	Dutch-Flemish translation of 17 item banks from the patient-reported outcomes measurement information system (PROMIS). <i>Quality of Life Research</i> , 2014 , 23, 1733-41	3.7	72
398	Knee joint stabilization therapy in patients with osteoarthritis of the knee: a randomized, controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1025-34	6.2	72
397	Effectiveness of manual therapy for chronic tension-type headache: a pragmatic, randomised, clinical trial. <i>Cephalalgia</i> , 2011 , 31, 133-43	6.1	71
396	Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1369-75	2.4	70
395	Association of lower muscle strength with self-reported knee instability in osteoarthritis of the knee: results from the Amsterdam Osteoarthritis cohort. <i>Arthritis Care and Research</i> , 2012 , 64, 38-45	4.7	69
394	Clinical phenotypes in patients with knee osteoarthritis: a study in the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 544-9	6.2	69
393	Clinical databases in physical therapy. <i>Physiotherapy Theory and Practice</i> , 2007 , 23, 153-67	1.5	69
392	Behavioural graded activity results in better exercise adherence and more physical activity than usual care in people with osteoarthritis: a cluster-randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 41-7	2.9	68
391	Osteoarthritis of the hip or knee: which coexisting disorders are disabling?. <i>Clinical Rheumatology</i> , 2010 , 29, 739-47	3.9	67
390	Physiotherapy management of low back pain: does practice match the Dutch guidelines?. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 35-41		67
389	Avoidance of activity and disability in patients with osteoarthritis of the knee: the mediating role of muscle strength. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1784-8		62
388	Effectiveness of cognitive behavioral therapy for the treatment of fatigue in patients with multiple sclerosis: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2016 , 90, 33-42	4.1	61
387	Outcome of strategy training in stroke patients with apraxia: a phase II study. <i>Clinical Rehabilitation</i> , 1998 , 12, 294-303	3.3	61
386	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1071-82	6.2	60
385	The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005 , 14, 1141-55	3.7	60
384	Attentional effects on sexual arousal. <i>Psychophysiology</i> , 1988 , 25, 45-54	4.1	60
383	Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. <i>Bone Marrow Transplantation</i> , 2012 , 47, 757-69	4.4	59

382	Occupational therapy for children with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2004 , 18, 1-14	3.3	59
381	Prevalence of hand symptoms, impairments and activity limitations in rheumatoid arthritis in relation to disease duration. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 916-21	3.4	58
380	Efficacy of Tailored Exercise Therapy on Physical Functioning in Patients With Knee Osteoarthritis and Comorbidity: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 807-816	4.7	56
379	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a randomized controlled trial comparing two different physical therapy interventions. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1019-26	6.2	56
378	Occupational therapy for rheumatoid arthritis: a systematic review. <i>Arthritis and Rheumatism</i> , 2002 , 47, 672-85		56
377	How can occupational therapy improve the daily performance and communication of an older patient with dementia and his primary caregiver?: A case study. <i>Dementia</i> , 2006 , 5, 503-532	3	55
376	Factors contributing to possession and use of walking aids among persons with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , 2003 , 49, 838-42		55
375	Gait Retraining With Real-Time Biofeedback to Reduce Knee Adduction Moment: Systematic Review of Effects and Methods Used. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 137-150 ^{2.8}		53
374	A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1257-69		53
373	Joint laxity and the relationship between muscle strength and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2006 , 55, 953-9		53
372	Social position of adolescents with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 543-9	2.2	53
371	Self-reported knee instability and activity limitations in patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2012 , 31, 1505-10	3.9	52
370	The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. <i>Rheumatology International</i> , 2015 , 35, 1233-41	3.6	50
369	Forefoot disease activity in rheumatoid arthritis patients in remission: results of a cohort study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R3	5.7	50
368	Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data meta-analysis of 22 RCTs. <i>Psycho-Oncology</i> , 2018 , 27, 1150-1161	3.9	49
367	Prognostic factors for the two-year course of activity limitations in early osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010 , 62, 1415-25	4.7	49
366	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 227	2.8	48
365	Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 411-9	6.2	48

364	Clinimetrics in rehabilitation medicine: current issues in developing and applying measurement instruments 1. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 193-201	3.4	48
363	Predictors of multidisciplinary treatment outcome in fibromyalgia: a systematic review. <i>Disability and Rehabilitation</i> , 2013 , 35, 437-49	2.4	46
362	Adherence to a web-based physical activity intervention for patients with knee and/or hip osteoarthritis: a mixed method study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e223	7.6	46
361	Limitations in activities in patients with osteoarthritis of the hip or knee: the relationship with body functions, comorbidity and cognitive functioning. <i>Disability and Rehabilitation</i> , 2009 , 31, 1685-91	2.4	43
360	The course of apraxia and ADL functioning in left hemisphere stroke patients treated in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2006 , 20, 1085-93	3.3	43
359	Decrease of muscle strength is associated with increase of activity limitations in early knee osteoarthritis: 3-year results from the cohort hip and cohort knee study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1962-8	2.8	42
358	Physical Activity Patterns Among Older Adults With and Without Knee Osteoarthritis in Six European Countries. <i>Arthritis Care and Research</i> , 2016 , 68, 228-36	4.7	42
357	Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 171-7	6.2	41
356	Impact of self-reported comorbidity on physical and mental health status in early symptomatic osteoarthritis: the CHECK (Cohort Hip and Cohort Knee) study. <i>Rheumatology</i> , 2013 , 52, 180-8	3.9	41
355	Internal consistency and validity of a new physical workload questionnaire. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 980-6	2.1	41
354	Course and prognosis of knee complaints in general practice. <i>Arthritis and Rheumatism</i> , 2005 , 53, 920-30		41
353	Early enforced mobilisation following surgery for gastrointestinal cancer: feasibility and outcomes. <i>Physiotherapy</i> , 2016 , 102, 103-10	3	40
352	Avoidance of activities in early symptomatic knee osteoarthritis: results from the CHECK cohort. <i>Annals of Behavioral Medicine</i> , 2012 , 44, 33-42	4.5	40
351	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014 , 155, 1605-1612	8	39
350	Structural joint changes, malalignment, and laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2005 , 34, 298-301	1.9	39
349	Clinical experience of rehabilitation therapists with chronic diseases: a quantitative approach. <i>Clinical Rehabilitation</i> , 1998 , 12, 143-50	3.3	39
348	A diagnostic test for apraxia in stroke patients: internal consistency and diagnostic value. <i>Clinical Neuropsychologist</i> , 1999 , 13, 182-92	4.4	39
347	Clinical value of DSM IV and DSM 5 criteria for diagnosing the most prevalent somatoform disorders in patients with medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2016 , 82, 4-10	4.1	38

346	Association of postural control with muscle strength, proprioception, self-reported knee instability and activity limitations in patients with knee osteoarthritis. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 192-7	3.4	38
345	Responsiveness of functional health status measures frequently used in stroke research. <i>Disability and Rehabilitation</i> , 2006 , 28, 1035-40	2.4	38
344	What factors explain the number of physical therapy treatment sessions in patients referred with low back pain; a multilevel analysis. <i>BMC Health Services Research</i> , 2005 , 5, 74	2.9	38
343	Physical Therapy for Patients with Back Pain. <i>Physiotherapy</i> , 1995 , 81, 345-351	3	38
342	Association of malalignment, muscular dysfunction, proprioception, laxity and abnormal joint loading with tibiofemoral knee osteoarthritis - a systematic review and meta-analysis. <i>BMC Musculoskeletal Disorders</i> , 2018 , 19, 273	2.8	37
341	Minimal clinically important change on the Headache Impact Test-6 questionnaire in patients with chronic tension-type headache. <i>Cephalalgia</i> , 2012 , 32, 710-4	6.1	37
340	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 215-21	2.4	37
339	School and leisure activities in adolescents and young adults with chronic digestive disorders: impact of burden of disease. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 121-30	2.6	37
338	Attending to stimuli or to images of sexual feelings: effects on sexual arousal. <i>Behaviour Research and Therapy</i> , 1985 , 23, 139-49	5.2	37
337	Diagnosis and treatment in physical therapy: an investigation of their relationship. <i>Physical Therapy</i> , 1993 , 73, 568-77; discussion 577-80	3.3	36
336	Associations between measures of gait stability, leg strength and fear of falling. <i>Gait and Posture</i> , 2015 , 41, 76-80	2.6	35
335	Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical decisions. <i>Disability and Rehabilitation</i> , 2018 , 40, 486-496	2.4	35
334	Rehabilitation of stroke patients with apraxia: the role of additional cognitive and motor impairments. <i>Disability and Rehabilitation</i> , 2000 , 22, 547-54	2.4	35
333	Predictors of outcome of multidisciplinary treatment in chronic widespread pain: an observational study. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 133	2.8	34
332	Health care use of patients with osteoarthritis of the hip or knee after implementation of a stepped-care strategy: an observational study. <i>Arthritis Care and Research</i> , 2014 , 66, 817-27	4.7	34
331	The internal consistency and validity of the Self-Assessment Parkinson's Disease Disability Scale. <i>Clinical Rehabilitation</i> , 2001 , 15, 221-8	3.3	34
330	The avoidance model in knee and hip osteoarthritis: a systematic review of the evidence. <i>Journal of Behavioral Medicine</i> , 2014 , 37, 1226-41	3.6	33
329	Validity of Cyriax's concept capsular pattern for the diagnosis of osteoarthritis of hip and/or knee. <i>Scandinavian Journal of Rheumatology</i> , 1998 , 27, 347-51	1.9	33

328	Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 560-570	3.3	33
327	Development of a Computer Adaptive Test for Depression Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Evaluation and the Health Professions</i> , 2017 , 40, 79-105	2.5	32
326	Cognitive behavioral therapy positively affects fatigue in patients with multiple sclerosis: Results of a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1542-1553	5	32
325	The usability and preliminary effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 61	3.6	32
324	Success or failure of chronic pain rehabilitation: the importance of good interaction - a qualitative study under patients and professionals. <i>Disability and Rehabilitation</i> , 2014 , 36, 1903-10	2.4	32
323	Reproducibility of the measurement of knee joint proprioception in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1398-403		32
322	Cohort Profile: Cohort Hip and Cohort Knee (CHECK) study. <i>International Journal of Epidemiology</i> , 2016 , 45, 36-44	7.8	31
321	The effectiveness of self-guided web-based physical activity interventions among patients with a chronic disease: a systematic review. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 665-77	2.5	31
320	Reliability and precision of 3D wireless measurement of scapular kinematics. <i>Medical and Biological Engineering and Computing</i> , 2014 , 52, 921-931	3.1	31
319	Long-term effect of comorbidity on the course of physical functioning in patients after stroke and with multiple sclerosis. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 322-6	3.4	31
318	Knee varus-valgus motion during gait--a measure of joint stability in patients with osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 522-5	6.2	31
317	Falls Associated with Muscle Strength in Patients with Knee Osteoarthritis and Self-reported Knee Instability. <i>Journal of Rheumatology</i> , 2015 , 42, 1218-23	4.1	30
316	Effectiveness of manual therapy compared to usual care by the general practitioner for chronic tension-type headache: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 21	2.8	30
315	Differential item functioning of the Functional Independence Measure in higher performing neurological patients. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 346-52	3.4	30
314	Manual therapy in osteoarthritis of the hip: outcome in subgroups of patients. <i>British Journal of Rheumatology</i> , 2005 , 44, 461-4		30
313	The use of therapeutic ultrasound by physical therapists in Dutch primary health care. <i>Physical Therapy</i> , 1998 , 78, 470-8	3.3	30
312	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017 , 40,	1.1	30
311	Diagnostic accuracy of range of motion measurements in early symptomatic hip and/or knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 59-65	4.7	29

310	No evidence for the effectiveness of a multidisciplinary group based treatment program in patients with osteoarthritis of hands on the short term; results of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 901-10	6.2	29
309	The prevalence of depressive symptoms before and after surgery and its association with disability in patients undergoing lumbar spinal fusion. <i>European Spine Journal</i> , 2014 , 23, 129-34	2.7	29
308	Physical activity and incident clinical knee osteoarthritis in older adults. <i>Arthritis and Rheumatism</i> , 2009 , 61, 152-7		29
307	The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 809-15	2.4	29
306	Measuring disabilities in stroke patients with apraxia: A validation study of an observational method. <i>Neuropsychological Rehabilitation</i> , 2000 , 10, 401-414	3.1	29
305	Work adjustments among the chronically ill. <i>International Journal of Rehabilitation Research</i> , 2001 , 24, 7-14	1.8	29
304	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 847-54	2.4	28
303	Varus-valgus motion and functional ability in patients with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 471-7	2.4	28
302	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005 , 14, 795-803	3.7	28
301	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 2001 , 45, 56-61		27
300	Distress in patients with cancer - on the need to distinguish between adaptive and maladaptive emotional responses. <i>Acta Oncologica</i> , 2017 , 56, 1026-1029	3.2	26
299	Development of comorbidity-adapted exercise protocols for patients with knee osteoarthritis. <i>Clinical Interventions in Aging</i> , 2014 , 9, 829-42	4	26
298	Active involvement and long-term goals influence long-term adherence to behavioural graded activity in patients with osteoarthritis: a qualitative study. <i>Australian Journal of Physiotherapy</i> , 2006 , 52, 273-8		26
297	Psychological determinants of sexual arousal: a review. <i>Behaviour Research and Therapy</i> , 1989 , 27, 353-64	2	26
296	A comparison of sex therapy and communication therapy: couples complaining of orgasmic dysfunction. <i>Journal of Sex and Marital Therapy</i> , 1981 , 7, 278-89	2.7	26
295	Treatment of secondary orgasmic dysfunction: a comparison of systematic desensitization and sex therapy. <i>Behaviour Research and Therapy</i> , 1982 , 20, 269-74	5.2	26
294	Course and predictors of pain and physical functioning in patients with hip osteoarthritis: Systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 245-52	3.4	26
293	A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. <i>Annals of Hematology</i> , 2016 , 95, 105-114	3	25

292	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015 , 10, e0134094	3.7	25
291	Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: a study using Rasch analysis. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 163-9	2.2	25
290	Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082	4.1	25
289	Determinants of Adherence to the Online Component of a Blended Intervention for Patients with Hip and/or Knee Osteoarthritis: A Mixed Methods Study Embedded in the e-Exercise Trial. <i>Telemedicine Journal and E-Health</i> , 2017 , 23, 1002-1010	5.9	24
288	Distress, problems and supportive care needs of patients treated with auto- or allo-SCT. <i>Bone Marrow Transplantation</i> , 2014 , 49, 292-8	4.4	24
287	Is the severity of knee osteoarthritis on magnetic resonance imaging associated with outcome of exercise therapy?. <i>Arthritis Care and Research</i> , 2014 , 66, 63-8	4.7	24
286	Which patients with osteoarthritis of hip and/or knee benefit most from behavioral graded activity?. <i>International Journal of Behavioral Medicine</i> , 2007 , 14, 86-91	2.6	24
285	The Dutch-Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017 , 87, 47-58	5.7	23
284	Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. <i>Physiotherapy</i> , 2015 , 101, 171-7	3	23
283	Psychological adjustment to chronic disease and rehabilitation - an exploration. <i>Disability and Rehabilitation</i> , 2018 , 40, 116-120	2.4	23
282	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. <i>PLoS ONE</i> , 2015 , 10, e0133730	3.7	23
281	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 80, 733-41	3.2	23
280	Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. <i>Pain</i> , 2012 , 153, 893-899	8	22
279	Factors associated with physiotherapy provision in a population of elderly nursing home residents; a cross sectional study. <i>BMC Geriatrics</i> , 2007 , 7, 7	4.1	22
278	Disease characteristics as determinants of the labour market position of adolescents and young adults with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 203-9	2.2	22
277	Doing the right thing and doing it right: toward a framework for assessing the policy relevance of health services research. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 604-12	1.8	22
276	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2003 , 4, 3	2.8	22
275	Influence of various recruitment strategies on the study population and outcome of a randomized controlled trial involving patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , 2005 , 53, 375-82		22

274	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1999 , 12, 19-25		22
273	Treatment of male sexual dysfunction: sex therapy compared with systematic desensitization and rational emotive therapy. <i>Behaviour Research and Therapy</i> , 1985 , 23, 13-25	5.2	22
272	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 82-90	6.2	21
271	Effectiveness and cost-effectiveness of a blended exercise intervention for patients with hip and/or knee osteoarthritis: study protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 269	2.8	21
270	The association between reduced knee joint proprioception and medial meniscal abnormalities using MRI in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 676-81	6.2	21
269	Biomechanical factors and physical examination findings in osteoarthritis of the knee: associations with tissue abnormalities assessed by conventional radiography and high-resolution 3.0 Tesla magnetic resonance imaging. <i>Arthritis Research and Therapy</i> , 2012 , 14, R212	5.7	21
268	Factors predicting the outcome of customised foot orthoses in patients with rheumatoid arthritis: a prospective cohort study. <i>Journal of Foot and Ankle Research</i> , 2011 , 4, 8	3.2	21
267	Adherence to physiotherapy clinical guideline acute ankle injury and determinants of adherence: a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 45	2.8	21
266	Reproducibility of instrumented knee joint laxity measurement in healthy subjects. <i>Rheumatology</i> , 2006 , 45, 595-9	3.9	21
265	Application of the ICDH in survey research on rehabilitation: the emergence of the functional diagnosis. <i>Disability and Rehabilitation</i> , 1995 , 17, 195-201	2.4	21
264	Elevated C-reactive protein is associated with lower increase in knee muscle strength in patients with knee osteoarthritis: a 2-year follow-up study in the Amsterdam Osteoarthritis (AMS-OA) cohort. <i>Arthritis Research and Therapy</i> , 2014 , 16, R123	5.7	20
263	Patient reported barriers and facilitators to using a self-management booklet for hip and knee osteoarthritis in primary care: results of a qualitative interview study. <i>BMC Family Practice</i> , 2013 , 14, 181	2.6	20
262	Predictors and outcome of pain-related avoidance of activities in persons with early symptomatic knee osteoarthritis: a five-year followup study. <i>Arthritis Care and Research</i> , 2015 , 67, 48-57	4.7	20
261	Sensitivity of different ADL measures to apraxia and motor impairments. <i>Clinical Rehabilitation</i> , 2002 , 16, 299-305	3.3	20
260	Exercise therapy in patients with rheumatoid arthritis and osteoarthritis: A review. <i>Advances in Behaviour Research and Therapy</i> , 1993 , 15, 211-238		20
259	Setting meaningful goals in rehabilitation: rationale and practical tool. <i>Clinical Rehabilitation</i> , 2020 , 34, 3-12	3.3	20
258	Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: results of a cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 98-106	4	19
257	Agreement of general practitioners with the guideline-based stepped-care strategy for patients with osteoarthritis of the hip or knee: a cross-sectional study. <i>BMC Family Practice</i> , 2013 , 14, 33	2.6	19

256	The association of body-mass index and depressed mood with knee pain and activity limitations in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 296	2.8	19
255	Cognitive mechanisms of change in multidisciplinary treatment of patients with chronic widespread pain: a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 173-80	3.4	19
254	Moving instead of asking? Performance-based tests and BASFI-questionnaire measure different aspects of physical function in ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R52	5.7	19
253	Association of serum C-reactive protein and erythrocyte sedimentation rate with muscle strength in patients with knee osteoarthritis. <i>Rheumatology</i> , 2013 , 52, 727-32	3.9	19
252	Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2013 , 18, 101-111	0.7	19
251	Reasons of drop-out from rehabilitation in patients of Turkish and Moroccan origin with chronic low back pain in The Netherlands: a qualitative study. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 566-73	3.4	19
250	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. <i>BMC Cancer</i> , 2010 , 10, 361	4.8	19
249	Comparison of international guideline programs to evaluate and update the Dutch program for clinical guideline development in physical therapy. <i>BMC Health Services Research</i> , 2007 , 7, 191	2.9	19
248	Dimensional structure of the SF-36 in neurological patients. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 541-3	5.7	19
247	Reliability of the assessment of impairments and disabilities in survey research in the field of physical therapy. <i>International Disability Studies</i> , 1990 , 12, 61-5		19
246	Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 831-5	2.2	19
245	Effect of Soft Braces on Pain and Physical Function in Patients With Knee Osteoarthritis: Systematic Review With Meta-Analyses. <i>Archives of Physical Medicine and Rehabilitation</i> , 2018 , 99, 153-163	2.8	18
244	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 581-8	6.2	18
243	Factors associated with upper leg muscle strength in knee osteoarthritis: A scoping review. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 140-150	3.4	18
242	Effects of unilateral leg muscle fatigue on balance control in perturbed and unperturbed gait in healthy elderly. <i>Gait and Posture</i> , 2014 , 40, 215-9	2.6	18
241	A cluster randomised controlled trial on the efficacy of client-centred occupational therapy in multiple sclerosis: good process, poor outcome. <i>Disability and Rehabilitation</i> , 2013 , 35, 1636-46	2.4	18
240	Effects of a progressive aquatic resistance exercise program on the biochemical composition and morphology of cartilage in women with mild knee osteoarthritis: protocol for a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 82	2.8	18
239	Reproducibility of performance measures of physical function based on the BASFI, in ankylosing spondylitis. <i>Rheumatology</i> , 2009 , 48, 1254-60	3.9	18

238	Respiratory muscle performance as a possible determinant of exercise capacity in patients with ankylosing spondylitis. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 41-5		18
237	Assessment of Disabilities in Stroke Patients with Apraxia: Internal Consistency and Inter-Observer Reliability. <i>Occupation Participation and Health</i> , 1999 , 19, 55-70		18
236	Blended Interventions to Change Behavior in Patients With Chronic Somatic Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2017 , 19, e418	7.6	18
235	A Blended Intervention for Patients With Knee and Hip Osteoarthritis in the Physical Therapy Practice: Development and a Pilot Study. <i>JMIR Research Protocols</i> , 2016 , 5, e32	2	18
234	Association of Somatic Comorbidities and Comorbid Depression With Mortality in Patients With Rheumatoid Arthritis: A 14-Year Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1055-60	4.7	18
233	Increased knee muscle strength is associated with decreased activity limitations in established knee osteoarthritis: Two-year follow-up study in the Amsterdam osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 647-54	3.4	17
232	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 137	4.2	17
231	Clinical and functional correlates of foot pain in diabetic patients. <i>Disability and Rehabilitation</i> , 1998 , 20, 330-6	2.4	17
230	A survey of physical therapy goals and interventions for patients with back and knee pain. <i>Physical Therapy</i> , 1998 , 78, 33-42	3.3	17
229	Calibration of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016 , 20, 284-96	3.7	17
228	Does severe toxicity affect global quality of life in patients with metastatic colorectal cancer during palliative systemic treatment? A systematic review. <i>Annals of Oncology</i> , 2017 , 28, 478-486	10.3	16
227	Measurement of scapular dyskinesis using wireless inertial and magnetic sensors: Importance of scapula calibration. <i>Journal of Biomechanics</i> , 2015 , 48, 3460-8	2.9	16
226	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016 , 12,	3.4	16
225	Ambulatory measurement of the knee adduction moment in patients with osteoarthritis of the knee. <i>Journal of Biomechanics</i> , 2013 , 46, 43-9	2.9	16
224	Proposal for an Update of the Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 1-4	2.6	16
223	Validity and responsiveness of the ankle function score after acute ankle injury. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012 , 22, 170-4	4.6	16
222	Long-term physical functioning and its association with somatic comorbidity and comorbid depression in patients with established rheumatoid arthritis: a longitudinal study. <i>Arthritis Care and Research</i> , 2013 , 65, 1157-65	4.7	16
221	Cognitive behavioural therapy for MS-related fatigue explained: A longitudinal mediation analysis. <i>Journal of Psychosomatic Research</i> , 2018 , 106, 13-24	4.1	15

220	The longitudinal association of cognitive appraisals and coping strategies with physical functioning in older adults with joint pain and comorbidity: a cohort study. <i>BMC Geriatrics</i> , 2016 , 16, 29	4.1	15
219	Multidisciplinary recommendations for diagnosis and treatment of foot problems in people with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 37	3.2	15
218	Knee joint stabilization therapy in patients with osteoarthritis of the knee and knee instability: subgroup analyses in a randomized, controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 703-7	3.4	15
217	Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: a pilot study. <i>Journal of the Neurological Sciences</i> , 2012 , 315, 104-9	3.2	15
216	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 914-9	5.7	15
215	A long-term follow-up study of couples treated for sexual dysfunctions. <i>Journal of Sex and Marital Therapy</i> , 1983 , 9, 99-113	2.7	15
214	The PROSPECTS study: design of a prospective cohort study on prognosis and perpetuating factors of medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2014 , 76, 200-6	4.1	14
213	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015 , 15, 302	4.8	14
212	High prevalence of hand- and wrist-related symptoms, impairments, activity limitations and participation restrictions in children with juvenile idiopathic arthritis. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 991-6	3.4	14
211	Randomized controlled trial of postoperative exercise rehabilitation program after lumbar spine fusion: study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 123	2.8	14
210	Comment on 'psychological distress in patients with cancer: is screening the effective solution?'. <i>British Journal of Cancer</i> , 2013 , 108, 2628-30	8.7	14
209	Influence of the instrumented force shoe on gait pattern in patients with osteoarthritis of the knee. <i>Medical and Biological Engineering and Computing</i> , 2011 , 49, 1381-92	3.1	14
208	Occupational therapy for patients with chronic diseases: CVA, rheumatoid arthritis and progressive diseases of the central nervous system. <i>Disability and Rehabilitation</i> , 1997 , 19, 198-204	2.4	14
207	A comparison of the OARSI response criteria with patient's global assessment in patients with osteoarthritis of the hip treated with a non-pharmacological intervention. <i>Osteoarthritis and Cartilage</i> , 2006 , 14, 77-81	6.2	14
206	Coping in adolescents and young adults with chronic digestive disorders: Impact on school and leisure activities. <i>Psychology and Health</i> , 2006 , 21, 447-462	2.9	14
205	Occupational Therapy at Home for Older Individuals with Mild to Moderate Cognitive Impairments and Their Primary Caregivers: A Pilot Study. <i>OTJR Occupation, Participation and Health</i> , 2003 , 23, 155-164	1.3	14
204	A study suggesting two kinds of information processing of the sexual response. <i>Archives of Sexual Behavior</i> , 1989 , 18, 435-47	3.5	14
203	Exercise in people with comorbidity or multimorbidity. <i>Health Psychology</i> , 2019 , 38, 822-830	5	14

202	Self-perceived care needs in older adults with joint pain and comorbidity. <i>Aging Clinical and Experimental Research</i> , 2018 , 30, 449-455	4.8	13
201	Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. <i>Journal of Shoulder and Elbow Surgery</i> , 2013 , 22, 165-70	4.3	13
200	The working mechanism of manual therapy in participants with chronic tension-type headache. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 693-9	4.2	13
199	Lateral trunk motion and knee pain in osteoarthritis of the knee: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 141	2.8	13
198	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 241	2.8	13
197	First rehabilitation consultation in patients of non-native origin: factors that lead to tension in the patient-physician interaction. <i>Disability and Rehabilitation</i> , 2009 , 31, 1853-61	2.4	13
196	Proprioception, laxity, muscle strength and activity limitations in early symptomatic knee osteoarthritis: results from the CHECK cohort. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 862-8	3.4	13
195	Physiotherapy for Patients with Lateral Ankle Sprains. <i>Physiotherapy</i> , 1998 , 84, 421-432	3	13
194	Utilization of health care by patients with multiple sclerosis is based on professional and patient-defined health needs. <i>Multiple Sclerosis Journal</i> , 2008 , 14, 1269-79	5	13
193	The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006 , 31, 297-308	4.5	13
192	Treatment of homosexual and heterosexual sexual dysfunction in male-only groups of mixed sexual orientation. <i>Archives of Sexual Behavior</i> , 1982 , 11, 1-10	3.5	13
191	Trend in and predictors for cardiovascular mortality in patients with rheumatoid arthritis over a period of 15 years: a prospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 813-819 ²	3.2	13
190	No associations between self-reported knee joint instability and radiographic features in knee osteoarthritis patients prior to Total Knee Arthroplasty: A cross-sectional analysis of the Longitudinal Leiden Orthopaedics Outcomes of Osteo-Arthritis study (LOAS) data. <i>Knee</i> , 2017 , 24, 816-823	2.6	12
189	Treatment of hip/knee osteoarthritis in Dutch general practice and physical therapy practice: an observational study. <i>BMC Family Practice</i> , 2015 , 16, 75	2.6	12
188	Physical and Mental Functioning in Patients with Established Rheumatoid Arthritis over an 11-year Followup Period: The Role of Specific Comorbidities. <i>Journal of Rheumatology</i> , 2016 , 43, 307-14	4.1	12
187	Recruitment problems in psychosocial oncology research. <i>Psycho-Oncology</i> , 2018 , 27, 2296-2298	3.9	12
186	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014 , 26, 490-8	1.9	12
185	A multidisciplinary and multidimensional intervention for patients with hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2012 , 26, 99-110	3.3	12

184	Higher dropout rate in non-native patients than in native patients in rehabilitation in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2009 , 32, 232-7	1.8	12
183	Developing a Risk Prediction Model for Long-Term Physical and Psychological Functioning after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 549-56	4.7	11
182	In-shoe plantar pressure measurements for the evaluation and adaptation of foot orthoses in patients with rheumatoid arthritis: A proof of concept study. <i>Gait and Posture</i> , 2016 , 45, 45-50	2.6	11
181	Exercise and comorbidity: the i3-S strategy for developing comorbidity-related adaptations to exercise therapy. <i>Disability and Rehabilitation</i> , 2016 , 38, 905-9	2.4	11
180	Disability and health-related quality of life in patients undergoing spinal fusion: a comparison with a general population sample. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 211	2.8	11
179	Quality of life and disability: can they be improved by active postoperative rehabilitation after spinal fusion surgery in patients with spondylolisthesis? A randomised controlled trial with 12-month follow-up. <i>European Spine Journal</i> , 2017 , 26, 777-784	2.7	11
178	Overlap of cognitive concepts in chronic widespread pain: an exploratory study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 218	2.8	11
177	Vitality and the course of limitations in activities in osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 269	2.8	11
176	Real-Time Assessment of Fatigue in Patients With Multiple Sclerosis: How Does It Relate to Commonly Used Self-Report Fatigue Questionnaires?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1887-1894.e1	2.8	11
175	Physiotherapists' experiences with a blended osteoarthritis intervention: a mixed methods study. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 572-579	1.5	11
174	Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 32	3.2	10
173	The 2-year course of Medically Unexplained Physical Symptoms (MUPS) in terms of symptom severity and functional status: results of the PROSPECTS cohort study. <i>Journal of Psychosomatic Research</i> , 2018 , 104, 76-87	4.1	10
172	The Association Between Serum 25-hydroxy Vitamin D Level and Upper Leg Strength in Patients with Knee Osteoarthritis: Results of the Amsterdam Osteoarthritis Cohort. <i>Journal of Rheumatology</i> , 2016 , 43, 1400-5	4.1	10
171	Global meaning in people with spinal cord injury: Content and changes. <i>Journal of Spinal Cord Medicine</i> , 2016 , 39, 197-205	1.9	10
170	The knee adduction moment measured with an instrumented force shoe in patients with knee osteoarthritis. <i>Journal of Biomechanics</i> , 2012 , 45, 281-8	2.9	10
169	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012 , 64, 1209-16	4.7	10
168	Social participation in older adults with joint pain and comorbidity; testing the measurement properties of the Dutch Keele Assessment of Participation. <i>BMJ Open</i> , 2013 , 3, e003181	3	10
167	Prediction of walking disability by disease-related factors in patients with rheumatoid arthritis. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 506-10	3.4	10

166	The availability of allied health care in nursing homes. <i>Disability and Rehabilitation</i> , 2007 , 29, 665-70	2.4	10
165	Physical therapy management of low back pain has changed. <i>Health Policy</i> , 2007 , 80, 492-9	3.2	10
164	One-Time Physical Therapist Consultation in Primary Health Care. <i>Physical Therapy</i> , 2003 , 83, 918-931	3.3	10
163	Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-Care Strategy. <i>Arthritis Care and Research</i> , 2017 , 69, 216-225	4.7	9
162	Predictors of self-reported knee instability among patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2016 , 35, 3007-3013	3.9	9
161	Measurement strategy and statistical power in studies assessing gait stability and variability in older adults. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 257-65	4.8	9
160	Proprioception mediates the association between systemic inflammation and muscle weakness in patients with knee osteoarthritis: Results from the Amsterdam Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 67-72	3.4	9
159	Exploring the aggregation of four functional measures in a population of older adults with joint pain and comorbidity. <i>BMC Geriatrics</i> , 2013 , 13, 119	4.1	9
158	Foot-related health care use in patients with rheumatoid arthritis in an outpatient secondary care center for rheumatology and rehabilitation in The Netherlands: a cohort study with a maximum of fifteen years of followup. <i>Arthritis Care and Research</i> , 2013 , 65, 220-6	4.7	9
157	Analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: a cross-sectional study within the Amsterdam Osteoarthritis Cohort. <i>Rheumatology International</i> , 2017 , 37, 1747-1755	3.6	9
156	Treatment of sexual dysfunctions in male-only groups: predicting outcome. <i>Journal of Sex and Marital Therapy</i> , 1985 , 11, 80-90	2.7	9
155	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 911-920	7.3	9
154	The importance of 'global meaning' for people rehabilitating from spinal cord injury. <i>Spinal Cord</i> , 2016 , 54, 1047-1052	2.7	9
153	Development of a Computerized Adaptive Test for Anxiety Based on the Dutch-Flemish Version of the PROMIS Item Bank. <i>Assessment</i> , 2019 , 26, 1362-1374	3.7	9
152	The predictive value of cumulative toxicity for quality of life in patients with metastatic colorectal cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021	3.6	9
151	The immediate effect of a soft knee brace on pain, activity limitations, self-reported knee instability, and self-reported knee confidence in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 260	5.7	8
150	Global meaning in people with stroke: Content and changes. <i>Health Psychology Open</i> , 2016 , 3, 2055102916681759	1.6	8
149	Availability and use of neighborhood resources by older people with osteoarthritis: Results from the European Project on OSteoArthritis. <i>Health and Place</i> , 2016 , 37, 1-7	4.6	8

148	Osteoarthritis of the knee: multicompartmental or compartmental disease?. <i>Rheumatology</i> , 2014 , 53, 540-6	3.9	8
147	Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). <i>Journal of Orthopaedic Science</i> , 2014 , 19, 242-249	1.6	8
146	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017 , 18, 155-165	5.2	8
145	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1112-1122	5	8
144	Nonlinear relationship between isokinetic muscle strength and activity limitations in patients with knee osteoarthritis: Results of the Amsterdam-Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 598-605	3.4	8
143	Client-centred therapy in multiple sclerosis: more intensive diagnostic evaluation and less intensive treatment. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 527-31	3.4	8
142	What do we miss? ASAS non-responders on anti-TNF therapy show improvement in performance-based physical function. <i>Rheumatology</i> , 2013 , 52, 1884-9	3.9	8
141	The possession of technical aids among persons with a somatic chronic disease. <i>Disability and Rehabilitation</i> , 2003 , 25, 393-8	2.4	8
140	A step forward for exercise in the management of osteoarthritis. <i>British Journal of Rheumatology</i> , 2005 , 44, 5-6		8
139	Diagnoses and interventions in podiatry. <i>Disability and Rehabilitation</i> , 1996 , 18, 27-34	2.4	8
138	Reliability of the diagnosis of impairments in survey research in the field of chiropody. <i>Disability and Rehabilitation</i> , 1993 , 15, 76-82	2.4	8
137	The role of appraisal and coping style in relation with societal participation in fatigued patients with multiple sclerosis: a cross-sectional multiple mediator analysis. <i>Journal of Behavioral Medicine</i> , 2016 , 39, 855-65	3.6	8
136	Optimization of Analgesics for Greater Exercise Therapy Participation Among Patients With Knee Osteoarthritis and Severe Pain: A Feasibility Study. <i>Arthritis Care and Research</i> , 2016 , 68, 332-40	4.7	8
135	One in Three Patients With Cancer Meets the Criteria for Mental Disorders: What Does That Mean?. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2826-8	2.2	7
134	Are changes in pain, cognitive appraisals and coping strategies associated with changes in physical functioning in older adults with joint pain and chronic diseases?. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 377-383	4.8	7
133	Fatigue in patients with chronic widespread pain participating in multidisciplinary rehabilitation treatment: a prospective cohort study. <i>Disability and Rehabilitation</i> , 2015 , 37, 490-8	2.4	7
132	Gender difference in varus-valgus laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2007 , 36, 157-9	1.9	7
131	Podiatric care for diabetic patients with foot problems: an observational study. <i>International Journal of Rehabilitation Research</i> , 1999 , 22, 181-8	1.8	7

130	Psychosocial complaints and physical therapy. <i>Physiotherapy Theory and Practice</i> , 1995 , 11, 175-186	1.5	7
129	Dietary protein intake and upper leg muscle strength in subjects with knee osteoarthritis: data from the osteoarthritis initiative. <i>Rheumatology International</i> , 2019 , 39, 277-284	3.6	7
128	Forefoot pathology in relation to plantar pressure distribution in patients with rheumatoid arthritis: A cross-sectional study in the Amsterdam Foot cohort. <i>Gait and Posture</i> , 2019 , 68, 317-322	2.6	7
127	Depressive mood and low social support are not associated with arthritis development in patients with seropositive arthralgia, although they predict increased musculoskeletal symptoms. <i>RMD Open</i> , 2018 , 4, e000653	5.9	7
126	Impact of Patient- and Clinician-Reported Cumulative Toxicity on Quality of Life in Patients With Metastatic Castration-Naïve Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018 , 16, 1481-1488	7.3	7
125	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 1639-1646	2.7	6
124	Predictors for use of psychosocial services in patients with metastatic colorectal cancer receiving first line systemic treatment. <i>BMC Cancer</i> , 2019 , 19, 115	4.8	6
123	Objective evaluation of physical functioning after tumor necrosis factor inhibitory therapy in patients with ankylosing spondylitis: a selection of 3 feasible performance-based tests. <i>Journal of Rheumatology</i> , 2015 , 42, 623-9	4.1	6
122	Impact of symptom focusing and somatosensory amplification on persistent physical symptoms: A three-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110131	4.1	6
121	Effectiveness of postoperative home-exercise compared with usual care on kinesiophobia and physical activity in spondylolisthesis: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 751-757	3.4	6
120	Short-term changes in hormonal profiles after laparoscopic ovarian laser evaporation compared with diagnostic laparoscopy for PCOS. <i>Human Reproduction</i> , 2014 , 29, 2544-52	5.7	6
119	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014 , 64, e538-44	1.6	6
118	Prevalence, Course, and Associated Factors of Pain in the Temporomandibular Joint in Early Rheumatoid Arthritis: Results of a Longitudinal Cohort Study. <i>Journal of Oral and Facial Pain and Headache</i> , 2017 , 31, 233-239	2.5	6
117	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. <i>Physical Therapy Reviews</i> , 2014 , 19, 1-14	0.7	6
116	The effect of shoe lacing on plantar pressure distribution and in-shoe displacement of the foot in healthy participants. <i>Gait and Posture</i> , 2011 , 33, 396-400	2.6	6
115	Interobserver reliability of the Amsterdam Severity Scale in Stenosing Tenosynovitis (ASSiST). <i>Journal of Hand Therapy</i> , 2009 , 22, 355-9; quiz 360	1.6	6
114	Healing care? Rehabilitation of female immigrant patients with chronic pain from a family perspective. <i>Disability and Rehabilitation</i> , 2007 , 29, 323-32	2.4	6
113	Diagnostic assessment and treatment goals in logopedics: impairments, disabilities and handicaps. <i>Folia Phoniatrica Et Logopaedica</i> , 1998 , 50, 71-9	1.5	6

112	Inter-Rater and Intra-Rater Reliability of the Occupational Therapy Diagnosis. <i>Occupation Participation and Health</i> , 1995 , 15, 259-274		6
111	Continuous Improvement of Physical Functioning in Ankylosing Spondylitis Patients by Tumor Necrosis Factor Inhibitors: Three-Year Followup and Predictors. <i>Arthritis Care and Research</i> , 2016 , 68, 1522-9	4.7	6
110	Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2671-2678	3.8	6
109	Help-seeking behaviour of patients with haematological malignancies treated with autologous stem cell transplantation. <i>European Journal of Cancer Care</i> , 2017 , 26, e12454	2.4	5
108	Objective parameters to measure (in)stability of the knee joint during gait: A review of literature. <i>Gait and Posture</i> , 2019 , 70, 235-253	2.6	5
107	Feasibility and Safety of Cardiopulmonary Exercise Testing in Multiple Sclerosis: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 2055-66	2.8	5
106	The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review and meta-analysis. <i>Rheumatology International</i> , 2018 , 38, 749-762	3.6	5
105	Predicting the course of persistent physical symptoms: Development and internal validation of prediction models for symptom severity and functional status during 2 years of follow-up. <i>Journal of Psychosomatic Research</i> , 2018 , 108, 1-13	4.1	5
104	The immediate effect of a soft knee brace on dynamic knee instability in persons with knee osteoarthritis. <i>Rheumatology</i> , 2018 , 57, 1735-1742	3.9	5
103	Percutaneous nerve stimulation in chronic neuropathic pain patients due to spinal cord injury: a pilot study. <i>Pain Practice</i> , 2014 , 14, 252-9	3	5
102	Applicability of the Ottawa Ankle Rules in primary care: results from a pilot study. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 1246-8	2.5	5
101	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 232	2.8	5
100	Referral patterns and utilization of physiotherapy services following a one-time physiotherapist consultation in general practice. <i>Physiotherapy Theory and Practice</i> , 2003 , 19, 5-21	1.5	5
99	Reliability of the assessment of impairments, disabilities and handicaps in survey research on speech therapy. <i>Folia Phoniatrica Et Logopaedica</i> , 1995 , 47, 199-209	1.5	5
98	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared with two reference standards. <i>Psycho-Oncology</i> , 2020 , 29, 775-780	3.9	4
97	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2016 , 24, 2883-92	3.9	4
96	Study protocol of the CORRECT multicenter trial: the efficacy of blended cognitive behavioral therapy for reducing psychological distress in colorectal cancer survivors. <i>BMC Cancer</i> , 2018 , 18, 748	4.8	4
95	WOMAC-pf as a measure of physical function in patients with Parkinson's disease and late-onset sequels of poliomyelitis: unidimensionality and item behaviour. <i>Disability and Rehabilitation</i> , 2012 , 34, 1423-30	2.4	4

94	Distinguishing four components underlying physical activity: a new approach to using physical activity questionnaire data in old age. <i>BMC Geriatrics</i> , 2010 , 10, 20	4.1	4
93	Diffusion of a quality improvement programme among allied health professionals. <i>International Journal for Quality in Health Care</i> , 1999 , 11, 337-44	1.9	4
92	Biomechanical factors associated with the development of tibiofemoral knee osteoarthritis: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016 , 6, e011066	3	4
91	Structured clinical reasoning for exercise prescription in patients with comorbidity. <i>Disability and Rehabilitation</i> , 2020 , 42, 1474-1479	2.4	4
90	Definition and Characteristics of Behavioral Medicine, and Main Tasks and Goals of the International Society of Behavioral Medicine-an International Delphi Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 268-276	2.6	4
89	Evaluation of an educational course for primary care physiotherapists on comorbidity-adapted exercise therapy in knee osteoarthritis: an observational study. <i>Musculoskeletal Care</i> , 2020 , 18, 122-133	1.6	3
88	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020 , 34, 934-945	5.5	3
87	Treatment course and its predictors in patients with somatoform disorders: A routine outcome monitoring study in secondary psychiatric care. <i>Clinical Psychology and Psychotherapy</i> , 2018 , 25, 550	2.9	3
86	Exploring Fatigue Trajectories in Early Symptomatic Knee and Hip Osteoarthritis: 6-year Results from the CHECK Study. <i>Journal of Rheumatology</i> , 2016 , 43, 1413-20	4.1	3
85	Biomechanical and neuromuscular adaptations during the landing phase of a stepping-down task in patients with early or established knee osteoarthritis. <i>Knee</i> , 2016 , 23, 367-75	2.6	3
84	Trajectories of physical functioning and their prognostic indicators: a prospective cohort study in older adults with joint pain and comorbidity. <i>Maturitas</i> , 2014 , 78, 316-22	5	3
83	The cross-sectional relation between medically unexplained physical symptoms (MUPS) and the Cortisol Awakening Response. <i>Journal of Psychosomatic Research</i> , 2017 , 99, 130-136	4.1	3
82	Predictors of stenosing tenosynovitis in the hand and hand-related activity limitations in patients with rheumatoid arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 96-100	2.8	3
81	Categories of pain behaviour in osteoarthritis patients. <i>Physiotherapy Theory and Practice</i> , 1993 , 9, 157-163		3
80	Management of Distress in Patients with Cancer-Are We Doing the Right Thing?. <i>Annals of Behavioral Medicine</i> , 2020 , 54, 978-984	4.5	3
79	Is a model of stratified exercise therapy by physical therapists in primary care feasible in patients with knee osteoarthritis? : a mixed methods study. <i>Physiotherapy</i> , 2020 , 106, 101-110	3	3
78	Effectiveness of a 12-month home-based exercise program on trunk muscle strength and spine function after lumbar spine fusion surgery: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2020 , 1-9	2.4	2
77	Outcomes and potential mechanism of a protocol to optimize foot orthoses in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 348	2.8	2

76	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020 , 80, 101882	10.8	2
75	Decreased Pain and Improved Dynamic Knee Instability Mediate the Beneficial Effect of Wearing a Soft Knee Brace on Activity Limitations in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2019 , 71, 1036-1043	4.7	2
74	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017 , 103, 70-76	4.1	2
73	Adaptations to pain rehabilitation programmes for non-native patients with chronic pain. <i>Disability and Rehabilitation</i> , 2011 , 33, 1324-9	2.4	2
72	The pros and cons of muscle co-contraction in osteoarthritis of the knee: comment on the article by Lewek et al. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1354; author reply 1354-5		2
71	Medical and educational fields in logopedics in The Netherlands: a comparison in historical and European perspective. <i>Folia Phoniatrica Et Logopaedica</i> , 1998 , 50, 80-91	1.5	2
70	Experiences with physiotherapists consultation: Results of a feasibility study. <i>Physiotherapy Theory and Practice</i> , 1996 , 12, 211-220	1.5	2
69	Imagery and sexual arousal. <i>Sexual and Relationship Therapy</i> , 1993 , 8, 283-285		2
68	Screening and stepped care targeting psychological distress in patients with metastatic colorectal cancer: The TES cluster randomized trial.. <i>Journal of Clinical Oncology</i> , 2018 , 36, 3560-3560	2.2	2
67	A computer-based screening method for distress in patients with multiple sclerosis: a feasibility study. <i>JMIR Research Protocols</i> , 2014 , 3, e29	2	2
66	Trunk Muscle Strength After Lumbar Spine Fusion: A 12-Month Follow-up. <i>Neurospine</i> , 2019 , 16, 332-338	3.1	2
65	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). <i>Physiotherapy Research International</i> , 2020 , 25, e1819	1.8	2
64	Factors Associated With Sleep Quality in Patients With Chronic Widespread Pain Attending Multidisciplinary Treatment. <i>Pain Practice</i> , 2020 , 20, 471-479	3	2
63	Global Meaning and Rehabilitation in People with Stroke. <i>Brain Impairment</i> , 2018 , 19, 183-192	1	1
62	Inner posture as aspect of global meaning in healthcare: a conceptual analysis. <i>Medicine, Health Care and Philosophy</i> , 2019 , 22, 201-209	2	1
61	Adapted cardiac rehabilitation programme to improve uptake in patients of Moroccan and Turkish origin in The Netherlands: a qualitative study. <i>Journal of Clinical Nursing</i> , 2012 , 21, 2823-31	3.2	1
60	Reply to the letter to the editor 'Specific QOL scales that reflect toxicity-induced impairment are needed in RCTs'. <i>Annals of Oncology</i> , 2017 , 28, 2033-2034	10.3	1
59	Defining the Field of Behavioral Medicine: A Collaborative Endeavor. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 21-24	2.6	1

58	Stepped care bij artrose. <i>Huisarts En Wetenschap</i> , 2015 , 58, 299-301	0.1	1
57	The Authors Respond: Toward Consensus on the Definition of Participation for Adult and Pediatric Populations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 2096-2097	2.8	1
56	Author reply: criteria for good measurement properties. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 1315-1316	3.7	1
55	Systemic reviews are inevitably out of date. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 195		1
54	Muscle weakness is associated with non-contractile muscle tissue of the vastus medialis muscle in knee osteoarthritis.. <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 91	2.8	1
53	Clinical management of emotions in patients with cancer: introducing the approach "emotional support and case finding". <i>Translational Behavioral Medicine</i> , 2020 , 10, 1399-1405	3.2	1
52	9 Reumatische aandoeningen 2012 , 125-141		1
51	Patients' experiences with fluctuations in persistent physical symptoms: a qualitative study. <i>BMJ Open</i> , 2020 , 10, e035833	3	1
50	RE: Deficit Accumulation Frailty Trajectories of Older Breast Cancer Survivors and Non-Cancer Controls: The Thinking and Living With Cancer Study. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1434-1435	9.7	1
49	Clinical guidance for podiatrists in the management of foot problems in rheumatic disorders: evaluation of an educational programme for podiatrists using a mixed methods design. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 15	3.2	1
48	Theory in Behavioral Medicine 2018 , 181-214		1
47	Construct validity of the OCTOPuS stratification algorithm for allocating patients with knee osteoarthritis into subgroups. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 633	2.8	1
46	Risk Factors for Functional Decline in Osteoarthritis of the Knee or Hip 2014 , 39-48		1
45	Neuromuscular Mechanisms Explaining Functional Decline 2014 , 49-67		1
44	Behavioral Mechanisms Explaining Functional Decline 2014 , 69-85		1
43	High-intensity versus low-intensity resistance training in patients with knee osteoarthritis: A randomized controlled trial.. <i>Clinical Rehabilitation</i> , 2022 , 2692155211073039	3.3	1
42	Setting meaningful goals in rehabilitation: A qualitative study on the experiences of clients and clinicians in working with a practical tool. <i>Clinical Rehabilitation</i> , 2021 , 2692155211046463	3.3	0
41	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	0

40	Manual therapy as a prophylactic treatment for migraine: design of a randomized controlled trial. <i>Trials</i> , 2019 , 20, 785	2.8	o
39	Potentially traumatic events, social support and burden of persistent somatic symptoms: A longitudinal study. <i>Journal of Psychosomatic Research</i> , 2022 , 110945	4.1	o
38	Dr. Koeckhoven, et al reply. <i>Journal of Rheumatology</i> , 2016 , 43, 2079	4.1	
37	THU0563 Validation of the Dutch-Flemish PROMIS Pain Behavior and Pain Interference Item Banks in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 377.2-377	2.4	
36	THU0564 Validation of the Dutch-Flemish PROMIS Physical Functioning Item Bank in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 377.3-378	2.4	
35	THU0204 Factors Associated with the Setting and Content of Care in Patients with Osteoarthritis of the Hip or Knee. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 252.1-252	2.4	
34	FRI0581-HPR Falls Associated with Muscle Strength and Pain in Knee Osteoarthritis Patients with Self-Reported Knee Instability. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1205.2-1205	2.4	
33	Performance-based tests to assess physical function in osteoarthritis of the hip or knee: comment and proposal. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1623-4	6.2	
32	Reply. <i>Arthritis Care and Research</i> , 2017 , 69, 763-764	4.7	
31	AB1256-HPR In-Shoe Plantar Pressure Measurements for the Evaluation and Adaptation of Foot Orthoses in Patients with Rheumatoid Arthritis: A Proof of Concept Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1354.3-1355	2.4	
30	AB0857 Standardized Optimization of Analgesics in Patients with Knee Osteoarthritis and Severe Pain: A Feasibility Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1187.1-1187	2.4	
29	THU0599 Validation of the Dutch-Flemish Promis Pain Behavior and Pain Interference Item Banks in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 418.1-418	2.4	
28	THU0311 Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 308.2-308	2.4	
27	OP0210-HPR Increase in Knee Muscle Strength is Associated with A Decrease in Activity Limitations in Patients with Established Knee Osteoarthritis: A 2 Years Follow-Up Study in the AMS-OA Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 142.1-142	2.4	
26	AB0779 7 Years of Follow-Up of Early Symptomatic Oa: Characteristics of CHECK (Cohort HIP & Cohort Knee). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1062.1-1062	2.4	
25	Response to commentary on: Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2014 , 19, 44-45	0.7	
24	Revalidatie en artrose*. <i>Bijblijven (Amsterdam, Netherlands)</i> , 2012 , 28, 42-49	0.2	
23	Response to commentary on: Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2013 , 18, 232-233	0.7	

- 22 SAT0229 Depression in systemic lupus erythematosus, dependent or independent of severity of disease?. *Annals of the Rheumatic Diseases*, **2013**, 71, 549.2-549 2.4
- 21 OP0075-HPR A multidisciplinary and multidimensional program for hand osteoarthritis is not effective: Results of a randomized controlled study. *Annals of the Rheumatic Diseases*, **2013**, 71, 78.3-79 2.4
- 20 SAT0593-HPR Patients' Perceptions of a Self-Management Booklet for Hip or Knee Osteoarthritis: a Qualitative Interview Study. *Annals of the Rheumatic Diseases*, **2013**, 72, A783.2-A783 2.4
- 19 OP0201-PC Agreement of General Practitioners with the Guideline-Based Stepped-Care Strategy for Patients with Osteoarthritis of the Hip or Knee: A Cross-Sectional Study. *Annals of the Rheumatic Diseases*, **2013**, 72, A120.2-A120 2.4
- 18 Effectiviteit van manuele therapie bij chronische spierspanningshoofdpijn. *Huisarts En Wetenschap*, **2011**, 54, 244-247 0.1
- 17 IJBM - interdisciplinary, international, and outstanding research on factors relevant to health and illness. *International Journal of Behavioral Medicine*, **2011**, 18, 285-7 2.6
- 16 Fysiotherapie in verpleeghuizen. *Tijdschrift Voor Verpleeghuisgeneeskunde*, **2008**, 33, 116-121
- 15 Prescription of technical aids by general practitioners in the Netherlands. *Health Policy*, **2004**, 67, 107-133.2
- 14 The number of therapeutic sessions in logopedic care: a description and analysis. *Folia Phoniatrica Et Logopaedica*, **2000**, 52, 239-50 1.5
- 13 Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). *Trials*, **2021**, 22, 696 2.8
- 12 Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared to two reference standards.. *Journal of Clinical Oncology*, **2017**, 35, 24-24 2.2
- 11 Regular Exercises in Knee and Hip Osteoarthritis **2014**, 89-94
- 10 Summary and Future Directions **2014**, 127-132
- 9 Exercise Aiming at Behavioral Mechanisms **2014**, 109-118
- 8 Comorbidity, Obesity, and Exercise Therapy in Patients with Knee and Hip Osteoarthritis **2014**, 119-126
- 7 Exercise Therapy Targeting Neuromuscular Mechanisms **2014**, 95-107
- 6 Therapeutic Options in Osteoarthritis of the Hip or Knee **2014**, 27-35
- 5 Epidemiology, Pathogenesis, and Clinical Aspects of Knee and Hip Osteoarthritis **2014**, 13-25

- 4 THU0651-HPR Structure, Process and Outcome of Primary Care Rheumatology Networks for Patients with Rheumatic and Musculoskeletal Diseases in The Netherlands. *Annals of the Rheumatic Diseases*, **2016**, 75, 1274.2-1275 2.4
- 3 Effectiviteit van oefentherapie bij patiënten met heupartrose. *Huisarts En Wetenschap*, **2016**, 59, 346-349 0.1
- 2 Course and predictors of upper leg muscle strength over 48 months in subjects with knee osteoarthritis: Data from the osteoarthritis initiative. *Osteoarthritis and Cartilage Open*, **2020**, 2, 100038 1.5
- 1 Implementation of recommended non-pharmacotherapy in rheumatology practice: need for improvement. *Clinical and Experimental Rheumatology*, **2016**, 34, S15-7 2.2