Joost Dekker

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3268061/joost-dekker-publications-by-year.pdf

Version: 2024-04-19

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

21,602 64 134 453 h-index g-index citations papers 6.63 24,700 472 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
453	Muscle weakness is associated with non-contractile muscle tissue of the vastus medialis muscle in knee osteoarthritis <i>BMC Musculoskeletal Disorders</i> , 2022 , 23, 91	2.8	1
452	High-intensity versus low-intensity resistance training in patients with knee osteoarthritis: A randomized controlled trial <i>Clinical Rehabilitation</i> , 2022 , 2692155211073039	3.3	1
45 ¹	Potentially traumatic events, social support and burden of persistent somatic symptoms: A longitudinal study. <i>Journal of Psychosomatic Research</i> , 2022 , 110945	4.1	O
450	Setting meaningful goals in rehabilitation: A qualitative study on the experiences of clients and clinicians in working with a practical tool. <i>Clinical Rehabilitation</i> , 2021 , 2692155211046463	3.3	O
449	Clinical judgment of the need for professional mental health care in patients with cancer: a qualitative study among oncologists and nurses. <i>Journal of Cancer Survivorship</i> , 2021 , 1	5.1	O
448	Personalized versus standard cognitive behavioral therapy for fear of cancer recurrence, depressive symptoms or cancer-related fatigue in cancer survivors: study protocol of a randomized controlled trial (MATCH-study). <i>Trials</i> , 2021 , 22, 696	2.8	
447	RE: Deficit Accumulation Frailty Trajectories of Older Breast Cancer Survivors and Non-Cancer Controls: The Thinking and Living With Cancer Study. <i>Journal of the National Cancer Institute</i> , 2021 , 113, 1434-1435	9.7	1
446	Definition and Characteristics of Behavioral Medicine, and Main Tasks and Goals of the International Society of Behavioral Medicine-an International Delphi Study. <i>International Journal of Behavioral Medicine</i> , 2021 , 28, 268-276	2.6	4
445	Clinical guidance for podiatrists in the management of foot problems in rheumatic disorders: evaluation of an educational programme for podiatrists using a mixed methods design. <i>Journal of Foot and Ankle Research</i> , 2021 , 14, 15	3.2	1
444	Construct validity of the OCTOPuS stratification algorithm for allocating patients with knee osteoarthritis into subgroups. <i>BMC Musculoskeletal Disorders</i> , 2021 , 22, 633	2.8	1
443	Impact of symptom focusing and somatosensory amplification on persistent physical symptoms: A three-year follow-up study. <i>Journal of Psychosomatic Research</i> , 2020 , 135, 110131	4.1	6
442	Effectiveness of a 12-month home-based exercise program on trunk muscle strength and spine function after lumbar spine fusion surgery: a randomized controlled trial. <i>Disability and Rehabilitation</i> , 2020 , 1-9	2.4	2
441	Outcomes and potential mechanism of a protocol to optimize foot orthoses in patients with rheumatoid arthritis. <i>BMC Musculoskeletal Disorders</i> , 2020 , 21, 348	2.8	2
440	Effects and moderators of coping skills training on symptoms of depression and anxiety in patients with cancer: Aggregate data and individual patient data meta-analyses. <i>Clinical Psychology Review</i> , 2020 , 80, 101882	10.8	2
439	Evaluation of an educational course for primary care physiotherapists on comorbidity-adapted exercise therapy in knee osteoarthritis: an observational study. <i>Musculoskeletal Care</i> , 2020 , 18, 122-133	1.6	3
438	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared with two reference standards. <i>Psycho-Oncology</i> , 2020 , 29, 775-780	3.9	4
437	Economic evaluation of a combined screening and stepped-care treatment program targeting psychological distress in patients with metastatic colorectal cancer: A cluster randomized controlled trial. <i>Palliative Medicine</i> , 2020 , 34, 934-945	5.5	3

436	Clinical management of emotions in patients with cancer: introducing the approach "emotional support and case finding". <i>Translational Behavioral Medicine</i> , 2020 , 10, 1399-1405	3.2	1	
435	Management of Distress in Patients with Cancer-Are We Doing the Right Thing?. <i>Annals of Behavioral Medicine</i> , 2020 , 54, 978-984	4.5	3	
434	Stratified exercise therapy compared with usual care by physical therapists in patients with knee osteoarthritis: A randomized controlled trial protocol (OCTOPuS study). <i>Physiotherapy Research International</i> , 2020 , 25, e1819	1.8	2	
433	Factors Associated With Sleep Quality in Patients With Chronic Widespread Pain Attending Multidisciplinary Treatment. <i>Pain Practice</i> , 2020 , 20, 471-479	3	2	
432	Patients' experiences with fluctuations in persistent physical symptoms: a qualitative study. <i>BMJ Open</i> , 2020 , 10, e035833	3	1	
431	Structured clinical reasoning for exercise prescription in patients with comorbidity. <i>Disability and Rehabilitation</i> , 2020 , 42, 1474-1479	2.4	4	
430	Is a model of stratified exercise therapy by physical therapists in primary care feasible in patients with knee osteoarthritis?: a mixed methods study. <i>Physiotherapy</i> , 2020 , 106, 101-110	3	3	
429	Physiotherapists' experiences with a blended osteoarthritis intervention: a mixed methods study. <i>Physiotherapy Theory and Practice</i> , 2020 , 36, 572-579	1.5	11	
428	Setting meaningful goals in rehabilitation: rationale and practical tool. <i>Clinical Rehabilitation</i> , 2020 , 34, 3-12	3.3	20	
427	Course and predictors of upper leg muscle strength over 48 months in subjects with knee osteoarthritis: Data from the osteoarthritis initiative. <i>Osteoarthritis and Cartilage Open</i> , 2020 , 2, 10003	38 ^{1.5}		
426	Systematic review on the comparative effectiveness of foot orthoses in patients with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2019 , 12, 32	3.2	10	
425	In-Hospital Mobilization, Physical Fitness, and Physical Functioning After Lung Cancer Surgery. <i>Annals of Thoracic Surgery</i> , 2019 , 107, 1639-1646	2.7	6	
424	Objective parameters to measure (in)stability of the knee joint during gait: A review of literature. <i>Gait and Posture</i> , 2019 , 70, 235-253	2.6	5	
423	Predictors for use of psychosocial services in patients with metastatic colorectal cancer receiving first line systemic treatment. <i>BMC Cancer</i> , 2019 , 19, 115	4.8	6	
422	Are changes in pain, cognitive appraisals and coping strategies associated with changes in physical functioning in older adults with joint pain and chronic diseases?. <i>Aging Clinical and Experimental Research</i> , 2019 , 31, 377-383	4.8	7	
421	Inner posture as aspect of global meaning in healthcare: a conceptual analysis. <i>Medicine, Health Care and Philosophy,</i> 2019 , 22, 201-209	2	1	
420	Decreased Pain and Improved Dynamic Knee Instability Mediate the Beneficial Effect of Wearing a Soft Knee Brace on Activity Limitations in Patients With Knee Osteoarthritis. <i>Arthritis Care and Research</i> , 2019 , 71, 1036-1043	4.7	2	
419	Screening and Stepped Care Targeting Psychological Distress in Patients With Metastatic Colorectal Cancer: The TES Cluster Randomized Trial. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2019 , 17, 911-920	7.3	9	

Trunk Muscle Strength After Lumbar Spine Fusion: A 12-Month Follow-up. Neurospine, 2019, 16, 332-3383.1 418 2 Exercise in people with comorbidity or multimorbidity. Health Psychology, 2019, 38, 822-830 417 14 Manual therapy as a prophylactic treatment for migraine: design of a randomized controlled trial. 416 2.8 O Trials, 2019, 20, 785 Dietary protein intake and upper leg muscle strength in subjects with knee osteoarthritis: data 3.6 415 from the osteoarthritis initiative. Rheumatology International, 2019, 39, 277-284 Forefoot pathology in relation to plantar pressure distribution in patients with rheumatoid 2.6 414 7 arthritis: A cross-sectional study in the Amsterdam Foot cohort. Gait and Posture, 2019, 68, 317-322 Development of a Computerized Adaptive Test for Anxiety Based on the Dutch-Flemish Version of 413 3.7 9 the PROMIS Item Bank. Assessment, 2019, 26, 1362-1374 Treatment course and its predictors in patients with somatoform disorders: A routine outcome 412 2.9 3 monitoring study in secondary psychiatric care. Clinical Psychology and Psychotherapy, 2018, 25, 550 Effects and moderators of psychosocial interventions on quality of life, and emotional and social function in patients with cancer: An individual patient data meta-analysis of 22 RCTs. 411 3.9 49 Psycho-Oncology, 2018, 27, 1150-1161 Cognitive behavioural therapy for MS-related fatigue explained: A longitudinal mediation analysis. 410 4.1 15 Journal of Psychosomatic Research, 2018, 106, 13-24 The 2-year course of Medically Unexplained Physical Symptoms (MUPS) in terms of symptom severity and functional status: results of the PROSPECTS cohort study. Journal of Psychosomatic 409 4.1 Research, 2018, 104, 76-87 The effectiveness of therapeutic shoes in patients with rheumatoid arthritis: a systematic review 408 3.6 5 and meta-analysis. Rheumatology International, 2018, 38, 749-762 Predicting the course of persistent physical symptoms: Development and internal validation of prediction models for symptom severity and functional status during 2 years of follow-up. Journal 407 4.1 of Psychosomatic Research, 2018, 108, 1-13 Psychological adjustment to chronic disease and rehabilitation - an exploration. Disability and 406 2.4 23 Rehabilitation, 2018, 40, 116-120 Tailoring exercise interventions to comorbidities and treatment-induced adverse effects in patients with early stage breast cancer undergoing chemotherapy: a framework to support clinical 2.4 35 decisions. Disability and Rehabilitation, 2018, 40, 486-496 Effect of Soft Braces on Pain and Physical Function in Patients With Knee Osteoarthritis: Systematic 2.8 18 404 Review With Meta-Analyses. Archives of Physical Medicine and Rehabilitation, 2018, 99, 153-163 Self-perceived care needs in older adults with joint pain and comorbidity. Aging Clinical and 4.8 403 13 Experimental Research, 2018, 30, 449-455 The immediate effect of a soft knee brace on dynamic knee instability in persons with knee 402 3.9 5 osteoarthritis. Rheumatology, 2018, 57, 1735-1742 Association of malalignment, muscular dysfunction, proprioception, laxity and abnormal joint loading with tibiofemoral knee osteoarthritis - a systematic review and meta-analysis. BMC 2.8 401 37 Musculoskeletal Disorders, 2018, 19, 273

400	Multidisciplinary recommendations for diagnosis and treatment of foot problems in people with rheumatoid arthritis. <i>Journal of Foot and Ankle Research</i> , 2018 , 11, 37	3.2	15
399	Study protocol of the CORRECT multicenter trial: the efficacy of blended cognitive behavioral therapy for reducing psychological distress in colorectal cancer survivors. <i>BMC Cancer</i> , 2018 , 18, 748	4.8	4
398	Factors associated with upper leg muscle strength in knee osteoarthritis: A scoping review. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 140-150	3.4	18
397	Global Meaning and Rehabilitation in People with Stroke. <i>Brain Impairment</i> , 2018 , 19, 183-192	1	1
396	Proprioception mediates the association between systemic inflammation and muscle weakness in patients with knee osteoarthritis: Results from the Amsterdam Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2018 , 50, 67-72	3.4	9
395	Recruitment problems in psychosocial oncology research. <i>Psycho-Oncology</i> , 2018 , 27, 2296-2298	3.9	12
394	Screening and stepped care targeting psychological distress in patients with metastatic colorectal cancer: The TES cluster randomized trial <i>Journal of Clinical Oncology</i> , 2018 , 36, 3560-3560	2.2	2
393	Depressive mood and low social support are not associated with arthritis development in patients with seropositive arthralgia, although they predict increased musculoskeletal symptoms. <i>RMD Open</i> , 2018 , 4, e000653	5.9	7
392	Impact of Patient- and Clinician-Reported Cumulative Toxicity on Quality of Life in Patients With Metastatic Castration-NaMe Prostate Cancer. <i>Journal of the National Comprehensive Cancer Network: JNCCN</i> , 2018 , 16, 1481-1488	7.3	7
391	Theory in Behavioral Medicine 2018 , 181-214		1
390	The predictive value of cumulative toxicity for quality of life in patients with metastatic colorectal cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021	3.6	9
390 389	The predictive value of cumulative toxicity for quality of life in patients with metastatic colorectal cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021 Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082	3.6	25
	cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021 Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public</i>		
389	cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021 Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082 Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 560-570 Self-reported knee instability associated with pain, activity limitations, and poorer quality of life	4.1	25
389 388	cancer during first-line palliative chemotherapy. <i>Cancer Management and Research</i> , 2018 , 10, 3015-3021 Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082 Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 560-570 Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of</i>	4.1 3·3	25
389 388 387	Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082 Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 560-570 Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2671-2678 Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or	4.13.33.8	25336
389 388 387 386	Cost-effectiveness of a blended physiotherapy intervention compared to usual physiotherapy in patients with hip and/or knee osteoarthritis: a cluster randomized controlled trial. <i>BMC Public Health</i> , 2018 , 18, 1082 Effectiveness of a Blended Physical Therapist Intervention in People With Hip Osteoarthritis, Knee Osteoarthritis, or Both: A Cluster-Randomized Controlled Trial. <i>Physical Therapy</i> , 2018 , 98, 560-570 Self-reported knee instability associated with pain, activity limitations, and poorer quality of life before and 1 year after total knee arthroplasty in patients with knee osteoarthritis. <i>Journal of Orthopaedic Research</i> , 2018 , 36, 2671-2678 Factors Associated With Referral to Secondary Care in Patients With Osteoarthritis of the Hip or Knee After Implementation of a Stepped-Care Strategy. <i>Arthritis Care and Research</i> , 2017 , 69, 216-225 Help-seeking behaviour of patients with haematological malignancies treated with autologous	4.13.33.84.7	253369

382	The Dutch-Flemish PROMIS Physical Function item bank exhibited strong psychometric properties in patients with chronic pain. <i>Journal of Clinical Epidemiology</i> , 2017 , 87, 47-58	5.7	23
381	No associations between self-reported knee joint instability and radiographic features in knee osteoarthritis patients prior to Total Knee Arthroplasty: A cross-sectional analysis of the Longitudinal Leiden Orthopaedics Outcomes of Osteo-Arthritis study (LOAS) data. <i>Knee</i> , 2017 , 24, 816-8	2.6 323	12
380	Determinants of Adherence to the Online Component of a Blended Intervention for Patients with Hip and/or Knee Osteoarthritis: A Mixed Methods Study Embedded in the e-Exercise Trial. <i>Telemedicine Journal and E-Health</i> , 2017 , 23, 1002-1010	5.9	24
379	Cognitive behavioral therapy positively affects fatigue in patients with multiple sclerosis: Results of a randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1542-1553	5	32
378	Does severe toxicity affect global quality of life in patients with metastatic colorectal cancer during palliative systemic treatment? A systematic review. <i>Annals of Oncology</i> , 2017 , 28, 478-486	10.3	16
377	Mortality in patients with rheumatoid arthritis: a 15-year prospective cohort study. <i>Rheumatology International</i> , 2017 , 37, 487-493	3.6	94
376	Prevalence of depression and anxiety in Multiple Sclerosis: A systematic review and meta-analysis. Journal of the Neurological Sciences, 2017 , 372, 331-341	3.2	264
375	Effectiveness of postoperative home-exercise compared with usual care on kinesiophobia and physical activity in spondylolisthesis: A randomized controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 751-757	3.4	6
374	The immediate effect of a soft knee brace on pain, activity limitations, self-reported knee instability, and self-reported knee confidence in patients with knee osteoarthritis. <i>Arthritis Research and Therapy</i> , 2017 , 19, 260	5.7	8
373	Analgesic use in patients with knee and/or hip osteoarthritis referred to an outpatient center: a cross-sectional study within the Amsterdam Osteoarthritis Cohort. <i>Rheumatology International</i> , 2017 , 37, 1747-1755	3.6	9
372	The cross-sectional relation between medically unexplained physical symptoms (MUPS) and the Cortisol Awakening Response. <i>Journal of Psychosomatic Research</i> , 2017 , 99, 130-136	4.1	3
371	Reply. Arthritis Care and Research, 2017 , 69, 763-764	4.7	
370	Does the presence of multiple sclerosis impact on symptom profile in depressed patients?. <i>Journal of Psychosomatic Research</i> , 2017 , 103, 70-76	4.1	2
369	Reply to the letter to the editor 'Specific QOL scales that reflect toxicity-induced impairment are needed in RCTs'. <i>Annals of Oncology</i> , 2017 , 28, 2033-2034	10.3	1
368	Proposal for an Update of the Definition and Scope of Behavioral Medicine. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 1-4	2.6	16
367	Biological Stress Systems, Adverse Life Events, and the Improvement of Chronic Multisite Musculoskeletal Pain Across a 6-Year Follow-Up. <i>Journal of Pain</i> , 2017 , 18, 155-165	5.2	8
366	Gait Retraining With Real-Time Biofeedback to Reduce Knee Adduction Moment: Systematic Review of Effects and Methods Used. <i>Archives of Physical Medicine and Rehabilitation</i> , 2017 , 98, 137-150	2.8	53
365	Efficacy of Tailored Exercise Therapy on Physical Functioning in Patients With Knee Osteoarthritis and Comorbidity: A Randomized Controlled Trial. <i>Arthritis Care and Research</i> , 2017 , 69, 807-816	4.7	56

(2016-2017)

364	Quality of life and disability: can they be improved by active postoperative rehabilitation after spinal fusion surgery in patients with spondylolisthesis? A randomised controlled trial with 12-month follow-up. <i>European Spine Journal</i> , 2017 , 26, 777-784	2.7	11	
363	Internet-based treatment for depression in multiple sclerosis: A randomized controlled trial. <i>Multiple Sclerosis Journal</i> , 2017 , 23, 1112-1122	5	8	
362	Defining the Field of Behavioral Medicine: A Collaborative Endeavor. <i>International Journal of Behavioral Medicine</i> , 2017 , 24, 21-24	2.6	1	
361	Nonlinear relationship between isokinetic muscle strength and activity limitations in patients with knee osteoarthritis: Results of the Amsterdam-Osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2017 , 49, 598-605	3.4	8	
360	Prevalence, Course, and Associated Factors of Pain in the Temporomandibular Joint in Early Rheumatoid Arthritis: Results of a Longitudinal Cohort Study. <i>Journal of Oral and Facial Pain and Headache</i> , 2017 , 31, 233-239	2.5	6	
359	Blended Interventions to Change Behavior in Patients With Chronic Somatic Disorders: Systematic Review. <i>Journal of Medical Internet Research</i> , 2017 , 19, e418	7.6	18	
358	Clinical assessment of emotions in patients with cancer: Diagnostic accuracy compared to two reference standards <i>Journal of Clinical Oncology</i> , 2017 , 35, 24-24	2.2		
357	Insomnia, Sleep Duration, Depressive Symptoms, and the Onset of Chronic Multisite Musculoskeletal Pain. <i>Sleep</i> , 2017 , 40,	1.1	30	
356	Effectiveness of exercise therapy added to general practitioner care in patients with hip osteoarthritis: a pragmatic randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 82-90	6.2	21	
355	Predictors of self-reported knee instability among patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2016 , 35, 3007-3013	3.9	9	
354	Effectiveness of cognitive behavioral therapy for the treatment of fatigue in patients with multiple sclerosis: A systematic review and meta-analysis. <i>Journal of Psychosomatic Research</i> , 2016 , 90, 33-42	4.1	61	
353	The Association Between Serum 25-hydroxy Vitamin D Level and Upper Leg Strength in Patients with Knee Osteoarthritis: Results of the Amsterdam Osteoarthritis Cohort. <i>Journal of Rheumatology</i> , 2016 , 43, 1400-5	4.1	10	
352	Dr. Koeckhoven, et al reply. <i>Journal of Rheumatology</i> , 2016 , 43, 2079	4.1		
351	Global meaning in people with stroke: Content and changes. <i>Health Psychology Open</i> , 2016 , 3, 205510	291.668	17859	
350	Developing a Risk Prediction Model for Long-Term Physical and Psychological Functioning after Hematopoietic Cell Transplantation. <i>Biology of Blood and Marrow Transplantation</i> , 2016 , 22, 549-56	4.7	11	
349	Utilization of supportive care by survivors of colorectal cancer: results from the PROFILES registry. <i>Supportive Care in Cancer</i> , 2016 , 24, 2883-92	3.9	4	
348	The longitudinal association of cognitive appraisals and coping strategies with physical functioning in older adults with joint pain and comorbidity: a cohort study. <i>BMC Geriatrics</i> , 2016 , 16, 29	4.1	15	
347	A randomized clinical trial on the effectiveness of an intervention to treat psychological distress and improve quality of life after autologous stem cell transplantation. <i>Annals of Hematology</i> , 2016 , 95, 105-114	3	25	

346	The brain-derived neurotrophic factor pathway, life stress, and chronic multi-site musculoskeletal pain. <i>Molecular Pain</i> , 2016 , 12,	3.4	16
345	Exploring Fatigue Trajectories in Early Symptomatic Knee and Hip Osteoarthritis: 6-year Results from the CHECK Study. <i>Journal of Rheumatology</i> , 2016 , 43, 1413-20	4.1	3
344	Biological stress systems, adverse life events and the onset of chronic multisite musculoskeletal pain: a 6-year cohort study. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 847-54	2.4	28
343	Clinical value of DSM IV and DSM 5 criteria for diagnosing the most prevalent somatoform disorders in patients with medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2016 , 82, 4-10	4.1	38
342	Cost-utility of exercise therapy in patients with hip osteoarthritis in primary care. <i>Osteoarthritis and Cartilage</i> , 2016 , 24, 581-8	6.2	18
341	Cohort Profile: Cohort Hip and Cohort Knee (CHECK) study. <i>International Journal of Epidemiology</i> , 2016 , 45, 36-44	7.8	31
340	Physical and Mental Functioning in Patients with Established Rheumatoid Arthritis over an 11-year Followup Period: The Role of Specific Comorbidities. <i>Journal of Rheumatology</i> , 2016 , 43, 307-14	4.1	12
339	Availability and use of neighborhood resources by older people with osteoarthritis: Results from the European Project on OSteoArthritis. <i>Health and Place</i> , 2016 , 37, 1-7	4.6	8
338	Global meaning in people with spinal cord injury: Content and changes. <i>Journal of Spinal Cord Medicine</i> , 2016 , 39, 197-205	1.9	10
337	Biomechanical and neuromuscular adaptations during the landing phase of a stepping-down task in patients with early or established knee osteoarthritis. <i>Knee</i> , 2016 , 23, 367-75	2.6	3
336	In-shoe plantar pressure measurements for the evaluation and adaptation of foot orthoses in patients with rheumatoid arthritis: A proof of concept study. <i>Gait and Posture</i> , 2016 , 45, 45-50	2.6	11
335	Early enforced mobilisation following surgery for gastrointestinal cancer: feasibility and outcomes. <i>Physiotherapy</i> , 2016 , 102, 103-10	3	40
334	Measurement strategy and statistical power in studies assessing gait stability and variability in older adults. <i>Aging Clinical and Experimental Research</i> , 2016 , 28, 257-65	4.8	9
333	Exercise and comorbidity: the i3-S strategy for developing comorbidity-related adaptations to exercise therapy. <i>Disability and Rehabilitation</i> , 2016 , 38, 905-9	2.4	11
332	A Blended Intervention for Patients With Knee and Hip Osteoarthritis in the Physical Therapy Practice: Development and a Pilot Study. <i>JMIR Research Protocols</i> , 2016 , 5, e32	2	18
331	Course and predictors of pain and physical functioning in patients with hip osteoarthritis: Systematic review and meta-analysis. <i>Journal of Rehabilitation Medicine</i> , 2016 , 48, 245-52	3.4	26
330	THU0651-HPR Structure, Process and Outcome of Primary Care Rheumatology Networks for Patients with Rheumatic and Musculoskeletal Diseases in The Netherlands. <i>Annals of the Rheumatic Diseases</i> , 2016 , 75, 1274.2-1275	2.4	
329	Physical Activity Patterns Among Older Adults With and Without Knee Osteoarthritis in Six European Countries. <i>Arthritis Care and Research</i> , 2016 , 68, 228-36	4.7	42

(2015-2016)

328	The role of appraisal and coping style in relation with societal participation in fatigued patients with multiple sclerosis: a cross-sectional multiple mediator analysis. <i>Journal of Behavioral Medicine</i> , 2016 , 39, 855-65	3.6	8
327	Calibration of the Dutch-Flemish PROMIS Pain Behavior item bank in patients with chronic pain. <i>European Journal of Pain</i> , 2016 , 20, 284-96	3.7	17
326	Optimization of Analgesics for Greater Exercise Therapy Participation Among Patients With Knee Osteoarthritis and Severe Pain: A Feasibility Study. <i>Arthritis Care and Research</i> , 2016 , 68, 332-40	4.7	8
325	Prognosis of Pain and Physical Functioning in Patients With Knee Osteoarthritis: A Systematic Review and Meta-Analysis. <i>Arthritis Care and Research</i> , 2016 , 68, 481-92	4.7	80
324	Association of Somatic Comorbidities and Comorbid Depression With Mortality in Patients With Rheumatoid Arthritis: A 14-Year Prospective Cohort Study. <i>Arthritis Care and Research</i> , 2016 , 68, 1055-6	50 ^{4.7}	18
323	Factors associated with anxiety and depressive symptoms in colorectal cancer survivors. <i>European Journal of Gastroenterology and Hepatology</i> , 2016 , 28, 831-5	2.2	19
322	Continuous Improvement of Physical Functioning in Ankylosing Spondylitis Patients by Tumor Necrosis Factor Inhibitors: Three-Year Followup and Predictors. <i>Arthritis Care and Research</i> , 2016 , 68, 1522-9	4.7	6
321	Biomechanical factors associated with the development of tibiofemoral knee osteoarthritis: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2016 , 6, e011066	3	4
320	Effectiviteit van oefentherapie bij patiliten met heupartrose. Huisarts En Wetenschap, 2016 , 59, 346-34	90.1	
319	Real-Time Assessment of Fatigue in Patients With Multiple Sclerosis: How Does It Relate to Commonly Used Self-Report Fatigue Questionnaires?. <i>Archives of Physical Medicine and Rehabilitation</i> , 2016 , 97, 1887-1894.e1	2.8	11
318	The importance of 'global meaning' for people rehabilitating from spinal cord injury. <i>Spinal Cord</i> , 2016 , 54, 1047-1052	2.7	9
317	Implementation of recommended non-pharmacotherapy in rheumatology practice: need for improvement. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, S15-7	2.2	
316	Trend in and predictors for cardiovascular mortality in patients with rheumatoid arthritis over a period of 15 years: a prospective cohort study. <i>Clinical and Experimental Rheumatology</i> , 2016 , 34, 813-8	13 ^{.2}	13
315	Measurement of scapular dyskinesis using wireless inertial and magnetic sensors: Importance of scapula calibration. <i>Journal of Biomechanics</i> , 2015 , 48, 3460-8	2.9	16
314	Identifying potential working mechanisms behind the positive effects of exercise therapy on pain and function in osteoarthritis; a systematic review. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 1071-82	6.2	60
313	Falls Associated with Muscle Strength in Patients with Knee Osteoarthritis and Self-reported Knee Instability. <i>Journal of Rheumatology</i> , 2015 , 42, 1218-23	4.1	30
312	Objective evaluation of physical functioning after tumor necrosis factor inhibitory therapy in patients with ankylosing spondylitis: a selection of 3 feasible performance-based tests. <i>Journal of Rheumatology</i> , 2015 , 42, 623-9	4.1	6
311	Feasibility and Safety of Cardiopulmonary Exercise Testing in Multiple Sclerosis: A Systematic Review. <i>Archives of Physical Medicine and Rehabilitation</i> , 2015 , 96, 2055-66	2.8	5

310	Treatment of hip/knee osteoarthritis in Dutch general practice and physical therapy practice: an observational study. <i>BMC Family Practice</i> , 2015 , 16, 75	2.6	12
309	One in Three Patients With Cancer Meets the Criteria for Mental Disorders: What Does That Mean?. <i>Journal of Clinical Oncology</i> , 2015 , 33, 2826-8	2.2	7
308	Associations between measures of gait stability, leg strength and fear of falling. <i>Gait and Posture</i> , 2015 , 41, 76-80	2.6	35
307	Improvement in upper leg muscle strength underlies beneficial effects of exercise therapy in knee osteoarthritis: secondary analysis from a randomised controlled trial. <i>Physiotherapy</i> , 2015 , 101, 171-7	3	23
306	Predictors and outcome of pain-related avoidance of activities in persons with early symptomatic knee osteoarthritis: a five-year followup study. <i>Arthritis Care and Research</i> , 2015 , 67, 48-57	4.7	20
305	AB1256-HPR In-Shoe Plantar Pressure Measurements for the Evaluation and Adaptation of Foot Orthoses in Patients with Rheumatoid Arthritis: A Proof of Concept Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1354.3-1355	2.4	
304	AB0857 Standardized Optimization of Analgesics in Patients with Knee Osteoarthritis and Severe Pain & Feasibility Study. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 1187.1-1187	2.4	
303	Stepped care bij artrose. <i>Huisarts En Wetenschap</i> , 2015 , 58, 299-301	0.1	1
302	Increased knee muscle strength is associated with decreased activity limitations in established knee osteoarthritis: Two-year follow-up study in the Amsterdam osteoarthritis cohort. <i>Journal of Rehabilitation Medicine</i> , 2015 , 47, 647-54	3.4	17
301	THU0599 Validation of the Dutch-Flemish Promis Pain Behavior and Pain Interference Item Banks in Patients with Rheumatoid Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 418.1-418	2.4	
300	THU0311 Biological Stress Systems, Adverse Life Events and Persistence of Chronic Multi-Site Musculoskeletal Pain Across a Six-Year Follow-Up. <i>Annals of the Rheumatic Diseases</i> , 2015 , 74, 308.2-308	3 ^{2.4}	
299	Can Optimism, Pessimism, Hope, Treatment Credibility and Treatment Expectancy Be Distinguished in Patients Undergoing Total Hip and Total Knee Arthroplasty?. <i>PLoS ONE</i> , 2015 , 10, e0133730	3.7	23
298	Calibration and Validation of the Dutch-Flemish PROMIS Pain Interference Item Bank in Patients with Chronic Pain. <i>PLoS ONE</i> , 2015 , 10, e0134094	3.7	25
297	Fatigue in patients with chronic widespread pain participating in multidisciplinary rehabilitation treatment: a prospective cohort study. <i>Disability and Rehabilitation</i> , 2015 , 37, 490-8	2.4	7
296	Screening and treatment of psychological distress in patients with metastatic colorectal cancer: study protocol of the TES trial. <i>BMC Cancer</i> , 2015 , 15, 302	4.8	14
295	Clinical phenotypes in patients with knee osteoarthritis: a study in the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2015 , 23, 544-9	6.2	69
294	The association between comorbidities and pain, physical function and quality of life following hip and knee arthroplasty. <i>Rheumatology International</i> , 2015 , 35, 1233-41	3.6	50
293	Frequency, severity and determinants of functional limitations in older adults with joint pain and comorbidity: results of a cross-sectional study. <i>Archives of Gerontology and Geriatrics</i> , 2014 , 59, 98-106	4	19

292	Osteoarthritis of the knee: multicompartmental or compartmental disease?. <i>Rheumatology</i> , 2014 , 53, 540-6	3.9	8
291	Distress, problems and supportive care needs of patients treated with auto- or allo-SCT. <i>Bone Marrow Transplantation</i> , 2014 , 49, 292-8	4.4	24
290	Short-term changes in hormonal profiles after laparoscopic ovarian laser evaporation compared with diagnostic laparoscopy for PCOS. <i>Human Reproduction</i> , 2014 , 29, 2544-52	5.7	6
289	Non-surgical care in patients with hip or knee osteoarthritis is modestly consistent with a stepped care strategy after its implementation. <i>International Journal for Quality in Health Care</i> , 2014 , 26, 490-8	1.9	12
288	Reduced hypothalamic-pituitary-adrenal axis activity in chronic multi-site musculoskeletal pain: partly masked by depressive and anxiety disorders. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 227	2.8	48
287	Effectiveness and cost-effectiveness of a blended exercise intervention for patients with hip and/or knee osteoarthritis: study protocol of a randomized controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2014 , 15, 269	2.8	21
286	Elevated C-reactive protein is associated with lower increase in knee muscle strength in patients with knee osteoarthritis: a 2-year follow-up study in the Amsterdam Osteoarthritis (AMS-OA) cohort. <i>Arthritis Research and Therapy</i> , 2014 , 16, R123	5.7	20
285	Measurement properties of the Dutch version of the Western Ontario Shoulder Instability Index (WOSI). <i>Journal of Orthopaedic Science</i> , 2014 , 19, 242-249	1.6	8
284	The avoidance model in knee and hip osteoarthritis: a systematic review of the evidence. <i>Journal of Behavioral Medicine</i> , 2014 , 37, 1226-41	3.6	33
283	Avoidance of activity and limitations in activities in patients with osteoarthritis of the hip or knee: a 5 year follow-up study on the mediating role of reduced muscle strength. <i>Osteoarthritis and Cartilage</i> , 2014 , 22, 171-7	6.2	41
282	Decrease of muscle strength is associated with increase of activity limitations in early knee osteoarthritis: 3-year results from the cohort hip and cohort knee study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2014 , 95, 1962-8	2.8	42
281	Three trajectories of activity limitations in early symptomatic knee osteoarthritis: a 5-year follow-up study. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1369-75	2.4	70
280	The PROSPECTS study: design of a prospective cohort study on prognosis and perpetuating factors of medically unexplained physical symptoms (MUPS). <i>Journal of Psychosomatic Research</i> , 2014 , 76, 200-	6 ^{4.1}	14
279	Basal inflammation and innate immune response in chronic multisite musculoskeletal pain. <i>Pain</i> , 2014 , 155, 1605-1612	8	39
278	Trajectories of physical functioning and their prognostic indicators: a prospective cohort study in older adults with joint pain and comorbidity. <i>Maturitas</i> , 2014 , 78, 316-22	5	3
277	Development of comorbidity-adapted exercise protocols for patients with knee osteoarthritis. <i>Clinical Interventions in Aging</i> , 2014 , 9, 829-42	4	26
276	THU0563 Validation of the Dutch-Flemish PROMIS Pain Behavior and Pain Interference Item Banks in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 377.2-377	2.4	
275	THU0564 Validation of the Dutch-Flemish PROMIS Physical Functioning Item Bank in Patients with Chronic Pain. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 377.3-378	2.4	

274	Effect of stepped care on health outcomes in patients with osteoarthritis: an observational study in Dutch general practice. <i>British Journal of General Practice</i> , 2014 , 64, e538-44	1.6	6
273	The effectiveness of self-guided web-based physical activity interventions among patients with a chronic disease: a systematic review. <i>Journal of Physical Activity and Health</i> , 2014 , 11, 665-77	2.5	31
272	THU0204 Factors Associated with the Setting and Content of Care in Patients with Osteoarthritis of the Hip or Knee. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 252.1-252	2.4	
271	FRI0581-HPR Falls Associated with Muscle Strength and Pain in Knee Osteoarthritis Patients with Self-Reported Knee Instability. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1205.2-1205	2.4	
270	OP0210-HPR Increase in Knee Muscle Strength is Associated with A Decrease in Activity Limitations in Patients with Established Knee Osteoarthritis: A 2 Years Follow-Up Study in the AMS-OA Cohort. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 142.1-142	2.4	
269	AB0779 7 Years of Follow-Up of Early Symptomatic Oa: Characteristics of CHECK (Cohort HIP & Cohort Knee). <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 1062.1-1062	2.4	
268	High prevalence of hand- and wrist-related symptoms, impairments, activity limitations and participation restrictions in children with juvenile idiopathic arthritis. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 991-6	3.4	14
267	Knee joint stabilization therapy in patients with osteoarthritis of the knee and knee instability: subgroup analyses in a randomized, controlled trial. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 703-7	3.4	15
266	Client-centred therapy in multiple sclerosis: more intensive diagnostic evaluation and less intensive treatment. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 527-31	3.4	8
265	Cognitive mechanisms of change in multidisciplinary treatment of patients with chronic widespread pain: a prospective cohort study. <i>Journal of Rehabilitation Medicine</i> , 2014 , 46, 173-80	3.4	19
264	Reliability and precision of 3D wireless measurement of scapular kinematics. <i>Medical and Biological Engineering and Computing</i> , 2014 , 52, 921-931	3.1	31
263	Success or failure of chronic pain rehabilitation: the importance of good interaction - a qualitative study under patients and professionals. <i>Disability and Rehabilitation</i> , 2014 , 36, 1903-10	2.4	32
262	Response to commentary on: R estrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity <i>Physical Therapy Reviews</i> , 2014 , 19, 44-45	0.7	
261	Percutaneous nerve stimulation in chronic neuropathic pain patients due to spinal cord injury: a pilot study. <i>Pain Practice</i> , 2014 , 14, 252-9	3	5
260	Health care use of patients with osteoarthritis of the hip or knee after implementation of a stepped-care strategy: an observational study. <i>Arthritis Care and Research</i> , 2014 , 66, 817-27	4.7	34
259	Development of a framework to describe goals and content of exercise interventions in physical therapy: a mixed method approach including a systematic review. <i>Physical Therapy Reviews</i> , 2014 , 19, 1-14	0.7	6
258	Is the severity of knee osteoarthritis on magnetic resonance imaging associated with outcome of exercise therapy?. <i>Arthritis Care and Research</i> , 2014 , 66, 63-8	4.7	24
257	Effects of unilateral leg muscle fatigue on balance control in perturbed and unperturbed gait in healthy elderly. <i>Gait and Posture</i> , 2014 , 40, 215-9	2.6	18

(2013-2014)

256	The prevalence of depressive symptoms before and after surgery and its association with disability in patients undergoing lumbar spinal fusion. <i>European Spine Journal</i> , 2014 , 23, 129-34	2.7	29
255	Dutch-Flemish translation of 17 item banks from the patient-reported outcomes measurement information system (PROMIS). <i>Quality of Life Research</i> , 2014 , 23, 1733-41	3.7	7 ²
254	A computer-based screening method for distress in patients with multiple sclerosis: a feasibility study. <i>JMIR Research Protocols</i> , 2014 , 3, e29	2	2
253	Regular Exercises in Knee and Hip Osteoarthritis 2014 , 89-94		
252	Summary and Future Directions 2014 , 127-132		
251	Exercise Aiming at Behavioral Mechanisms 2014 , 109-118		
250	Comorbidity, Obesity, and Exercise Therapy in Patients with Knee and Hip Osteoarthritis 2014 , 119-12	6	
249	Exercise Therapy Targeting Neuromuscular Mechanisms 2014 , 95-107		
248	Therapeutic Options in Osteoarthritis of the Hip or Knee 2014 , 27-35		
247	Epidemiology, Pathogenesis, and Clinical Aspects of Knee and Hip Osteoarthritis 2014 , 13-25		
246	Risk Factors for Functional Decline in Osteoarthritis of the Knee or Hip 2014 , 39-48		1
245	Neuromuscular Mechanisms Explaining Functional Decline 2014 , 49-67		1
244	Behavioral Mechanisms Explaining Functional Decline 2014 , 69-85		1
243	Agreement of general practitioners with the guideline-based stepped-care strategy for patients with osteoarthritis of the hip or knee: a cross-sectional study. <i>BMC Family Practice</i> , 2013 , 14, 33	2.6	19
242	Disability and health-related quality of life in patients undergoing spinal fusion: a comparison with a general population sample. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 211	2.8	11
241	Predictors of outcome of multidisciplinary treatment in chronic widespread pain: an observational study. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 133	2.8	34
240	The usability and preliminary effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis. <i>BMC Medical Informatics and Decision Making</i> , 2013 , 13, 61	3.6	32
239	The association between reduced knee joint proprioception and medial meniscal abnormalities using MRI in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 676-81	6.2	21

238	The association of body-mass index and depressed mood with knee pain and activity limitations in knee osteoarthritis: results from the Amsterdam osteoarthritis cohort. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 296	2.8	19
237	Patient reported barriers and facilitators to using a self-management booklet for hip and knee osteoarthritis in primary care: results of a qualitative interview study. <i>BMC Family Practice</i> , 2013 , 14, 181	2.6	20
236	Exploring the aggregation of four functional measures in a population of older adults with joint pain and comorbidity. <i>BMC Geriatrics</i> , 2013 , 13, 119	4.1	9
235	Ambulatory measurement of the knee adduction moment in patients with osteoarthritis of the knee. <i>Journal of Biomechanics</i> , 2013 , 46, 43-9	2.9	16
234	Foot-related health care use in patients with rheumatoid arthritis in an outpatient secondary care center for rheumatology and rehabilitation in The Netherlands: a cohort study with a maximum of fifteen years of followup. <i>Arthritis Care and Research</i> , 2013 , 65, 220-6	4.7	9
233	Performance-based tests to assess physical function in osteoarthritis of the hip or knee: comment and proposal. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1623-4	6.2	
232	Predictors of multidisciplinary treatment outcome in fibromyalgia:a systematic review. <i>Disability and Rehabilitation</i> , 2013 , 35, 437-49	2.4	46
231	Reproducibility of the Dutch version of the Western Ontario rotator cuff Index. <i>Journal of Shoulder and Elbow Surgery</i> , 2013 , 22, 165-70	4.3	13
230	No evidence for the effectiveness of a multidisciplinary group based treatment program in patients with osteoarthritis of hands on the short term; results of a randomized controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 901-10	6.2	29
229	Association of postural control with muscle strength, proprioception, self-reported knee instability and activity limitations in patients with knee osteoarthritis. <i>Journal of Rehabilitation Medicine</i> , 2013 , 45, 192-7	3.4	38
228	Knee joint stabilization therapy in patients with osteoarthritis of the knee: a randomized, controlled trial. <i>Osteoarthritis and Cartilage</i> , 2013 , 21, 1025-34	6.2	72
227	The working mechanism of manual therapy in participants with chronic tension-type headache. <i>Journal of Orthopaedic and Sports Physical Therapy</i> , 2013 , 43, 693-9	4.2	13
226	Social participation in older adults with joint pain and comorbidity; testing the measurement properties of the Dutch Keele Assessment of Participation. <i>BMJ Open</i> , 2013 , 3, e003181	3	10
225	Association of serum C-reactive protein and erythrocyte sedimentation rate with muscle strength in patients with knee osteoarthritis. <i>Rheumatology</i> , 2013 , 52, 727-32	3.9	19
224	Restrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity. <i>Physical Therapy Reviews</i> , 2013 , 18, 101-111	0.7	19
223	Response to commentary on: R estrictions and contraindications for exercise therapy in patients with hip and knee osteoarthritis and comorbidity <i>Physical Therapy Reviews</i> , 2013 , 18, 232-233	0.7	
222	A cluster randomised controlled trial on the efficacy of client-centred occupational therapy in multiple sclerosis: good process, poor outcome. <i>Disability and Rehabilitation</i> , 2013 , 35, 1636-46	2.4	18
221	What do we miss? ASAS non-responders on anti-TNF therapy show improvement in performance-based physical function. <i>Rheumatology</i> , 2013 , 52, 1884-9	3.9	8

220	Impact of self-reported comorbidity on physical and mental health status in early symptomatic osteoarthritis: the CHECK (Cohort Hip and Cohort Knee) study. <i>Rheumatology</i> , 2013 , 52, 180-8	3.9	41
219	Long-term physical functioning and its association with somatic comorbidity and comorbid depression in patients with established rheumatoid arthritis: a longitudinal study. <i>Arthritis Care and Research</i> , 2013 , 65, 1157-65	4.7	16
218	Comment on 'psychological distress in patients with cancer: is screening the effective solution?'. British Journal of Cancer, 2013 , 108, 2628-30	8.7	14
217	SAT0229 Depression in systemic lupus erythematosus, dependent or independent of severity of disease?. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 549.2-549	2.4	
216	Effects of a progressive aquatic resistance exercise program on the biochemical composition and morphology of cartilage in women with mild knee osteoarthritis: protocol for a randomised controlled trial. <i>BMC Musculoskeletal Disorders</i> , 2013 , 14, 82	2.8	18
215	OP0075-HPR A multidisciplinary and multidimensional program for hand osteoarthritis is not effective: Results of a randomized controlled study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 78.3-79	2.4	
214	SAT0593-HPR Patients Perceptions of a Self-Management Booklet for Hip or Knee Osteoarthritis: a Qualitative Interview Study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A783.2-A783	2.4	
213	OP0201-PC Agreement of General Practitioners with the Guideline-Based Stepped-Care Strategy for Patients with Osteoarthritis of the Hip or Knee: A Cross-Sectional Study. <i>Annals of the Rheumatic Diseases</i> , 2013 , 72, A120.2-A120	2.4	
212	Effectiveness of a web-based physical activity intervention in patients with knee and/or hip osteoarthritis: randomized controlled trial. <i>Journal of Medical Internet Research</i> , 2013 , 15, e257	7.6	95
211	Adherence to a web-based physical activity intervention for patients with knee and/or hip osteoarthritis: a mixed method study. <i>Journal of Medical Internet Research</i> , 2013 , 15, e223	7.6	46
2 10	Adapted cardiac rehabilitation programme to improve uptake in patients of Moroccan and Turkish origin in The Netherlands: a qualitative study. <i>Journal of Clinical Nursing</i> , 2012 , 21, 2823-31	3.2	1
209	The course of limitations in activities over 5 years in patients with knee and hip osteoarthritis with moderate functional limitations: risk factors for future functional decline. <i>Osteoarthritis and Cartilage</i> , 2012 , 20, 503-10	6.2	74
208	Clinical variables associated with recovery in patients with chronic tension-type headache after treatment with manual therapy. <i>Pain</i> , 2012 , 153, 893-899	8	22
207	Association of lower muscle strength with self-reported knee instability in osteoarthritis of the knee: results from the Amsterdam Osteoarthritis cohort. <i>Arthritis Care and Research</i> , 2012 , 64, 38-45	4.7	69
206	Diagnostic accuracy of range of motion measurements in early symptomatic hip and/or knee osteoarthritis. <i>Arthritis Care and Research</i> , 2012 , 64, 59-65	4.7	29
205	Self-reported knee instability and activity limitations in patients with knee osteoarthritis: results of the Amsterdam osteoarthritis cohort. <i>Clinical Rheumatology</i> , 2012 , 31, 1505-10	3.9	52
204	Revalidatie en artrose*. Bijblijven (Amsterdam, Netherlands), 2012, 28, 42-49	0.2	
203	Minimal clinically important change on the Headache Impact Test-6 questionnaire in patients with chronic tension-type headache. <i>Cephalalgia</i> , 2012 , 32, 710-4	6.1	37

202	The knee adduction moment measured with an instrumented force shoe in patients with knee osteoarthritis. <i>Journal of Biomechanics</i> , 2012 , 45, 281-8	2.9	10
201	Randomized controlled trial of postoperative exercise rehabilitation program after lumbar spine fusion: study protocol. <i>BMC Musculoskeletal Disorders</i> , 2012 , 13, 123	2.8	14
200	Local dynamic stability and variability of gait are associated with fall history in elderly subjects. <i>Gait and Posture</i> , 2012 , 36, 527-31	2.6	195
199	Feasibility and outcome of a web-based self-help intervention for depressive symptoms in patients with multiple sclerosis: a pilot study. <i>Journal of the Neurological Sciences</i> , 2012 , 315, 104-9	3.2	15
198	Internet-based self-help treatment for depression in multiple sclerosis: study protocol of a randomized controlled trial. <i>BMC Psychiatry</i> , 2012 , 12, 137	4.2	17
197	Biomechanical factors and physical examination findings in osteoarthritis of the knee: associations with tissue abnormalities assessed by conventional radiography and high-resolution 3.0 Tesla magnetic resonance imaging. <i>Arthritis Research and Therapy</i> , 2012 , 14, R212	5.7	21
196	Moving instead of asking? Performance-based tests and BASFI-questionnaire measure different aspects of physical function in ankylosing spondylitis. <i>Arthritis Research and Therapy</i> , 2012 , 14, R52	5.7	19
195	Dysregulation of the autonomic nervous system and its association with the presence and intensity of chronic widespread pain. <i>Arthritis Care and Research</i> , 2012 , 64, 1209-16	4.7	10
194	Avoidance of activities in early symptomatic knee osteoarthritis: results from the CHECK cohort. <i>Annals of Behavioral Medicine</i> , 2012 , 44, 33-42	4.5	40
193	Validity and responsiveness of the ankle function score after acute ankle injury. <i>Scandinavian Journal of Medicine and Science in Sports</i> , 2012 , 22, 170-4	4.6	16
192	WOMAC-pf as a measure of physical function in patients with Parkinson's disease and late-onset sequels of poliomyelitis: unidimensionality and item behaviour. <i>Disability and Rehabilitation</i> , 2012 , 34, 1423-30	2.4	4
191	Predictors of health-related quality of life in patients treated with auto- and allo-SCT for hematological malignancies. <i>Bone Marrow Transplantation</i> , 2012 , 47, 757-69	4.4	59
190	A multidisciplinary and multidimensional intervention for patients with hand osteoarthritis. <i>Clinical Rehabilitation</i> , 2012 , 26, 99-110	3.3	12
189	Proprioception, laxity, muscle strength and activity limitations in early symptomatic knee osteoarthritis: results from the CHECK cohort. <i>Journal of Rehabilitation Medicine</i> , 2012 , 44, 862-8	3.4	13
188	9 Reumatische aandoeningen 2012 , 125-141		1
187	Effectiveness of manual therapy for chronic tension-type headache: a pragmatic, randomised, clinical trial. <i>Cephalalgia</i> , 2011 , 31, 133-43	6.1	71
186	Effectiviteit van manuele therapie bij chronische spierspanningshoofdpijn. <i>Huisarts En Wetenschap</i> , 2011 , 54, 244-247	0.1	
185	Predictors of stenosing tenosynovitis in the hand and hand-related activity limitations in patients with rheumatoid arthritis. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 96-100	2.8	3

184	A systematic review of instruments assessing participation: challenges in defining participation. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 983-97	2.8	102
183	The Authors Respond: Toward Consensus on the Definition of Participation for Adult and Pediatric Populations. <i>Archives of Physical Medicine and Rehabilitation</i> , 2011 , 92, 2096-2097	2.8	1
182	The effect of shoe lacing on plantar pressure distribution and in-shoe displacement of the foot in healthy participants. <i>Gait and Posture</i> , 2011 , 33, 396-400	2.6	6
181	Applicability of the Ottawa Ankle Rules in primary care: results from a pilot study. <i>Journal of Evaluation in Clinical Practice</i> , 2011 , 17, 1246-8	2.5	5
180	Instruments to assess physical activity in patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 620-33	6.2	131
179	Proprioception in knee osteoarthritis: a narrative review. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 381-8	6.2	140
178	Determinants of range of joint motion in patients with early symptomatic osteoarthritis of the hip and/or knee: an exploratory study in the CHECK cohort. <i>Osteoarthritis and Cartilage</i> , 2011 , 19, 411-9	6.2	48
177	"Beating osteoARThritis": development of a stepped care strategy to optimize utilization and timing of non-surgical treatment modalities for patients with hip or knee osteoarthritis. <i>Clinical Rheumatology</i> , 2011 , 30, 1623-9	3.9	82
176	IJBM - interdisciplinary, international, and outstanding research on factors relevant to health and illness. <i>International Journal of Behavioral Medicine</i> , 2011 , 18, 285-7	2.6	
175	Influence of the instrumented force shoe on gait pattern in patients with osteoarthritis of the knee. <i>Medical and Biological Engineering and Computing</i> , 2011 , 49, 1381-92	3.1	14
174	Lateral trunk motion and knee pain in osteoarthritis of the knee: a cross-sectional study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 141	2.8	13
173	Overlap of cognitive concepts in chronic widespread pain: an exploratory study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 218	2.8	11
172	Cost-effectiveness of exercise therapy versus general practitioner care for osteoarthritis of the hip: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 232	2.8	5
171	Functional outcome in older adults with joint pain and comorbidity: design of a prospective cohort study. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 241	2.8	13
170	Vitality and the course of limitations in activities in osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2011 , 12, 269	2.8	11
169	Factors predicting the outcome of customised foot orthoses in patients with rheumatoid arthritis: a prospective cohort study. <i>Journal of Foot and Ankle Research</i> , 2011 , 4, 8	3.2	21
168	Identification of phenotypes with different clinical outcomes in knee osteoarthritis: data from the Osteoarthritis Initiative. <i>Arthritis Care and Research</i> , 2011 , 63, 1535-42	4.7	86
167	Adaptations to pain rehabilitation programmes for non-native patients with chronic pain. <i>Disability and Rehabilitation</i> , 2011 , 33, 1324-9	2.4	2

166	Responsiveness of the Canadian occupational performance measure. <i>Journal of Rehabilitation Research and Development</i> , 2011 , 48, 517-28		86
165	Reasons of drop-out from rehabilitation in patients of Turkish and Moroccan origin with chronic low back pain in The Netherlands: a qualitative study. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 566-73	3.4	19
164	Prevalence of hand symptoms, impairments and activity limitations in rheumatoid arthritis in relation to disease duration. <i>Journal of Rehabilitation Medicine</i> , 2010 , 42, 916-21	3.4	58
163	Prediction of walking disability by disease-related factors in patients with rheumatoid arthritis. Journal of Rehabilitation Medicine, 2010 , 42, 506-10	3.4	10
162	Behavioural graded activity results in better exercise adherence and more physical activity than usual care in people with osteoarthritis: a cluster-randomised trial. <i>Journal of Physiotherapy</i> , 2010 , 56, 41-7	2.9	68
161	Mind the MIC: large variation among populations and methods. <i>Journal of Clinical Epidemiology</i> , 2010 , 63, 524-34	5.7	199
160	Prognosis of limitations in activities in osteoarthritis of the hip or knee: a 3-year cohort study. <i>Archives of Physical Medicine and Rehabilitation</i> , 2010 , 91, 58-66	2.8	101
159	Forefoot disease activity in rheumatoid arthritis patients in remission: results of a cohort study. <i>Arthritis Research and Therapy</i> , 2010 , 12, R3	5.7	50
158	Osteoarthritis of the hip or knee: which coexisting disorders are disabling?. <i>Clinical Rheumatology</i> , 2010 , 29, 739-47	3.9	67
157	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a randomized controlled trial comparing two different physical therapy interventions. <i>Osteoarthritis and Cartilage</i> , 2010 , 18, 1019-26	6.2	56
156	Distress and quality of life after autologous stem cell transplantation: a randomized clinical trial to evaluate the outcome of a web-based stepped care intervention. <i>BMC Cancer</i> , 2010 , 10, 361	4.8	19
155	Exercise adherence improving long-term patient outcome in patients with osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010 , 62, 1087-94	4.7	135
154	Prognostic factors for the two-year course of activity limitations in early osteoarthritis of the hip and/or knee. <i>Arthritis Care and Research</i> , 2010 , 62, 1415-25	4.7	49
153	Distinguishing four components underlying physical activity: a new approach to using physical activity questionnaire data in old age. <i>BMC Geriatrics</i> , 2010 , 10, 20	4.1	4
152	Long-term effect of comorbidity on the course of physical functioning in patients after stroke and with multiple sclerosis. <i>Journal of Rehabilitation Medicine</i> , 2009 , 41, 322-6	3.4	31
151	Limitations in activities in patients with osteoarthritis of the hip or knee: the relationship with body functions, comorbidity and cognitive functioning. <i>Disability and Rehabilitation</i> , 2009 , 31, 1685-91	2.4	43
150	Reproducibility of performance measures of physical function based on the BASFI, in ankylosing spondylitis. <i>Rheumatology</i> , 2009 , 48, 1254-60	3.9	18
149	First rehabilitation consultation in patients of non-native origin: factors that lead to tension in the patient-physician interaction. <i>Disability and Rehabilitation</i> , 2009 , 31, 1853-61	2.4	13

(2007-2009)

148	CHECK (Cohort Hip and Cohort Knee): similarities and differences with the Osteoarthritis Initiative. <i>Annals of the Rheumatic Diseases</i> , 2009 , 68, 1413-9	2.4	95
147	Interobserver reliability of the Amsterdam Severity Scale in Stenosing Tenosynovitis (ASSiST). <i>Journal of Hand Therapy</i> , 2009 , 22, 355-9; quiz 360	1.6	6
146	Effectiveness of manual therapy compared to usual care by the general practitioner for chronic tension-type headache: design of a randomised clinical trial. <i>BMC Musculoskeletal Disorders</i> , 2009 , 10, 21	2.8	30
145	Physical activity and incident clinical knee osteoarthritis in older adults. <i>Arthritis and Rheumatism</i> , 2009 , 61, 152-7		29
144	Higher dropout rate in non-native patients than in native patients in rehabilitation in The Netherlands. <i>International Journal of Rehabilitation Research</i> , 2009 , 32, 232-7	1.8	12
143	Risk factors for functional decline in osteoarthritis of the hip or knee. <i>Current Opinion in Rheumatology</i> , 2009 , 21, 520-4	5.3	116
142	Comorbidity, limitations in activities and pain in patients with osteoarthritis of the hip or knee. <i>BMC Musculoskeletal Disorders</i> , 2008 , 9, 95	2.8	154
141	Knee varus-valgus motion during gaita measure of joint stability in patients with osteoarthritis?. <i>Osteoarthritis and Cartilage</i> , 2008 , 16, 522-5	6.2	31
140	Multifaceted strategies may increase implementation of physiotherapy clinical guidelines: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2008 , 54, 233-41		86
139	Utilization of health care by patients with multiple sclerosis is based on professional and patient-defined health needs. <i>Multiple Sclerosis Journal</i> , 2008 , 14, 1269-79	5	13
138	Varus-valgus motion and functional ability in patients with knee osteoarthritis. <i>Annals of the Rheumatic Diseases</i> , 2008 , 67, 471-7	2.4	28
137	Community occupational therapy for older patients with dementia and their care givers: cost effectiveness study. <i>BMJ, The</i> , 2008 , 336, 134-8	5.9	189
136	A systematic review of instruments measuring foot function, foot pain, and foot-related disability in patients with rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1257-69		53
135	Prevalence and course of forefoot impairments and walking disability in the first eight years of rheumatoid arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1596-602		88
134	Fysiotherapie in verpleeghuizen. <i>Tijdschrift Voor Verpleeghuisgeneeskunde</i> , 2008 , 33, 116-121		
133	Gender difference in varus-valgus laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2007 , 36, 157-9	1.9	7
132	Cross-diagnostic validity of the SF-36 physical functioning scale in patients with stroke, multiple sclerosis and amyotrophic lateral sclerosis: a study using Rasch analysis. <i>Acta Dermato-Venereologica</i> , 2007 , 39, 163-9	2.2	25
131	Joint proprioception, muscle strength, and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007 , 57, 787-93		106

130	Long-term effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1245-53		179
129	Reproducibility of the measurement of knee joint proprioception in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2007 , 57, 1398-403		32
128	Factors associated with physiotherapy provision in a population of elderly nursing home residents; a cross sectional study. <i>BMC Geriatrics</i> , 2007 , 7, 7	4.1	22
127	Adherence to physiotherapy clinical guideline acute ankle injury and determinants of adherence: a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2007 , 8, 45	2.8	21
126	Comparison of international guideline programs to evaluate and update the Dutch program for clinical guideline development in physical therapy. <i>BMC Health Services Research</i> , 2007 , 7, 191	2.9	19
125	Which patients with osteoarthritis of hip and/or knee benefit most from behavioral graded activity?. <i>International Journal of Behavioral Medicine</i> , 2007 , 14, 86-91	2.6	24
124	Work-related physical and psychosocial risk factors for sick leave in patients with neck or upper extremity complaints. <i>International Archives of Occupational and Environmental Health</i> , 2007 , 80, 733-41	3.2	23
123	The cost effectiveness of behavioural graded activity in patients with osteoarthritis of hip and/or knee. <i>Annals of the Rheumatic Diseases</i> , 2007 , 66, 215-21	2.4	37
122	The availability of allied health care in nursing homes. <i>Disability and Rehabilitation</i> , 2007 , 29, 665-70	2.4	10
121	Effects of community occupational therapy on quality of life, mood, and health status in dementia patients and their caregivers: a randomized controlled trial. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 1002-9	6.4	176
120	Clinical databases in physical therapy. <i>Physiotherapy Theory and Practice</i> , 2007 , 23, 153-67	1.5	69
119	Physical therapy management of low back pain has changed. <i>Health Policy</i> , 2007 , 80, 492-9	3.2	10
118	Quality criteria were proposed for measurement properties of health status questionnaires. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 34-42	5.7	5497
117	Author reply: criteria for good measurement properties. <i>Journal of Clinical Epidemiology</i> , 2007 , 60, 1315	- 1 . 3 16	1
116	Healing care? Rehabilitation of female immigrant patients with chronic pain from a family perspective. <i>Disability and Rehabilitation</i> , 2007 , 29, 323-32	2.4	6
115	A comparison of the OARSI response criteria with patient's global assessment in patients with osteoarthritis of the hip treated with a non-pharmacological intervention. <i>Osteoarthritis and Cartilage</i> , 2006 , 14, 77-81	6.2	14
114	The pros and cons of muscle co-contraction in osteoarthritis of the knee: comment on the article by Lewek et al. <i>Arthritis and Rheumatism</i> , 2006 , 54, 1354; author reply 1354-5		2
113	Psychometric evaluation of osteoarthritis questionnaires: a systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006 , 55, 480-92		109

(2006-2006)

112	Course of functional status and pain in osteoarthritis of the hip or knee: a systematic review of the literature. <i>Arthritis and Rheumatism</i> , 2006 , 55, 779-85		186
111	Effectiveness of behavioral graded activity in patients with osteoarthritis of the hip and/or knee: A randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2006 , 55, 925-34		89
110	Joint laxity and the relationship between muscle strength and functional ability in patients with osteoarthritis of the knee. <i>Arthritis and Rheumatism</i> , 2006 , 55, 953-9		53
109	Performance-based methods for measuring the physical function of patients with osteoarthritis of the hip or knee: a systematic review of measurement properties. <i>Rheumatology</i> , 2006 , 45, 890-902	3.9	109
108	The course of apraxia and ADL functioning in left hemisphere stroke patients treated in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2006 , 20, 1085-93	3.3	43
107	Forefoot joint damage, pain and disability in rheumatoid arthritis patients with foot complaints: the role of plantar pressure and gait characteristics. <i>Rheumatology</i> , 2006 , 45, 465-9	3.9	116
106	Reproducibility of instrumented knee joint laxity measurement in healthy subjects. <i>Rheumatology</i> , 2006 , 45, 595-9	3.9	21
105	Potential barriers to the use of health services among ethnic minorities: a review. <i>Family Practice</i> , 2006 , 23, 325-48	1.9	451
104	Coping in adolescents and young adults with chronic digestive disorders: Impact on school and leisure activities. <i>Psychology and Health</i> , 2006 , 21, 447-462	2.9	14
103	The incidences of and consultation rate for lower extremity complaints in general practice. <i>Annals of the Rheumatic Diseases</i> , 2006 , 65, 809-15	2.4	29
102	How can occupational therapy improve the daily performance and communication of an older patient with dementia and his primary caregiver?: A case study. <i>Dementia</i> , 2006 , 5, 503-532	3	55
101	Community based occupational therapy for patients with dementia and their care givers: randomised controlled trial. <i>BMJ, The</i> , 2006 , 333, 1196	5.9	309
100	Responsiveness of functional health status measures frequently used in stroke research. <i>Disability and Rehabilitation</i> , 2006 , 28, 1035-40	2.4	38
99	Active involvement and long-term goals influence long-term adherence to behavioural graded activity in patients with osteoarthritis: a qualitative study. <i>Australian Journal of Physiotherapy</i> , 2006 , 52, 273-8		26
98	Effectiveness of exercise therapy and manual mobilisation in ankle sprain and functional instability: a systematic review. <i>Australian Journal of Physiotherapy</i> , 2006 , 52, 27-37		125
97	Dimensional structure of the SF-36 in neurological patients. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 541-3	5.7	19
96	Clinical heterogeneity was a common problem in Cochrane reviews of physiotherapy and occupational therapy. <i>Journal of Clinical Epidemiology</i> , 2006 , 59, 914-9	5.7	15
95	Disease characteristics as determinants of the labour market position of adolescents and young adults with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2006 , 18, 203-9	2.2	22

94	The course and prognosis of hip complaints in general practice. <i>Annals of Behavioral Medicine</i> , 2006 , 31, 297-308	4.5	13
93	School and leisure activities in adolescents and young adults with chronic digestive disorders: impact of burden of disease. <i>International Journal of Behavioral Medicine</i> , 2006 , 13, 121-30	2.6	37
92	Systemic reviews are inevitably out of date. Australian Journal of Physiotherapy, 2005, 51, 195		1
91	Effectiveness of exercise therapy: a best-evidence summary of systematic reviews. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 71-85		201
90	Physiotherapy management of low back pain: does practice match the Dutch guidelines?. <i>Australian Journal of Physiotherapy</i> , 2005 , 51, 35-41		67
89	Structural joint changes, malalignment, and laxity in osteoarthritis of the knee. <i>Scandinavian Journal of Rheumatology</i> , 2005 , 34, 298-301	1.9	39
88	What factors explain the number of physical therapy treatment sessions in patients referred with low back pain; a multilevel analysis. <i>BMC Health Services Research</i> , 2005 , 5, 74	2.9	38
87	Influence of various recruitment strategies on the study population and outcome of a randomized controlled trial involving patients with osteoarthritis of the hip or knee. <i>Arthritis and Rheumatism</i> , 2005 , 53, 375-82		22
86	Course and prognosis of knee complaints in general practice. <i>Arthritis and Rheumatism</i> , 2005 , 53, 920-	30	41
85	Comorbidity of chronic diseases: effects of disease pairs on physical and mental functioning. <i>Quality of Life Research</i> , 2005 , 14, 45-55	3.7	184
8 ₅		3·7 3·7	184
	Quality of Life Research, 2005, 14, 45-55 Health-related and overall quality of life of patients with chronic hip and knee complaints in		
84	Quality of Life Research, 2005, 14, 45-55 Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803 The impact of non-traumatic hip and knee disorders on health-related quality of life as measured	3.7	28
84	Quality of Life Research, 2005, 14, 45-55 Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803 The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. Quality of Life Research, 2005, 14, 1141-55 Differential item functioning of the Functional Independence Measure in higher performing	3·7 3·7	28
84 83 82	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005 , 14, 795-803 The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005 , 14, 1141-55 Differential item functioning of the Functional Independence Measure in higher performing neurological patients. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 346-52 Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals</i>	3·7 3·7 3·4	28 60 30
84 83 82 81	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. <i>Quality of Life Research</i> , 2005 , 14, 795-803 The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. <i>Quality of Life Research</i> , 2005 , 14, 1141-55 Differential item functioning of the Functional Independence Measure in higher performing neurological patients. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 346-52 Incidence and prevalence of complaints of the neck and upper extremity in general practice. <i>Annals of the Rheumatic Diseases</i> , 2005 , 64, 118-23 A step forward for exercise in the management of osteoarthritis. <i>British Journal of Rheumatology</i> ,	3·7 3·7 3·4	28 60 30 219
84 83 82 81 80	Health-related and overall quality of life of patients with chronic hip and knee complaints in general practice. Quality of Life Research, 2005, 14, 795-803 The impact of non-traumatic hip and knee disorders on health-related quality of life as measured with the SF-36 or SF-12. A systematic review. Quality of Life Research, 2005, 14, 1141-55 Differential item functioning of the Functional Independence Measure in higher performing neurological patients. Journal of Rehabilitation Medicine, 2005, 37, 346-52 Incidence and prevalence of complaints of the neck and upper extremity in general practice. Annals of the Rheumatic Diseases, 2005, 64, 118-23 A step forward for exercise in the management of osteoarthritis. British Journal of Rheumatology, 2005, 44, 5-6	3·7 3·7 3·4	28 60 30 219 8

(2003-2005)

76	The reproducibility of the Canadian Occupational Performance Measure. <i>Clinical Rehabilitation</i> , 2005 , 19, 888-94	3.3	83
75	Clinimetrics in rehabilitation medicine: current issues in developing and applying measurement instruments 1. <i>Journal of Rehabilitation Medicine</i> , 2005 , 37, 193-201	3.4	48
74	Occupational therapy for community dwelling elderly people: a systematic review. <i>Age and Ageing</i> , 2004 , 33, 453-60	3	122
73	Clinimetric evaluation of shoulder disability questionnaires: a systematic review of the literature. <i>Annals of the Rheumatic Diseases</i> , 2004 , 63, 335-41	2.4	393
72	Comparison of manual therapy and exercise therapy in osteoarthritis of the hip: a randomized clinical trial. <i>Arthritis and Rheumatism</i> , 2004 , 51, 722-9		204
71	Internal consistency and validity of a new physical workload questionnaire. <i>Occupational and Environmental Medicine</i> , 2004 , 61, 980-6	2.1	41
70	Validity of the Canadian Occupational Performance Measure: a client-centred outcome measurement. <i>Clinical Rehabilitation</i> , 2004 , 18, 660-7	3.3	199
69	The impact of physical therapy on functional outcomes after stroke: what's the evidence?. <i>Clinical Rehabilitation</i> , 2004 , 18, 833-62	3.3	663
68	Occupational therapy for children with cerebral palsy: a systematic review. <i>Clinical Rehabilitation</i> , 2004 , 18, 1-14	3.3	59
67	Respiratory muscle performance as a possible determinant of exercise capacity in patients with ankylosing spondylitis. <i>Australian Journal of Physiotherapy</i> , 2004 , 50, 41-5		18
66	Prescription of technical aids by general practitioners in the Netherlands. <i>Health Policy</i> , 2004 , 67, 107-1	133.2	
65	Occupational Therapy at Home for Older Individuals with Mild to Moderate Cognitive Impairments and Their Primary Caregivers: A Pilot Study. <i>OTJR Occupation, Participation and Health</i> , 2003 , 23, 155-10	64 ^{1.3}	14
64	Doing the right thing and doing it right: toward a framework for assessing the policy relevance of health services research. <i>International Journal of Technology Assessment in Health Care</i> , 2003 , 19, 604-1	2 ^{1.8}	22
63	Referral patterns and utilization of physiotherapy services following a one-time physiotherapist consultation in general practice. <i>Physiotherapy Theory and Practice</i> , 2003 , 19, 5-21	1.5	5
62	One-Time Physical Therapist Consultation in Primary Health Care. <i>Physical Therapy</i> , 2003 , 83, 918-931	3.3	10
61	Determinants of the clinical course of musculoskeletal complaints in general practice: design of a cohort study. <i>BMC Musculoskeletal Disorders</i> , 2003 , 4, 3	2.8	22
60	Factors contributing to possession and use of walking aids among persons with rheumatoid arthritis and osteoarthritis. <i>Arthritis and Rheumatism</i> , 2003 , 49, 838-42		55
59	Occupational therapy for stroke patients: a systematic review. <i>Stroke</i> , 2003 , 34, 676-87	6.7	162

58	The possession of technical aids among persons with a somatic chronic disease. <i>Disability and Rehabilitation</i> , 2003 , 25, 393-8	2.4	8
57	Avoidance of activity and disability in patients with osteoarthritis of the knee: the mediating role of muscle strength. <i>Arthritis and Rheumatism</i> , 2002 , 46, 1784-8		62
56	Occupational therapy for rheumatoid arthritis: a systematic review. <i>Arthritis and Rheumatism</i> , 2002 , 47, 672-85		56
55	Sensitivity of different ADL measures to apraxia and motor impairments. <i>Clinical Rehabilitation</i> , 2002 , 16, 299-305	3.3	20
54	Social position of adolescents with chronic digestive disorders. <i>European Journal of Gastroenterology and Hepatology</i> , 2002 , 14, 543-9	2.2	53
53	The internal consistency and validity of the Self-Assessment Parkinson's Disease Disability Scale. <i>Clinical Rehabilitation</i> , 2001 , 15, 221-8	3.3	34
52	Responsiveness of observational and self-report methods for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 2001 , 45, 56-61		27
51	Muscle strength, pain and disability in patients with osteoarthritis. Clinical Rehabilitation, 2001, 15, 331	- 4 313	103
50	Efficacy of strategy training in left hemisphere stroke patients with apraxia: A randomised clinical trial. <i>Neuropsychological Rehabilitation</i> , 2001 , 11, 549-566	3.1	84
49	Effectiveness of exercise in patients with osteoarthritis of hip or knee: nine months' follow up. <i>Annals of the Rheumatic Diseases</i> , 2001 , 60, 1123-30	2.4	177
48	Work adjustments among the chronically ill. <i>International Journal of Rehabilitation Research</i> , 2001 , 24, 7-14	1.8	29
47	The number of therapeutic sessions in logopedic care: a description and analysis. <i>Folia Phoniatrica Et Logopaedica</i> , 2000 , 52, 239-50	1.5	
46	Range of joint motion and disability in patients with osteoarthritis of the knee or hip. <i>Rheumatology</i> , 2000 , 39, 955-61	3.9	204
45	Rehabilitation of stroke patients with apraxia: the role of additional cognitive and motor impairments. <i>Disability and Rehabilitation</i> , 2000 , 22, 547-54	2.4	35
44	Measuring disabilities in stroke patients with apraxia: A validation study of an observational method. <i>Neuropsychological Rehabilitation</i> , 2000 , 10, 401-414	3.1	29
43	Prevalence of apraxia among patients with a first left hemisphere stroke in rehabilitation centres and nursing homes. <i>Clinical Rehabilitation</i> , 2000 , 14, 130-6	3.3	79
42	Assessment of Disabilities in Stroke Patients with Apraxia: Internal Consistency and Inter-Observer Reliability. <i>Occupation Participation and Health</i> , 1999 , 19, 55-70		18
41	A diagnostic test for apraxia in stroke patients: internal consistency and diagnostic value. <i>Clinical Neuropsychologist</i> , 1999 , 13, 182-92	4.4	39

40	Internal consistency and validity of an observational method for assessing disability in mobility in patients with osteoarthritis. <i>Arthritis and Rheumatism</i> , 1999 , 12, 19-25		22
39	Effectiveness of exercise therapy in patients with osteoarthritis of the hip or knee: a systematic review of randomized clinical trials. <i>Arthritis and Rheumatism</i> , 1999 , 42, 1361-9		346
38	Diffusion of a quality improvement programme among allied health professionals. <i>International Journal for Quality in Health Care</i> , 1999 , 11, 337-44	1.9	4
37	Podiatric care for diabetic patients with foot problems: an observational study. <i>International Journal of Rehabilitation Research</i> , 1999 , 22, 181-8	1.8	7
36	Physiotherapy for Patients with Lateral Ankle Sprains. <i>Physiotherapy</i> , 1998 , 84, 421-432	3	13
35	Prevalence of chronic benign pain disorder among adults: a review of the literature. <i>Pain</i> , 1998 , 77, 231	-2839	474
34	Clinical and functional correlates of foot pain in diabetic patients. <i>Disability and Rehabilitation</i> , 1998 , 20, 330-6	2.4	17
33	Validity of Cyriax's concept capsular pattern for the diagnosis of osteoarthritis of hip and/or knee. <i>Scandinavian Journal of Rheumatology</i> , 1998 , 27, 347-51	1.9	33
32	Outcome of strategy training in stroke patients with apraxia: a phase II study. <i>Clinical Rehabilitation</i> , 1998 , 12, 294-303	3.3	61
31	Clinical experience of rehabilitation therapists with chronic diseases: a quantitative approach. <i>Clinical Rehabilitation</i> , 1998 , 12, 143-50	3.3	39
30	The use of therapeutic ultrasound by physical therapists in Dutch primary health care. <i>Physical Therapy</i> , 1998 , 78, 470-8	3.3	30
29	Medical and educational fields in logopedics in The Netherlands: a comparison in historical and European perspective. <i>Folia Phoniatrica Et Logopaedica</i> , 1998 , 50, 80-91	1.5	2
28	Diagnostic assessment and treatment goals in logopedics: impairments, disabilities and handicaps. <i>Folia Phoniatrica Et Logopaedica</i> , 1998 , 50, 71-9	1.5	6
27	A survey of physical therapy goals and interventions for patients with back and knee pain. <i>Physical Therapy</i> , 1998 , 78, 33-42	3.3	17
26	Occupational therapy for patients with chronic diseases: CVA, rheumatoid arthritis and progressive diseases of the central nervous system. <i>Disability and Rehabilitation</i> , 1997 , 19, 198-204	2.4	14
25	Diagnoses and interventions in podiatry. <i>Disability and Rehabilitation</i> , 1996 , 18, 27-34	2.4	8
24	Experiences with physiotherapists Consultation: Results of a feasibility study. <i>Physiotherapy Theory and Practice</i> , 1996 , 12, 211-220	1.5	2
23	Application of the ICIDH in survey research on rehabilitation: the emergence of the functional diagnosis. <i>Disability and Rehabilitation</i> , 1995 , 17, 195-201	2.4	21

22	Inter-Rater and Intra-Rater Reliability of the Occupational Therapy Diagnosis. <i>Occupation Participation and Health</i> , 1995 , 15, 259-274		6
21	Psychosocial complaints and physical therapy. <i>Physiotherapy Theory and Practice</i> , 1995 , 11, 175-186	1.5	7
20	Reliability of the assessment of impairments, disabilities and handicaps in survey research on speech therapy. <i>Folia Phoniatrica Et Logopaedica</i> , 1995 , 47, 199-209	1.5	5
19	Physical Therapy for Patients with Back Pain. <i>Physiotherapy</i> , 1995 , 81, 345-351	3	38
18	Negative affect, pain and disability in osteoarthritis patients: the mediating role of muscle weakness. <i>Behaviour Research and Therapy</i> , 1993 , 31, 203-6	5.2	92
17	Reliability of the diagnosis of impairments in survey research in the field of chiropody. <i>Disability and Rehabilitation</i> , 1993 , 15, 76-82	2.4	8
16	Categories of pain behaviour in osteoarthritis patients. <i>Physiotherapy Theory and Practice</i> , 1993 , 9, 157	-163	3
15	Imagery and sexual arousal. Sexual and Relationship Therapy, 1993, 8, 283-285		2
14	Diagnosis and treatment in physical therapy: an investigation of their relationship. <i>Physical Therapy</i> , 1993 , 73, 568-77; discussion 577-80	3.3	36
13	Exercise therapy in patients with rheumatoid arthritis and osteoarthritis: A review. <i>Advances in Behaviour Research and Therapy</i> , 1993 , 15, 211-238		20
12	Pain and disability in osteoarthritis: a review of biobehavioral mechanisms. <i>Journal of Behavioral Medicine</i> , 1992 , 15, 189-214	3.6	167
11	Reliability of the assessment of impairments and disabilities in survey research in the field of physical therapy. <i>International Disability Studies</i> , 1990 , 12, 61-5		19
10	A study suggesting two kinds of information processing of the sexual response. <i>Archives of Sexual Behavior</i> , 1989 , 18, 435-47	3.5	14
9	Psychological determinants of sexual arousal: a review. <i>Behaviour Research and Therapy</i> , 1989 , 27, 353-	6 4 .2	26
8	Attentional effects on sexual arousal. <i>Psychophysiology</i> , 1988 , 25, 45-54	4.1	60
7	Treatment of sexual dysfunctions in male-only groups: predicting outcome. <i>Journal of Sex and Marital Therapy</i> , 1985 , 11, 80-90	2.7	9
6	Attending to stimuli or to images of sexual feelings: effects on sexual arousal. <i>Behaviour Research and Therapy</i> , 1985 , 23, 139-49	5.2	37
5	Treatment of male sexual dysfunction: sex therapy compared with systematic desensitization and rational emotive therapy. <i>Behaviour Research and Therapy</i> , 1985 , 23, 13-25	5.2	22

LIST OF PUBLICATIONS

4	A long-term follow-up study of couples treated for sexual dysfunctions. <i>Journal of Sex and Marital Therapy</i> , 1983 , 9, 99-113	2.7	15
3	Treatment of secondary orgasmic dysfunction: a comparison of systematic desensitization and sex therapy. <i>Behaviour Research and Therapy</i> , 1982 , 20, 269-74	5.2	26
2	Treatment of homosexual and heterosexual sexual dysfunction in male-only groups of mixed sexual orientation. <i>Archives of Sexual Behavior</i> , 1982 , 11, 1-10	3.5	13
1	A comparison of sex therapy and communication therapy: couples complaining of orgasmic dysfunction. <i>Journal of Sex and Marital Therapy</i> , 1981 , 7, 278-89	2.7	26