

Agnieszka Pajdak-St³s

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268097/publications.pdf>

Version: 2024-02-01

36
papers

454
citations

759233

12
h-index

752698

20
g-index

37
all docs

37
docs citations

37
times ranked

457
citing authors

#	ARTICLE	IF	CITATIONS
1	Effects of polyaluminum chloride (PAX-18) on the relationship between predatory fungi and <i>Lecane rotifers</i> . <i>Environmental Science and Pollution Research</i> , 2022, 29, 17671-17681.	5.3	1
2	Clonal thermal preferences affect the strength of the temperature-size rule. <i>Organisms Diversity and Evolution</i> , 2022, 22, 317-326.	1.6	2
3	Multivariate analysis of activated sludge community in full-scale wastewater treatment plants. <i>Environmental Science and Pollution Research</i> , 2021, 28, 3579-3589.	5.3	7
4	The Relations Between Predatory Fungus and Its Rotifer Preys as a Noteworthy Example of Intraguild Predation (IGP). <i>Microbial Ecology</i> , 2020, 79, 73-83.	2.8	4
5	Rotifers weaken the efficiency of the cyanobacterium defence against ciliate grazers. <i>FEMS Microbiology Ecology</i> , 2020, 96, .	2.7	1
6	The influence of <i>Aspidisca cicada</i> on nitrifying bacteria and the morphology of flocs in activated sludge. <i>Water and Environment Journal</i> , 2020, 34, 699-709.	2.2	3
7	Diversity and function of the microbial community under strong selective pressure of rotifers. <i>Journal of Basic Microbiology</i> , 2019, 59, 775-783.	3.3	4
8	Temperature-Dependence of Predator-Prey Dynamics in Interactions Between the Predatory Fungus <i>Lecophagus</i> sp. and Its Prey <i>L. inermis</i> Rotifers. <i>Microbial Ecology</i> , 2018, 75, 400-406.	2.8	5
9	Interaction Between a Bacterivorous Ciliate <i>Aspidisca cicada</i> and a Rotifer <i>Lecane inermis</i> : Doozers and Fraggles in Aquatic Flocs. <i>Microbial Ecology</i> , 2018, 75, 569-581.	2.8	12
10	Foam-forming bacteria in activated sludge effectively reduced by rotifers in laboratory- and real-scale wastewater treatment plant experiments. <i>Environmental Science and Pollution Research</i> , 2017, 24, 13004-13011.	5.3	14
11	The effect of three different predatory ciliate species on activated sludge microfauna. <i>European Journal of Protistology</i> , 2017, 58, 87-93.	1.5	14
12	<i>Lecane tenuiseta</i> rotifers improves activated sludge settleability in laboratory scale SBR system at 13°C and 20°C. <i>Water and Environment Journal</i> , 2017, 31, 113-119.	2.2	2
13	Can a predatory fungus (<i>Zoopagus</i> sp.) endanger the rotifer populations in activated sludge?. <i>Fungal Ecology</i> , 2016, 23, 75-78.	1.6	11
14	<i>Lecane tenuiseta</i> (Rotifera, Monogononta) as the best biological tool candidate selected for preventing activated sludge bulking in a cold season. <i>Desalination and Water Treatment</i> , 2016, 57, 28592-28599.	1.0	6
15	Effect of high levels of the rotifer <i>Lecane inermis</i> on the ciliate community in laboratory-scale sequencing batch bioreactors (SBRs). <i>European Journal of Protistology</i> , 2015, 51, 470-479.	1.5	5
16	Experimental Attempt at Using <i>Lecane inermis</i> Rotifers to Control Filamentous Bacteria Eikelboom Type 0092 in Activated Sludge. <i>Water Environment Research</i> , 2015, 87, 205-210.	2.7	16
17	Seasonal changes in the body size of two rotifer species living in activated sludge follow the Temperature-Size Rule. <i>Ecology and Evolution</i> , 2014, 4, 4678-4689.	1.9	27
18	Why is sex so rare in <i>Lecane inermis</i> (Rotifera: Monogononta) in wastewater treatment plants?. <i>Invertebrate Biology</i> , 2014, 133, 128-135.	0.9	8

#	ARTICLE	IF	CITATIONS
19	Chemical and mechanical signals in inducing Phormidium (Cyanobacteria) defence against their grazers. <i>FEMS Microbiology Ecology</i> , 2014, 89, 659-669.	2.7	7
20	The Toxicity of Selected Trace Metals to <i>Lecane inermis</i> Rotifers Isolated from Activated Sludge. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2013, 91, 330-333.	2.7	11
21	Effect of the rotifer <i>Lecane inermis</i> , a potential sludge bulking control agent, on process parameters in a laboratory-scale SBR system. <i>Water Science and Technology</i> , 2013, 68, 2012-2018.	2.5	9
22	The use of rotifers for limiting filamentous bacteria Type O21N, a bacteria causing activated sludge bulking. <i>Water Science and Technology</i> , 2013, 67, 1557-1563.	2.5	25
23	The Toxicity of Aluminium Salts to <i>Lecane Inermis</i> Rotifers: Are Chemical and Biological Methods Used to Overcome Activated Sludge Bulking Mutually Exclusive?. <i>Archives of Environmental Protection</i> , 2013, 39, 127-138.	1.1	8
24	The Influence of Temperature on the Effectiveness of Filamentous Bacteria Removal from Activated Sludge by Rotifers. <i>Water Environment Research</i> , 2012, 84, 619-625.	2.7	23
25	Toxicity of Ammonia Nitrogen to Ciliated Protozoa <i>Stentor coeruleus</i> and <i>Coleps hirtus</i> Isolated from Activated Sludge of Wastewater Treatment Plants. <i>Bulletin of Environmental Contamination and Toxicology</i> , 2012, 89, 975-977.	2.7	16
26	The effect of medium on selected life-history traits in three clones of <i>Lecane inermis</i> (Rotifera) from activated sludge. <i>Water Science and Technology</i> , 2011, 63, 2071-2076.	2.5	3
27	Clonal variation in reproductive response to temperature by a potential bulking control agent, <i>Lecane inermis</i> (Rotifera). <i>Water Science and Technology</i> , 2011, 64, 403-408.	2.5	11
28	Resistance of nitrifiers inhabiting activated sludge to ciliate grazing. <i>Water Science and Technology</i> , 2010, 61, 573-580.	2.5	17
29	Dynamics of cyanobacteria ciliate grazer activity in bitrophic and tritrophic microcosms. <i>Aquatic Microbial Ecology</i> , 2010, 59, 45-53.	1.8	13
30	Effects of grazers' species identity on cyanobacteria in bitrophic and tritrophic food webs. <i>FEMS Microbiology Ecology</i> , 2009, 68, 329-339.	2.7	4
31	The role of <i>Lecane</i> rotifers in activated sludge bulking control. <i>Water Research</i> , 2008, 42, 2483-2490.	11.3	52
32	Substrate preference in settling zebra mussels <i>Dreissena polymorpha</i> . <i>Archiv für Hydrobiologie</i> , 2004, 159, 263-270.	1.1	20
33	VULNERABILITY OF <i>NOSTOC MUSCORUM</i> AGARDH (CYANOPHYCEAE) MOTILE HORMOGONIA TO CILIATE GRAZING. <i>Journal of Phycology</i> , 2004, 40, 271-274.	2.3	5
34	Predator-induced morphological defence in ciliates: interclonal variation for sensitivity to the inducing factors. <i>Oikos</i> , 2003, 100, 534-540.	2.7	14
35	Dependence of cyanobacteria defense mode on grazer pressure. <i>Aquatic Microbial Ecology</i> , 2002, 27, 149-157.	1.8	18
36	<i>Phormidium autumnale</i> (Cyanobacteria) defense against three ciliate grazer species. <i>Aquatic Microbial Ecology</i> , 2001, 23, 237-244.	1.8	55