

Manuel Portero-Otin

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3268400/manuel-portero-otin-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

190
papers

9,446
citations

56
h-index

90
g-index

205
ext. papers

10,746
ext. citations

5.6
avg. IF

5.67
L-index

#	Paper	IF	Citations
190	Selective brain regional changes in lipid profile with human aging.. <i>GeroScience</i> , 2022 , 1	8.9	1
189	Age-Related Changes in Lipidome of Rat Frontal Cortex and Cerebellum Are Partially Reversed by Methionine Restriction Applied in Old Age. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
188	Restriction of Dietary Advanced Glycation End Products Induces a Differential Plasma Metabolome and Lipidome Profile. <i>Molecular Nutrition and Food Research</i> , 2021 , 65, e2000499	5.9	0
187	The Causal Role of Lipoxidative Damage in Mitochondrial Bioenergetic Dysfunction Linked to Alzheimer's Disease Pathology. <i>Life</i> , 2021 , 11,	3	3
186	New insights into human prefrontal cortex aging with a lipidomics approach. <i>Expert Review of Proteomics</i> , 2021 , 18, 333-344	4.2	3
185	Nuclear lipidome is altered in amyotrophic lateral sclerosis: A pilot study. <i>Journal of Neurochemistry</i> , 2021 , 158, 482-499	6	2
184	Modulation of mitochondrial and inflammatory homeostasis through RIP140 is neuroprotective in an adrenoleukodystrophy mouse model. <i>Neuropathology and Applied Neurobiology</i> , 2021 ,	5.2	2
183	Lipid alterations in human frontal cortex in ALS-FTLD-TDP43 proteinopathy spectrum are partly related to peroxisome impairment. <i>Neuropathology and Applied Neurobiology</i> , 2021 , 47, 544-563	5.2	7
182	Lipidomic traits of plasma and cerebrospinal fluid in amyotrophic lateral sclerosis correlate with disease progression. <i>Brain Communications</i> , 2021 , 3, fcab143	4.5	7
181	Cell Stress Induces Mislocalization of Transcription Factors with Mitochondrial Enrichment. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	1
180	Dietary AGEs as Exogenous Boosters of Inflammation. <i>Nutrients</i> , 2021 , 13,	6.7	6
179	Gut bacterial ClpB-like gene function is associated with decreased body weight and a characteristic microbiota profile. <i>Microbiome</i> , 2020 , 8, 59	16.6	22
178	Dietary intake of bioactive ingredients impacts liver and adipose tissue transcriptomes in a porcine model of prepubertal early obesity. <i>Scientific Reports</i> , 2020 , 10, 5375	4.9	1
177	Molecular phenomics of a high-calorie diet-induced porcine model of prepubertal obesity. <i>Journal of Nutritional Biochemistry</i> , 2020 , 83, 108393	6.3	2
176	Poultry diets containing (keto)carotenoid-enriched maize improve egg yolk color and maintain quality. <i>Animal Feed Science and Technology</i> , 2020 , 260, 114334	3	11
175	Lipidomic profiling identifies signatures of metabolic risk. <i>EBioMedicine</i> , 2020 , 51, 102520	8.8	27
174	Gender-Specific Beneficial Effects of Docosahexaenoic Acid Dietary Supplementation in G93A-SOD1 Amyotrophic Lateral Sclerosis Mice. <i>Neurotherapeutics</i> , 2020 , 17, 269-281	6.4	6

173	Metabolic adaptations in spontaneously immortalized PGC-1 α knock-out mouse embryonic fibroblasts increase their oncogenic potential. <i>Redox Biology</i> , 2020 , 29, 101396	11.3	3
172	Obesity Impairs Short-Term and Working Memory through Gut Microbial Metabolism of Aromatic Amino Acids. <i>Cell Metabolism</i> , 2020 , 32, 548-560.e7	24.6	27
171	REMOTE Ischemic Preconditioning Among Acute Ischemic Stroke Patients in Catalonia: REMOTE-CAT PROJECT. <i>Frontiers in Neurology</i> , 2020 , 11, 569696	4.1	2
170	In Vivo Anti-Inflammatory Effects and Related Mechanisms of Processed Egg Yolk, a Potential Anti-Inflammaging Dietary Supplement. <i>Nutrients</i> , 2020 , 12,	6.7	2
169	Selected cryptic exons accumulate in hippocampal cell nuclei in Alzheimer's disease with and without associated TDP-43 proteinopathy. <i>Brain</i> , 2020 , 143, e20	11.2	3
168	A prospective pilot study using metabolomics discloses specific fatty acid, catecholamine and tryptophan metabolic pathways as possible predictors for a negative outcome after severe trauma. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2019 , 27, 56	3.6	7
167	Adipose Tissue Protein Glycooxidation is Associated with Weight-Loss Potential. <i>Obesity</i> , 2019 , 27, 1133-1140	18.4	2
166	Biomarker Identification, Safety, and Efficacy of High-Dose Antioxidants for Adrenomyeloneuropathy: a Phase II Pilot Study. <i>Neurotherapeutics</i> , 2019 , 16, 1167-1182	6.4	19
165	Skin Autofluorescence Measurement in Subclinical Atheromatous Disease: Results from the ILERVAS Project. <i>Journal of Atherosclerosis and Thrombosis</i> , 2019 , 26, 879-889	4	2
164	Altered Dynein Axonemal Assembly Factor 1 Expression in C-Boutons in Bulbar and Spinal Cord Motor-Neurons in Sporadic Amyotrophic Lateral Sclerosis. <i>Journal of Neuropathology and Experimental Neurology</i> , 2019 , 78, 416-425	3.1	2
163	Essential Physiological Differences Characterize Short- and Long-Lived Strains of <i>Drosophila melanogaster</i> . <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2019 , 74, 1835-1843	6.4	6
162	Psoriasis, metabolic syndrome and cardiovascular risk factors. A population-based study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019 , 33, 128-135	4.6	49
161	Impairment of Mitochondrial Redox Status in Peripheral Lymphocytes of Multiple Sclerosis Patients. <i>Frontiers in Neuroscience</i> , 2019 , 13, 938	5.1	14
160	Characteristics of atheromatosis in the prediabetes stage: a cross-sectional investigation of the ILERVAS project. <i>Cardiovascular Diabetology</i> , 2019 , 18, 154	8.7	7
159	Adipose Tissue Mitochondrial Factors Profile after Dietary Bioactive Compound Weight Reduction Treatments in a Mice Obesity Model. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	1
158	Lipid Profile in Human Frontal Cortex Is Sustained Throughout Healthy Adult Life Span to Decay at Advanced Ages. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2018 , 73, 703-710	6.4	8
157	Altered Expression of miR-181a-5p and miR-23a-3p Is Associated With Obesity and TNF α -Induced Insulin Resistance. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2018 , 103, 1447-1458	5.6	48
156	Metabolomic Estimation of the Diagnosis and Onset Time of Permanent and Transient Cerebral Ischemia. <i>Molecular Neurobiology</i> , 2018 , 55, 6193-6200	6.2	4

155	High-carotenoid maize: development of plant biotechnology prototypes for human and animal health and nutrition. <i>Phytochemistry Reviews</i> , 2018 , 17, 195-209	7.7	13
154	Regional vulnerability to lipoxidative damage and inflammation in normal human brain aging. <i>Experimental Gerontology</i> , 2018 , 111, 218-228	4.5	15
153	Aberrant regulation of the GSK-3 β /NRF2 axis unveils a novel therapy for adrenoleukodystrophy. <i>EMBO Molecular Medicine</i> , 2018 , 10,	12	26
152	Cryptic exon splicing function of TARDBP interacts with autophagy in nervous tissue. <i>Autophagy</i> , 2018 , 14, 1398-1403	10.2	21
151	Lipidomics reveals altered biosynthetic pathways of glycerophospholipids and cell signaling as biomarkers of the polycystic ovary syndrome. <i>Oncotarget</i> , 2018 , 9, 4522-4536	3.3	16
150	Adipose TSHB in Humans and Serum TSH in Hypothyroid Rats Inform About Cellular Senescence. <i>Cellular Physiology and Biochemistry</i> , 2018 , 51, 142-153	3.9	5
149	Location-dependent effects of trauma on oxidative stress in humans. <i>PLoS ONE</i> , 2018 , 13, e0205519	3.7	1
148	A Stress-Resistant Lipidomic Signature Confers Extreme Longevity to Humans. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2017 , 72, 30-37	6.4	38
147	Biofortification of crops with nutrients: factors affecting utilization and storage. <i>Current Opinion in Biotechnology</i> , 2017 , 44, 115-123	11.4	57
146	Region-specific vulnerability to lipid peroxidation and evidence of neuronal mechanisms for polyunsaturated fatty acid biosynthesis in the healthy adult human central nervous system. <i>Biochimica Et Biophysica Acta - Molecular and Cell Biology of Lipids</i> , 2017 , 1862, 485-495	5	26
145	The Gut Metagenome Changes in Parallel to Waist Circumference, Brain Iron Deposition, and Cognitive Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2017 , 102, 2962-2973	5.6	31
144	Adipocyte lipopolysaccharide binding protein (LBP) is linked to a specific lipidomic signature. <i>Obesity</i> , 2017 , 25, 391-400	8	6
143	Sixty years old is the breakpoint of human frontal cortex aging. <i>Free Radical Biology and Medicine</i> , 2017 , 103, 14-22	7.8	24
142	mRNA is linked to cholesterol metabolism in adipose tissue. <i>FASEB Journal</i> , 2017 , 31, 4482-4491	0.9	10
141	Differential metabolic profiles associated to movement behaviour of stream-resident brown trout (<i>Salmo trutta</i>). <i>PLoS ONE</i> , 2017 , 12, e0181697	3.7	1
140	Characterization of the post-prandial insulinemic response and low glycaemic index of a soy beverage. <i>PLoS ONE</i> , 2017 , 12, e0182762	3.7	8
139	Tumour-microenvironmental blood flow determines a metabolomic signature identifying lysophospholipids and resolvin D as biomarkers in endometrial cancer patients. <i>Oncotarget</i> , 2017 , 8, 109018-109026	3.3	18
138	Human Aging Is a Metabolome-related Matter of Gender. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2016 , 71, 578-85	6.4	43

137	The distribution of carotenoids in hens fed on biofortified maize is influenced by feed composition, absorption, resource allocation and storage. <i>Scientific Reports</i> , 2016 , 6, 35346	4.9	36
136	Early and gender-specific differences in spinal cord mitochondrial function and oxidative stress markers in a mouse model of ALS. <i>Acta Neuropathologica Communications</i> , 2016 , 4, 3	7.3	23
135	Oral intake of genetically engineered high-carotenoid corn ameliorates hepatomegaly and hepatic steatosis in PTEN haploinsufficient mice. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2016 , 1862, 526-535	6.9	5
134	Interplay between TDP-43 and docosahexaenoic acid-related processes in amyotrophic lateral sclerosis. <i>Neurobiology of Disease</i> , 2016 , 88, 148-60	7.5	17
133	Metabolomics uncovers the role of adipose tissue PDXK in adipogenesis and systemic insulin sensitivity. <i>Diabetologia</i> , 2016 , 59, 822-32	10.3	15
132	Redox proteomic profiling of neuroketal-adducted proteins in human brain: Regional vulnerability at middle age increases in the elderly. <i>Free Radical Biology and Medicine</i> , 2016 , 95, 1-15	7.8	21
131	Metabotyping human endometrioid endometrial adenocarcinoma reveals an implication of endocannabinoid metabolism. <i>Oncotarget</i> , 2016 , 7, 52364-52374	3.3	12
130	Specific Metabolomics Adaptations Define a Differential Regional Vulnerability in the Adult Human Cerebral Cortex. <i>Frontiers in Molecular Neuroscience</i> , 2016 , 9, 138	6.1	14
129	Effect of Dietary Bioactive Compounds on Mitochondrial and Metabolic Flexibility. <i>Diseases (Basel, Switzerland)</i> , 2016 , 4,	4.4	31
128	Targeted activation of CREB in reactive astrocytes is neuroprotective in focal acute cortical injury. <i>Glia</i> , 2016 , 64, 853-74	9	21
127	Metabolomics Predicts Neuroimaging Characteristics of Transient Ischemic Attack Patients. <i>EBioMedicine</i> , 2016 , 14, 131-138	8.8	15
126	Carotenoid-enriched transgenic corn delivers bioavailable carotenoids to poultry and protects them against coccidiosis. <i>Plant Biotechnology Journal</i> , 2016 , 14, 160-8	11.6	25
125	Randomised intervention study to assess the prevalence of subclinical vascular disease and hidden kidney disease and its impact on morbidity and mortality: The ILERVAS project. <i>Nefrologia</i> , 2016 , 36, 389-96	1.5	17
124	Lipidomics of human brain aging and Alzheimer's disease pathology. <i>International Review of Neurobiology</i> , 2015 , 122, 133-89	4.4	86
123	Dietary advanced glycation end products and their role in health and disease. <i>Advances in Nutrition</i> , 2015 , 6, 461-73	10	171
122	Neuroinflammatory signals in Alzheimer disease and APP/PS1 transgenic mice: correlations with plaques, tangles, and oligomeric species. <i>Journal of Neuropathology and Experimental Neurology</i> , 2015 , 74, 319-44	3.1	86
121	Activation of sirtuin 1 as therapy for the peroxisomal disease adrenoleukodystrophy. <i>Cell Death and Differentiation</i> , 2015 , 22, 1742-53	12.7	23
120	Nutridynamics: mechanism(s) of action of bioactive compounds and their effects. <i>International Journal of Food Sciences and Nutrition</i> , 2015 , 66 Suppl 1, S22-30	3.7	14

119	Altered glycolipid and glycerophospholipid signaling drive inflammatory cascades in adrenomyeloneuropathy. <i>Human Molecular Genetics</i> , 2015 , 24, 6861-76	5.6	25
118	Metabolomics predicts stroke recurrence after transient ischemic attack. <i>Neurology</i> , 2015 , 84, 36-45	6.5	69
117	Deregulation of purine metabolism in Alzheimer's disease. <i>Neurobiology of Aging</i> , 2015 , 36, 68-80	5.6	78
116	Obesity changes the human gut mycobiome. <i>Scientific Reports</i> , 2015 , 5, 14600	4.9	130
115	The Antioxidant Effect of LMN Diet, Rich in Polyphenols and Polyunsaturated Fatty Acids, in Alzheimer's Disease 2015 , 847-857		1
114	Gut Microbiota Interacts With Brain Microstructure and Function. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015 , 100, 4505-13	5.6	88
113	Neuroinflammatory Gene Regulation, Mitochondrial Function, Oxidative Stress, and Brain Lipid Modifications With Disease Progression in Tau P301S Transgenic Mice as a Model of Frontotemporal Lobar Degeneration-Tau. <i>Journal of Neuropathology and Experimental Neurology</i> , 2015 , 74, 975-99	3.1	41
112	Muscle mitohormesis promotes cellular survival via serine/glycine pathway flux. <i>FASEB Journal</i> , 2015 , 29, 1314-28	0.9	47
111	Hydroxytyrosol ameliorates oxidative stress and mitochondrial dysfunction in doxorubicin-induced cardiotoxicity in rats with breast cancer. <i>Biochemical Pharmacology</i> , 2014 , 90, 25-33	6	104
110	Dietary lipid unsaturation influences survival and oxidative modifications of an amyotrophic lateral sclerosis model in a gender-specific manner. <i>NeuroMolecular Medicine</i> , 2014 , 16, 669-85	4.6	10
109	Brain iron overload, insulin resistance, and cognitive performance in obese subjects: a preliminary MRI case-control study. <i>Diabetes Care</i> , 2014 , 37, 3076-83	14.6	40
108	Calpain activation and CaMKIV reduction in spinal cords from hSOD1G93A mouse model. <i>Molecular and Cellular Neurosciences</i> , 2014 , 61, 219-25	4.8	2
107	Methylene blue upregulates Nrf2/ARE genes and prevents tau-related neurotoxicity. <i>Human Molecular Genetics</i> , 2014 , 23, 3716-32	5.6	96
106	Plasma antioxidant capacity in critical polytraumatized patients?: methods, severity, and anatomic location. <i>Critical Care</i> , 2014 , 18, 434	10.8	1
105	Human omental and subcutaneous adipose tissue exhibit specific lipidomic signatures. <i>FASEB Journal</i> , 2014 , 28, 1071-81	0.9	38
104	Plasma lipidomics discloses metabolic syndrome with a specific HDL phenotype. <i>FASEB Journal</i> , 2014 , 28, 5163-71	0.9	34
103	Lifelong treatment with atenolol decreases membrane fatty acid unsaturation and oxidative stress in heart and skeletal muscle mitochondria and improves immunity and behavior, without changing mice longevity. <i>Aging Cell</i> , 2014 , 13, 551-60	9.9	17
102	Caloric restriction reveals a metabolomic and lipidomic signature in liver of male mice. <i>Aging Cell</i> , 2014 , 13, 828-37	9.9	52

101	Metabolomics of human brain aging and age-related neurodegenerative diseases. <i>Journal of Neuro pathology and Experimental Neurology</i> , 2014 , 73, 640-57	3.1	131
100	Resveratrol improves motoneuron function and extends survival in SOD1(G93A) ALS mice. <i>Neurotherapeutics</i> , 2014 , 11, 419-32	6.4	106
99	Vitamin D receptor Bsm1 polymorphism modulates soy intake and 25-hydroxyvitamin D supplementation benefits in cardiovascular disease risk factors profile. <i>Genes and Nutrition</i> , 2013 , 8, 561-43	4.3	10
98	Plasma long-chain free fatty acids predict mammalian longevity. <i>Scientific Reports</i> , 2013 , 3, 3346	4.9	39
97	Lipidomic and metabolomic analyses reveal potential plasma biomarkers of early atheromatous plaque formation in hamsters. <i>Cardiovascular Research</i> , 2013 , 97, 642-52	9.9	48
96	Skeletal muscle uncoupling-induced longevity in mice is linked to increased substrate metabolism and induction of the endogenous antioxidant defense system. <i>American Journal of Physiology - Endocrinology and Metabolism</i> , 2013 , 304, E495-506	6	34
95	Tetradecylthioacetic acid attenuates inflammation and has antioxidative potential during experimental colitis in rats. <i>Digestive Diseases and Sciences</i> , 2013 , 58, 97-106	4	10
94	Impaired mitochondrial oxidative phosphorylation in the peroxisomal disease X-linked adrenoleukodystrophy. <i>Human Molecular Genetics</i> , 2013 , 22, 3296-305	5.6	83
93	Atherosclerosis prevention by nutritional factors: a meta-analysis in small animal models. <i>Nutrition, Metabolism and Cardiovascular Diseases</i> , 2013 , 23, 84-93	4.5	8
92	Plurality of opinion, scientific discourse and pseudoscience: an in depth analysis of the Sfalini et al. study claiming that Roundup Ready corn or the herbicide Roundup cause cancer in rats. <i>Transgenic Research</i> , 2013 , 22, 255-67	3.3	43
91	Dietary intake of green tea polyphenols regulates insulin sensitivity with an increase in AMP-activated protein kinase content and changes in mitochondrial respiratory complexes. <i>Molecular Nutrition and Food Research</i> , 2013 , 57, 459-70	5.9	20
90	Specific lipidome signatures in central nervous system from methionine-restricted mice. <i>Journal of Proteome Research</i> , 2013 , 12, 2679-89	5.6	23
89	Formation of S-(carboxymethyl)-cysteine in rat liver mitochondrial proteins: effects of caloric and methionine restriction. <i>Amino Acids</i> , 2013 , 44, 361-71	3.5	19
88	Pioglitazone halts axonal degeneration in a mouse model of X-linked adrenoleukodystrophy. <i>Brain</i> , 2013 , 136, 2432-43	11.2	57
87	Membrane lipid unsaturation as physiological adaptation to animal longevity. <i>Frontiers in Physiology</i> , 2013 , 4, 372	4.6	60
86	Non-enzymatic modification of aminophospholipids by carbonyl-amine reactions. <i>International Journal of Molecular Sciences</i> , 2013 , 14, 3285-313	6.3	28
85	A salmon peptide diet alleviates experimental colitis as compared with fish oil. <i>Journal of Nutritional Science</i> , 2013 , 2, e2	2.7	13
84	T-type calcium channel blockers inhibit autophagy and promote apoptosis of malignant melanoma cells. <i>Pigment Cell and Melanoma Research</i> , 2013 , 26, 874-85	4.5	46

83	Amyloid generation and dysfunctional immunoproteasome activation with disease progression in animal model of familial Alzheimer's disease. <i>Brain Pathology</i> , 2012 , 22, 636-53	6	71
82	Oxidative stress underlying axonal degeneration in adrenoleukodystrophy: a paradigm for multifactorial neurodegenerative diseases?. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2012 , 1822, 1475-88	6.9	71
81	Lipidome analysis in multiple sclerosis reveals protein lipoxidative damage as a potential pathogenic mechanism. <i>Journal of Neurochemistry</i> , 2012 , 123, 622-34	6	59
80	Fish oil and 3-thia fatty acid have additive effects on lipid metabolism but antagonistic effects on oxidative damage when fed to rats for 50 weeks. <i>Journal of Nutritional Biochemistry</i> , 2012 , 23, 1384-93	6.3	25
79	Plant-derived phenolics inhibit the accrual of structurally characterised protein and lipid oxidative modifications. <i>PLoS ONE</i> , 2012 , 7, e43308	3.7	10
78	Region Specific Vulnerability to Lipid Peroxidation in the Human Central Nervous System 2012 ,		3
77	Dietary supplementation of krill oil attenuates inflammation and oxidative stress in experimental ulcerative colitis in rats. <i>Scandinavian Journal of Gastroenterology</i> , 2012 , 47, 49-58	2.4	50
76	Cellular dysfunction in diabetes as maladaptive response to mitochondrial oxidative stress. <i>Experimental Diabetes Research</i> , 2012 , 2012, 696215		79
75	Multicompartmental LC-Q-TOF-based metabolomics as an exploratory tool to identify novel pathways affected by polyphenol-rich diets in mice. <i>Journal of Proteome Research</i> , 2011 , 10, 3501-12	5.6	38
74	Mitochondrial dysfunction and oxidative and endoplasmic reticulum stress in argyrophilic grain disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2011 , 70, 253-63	3.1	16
73	Age-related changes in brain mitochondrial DNA deletion and oxidative stress are differentially modulated by dietary fat type and coenzyme Q. <i>Free Radical Biology and Medicine</i> , 2011 , 50, 1053-64	7.8	75
72	Forty percent methionine restriction lowers DNA methylation, complex I ROS generation, and oxidative damage to mtDNA and mitochondrial proteins in rat heart. <i>Journal of Bioenergetics and Biomembranes</i> , 2011 , 43, 699-708	3.7	70
71	Cell stress induces TDP-43 pathological changes associated with ERK1/2 dysfunction: implications in ALS. <i>Acta Neuropathologica</i> , 2011 , 122, 259-70	14.3	74
70	Antioxidants halt axonal degeneration in a mouse model of X-adrenoleukodystrophy. <i>Annals of Neurology</i> , 2011 , 70, 84-92	9.4	107
69	Stanozolol treatment decreases the mitochondrial ROS generation and oxidative stress induced by acute exercise in rat skeletal muscle. <i>Journal of Applied Physiology</i> , 2011 , 110, 661-9	3.7	28
68	Regulation of Membrane Unsaturation as Antioxidant Adaptive Mechanism in Long-lived Animal Species. <i>Free Radicals and Antioxidants</i> , 2011 , 1, 3-12	1.7	9
67	Oxidative damage compromises energy metabolism in the axonal degeneration mouse model of X-adrenoleukodystrophy. <i>Antioxidants and Redox Signaling</i> , 2011 , 15, 2095-107	8.4	68
66	Biomarkers of aging in Drosophila. <i>Aging Cell</i> , 2010 , 9, 466-477	9.9	63

65	Mitochondrial ATP-synthase in the entorhinal cortex is a target of oxidative stress at stages I/II of Alzheimer's disease pathology. <i>Brain Pathology</i> , 2010 , 20, 222-33	6	104
64	Protein targets of oxidative damage in human neurodegenerative diseases with abnormal protein aggregates. <i>Brain Pathology</i> , 2010 , 20, 281-97	6	161
63	Mitochondrial DNA mutations induce mitochondrial dysfunction, apoptosis and sarcopenia in skeletal muscle of mitochondrial DNA mutator mice. <i>PLoS ONE</i> , 2010 , 5, e11468	3.7	196
62	Valproic acid induces antioxidant effects in X-linked adrenoleukodystrophy. <i>Human Molecular Genetics</i> , 2010 , 19, 2005-14	5.6	77
61	The β -blocker atenolol lowers the longevity-related degree of fatty acid unsaturation, decreases protein oxidative damage, and increases extracellular signal-regulated kinase signaling in the heart of C57BL/6 mice. <i>Rejuvenation Research</i> , 2010 , 13, 683-93	2.6	10
60	Expression of the yeast NADH dehydrogenase Ndi1 in <i>Drosophila</i> confers increased lifespan independently of dietary restriction. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010 , 107, 9105-10	11.5	100
59	A fish-oil-rich diet reduces vascular oxidative stress in apoE(-/-) mice. <i>Free Radical Research</i> , 2010 , 44, 821-9	4	47
58	Modification of brain lipids but not phenotype in alpha-synucleinopathy transgenic mice by long-term dietary n-3 fatty acids. <i>Neurochemistry International</i> , 2010 , 56, 318-28	4.4	15
57	When cholesterol is not cholesterol: a note on the enzymatic determination of its concentration in model systems containing vegetable extracts. <i>Lipids in Health and Disease</i> , 2010 , 9, 65	4.4	1
56	Effects of increased iron intake during the neonatal period on the brain of adult AbetaPP/PS1 transgenic mice. <i>Journal of Alzheimer's Disease</i> , 2010 , 19, 1069-80	4.3	15
55	Pathological aspects of lipid peroxidation. <i>Free Radical Research</i> , 2010 , 44, 1125-71	4	288
54	Coenzyme Q addition to an n-6 PUFA-rich diet resembles benefits on age-related mitochondrial DNA deletion and oxidative stress of a MUFA-rich diet in rat heart. <i>Mechanisms of Ageing and Development</i> , 2010 , 131, 38-47	5.6	42
53	Depletion of oxidative and endoplasmic reticulum stress regulators in Pick disease. <i>Free Radical Biology and Medicine</i> , 2010 , 48, 1302-10	7.8	11
52	Double-edged sword behaviour of gallic acid and its interaction with peroxidases in human microvascular endothelial cell culture (HMEC-1). Antioxidant and pro-oxidant effects.. <i>Acta Biochimica Polonica</i> , 2010 , 57,	2	10
51	Hyperglycemia and glycation in diabetic complications. <i>Antioxidants and Redox Signaling</i> , 2009 , 11, 3071-809	8.09	264
50	Effect of 40% restriction of dietary amino acids (except methionine) on mitochondrial oxidative stress and biogenesis, AIF and SIRT1 in rat liver. <i>Biogerontology</i> , 2009 , 10, 579-92	4.5	47
49	Effect of methionine dietary supplementation on mitochondrial oxygen radical generation and oxidative DNA damage in rat liver and heart. <i>Journal of Bioenergetics and Biomembranes</i> , 2009 , 41, 309-237	3.7	52
48	Dietary antioxidants interfere with Amplex Red-coupled-fluorescence assays. <i>Biochemical and Biophysical Research Communications</i> , 2009 , 388, 443-9	3.4	26

47	Cell death and learning impairment in mice caused by in vitro modified pro-NGF can be related to its increased oxidative modifications in Alzheimer disease. <i>American Journal of Pathology</i> , 2009 , 175, 2574-85	5.8	28
46	Increased oxidation, glycoxidation, and lipoxidation of brain proteins in prion disease. <i>Free Radical Biology and Medicine</i> , 2008 , 45, 1159-66	7.8	66
45	Inhibition of renin angiotensin system decreases renal protein oxidative damage in diabetic rats. <i>Biochemical and Biophysical Research Communications</i> , 2008 , 368, 528-35	3.4	23
44	Effect of every other day feeding on mitochondrial free radical production and oxidative stress in mouse liver. <i>Rejuvenation Research</i> , 2008 , 11, 621-9	2.6	30
43	Early oxidative damage underlying neurodegeneration in X-adrenoleukodystrophy. <i>Human Molecular Genetics</i> , 2008 , 17, 1762-73	5.6	158
42	Type-dependent oxidative damage in frontotemporal lobar degeneration: cortical astrocytes are targets of oxidative damage. <i>Journal of Neuropathology and Experimental Neurology</i> , 2008 , 67, 1122-36	3.1	38
41	Maillard reaction versus other nonenzymatic modifications in neurodegenerative processes. <i>Annals of the New York Academy of Sciences</i> , 2008 , 1126, 315-9	6.5	15
40	Methionine restriction decreases endogenous oxidative molecular damage and increases mitochondrial biogenesis and uncoupling protein 4 in rat brain. <i>Rejuvenation Research</i> , 2007 , 10, 473-84	2.6	63
39	Survival and death of mature avian motoneurons in organotypic slice culture: trophic requirements for survival and different types of degeneration. <i>Journal of Comparative Neurology</i> , 2007 , 501, 669-90	3.4	27
38	Effect of 8.5% and 25% caloric restriction on mitochondrial free radical production and oxidative stress in rat liver. <i>Biogerontology</i> , 2007 , 8, 555-66	4.5	43
37	Methylglyoxal induces advanced glycation end product (AGEs) formation and dysfunction of PDGF receptor-beta: implications for diabetic atherosclerosis. <i>FASEB Journal</i> , 2007 , 21, 3096-106	0.9	94
36	Oxidative and endoplasmic reticulum stress interplay in sporadic amyotrophic lateral sclerosis. <i>Brain</i> , 2007 , 130, 3111-23	11.2	250
35	Dietary protein restriction decreases oxidative protein damage, peroxidizability index, and mitochondrial complex I content in rat liver. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2007 , 62, 352-60	6.4	82
34	Stimulation of suicidal erythrocyte death by methylglyoxal. <i>Cellular Physiology and Biochemistry</i> , 2006 , 18, 223-32	3.9	197
33	Effects of fasting on oxidative stress in rat liver mitochondria. <i>Free Radical Research</i> , 2006 , 40, 339-47	4	72
32	Methionine restriction decreases mitochondrial oxygen radical generation and leak as well as oxidative damage to mitochondrial DNA and proteins. <i>FASEB Journal</i> , 2006 , 20, 1064-73	0.9	188
31	Flight activity, mortality rates, and lipoxidative damage in <i>Drosophila</i> . <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2006 , 61, 136-45	6.4	59
30	Glial fibrillary acidic protein is a major target of glycoxidative and lipoxidative damage in Pick's disease. <i>Journal of Neurochemistry</i> , 2006 , 99, 177-85	6	42

29	Protein methionine content and MDA-lysine adducts are inversely related to maximum life span in the heart of mammals. <i>Mechanisms of Ageing and Development</i> , 2005 , 126, 1106-14	5.6	54
28	Effect of insulin and growth hormone on rat heart and liver oxidative stress in control and caloric restricted animals. <i>Biogerontology</i> , 2005 , 6, 15-26	4.5	60
27	Protein and lipid oxidative damage and complex I content are lower in the brain of budgerigar and canaries than in mice. Relation to aging rate. <i>Age</i> , 2005 , 27, 267-80		55
26	Proteins in human brain cortex are modified by oxidation, glycooxidation, and lipoxidation. Effects of Alzheimer disease and identification of lipoxidation targets. <i>Journal of Biological Chemistry</i> , 2005 , 280, 21522-30	5.4	208
25	Evidence of oxidative stress in the neocortex in incidental Lewy body disease. <i>Journal of Neuropathology and Experimental Neurology</i> , 2005 , 64, 816-30	3.1	176
24	Effect of ageing and caloric restriction on specific markers of protein oxidative damage and membrane peroxidizability in rat liver mitochondria. <i>Mechanisms of Ageing and Development</i> , 2004 , 125, 529-38	5.6	58
23	Protein nonenzymatic modifications and proteasome activity in skeletal muscle from the short-lived rat and long-lived pigeon. <i>Experimental Gerontology</i> , 2004 , 39, 1527-35	4.5	33
22	Cold-induced hyperthyroidism produces oxidative damage in rat tissues and increases susceptibility to oxidants. <i>International Journal of Biochemistry and Cell Biology</i> , 2004 , 36, 1319-31	5.6	40
21	A signalling role for 4-hydroxy-2-nonenal in regulation of mitochondrial uncoupling. <i>EMBO Journal</i> , 2003 , 22, 4103-10	13	469
20	Oxidative, glycooxidative and lipoxidative damage to rat heart mitochondrial proteins is lower after 4 months of caloric restriction than in age-matched controls. <i>Mechanisms of Ageing and Development</i> , 2002 , 123, 1437-46	5.6	108
19	Membrane fatty acid unsaturation, protection against oxidative stress, and maximum life span: a homeoviscous-longevity adaptation?. <i>Annals of the New York Academy of Sciences</i> , 2002 , 959, 475-90	6.5	202
18	Ageing increases Nepsilon-(carboxymethyl)lysine and caloric restriction decreases Nepsilon-(carboxyethyl)lysine and Nepsilon-(malondialdehyde)lysine in rat heart mitochondrial proteins. <i>Free Radical Research</i> , 2002 , 36, 47-54	4	49
17	Advanced glycation end product precursors impair epidermal growth factor receptor signaling. <i>Diabetes</i> , 2002 , 51, 1535-42	0.9	75
16	Oxidative damage and phospholipid fatty acyl composition in skeletal muscle mitochondria from mice underexpressing or overexpressing uncoupling protein 3. <i>Biochemical Journal</i> , 2002 , 368, 597-603	3.8	152
15	Correlation of fatty acid unsaturation of the major liver mitochondrial phospholipid classes in mammals to their maximum life span potential. <i>Lipids</i> , 2001 , 36, 491-8	1.6	53
14	Influence of hyper- and hypothyroidism on lipid peroxidation, unsaturation of phospholipids, glutathione system and oxidative damage to nuclear and mitochondrial DNA in mice skeletal muscle. <i>Molecular and Cellular Biochemistry</i> , 2001 , 221, 41-8	4.2	47
13	Effect of the degree of fatty acid unsaturation of rat heart mitochondria on their rates of H ₂ O ₂ production and lipid and protein oxidative damage. <i>Mechanisms of Ageing and Development</i> , 2001 , 122, 427-43	5.6	50
12	Double bond content of phospholipids and lipid peroxidation negatively correlate with maximum longevity in the heart of mammals. <i>Mechanisms of Ageing and Development</i> , 2000 , 112, 169-83	5.6	93

11	Heart fatty acid unsaturation and lipid peroxidation, and aging rate, are lower in the canary and the parakeet than in the mouse. <i>Aging Clinical and Experimental Research</i> , 1999 , 11, 44-49	4.8	38
10	Diabetes induces an impairment in the proteolytic activity against oxidized proteins and a heterogeneous effect in nonenzymatic protein modifications in the cytosol of rat liver and kidney. <i>Diabetes</i> , 1999 , 48, 2215-20	0.9	56
9	A low degree of fatty acid unsaturation leads to lower lipid peroxidation and lipoxidation-derived protein modification in heart mitochondria of the longevous pigeon than in the short-lived rat. <i>Mechanisms of Ageing and Development</i> , 1999 , 106, 283-96	5.6	105
8	Effect of thyroid status on lipid composition and peroxidation in the mouse liver. <i>Free Radical Biology and Medicine</i> , 1999 , 26, 73-80	7.8	75
7	Carboxymethylated phosphatidylethanolamine in mitochondrial membranes of mammals--evidence for intracellular lipid glycoxidation. <i>FEBS Journal</i> , 1998 , 255, 685-9		25
6	Mitochondrial membrane peroxidizability index is inversely related to maximum life span in mammals. <i>Journal of Lipid Research</i> , 1998 , 39, 1989-1994	6.3	169
5	Urinary pyrroline as a biochemical marker of non-oxidative Maillard reactions in vivo. <i>Life Sciences</i> , 1997 , 60, 279-87	6.8	17
4	Pyrroline ether crosslinks as a basis for protein crosslinking by the advanced Maillard reaction in aging and diabetes. <i>Archives of Biochemistry and Biophysics</i> , 1996 , 325, 152-8	4.1	53
3	Chromatographic evidence for pyrroline formation during protein glycation in vitro and in vivo. <i>BBA - Proteins and Proteomics</i> , 1995 , 1247, 74-80		68
2	Chromatographic evidence for Amadori product formation in rat liver aminophospholipids. <i>Life Sciences</i> , 1995 , 57, 873-9	6.8	41
1	Mechanisms of glycation in atherogenesis. <i>Medical Hypotheses</i> , 1993 , 40, 174-81	3.8	9