

# Cheryn Song

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268593/publications.pdf>

Version: 2024-02-01

110  
papers

1,606  
citations

331259

21  
h-index

395343

33  
g-index

111  
all docs

111  
docs citations

111  
times ranked

2307  
citing authors

#	ARTICLE	IF	CITATIONS
1	Factors Influencing Renal Function Reduction After Partial Nephrectomy. Journal of Urology, 2009, 181, 48-54.	0.2	125
2	Relationship Between the Integrity of the Pelvic Floor Muscles and Early Recovery of Continence After Radical Prostatectomy. Journal of Urology, 2007, 178, 208-211.	0.2	94
3	Prostate cancer in Korean men exhibits poor differentiation and is adversely related to prognosis after radical prostatectomy. Urology, 2006, 68, 820-824.	0.5	68
4	Percutaneous Kidney Biopsy for a Small Renal Mass: A Critical Appraisal of Results. Journal of Urology, 2016, 195, 568-573.	0.2	64
5	Urodynamic interpretation of changing bladder function and voiding pattern after radical prostatectomy: a long-term follow-up. BJU International, 2010, 106, 681-686.	1.3	56
6	Differential Diagnosis of Complex Cystic Renal Mass Using Multiphase Computerized Tomography. Journal of Urology, 2009, 181, 2446-2450.	0.2	46
7	Effects of Bladder Training and/or Tolterodine in Female Patients with Overactive Bladder Syndrome: A Prospective, Randomized Study. Journal of Korean Medical Science, 2006, 21, 1060.	1.1	44
8	Followup of Unilateral Renal Function After Laparoscopic Partial Nephrectomy. Journal of Urology, 2011, 186, 53-58.	0.2	40
9	Analysis of pre-operative variables for identifying patients who might benefit from upfront cytoreductive nephrectomy for metastatic renal cell carcinoma in the targeted therapy era. Japanese Journal of Clinical Oncology, 2015, 45, 96-102.	0.6	34
10	Integrity of the Urethral Sphincter Complex, Nerve-sparing, and Long-term Continence Status after Robotic-assisted Radical Prostatectomy. European Urology Focus, 2019, 5, 823-830.	1.6	33
11	Impact of metastasectomy on prognosis in patients treated with targeted therapy for metastatic renal cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2016, 142, 2331-2338.	1.2	31
12	Prognostic Factors for Survival of Patients With Synchronous or Metachronous Brain Metastasis of Renal Cell Carcinoma. Clinical Genitourinary Cancer, 2017, 15, 717-723.	0.9	31
13	Risk of Intravesical Recurrence After Ureteroscopic Biopsy for Upper Tract Urothelial Carcinoma: Does the Location Matter?. Journal of Endourology, 2017, 31, 259-265.	1.1	31
14	Histologic subtype needs to be considered after partial nephrectomy in patients with pathologic T1a renal cell carcinoma: papillary vs. clear cell renal cell carcinoma. Journal of Cancer Research and Clinical Oncology, 2017, 143, 1845-1851.	1.2	27
15	Tumor volume, surgical margin, and the risk of biochemical recurrence in men with organ-confined prostate cancer. Urologic Oncology: Seminars and Original Investigations, 2013, 31, 168-174.	0.8	26
16	Changes in the Upper Urinary Tract After Radical Cystectomy and Urinary Diversion: A Comparison of Antirefluxing and Refluxing Orthotopic Bladder Substitutes and the Ileal Conduit. Journal of Urology, 2006, 175, 185-189.	0.2	25
17	Characteristics of Anteriorly Located Prostate Cancer and the Usefulness of Multiparametric Magnetic Resonance Imaging for Diagnosis. Journal of Urology, 2016, 196, 367-373.	0.2	25
18	Prognostic heterogeneity in T3aN0M0 renal cell carcinoma according to the site of invasion. Urologic Oncology: Seminars and Original Investigations, 2017, 35, 458.e17-458.e22.	0.8	24

#	ARTICLE	IF	CITATIONS
19	Predictors of Unfavorable Disease after Radical Prostatectomy in Patients at Low Risk by D'Amico Criteria: Role of Multiparametric Magnetic Resonance Imaging. <i>Journal of Urology</i> , 2014, 192, 402-408.	0.2	23
20	Efficacy and safety of vascular endothelial growth factor receptor tyrosine kinase inhibitors in patients with metastatic renal cell carcinoma and poor risk features. <i>Journal of Cancer Research and Clinical Oncology</i> , 2012, 138, 687-693.	1.2	22
21	Dihydrotestosterone enhances castration-resistant prostate cancer cell proliferation through STAT5 activation via glucocorticoid receptor pathway. <i>Prostate</i> , 2014, 74, 1240-1248.	1.2	22
22	Statin use after radical prostatectomy reduces biochemical recurrence in men with prostate cancer. <i>Prostate</i> , 2015, 75, 211-217.	1.2	22
23	Hilar Location is an Independent Prognostic Factor for Recurrence in T1 Renal Cell Carcinoma After Nephrectomy. <i>Annals of Surgical Oncology</i> , 2015, 22, 344-350.	0.7	21
24	Percent tumor volume predicts biochemical recurrence after radical prostatectomy: multi-institutional data analysis. <i>International Journal of Clinical Oncology</i> , 2012, 17, 355-360.	1.0	20
25	Oncological outcomes of patients with incidental pathological T3a stage small renal cell carcinoma after partial nephrectomy. <i>Journal of Cancer Research and Clinical Oncology</i> , 2016, 142, 1651-1657.	1.2	20
26	Nomograms for the Prediction of Pathologic Stage of Clinically Localized Prostate Cancer in Korean Men. <i>Journal of Korean Medical Science</i> , 2005, 20, 262.	1.1	19
27	Treatment failure and clinical progression after salvage therapy in men with biochemical recurrence after radical prostatectomy: radiotherapy vs androgen deprivation. <i>BJU International</i> , 2010, 106, 188-193.	1.3	19
28	Prognostic factors of metastatic renal cell carcinoma with extensive sarcomatoid component. <i>Journal of Cancer Research and Clinical Oncology</i> , 2013, 139, 817-827.	1.2	19
29	Metastatic renal cell carcinoma to the pancreas: Clinical features and treatment outcome. <i>Journal of Surgical Oncology</i> , 2021, 123, 204-213.	0.8	18
30	Mass Screening for Prostate Cancer in Korea: A Population Based Study. <i>Journal of Urology</i> , 2008, 180, 1949-1953.	0.2	17
31	Comparative analysis of oncologic outcomes for open vs. robot-assisted radical prostatectomy in high-risk prostate cancer. <i>Korean Journal of Urology</i> , 2015, 56, 572.	1.2	17
32	The Therapeutic Effect of Solifenacin Succinate on the Recovery From Voiding Dysfunction After Radical Prostatectomy in Men With Clinically Localized Prostate Cancer: A Prospective, Randomized, Controlled Study. <i>Urology</i> , 2015, 85, 1123-1129.	0.5	17
33	Comparison of Hand-Assisted Laparoscopic <i>vs</i> Robot-Assisted Laparoscopic <i>vs</i> Open Partial Nephrectomy in Patients with T1 Renal Masses. <i>Journal of Endourology</i> , 2017, 31, 374-379.	1.1	16
34	Does epithelioid angiomyolipoma have poorer prognosis, compared with classic angiomyolipoma?. <i>Investigative and Clinical Urology</i> , 2018, 59, 357.	1.0	16
35	Changeable Conditional Survival Rates and Associated Prognosticators in Patients with Metastatic Renal Cell Carcinoma Receiving First Line Targeted Therapy. <i>Journal of Urology</i> , 2018, 200, 989-995.	0.2	16
36	Prognostic significance of platelet-derived growth factor receptor- $\beta^2$ expression in localized clear cell renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2015, 141, 2213-2220.	1.2	15

#	ARTICLE	IF	CITATIONS
37	Robot-assisted partial nephrectomy is associated with early recovery of renal function: Comparison of open, laparoscopic, and robot-assisted partial nephrectomy using DTPA renal scintigraphy. <i>Journal of Surgical Oncology</i> , 2019, 119, 1016-1023.	0.8	15
38	Preoperative Factors Predictive of Posterolateral Extracapsular Extension After Radical Prostatectomy. <i>Korean Journal of Urology</i> , 2013, 54, 824.	1.2	14
39	Clinicopathologic Characteristics and Prognosis of Xp11.2 Translocation Renal Cell Carcinoma: Multicenter, Propensity Score Matching Analysis. <i>Clinical Genitourinary Cancer</i> , 2017, 15, e819-e825.	0.9	14
40	Efficacy of First-Line Targeted Therapy in Real-World Korean Patients with Metastatic Renal Cell Carcinoma: Focus on Sunitinib and Pazopanib. <i>Journal of Korean Medical Science</i> , 2018, 33, e325.	1.1	13
41	Survival and clinical prognostic factors in metastatic non-clear cell renal cell carcinoma treated with targeted therapy: A multi-institutional, retrospective study using the Korean metastatic renal cell carcinoma registry. <i>Cancer Medicine</i> , 2019, 8, 3401-3410.	1.3	13
42	VEGF/VEGFR2 and PDGF-B/PDGFR- $\beta$ expression in non-metastatic renal cell carcinoma: a retrospective study in 1,091 consecutive patients. <i>International Journal of Clinical and Experimental Pathology</i> , 2014, 7, 7681-9.	0.5	13
43	Clinico-pathological Characteristics of Prostate Cancer in Korean Men and Nomograms for the Prediction of the Pathological Stage of the Clinically Localized Prostate Cancer: A Multi-institutional Update. <i>Korean Journal of Urology</i> , 2007, 48, 125.	0.2	12
44	The Type of Nephrectomy Has Little Effect on Overall Survival or Cardiac Events in Patients of 70 Years and Older With Localized Clinical T1 Stage Renal Masses. <i>Korean Journal of Urology</i> , 2014, 55, 446.	1.2	12
45	Dihydrotestosterone promotes kidney cancer cell proliferation by activating the STAT5 pathway via androgen and glucocorticoid receptors. <i>Journal of Cancer Research and Clinical Oncology</i> , 2019, 145, 2293-2301.	1.2	12
46	Association Between Sarcopenia and Survival of Patients with Organ-Confined Renal Cell Carcinoma after Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2022, 29, 2473-2479.	0.7	12
47	Renal Function Change After Refluxing Type Orthotopic Ileal Substitution. <i>Journal of Urology</i> , 2011, 186, 1948-1952.	0.2	11
48	Risk of Chronic Kidney Disease After Nephrectomy for Renal Cell Carcinoma. <i>Korean Journal of Urology</i> , 2014, 55, 636.	1.2	11
49	Surgical treatment of renal cell carcinoma: Can morphological features of inferior vena cava tumor thrombus on computed tomography or magnetic resonance imaging be a prognostic factor?. <i>International Journal of Urology</i> , 2017, 24, 102-109.	0.5	11
50	Prognostic Factors Related to Recurrence-Free Survival for Primary Carcinoma in situ of the Bladder after Bacillus Calmette-Guérin: A Retrospective Study. <i>Urologia Internationalis</i> , 2018, 101, 269-276.	0.6	11
51	Declining incidence of benign lesions among small renal masses treated with surgery: Effect of diagnostic tests for characterization. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2018, 36, 362.e9-362.e15.	0.8	11
52	The change in renal function in the supranormal hydronephrotic kidney after pyeloplasty. <i>BJU International</i> , 2007, 99, 1483-1486.	1.3	10
53	Clinicopathological features of Xp11.2 translocation renal cell carcinoma. <i>Korean Journal of Urology</i> , 2015, 56, 212.	1.2	10
54	Renal cell carcinoma in end-stage renal disease: Multi-institutional comparative analysis of survival. <i>International Journal of Urology</i> , 2016, 23, 465-471.	0.5	10

#	ARTICLE	IF	CITATIONS
55	Obesity as a Risk Factor for Unfavorable Disease in Men with Low Risk Prostate Cancer and its Relationship with Anatomical Location of Tumor. <i>Journal of Urology</i> , 2017, 198, 71-78.	0.2	10
56	Fate of newly developed pulmonary embolism after surgery for renal cell carcinoma with vena cava thrombus. <i>International Urology and Nephrology</i> , 2017, 49, 1157-1163.	0.6	10
57	Adjuvant chemotherapy versus observation after radical cystectomy in patients with node-positive bladder cancer. <i>Scientific Reports</i> , 2019, 9, 8305.	1.6	10
58	Continuing Trends of the Clinical Parameter Migration in Patients with Prostate Cancer in Korea. <i>Korean Journal of Urology</i> , 2007, 48, 574.	0.2	9
59	Identification of the optimal time to treat urgency after a midurethral sling procedure for stress urinary incontinence. <i>International Urogynecology Journal</i> , 2008, 19, 573-576.	0.7	9
60	Application of the International Metastatic Renal Cell Carcinoma Database Consortium and Memorial Sloan Kettering Cancer Center Risk Models in Patients with Metastatic Non-Clear Cell Renal Cell Carcinoma: A Multi-Institutional Retrospective Study Using the Korean Metastatic Renal Cell Carcinoma Registry. <i>Cancer Research and Treatment</i> , 2019, 51, 758-768.	1.3	9
61	Preserving Renal Function through Partial Nephrectomy Depends on Tumor Complexity in T1b Renal Tumors. <i>Journal of Korean Medical Science</i> , 2017, 32, 495.	1.1	7
62	The platelet-to-lymphocyte ratio as a significant prognostic factor to predict survival outcomes in patients with synchronous metastatic renal cell carcinoma. <i>Investigative and Clinical Urology</i> , 2020, 61, 475.	1.0	7
63	Clinicohistological characteristics of renal cell carcinoma in children: A multicentre study. <i>Canadian Urological Association Journal</i> , 2015, 9, 705.	0.3	7
64	Transforming growth factor- $\beta$ 2 downregulates interleukin-2-induced phosphorylation of signal transducer and activator of transcription 5 in human renal cell carcinoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2007, 133, 487-492.	1.2	6
65	Prevalence of High-grade or Insignificant Prostate Cancer in Korean Men With Prostate-specific Antigen Levels of 3.0-4.0 $\text{ng/mL}$ . <i>Urology</i> , 2015, 85, 610-615.	0.5	6
66	Vascular endothelial growth factor receptor tyrosine kinase inhibitor (VEGFR-TKI) rechallenge for patients with metastatic renal cell carcinoma after treatment failure using both VEGFR-TKI and mTOR inhibitor. <i>Cancer Chemotherapy and Pharmacology</i> , 2015, 75, 1025-1035.	1.1	6
67	Effect of preoperative urodynamic detrusor overactivity on post-prostatectomy incontinence: a systematic review and meta-analysis. <i>International Urology and Nephrology</i> , 2016, 48, 53-63.	0.6	6
68	Adaptive functional change of the contralateral kidney after partial nephrectomy. <i>American Journal of Physiology - Renal Physiology</i> , 2017, 313, F192-F198.	1.3	6
69	Induction Chemotherapy Followed by Surgery Versus Upfront Radical Cystectomy in Patients With Clinically Node-positive Muscle-invasive Bladder Cancer. <i>Clinical Genitourinary Cancer</i> , 2019, 17, e420-e428.	0.9	6
70	Percent tumor volume vs American Joint Committee on Cancer staging system subclassification for predicting biochemical recurrence in patients with pathologic T2 prostate cancer. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 537-543.	1.2	6
71	Surgical details and renal function change after robot-assisted partial nephrectomy. <i>International Journal of Urology</i> , 2020, 27, 457-462.	0.5	6
72	Differential contribution of the factors determining long-term renal function after partial nephrectomy over time. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2021, 39, 196.e15-196.e20.	0.8	6

#	ARTICLE	IF	CITATIONS
73	The Effectiveness of Simultaneous Renal Artery-vein Clamping during Laparoscopic Partial Nephrectomy on the Surgical Outcome. Korean Journal of Urology, 2007, 48, 897.	0.2	5
74	Predictive Factors for Upgrading or Upstaging in Biopsy Gleason Score 6 Prostate Cancer. Korean Journal of Urology, 2009, 50, 836.	1.2	5
75	Does Ureteral Catheter Insertion Decrease the Risk of Urinary Leakage After Partial Nephrectomy in Patients With Renal Cell Carcinoma?. Clinical Genitourinary Cancer, 2017, 15, e707-e712.	0.9	5
76	Prognostic value of vascular endothelial growth factor (VEGF), VEGF receptor 2, platelet-derived growth factor- $\beta$ (PDGF- $\beta$ ), and PDGF- $\beta$ receptor expression in papillary renal cell carcinoma. Human Pathology, 2017, 61, 78-89.	1.1	5
77	Prognostic Significance of Macroscopic Appearance in Clear Cell Renal Cell Carcinoma and Its Metastasis—Predicting Model. Pathology International, 2017, 67, 610-619.	0.6	5
78	Association between serum levels of insulin-like growth factor-1, bioavailable testosterone, and pathologic Gleason score. Cancer Medicine, 2018, 7, 4170-4180.	1.3	5
79	Level of invasion into fibromuscular band is an independent factor for positive surgical margin and biochemical recurrence in men with organ confined prostate cancer. BMC Urology, 2018, 18, 7.	0.6	5
80	Prognosis of carcinoma in situ according to the presence of papillary bladder tumors after bacillus Calmette-Guérin immunotherapy. Journal of Cancer Research and Clinical Oncology, 2019, 145, 2131-2140.	1.2	5
81	Utility of Multiparametric Magnetic Resonance Imaging With PI-RADS, Version 2, in Patients With Prostate Cancer Eligible for Active Surveillance: Which Radiologic Characteristics Can Predict Unfavorable Disease?. Clinical Genitourinary Cancer, 2020, 18, 50-55.	0.9	5
82	Development of the clinical calculator for mortality of patients with metastatic clear cell type renal cell carcinoma: An analysis of patients from Korean Renal Cancer Study Group database. Investigative and Clinical Urology, 2020, 61, 260.	1.0	5
83	The Anatomic Distribution and Pathological Characteristics of Prostate Cancer: A Mapping Analysis. Korean Journal of Urology, 2006, 47, 578.	0.2	5
84	Efficacy and Safety of Everolimus in Korean Patients with Metastatic Renal Cell Carcinoma Following Treatment Failure with a Vascular Endothelial Growth Factor Receptor-Tyrosine Kinase Inhibitor. Cancer Research and Treatment, 2014, 46, 339-347.	1.3	5
85	Management of Urethral Fistulas and Strictures after Hypospadias Repair. Korean Journal of Urology, 2009, 50, 46.	0.2	4
86	Long-term outcomes of tyrosine kinase inhibitor discontinuation in patients with metastatic renal cell carcinoma. Cancer Chemotherapy and Pharmacology, 2016, 77, 339-347.	1.1	4
87	Androgen deprivation therapy during and after post-prostatectomy radiotherapy in patients with prostate cancer: a case control study. BMC Cancer, 2018, 18, 271.	1.1	3
88	Prognostic Impact of Bone Metastasis on Survival Outcomes in Patients with Metastatic Renal Cell Carcinoma Treated by First Line Tyrosine Kinase Inhibitors: A Propensity-Score Matching Analysis. Journal of Cancer, 2020, 11, 7202-7208.	1.2	3
89	The number of metabolic features as a significant prognostic factor in patients with metastatic renal cell carcinoma. Scientific Reports, 2020, 10, 6967.	1.6	3
90	Targeted therapy response in early versus late recurrence of renal cell carcinoma after surgical treatment: A propensity score-matched study using the Korean Renal Cancer Study Group database. International Journal of Urology, 2021, 28, 417-423.	0.5	3

#	ARTICLE	IF	CITATIONS
91	Changes in the diffusion capacity for carbon monoxide and the development of non-infectious pneumonitis in patients with metastatic renal cell carcinoma treated with everolimus. <i>Anticancer Research</i> , 2014, 34, 5723-8.	0.5	3
92	A Machine Learning Approach to Predict the Probability of Brain Metastasis in Renal Cell Carcinoma Patients. <i>Applied Sciences (Switzerland)</i> , 2022, 12, 6174.	1.3	3
93	Prognostic factors for overall survival in patients with clear cell metastatic renal cell carcinoma. <i>Medicine (United States)</i> , 2021, 100, e26826.	0.4	2
94	Solitary Fibrous Tumor of the Kidney - A Report of Two Cases with Review of Literature -. <i>Korean Journal of Pathology</i> , 2010, 44, 420.	1.2	2
95	Impact of Vesico-ureteral Reflux on Renal Function after a Radical Cystectomy: a Comparison of Refluxing and Antirefluxing Orthotopic Bladder Substitutes. <i>Korean Journal of Urology</i> , 2007, 48, 933.	0.2	1
96	Heterogeneous oncologic outcomes according to surgical pathology in high-risk prostate cancer: implications for better risk stratification and preoperative prediction of oncologic outcomes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 1871-1878.	1.2	1
97	Clinical outcome of high-dose bolus intravenous interleukin-2 with a modified administration schedule for Asian patients with metastatic renal cell carcinoma. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 173-180.	1.1	1
98	ASO Visual Abstract: Association Between Sarcopenia and the Survival of Patients with Organ-Confined Renal Cell Carcinoma After Radical Nephrectomy. <i>Annals of Surgical Oncology</i> , 2021, , 1.	0.7	1
99	Construction of a Retrospective Cohort to Observe 10-Year Urologic Cancer Treatment Trends at the Biggest Medical Center of South Korea. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 232-243.	0.1	1
100	Effect of Papaverine on Renal Artery Blood Flow during Robot-Assisted Partial Nephrectomy: A Randomized Controlled Study. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	1
101	ASO Author Reflections: Muscle Mass Matters Even Among the Surgically Fit Patients with Early Renal Cancer. <i>Annals of Surgical Oncology</i> , 2022, 29, 2480-2481.	0.7	0
102	Changes of pulmonary function test and development of non-infectious pneumonitis in patients with metastatic renal cell carcinoma treated with everolimus.. <i>Journal of Clinical Oncology</i> , 2014, 32, 530-530.	0.8	0
103	Active surveillance as a treatment option for metastatic or recurrent renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 426-426.	0.8	0
104	Prognostic biomarker exploration for patients with metastatic renal cell carcinoma receiving VEGFR TKI.. <i>Journal of Clinical Oncology</i> , 2015, 33, 491-491.	0.8	0
105	Clinical outcome of patients with metastatic renal cell carcinoma who interrupted VEGFR-TKI after achieving stable disease or better response.. <i>Journal of Clinical Oncology</i> , 2015, 33, 459-459.	0.8	0
106	Comprehensive genetic characterization of TFE3-positive renal cell carcinoma.. <i>Journal of Clinical Oncology</i> , 2018, 36, 635-635.	0.8	0
107	Risk Factors Leading to Radical Cystectomy in Patients Who Had Undergone Nephroureterectomy. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 271-280.	0.1	0
108	Utility of Urinalysis as a Follow-up Surveillance Tool in Nonmuscle Invasive Bladder Cancer. <i>The Korean Journal of Urological Oncology</i> , 2021, 19, 244-251.	0.1	0

#	ARTICLE	IF	CITATIONS
109	ASO Author Reflections: Papaverine and Beneficial Renal Effects in Robot-Assisted Partial Nephrectomy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	0
110	ASO Visual Abstract: Effect of Papaverine on Renal Artery Blood Flow During Robot-Assisted Partial Nephrectomy. <i>Annals of Surgical Oncology</i> , 2022, , 1.	0.7	0