

# Jin-Bo Su

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3268802/publications.pdf>

Version: 2024-02-01

37  
papers

1,093  
citations

430754

18  
h-index

395590

33  
g-index

41  
all docs

41  
docs citations

41  
times ranked

1689  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cytotoxic CD8+ T cells promote granzyme B-dependent adverse post-ischemic cardiac remodeling. Nature Communications, 2021, 12, 1483.	5.8	73
2	Stabilizing Ryanodine Receptors Improves Left Ventricular Function in Juvenile Dogs With Duchenne Muscular Dystrophy. Journal of the American College of Cardiology, 2021, 78, 2439-2453.	1.2	5
3	Alteration in Left Ventricular Contractile Function Develops in Puppies With Duchenne Muscular Dystrophy. Journal of the American Society of Echocardiography, 2020, 33, 120-129.e1.	1.2	7
4	Protective effects of rimeporide on left ventricular function in golden retriever muscular dystrophy dogs. International Journal of Cardiology, 2020, 312, 89-95.	0.8	12
5	Concomitant systolic and diastolic alterations during chronic hypertension in pig. Journal of Molecular and Cellular Cardiology, 2019, 131, 155-163.	0.9	4
6	Ivabradine improves left ventricular twist and untwist during chronic hypertension. International Journal of Cardiology, 2018, 252, 175-180.	0.8	4
7	Role of Bradykinin in the Regulation of Endothelial Nitric Oxide Synthase Expression by Cardiovascular Drugs. Current Pharmaceutical Design, 2018, 23, 6215-6222.	0.9	13
8	Improvement of left ventricular filling by ivabradine during chronic hypertension: involvement of contraction-relaxation coupling. Basic Research in Cardiology, 2016, 111, 30.	2.5	6
9	Vascular endothelial dysfunction and pharmacological treatment. World Journal of Cardiology, 2015, 7, 719.	0.5	160
10	Ivabradine Improves Left Ventricular Function During Chronic Hypertension in Conscious Pigs. Hypertension, 2015, 65, 122-129.	1.3	14
11	AT <sub>1</sub> blockade abolishes left ventricular hypertrophy in heterozygous M <sub>1</sub> BP-C null mice: role of FHL-1. Fundamental and Clinical Pharmacology, 2014, 28, 249-256.	1.0	14
12	Different cross-talk sites between the renin-angiotensin and the kallikrein-kinin systems. JRAAS - Journal of the Renin-Angiotensin-Aldosterone System, 2014, 15, 319-328.	1.0	70
13	Bradykinin restores left ventricular function, sarcomeric protein phosphorylation, and eNOS levels in dogs with Duchenne muscular dystrophy cardiomyopathy. Cardiovascular Research, 2012, 95, 86-96.	1.8	32
14	Impaired left ventricular function in the presence of preserved ejection in chronic hypertensive conscious pigs. Basic Research in Cardiology, 2012, 107, 298.	2.5	18
15	Vascular endothelial dysfunction in Duchenne muscular dystrophy is restored by bradykinin through upregulation of eNOS and nNOS. Basic Research in Cardiology, 2012, 107, 240.	2.5	40
16	The cardiac renin-angiotensin system is responsible for high-salt diet-induced left ventricular hypertrophy in mice. European Journal of Heart Failure, 2010, 12, 1171-1178.	2.9	32
17	The inotropic adaptation during late preconditioning against myocardial stunning is associated with an increase in FKBP12.6. Cardiovascular Research, 2007, 73, 560-567.	1.8	6
18	Kinins and Cardiovascular Diseases. Current Pharmaceutical Design, 2006, 12, 3423-3435.	0.9	34

#	ARTICLE	IF	CITATIONS
19	N -Acetylcysteine Treatment Normalizes Serum Tumor Necrosis Factor- $\alpha$ Level and Hinders the Progression of Cardiac Injury in Hypertensive Rats. <i>Circulation</i> , 2004, 110, 2003-2009.	1.6	69
20	Chronic Infusion of Bradykinin Delays the Progression of Heart Failure and Preserves Vascular Endothelium-Mediated Vasodilation in Conscious Dogs. <i>Circulation</i> , 2004, 109, 114-119.	1.6	26
21	Endoventricular porcine autologous myoblast transplantation can be successfully achieved with minor mechanical cell damage. <i>Cardiovascular Research</i> , 2003, 58, 444-450.	1.8	38
22	Contributions of heart rate and contractility to myocardial oxygen balance during exercise. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2003, 284, H676-H682.	1.5	126
23	Role of creatine kinase in cardiac excitation-contraction coupling: studies in creatine kinase-deficient mice. <i>FASEB Journal</i> , 2002, 16, 653-660.	0.2	53
24	Different Effects of Mibefradil and Amlodipine on Coronary Vessels and During $\beta^2$ -Adrenergic Stimulation in Conscious Dogs. <i>Journal of Cardiovascular Pharmacology</i> , 2002, 40, 898-906.	0.8	0
25	Reduced coronary vasodilator responses to amlodipine in pacing-induced heart failure in conscious dogs: role of nitric oxide. <i>British Journal of Pharmacology</i> , 2002, 136, 264-270.	2.7	13
26	Stimulation of Bradykinin B 1 Receptors Induces Vasodilation in Conductance and Resistance Coronary Vessels in Conscious Dogs. <i>Circulation</i> , 2000, 101, 1848-1853.	1.6	59
27	Comparison between angiotensin receptor antagonism and converting enzyme inhibition in heart failure. <i>Basic Research in Cardiology</i> , 1999, 94, 128-135.	2.5	4
28	Increased Bradykinin Levels Accompany the Hemodynamic Response to Acute Inhibition of Angiotensin-Converting Enzyme in Dogs with Heart Failure. <i>Journal of Cardiovascular Pharmacology</i> , 1999, 34, 700-710.	0.8	26
29	Preserved Vasodilator Effect of Bradykinin in Dogs With Heart Failure. <i>Circulation</i> , 1998, 98, 2911-2918.	1.6	33
30	Acute effects of an endothelin-1 receptor antagonist bosentan at different stages of heart failure in conscious dogs. <i>Cardiovascular Research</i> , 1998, 39, 580-588.	1.8	14
31	High Sodium Intake Induced Interventricular Septal Hypertrophy in Mice. <i>Journal of the American College of Cardiology</i> , 1998, 31, 243A.	1.2	0
32	Hemodynamic effects of the endothelin-1 receptor antagonist Bosenian at different stages of heart failure in conscious dogs. <i>Journal of the American College of Cardiology</i> , 1996, 27, 258.	1.2	0
33	Coronary and contractile effects of intracoronary bradykinin and their modulation by ACE inhibitor in normal conscious dogs. <i>Journal of the American College of Cardiology</i> , 1996, 27, 218.	1.2	0
34	Regional alterations of left ventricular contraction and inotropic reserve in conscious dogs with heart failure. <i>Cardiovascular Research</i> , 1995, 30, 848-856.	1.8	7
35	Propranolol therapy in experimental heart failure in rabbits improves cardiac response to catecholamines without beta-adrenoceptor up-regulation. <i>Fundamental and Clinical Pharmacology</i> , 1995, 9, 522-530.	1.0	4
36	Effects of the calcium channel blockers, diltiazem and Ro 40-5967, on systemic haemodynamics and plasma noradrenaline levels in conscious dogs with pacing-induced heart failure. <i>British Journal of Pharmacology</i> , 1994, 113, 395-402.	2.7	31

#	ARTICLE	IF	CITATIONS
37	Preload-induced curvilinearity of left ventricular end-systolic pressure-volume relations. Effects on derived indexes in closed-chest dogs.. Circulation, 1989, 79, 431-440.	1.6	46