

Enrico Maggi

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3269030/publications.pdf>

Version: 2024-02-01

361
papers

29,257
citations

4960

84
h-index

5679

162
g-index

367
all docs

367
docs citations

367
times ranked

24733
citing authors

#	ARTICLE	IF	CITATIONS
1	Phenotypic and functional features of human Th17 cells. <i>Journal of Experimental Medicine</i> , 2007, 204, 1849-1861.	8.5	1,689
2	Natural killer cell stimulatory factor (interleukin 12 [IL-12]) induces T helper type 1 (Th1)-specific immune responses and inhibits the development of IL-4-producing Th cells. <i>Journal of Experimental Medicine</i> , 1993, 177, 1199-1204.	8.5	1,615
3	Role for Interferon- γ in the Immunomodulatory Activity of Human Bone Marrow Mesenchymal Stem Cells. <i>Stem Cells</i> , 2006, 24, 386-398.	3.2	1,226
4	Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , 2008, 205, 1903-1916.	8.5	668
5	An Alternatively Spliced Variant of CXCR3 Mediates the Inhibition of Endothelial Cell Growth Induced by IP-10, Mig, and I-TAC, and Acts as Functional Receptor for Platelet Factor 4. <i>Journal of Experimental Medicine</i> , 2003, 197, 1537-1549.	8.5	655
6	Isolation and Characterization of Multipotent Progenitor Cells from the Bowman's Capsule of Adult Human Kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 2443-2456.	6.1	648
7	Defective production of both leukemia inhibitory factor and type 2 T-helper cytokines by decidual T cells in unexplained recurrent abortions. <i>Nature Medicine</i> , 1998, 4, 1020-1024.	30.7	618
8	Allergen- and bacterial antigen-specific T-cell clones established from atopic donors show a different profile of cytokine production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 4538-4542.	7.1	599
9	IL-4 is an essential factor for the IgE synthesis induced in vitro by human T cell clones and their supernatants. <i>Journal of Immunology</i> , 1988, 140, 4193-8.	0.8	504
10	Ability of HIV to promote a TH1 to TH0 shift and to replicate preferentially in TH2 and TH0 cells. <i>Science</i> , 1994, 265, 244-248.	12.6	499
11	Reciprocal regulatory effects of IFN-gamma and IL-4 on the in vitro development of human Th1 and Th2 clones. <i>Journal of Immunology</i> , 1992, 148, 2142-7.	0.8	493
12	Regeneration of Glomerular Podocytes by Human Renal Progenitors. <i>Journal of the American Society of Nephrology: JASN</i> , 2009, 20, 322-332.	6.1	483
13	Toll-Like Receptors 3 and 4 Are Expressed by Human Bone Marrow-Derived Mesenchymal Stem Cells and Can Inhibit Their T-Cell Modulatory Activity by Impairing Notch Signaling. <i>Stem Cells</i> , 2008, 26, 279-289.	3.2	429
14	Interleukin 12 induces stable priming for interferon gamma (IFN-gamma) production during differentiation of human T helper (Th) cells and transient IFN-gamma production in established Th2 cell clones. <i>Journal of Experimental Medicine</i> , 1994, 179, 1273-1283.	8.5	427
15	Infection of peripheral mononuclear blood cells by hepatitis C virus. <i>Journal of Hepatology</i> , 1992, 15, 382-386.	3.7	418
16	Skin-derived aeroallergen-specific T-cell clones of Th2 phenotype in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1992, 90, 184-193.	2.9	377
17	Phenotype, Localization, and Mechanism of Suppression of CD4+CD25+ Human Thymocytes. <i>Journal of Experimental Medicine</i> , 2002, 196, 379-387.	8.5	367
18	Type 1 T-helper cell predominance and interleukin-12 expression in the gut of patients with Crohn's disease. <i>American Journal of Pathology</i> , 1997, 150, 823-32.	3.8	357

#	ARTICLE	IF	CITATIONS
19	Cell cycle-dependent expression of CXC chemokine receptor 3 by endothelial cells mediates angiostatic activity. <i>Journal of Clinical Investigation</i> , 2001, 107, 53-63.	8.2	340
20	CD161 is a marker of all human IL-17-producing T cell subsets and is induced by RORC. <i>European Journal of Immunology</i> , 2010, 40, 2174-2181.	2.9	333
21	Human CD8+CD25+ thymocytes share phenotypic and functional features with CD4+CD25+ regulatory thymocytes. <i>Blood</i> , 2003, 102, 4107-4114.	1.4	331
22	IL-4 and IFN (alpha and gamma) exert opposite regulatory effects on the development of cytolytic potential by Th1 or Th2 human T cell clones. <i>Journal of Immunology</i> , 1992, 149, 2977-83.	0.8	305
23	Th2-like CD8+ T cells showing B cell helper function and reduced cytolytic activity in human immunodeficiency virus type 1 infection.. <i>Journal of Experimental Medicine</i> , 1994, 180, 489-495.	8.5	276
24	Th17 cells: new players in asthma pathogenesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011, 66, 989-998.	5.7	276
25	Identification of a novel subset of human circulating memory CD4+ T cells that produce both IL-17A and IL-4. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, 222-230.e4.	2.9	275
26	CRTH2 is the most reliable marker for the detection of circulating human type 2 Th and type 2 T cytotoxic cells in health and disease. <i>European Journal of Immunology</i> , 2000, 30, 2972-2979.	2.9	268
27	CD14+CD34 ^{low} Cells With Stem Cell Phenotypic and Functional Features Are the Major Source of Circulating Endothelial Progenitors. <i>Circulation Research</i> , 2005, 97, 314-322.	4.5	245
28	Essential but differential role for CXCR4 and CXCR7 in the therapeutic homing of human renal progenitor cells. <i>Journal of Experimental Medicine</i> , 2008, 205, 479-490.	8.5	245
29	Human CD8+ T lymphocyte subsets that express HLA class I-specific inhibitory receptors represent oligoclonally or monoclonally expanded cell populations.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996, 93, 12433-12438.	7.1	224
30	Tryptase-Chymase Double-Positive Human Mast Cells Express the Eotaxin Receptor CCR3 and Are Attracted by CCR3-Binding Chemokines. <i>American Journal of Pathology</i> , 1999, 155, 1195-1204.	3.8	220
31	Role of hormone-controlled Th1- and Th2-type cytokines in successful pregnancy. <i>Journal of Neuroimmunology</i> , 2000, 109, 30-33.	2.3	220
32	Profiles of lymphokine activities and helper function for IgE in human T cell clones. <i>European Journal of Immunology</i> , 1988, 18, 1045-1050.	2.9	216
33	Evidence of the transient nature of the Th17 phenotype of CD4+CD161+ T cells in the synovial fluid of patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011, 63, 2504-2515.	6.7	213
34	Accumulation of Th-2-like helper T cells in the conjunctiva of patients with vernal conjunctivitis. <i>Journal of Immunology</i> , 1991, 146, 1169-74.	0.8	211
35	Anti-infliximab IgE and non-IgE antibodies and induction of infusion-related severe anaphylactic reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010, 65, 657-661.	5.7	210
36	Regenerative Potential of Embryonic Renal Multipotent Progenitors in Acute Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2007, 18, 3128-3138.	6.1	194

#	ARTICLE	IF	CITATIONS
37	Type 17 T helper cellsâ€™ origins, features and possible roles in rheumatic disease. <i>Nature Reviews Rheumatology</i> , 2009, 5, 325-331.	8.0	192
38	The phenotype of human Th17 cells and their precursors, the cytokines that mediate their differentiation and the role of Th17 cells in inflammation. <i>International Immunology</i> , 2008, 20, 1361-1368.	4.0	173
39	The Viral Chemokine Macrophage Inflammatory Protein-1 Is a Selective Th2 Chemoattractant. <i>Blood</i> , 1998, 92, 4036-4039.	1.4	167
40	Assessment of chemokine receptor expression by human Th1 and Th2 cells <i>in vitro</i> and <i>in vivo</i> . <i>Journal of Leukocyte Biology</i> , 1999, 65, 691-699.	3.3	163
41	Sublingual immunotherapy with <i>Dermatophagoides</i> monomeric allergoid downregulates allergen-specific immunoglobulin E and increases both interferon- γ and interleukin-10 production. <i>Clinical and Experimental Allergy</i> , 2006, 36, 261-272.	2.9	163
42	Defining the human T helper 17 cell phenotype. <i>Trends in Immunology</i> , 2012, 33, 505-512.	6.8	162
43	CD30 expression by CD8+ T cells producing type 2 helper cytokines. Evidence for large numbers of CD8+CD30+ T cell clones in human immunodeficiency virus infection.. <i>Journal of Experimental Medicine</i> , 1994, 180, 2407-2411.	8.5	159
44	Type 2 helper T-cell predominance and high CD30 expression in systemic sclerosis. <i>American Journal of Pathology</i> , 1997, 151, 1751-8.	3.8	159
45	Th2 cells are less susceptible than Th1 cells to the suppressive activity of CD25+ regulatory thymocytes because of their responsiveness to different cytokines. <i>Blood</i> , 2004, 103, 3117-3121.	1.4	158
46	Thymic regulatory T cells. <i>Autoimmunity Reviews</i> , 2005, 4, 579-586.	5.8	151
47	Aeroallergen Sensitization Can Occur during Fetal Life. <i>International Archives of Allergy and Immunology</i> , 1993, 102, 301-303.	2.1	150
48	Properties and origin of human Th17 cells. <i>Molecular Immunology</i> , 2009, 47, 3-7.	2.2	150
49	Membrane tumour necrosis factor- α is involved in the polyclonal B-cell activation induced by HIV-infected human T cells. <i>Nature</i> , 1993, 363, 464-466.	27.8	149
50	The TH1/TH2 paradigm in allergy. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1998, 3, 233-244.	2.4	148
51	CD30, Th2 cytokines and HIV infections: a complex and fascinating link. <i>Trends in Immunology</i> , 1995, 16, 76-80.	7.5	147
52	TGF- β indirectly favors the development of human Th17 cells by inhibiting Th1 cells. <i>European Journal of Immunology</i> , 2009, 39, 207-215.	2.9	147
53	Is IgE or eosinophils the key player in allergic asthma pathogenesis? Are we asking the right question?. <i>Respiratory Research</i> , 2018, 19, 113.	3.6	139
54	Polyinosinic acid: polycytidylic acid promotes T helper type 1-specific immune responses by stimulating macrophage production of interferon- α and interleukin-12. <i>European Journal of Immunology</i> , 1995, 25, 2656-2660.	2.9	135

#	ARTICLE	IF	CITATIONS
55	T-cell recognition of chemicals, protein allergens and drugs: towards the development of in vitro assays. <i>Cellular and Molecular Life Sciences</i> , 2010, 67, 4171-4184.	5.4	131
56	CD30 and type 2 T helper (Th2) responses. <i>Journal of Leukocyte Biology</i> , 1995, 57, 726-730.	3.3	129
57	An Update on Human Th1 and Th2 Cells. <i>International Archives of Allergy and Immunology</i> , 1997, 113, 153-156.	2.1	120
58	Th2-oriented profile of male offspring T cells present in women with systemic sclerosis and reactive with maternal major histocompatibility complex antigens. <i>Arthritis and Rheumatism</i> , 2002, 46, 445-450.	6.7	120
59	Functional deficit of T regulatory cells in Fulani, an ethnic group with low susceptibility to <i>Plasmodium falciparum</i> malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008, 105, 646-651.	7.1	120
60	Role of TH1/TH2 Cytokines in HIV Infection. <i>Immunological Reviews</i> , 1994, 140, 73-92.	6.0	119
61	Distinctive features of classic and nonclassic (T _H 17 derived) human T _H 1 cells. <i>European Journal of Immunology</i> , 2012, 42, 3180-3188.	2.9	118
62	Defective in vitro production of gamma-interferon and tumor necrosis factor-alpha by circulating T cells from patients with the hyper-immunoglobulin E syndrome. <i>Journal of Clinical Investigation</i> , 1989, 84, 1830-1835.	8.2	118
63	Cytokines and chemokines in follicular fluids and potential of the corresponding embryo: the role of granulocyte colony-stimulating factor. <i>Human Reproduction</i> , 2008, 23, 2001-2009.	0.9	116
64	Frequency of regulatory T cells in peripheral blood and in tumour-infiltrating lymphocytes correlates with poor prognosis in renal cell carcinoma. <i>BJU International</i> , 2011, 107, 1500-1506.	2.5	115
65	Effects of interferon- γ on cytokine profile, T cell receptor repertoire and peptide reactivity of human allergen-specific T cells. <i>European Journal of Immunology</i> , 1996, 26, 697-703.	2.9	113
66	Interferon-inducible protein 10, monokine induced by interferon gamma, and interferon-inducible T-cell alpha chemoattractant are produced by thymic epithelial cells and attract T-cell receptor (TCR) $\alpha\beta$ +CD8+ single-positive T cells, TCR $\beta\gamma$ + T cells, and natural killer-type cells in human thymus. <i>Blood</i> , 2001, 97, 601-607.	1.4	111
67	Defective production of LIF, M-CSF and Th2-type cytokines by T cells at fetomaternal interface is associated with pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2001, 52, 35-43.	1.9	110
68	Immune Regulation by Mesenchymal Stem Cells Derived from Adult Spleen and Thymus. <i>Stem Cells and Development</i> , 2007, 16, 797-810.	2.1	108
69	Acute infusion reactions induced by monoclonal antibody therapy. <i>Expert Review of Clinical Immunology</i> , 2011, 7, 55-63.	3.0	108
70	CXCR3-mediated opposite effects of CXCL10 and CXCL4 on T1 or T2 cytokine production. <i>Journal of Allergy and Clinical Immunology</i> , 2005, 116, 1372-1379.	2.9	106
71	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. <i>European Journal of Immunology</i> , 2000, 30, 204-210.	2.9	104
72	Rarity of Human T Helper 17 Cells Is due to Retinoic Acid Orphan Receptor-Dependent Mechanisms that Limit Their Expansion. <i>Immunity</i> , 2012, 36, 201-214.	14.3	103

#	ARTICLE	IF	CITATIONS
73	COVID-19: Unanswered questions on immune response and pathogenesis. <i>Journal of Allergy and Clinical Immunology</i> , 2020, 146, 18-22.	2.9	103
74	Role for Interactions Between IP-10/Mig and CXCR3 in Proliferative Glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 1999, 10, 2518-2526.	6.1	103
75	Role of hormone-controlled T-cell cytokines in the maintenance of pregnancy. <i>Biochemical Society Transactions</i> , 2000, 28, 212-215.	3.4	99
76	Expression and release of LAG-3 encoded protein by human CD4 ⁺ T cells are associated with IFN- γ production. <i>FASEB Journal</i> , 1996, 10, 769-776.	0.5	97
77	Reduced production of interleukin 2 and interferon gamma and enhanced helper activity for IgG synthesis by cloned CD4 ⁺ T cells from patients with AIDS. <i>European Journal of Immunology</i> , 1987, 17, 1685-1690.	2.9	96
78	Surface immunoglobulins are involved in the interaction of protein A with human B cells and in the triggering of B cell proliferation induced by protein A-containing <i>Staphylococcus aureus</i> . <i>Journal of Immunology</i> , 1981, 127, 1307-13.	0.8	94
79	In vivo CD30 expression in human diseases with predominant activation of Th2-like T cells. <i>Journal of Leukocyte Biology</i> , 1997, 61, 539-544.	3.3	93
80	Human bone marrow non-B, non-T cells produce interleukin 4 in response to cross-linkage of Fc epsilon and Fc gamma receptors.. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991, 88, 8656-8660.	7.1	92
81	Role of interleukins in induction and regulation of human IgE synthesis. <i>Clinical Immunology and Immunopathology</i> , 1989, 50, S13-S23.	2.0	91
82	The ImmunoCAP ISAC molecular allergology approach in adult multi-sensitized Italian patients with respiratory symptoms. <i>Clinical Biochemistry</i> , 2011, 44, 1005-1011.	1.9	91
83	IP-10 and Mig Production by Glomerular Cells in Human Proliferative Glomerulonephritis and Regulation by Nitric Oxide. <i>Journal of the American Society of Nephrology: JASN</i> , 2002, 13, 53-64.	6.1	91
84	The novel synthetic immune response modifier R-848 (Resiquimod) shifts human allergen-specific CD4 ⁺ TH2 lymphocytes into IFN- γ producing cells. <i>Journal of Allergy and Clinical Immunology</i> , 2003, 111, 380-388.	2.9	90
85	Aberrant interleukin (IL)-4 and IL-5 production in vitro by CD4 ⁺ helper T cells from atopic subjects. <i>European Journal of Immunology</i> , 1992, 22, 1615-1620.	2.9	83
86	Th17 and Non-Classic Th1 Cells in Chronic Inflammatory Disorders: Two Sides of the Same Coin. <i>International Archives of Allergy and Immunology</i> , 2014, 164, 171-177.	2.1	81
87	Different mitogenic activity of soluble and insoluble staphylococcal protein A (SPA). <i>Immunology</i> , 1978, 35, 471-8.	4.4	81
88	Demethylation of the <i>RORC2</i> and <i>IL17A</i> in Human CD4 ⁺ T Lymphocytes Defines Th17 Origin of Nonclassic Th1 Cells. <i>Journal of Immunology</i> , 2015, 194, 3116-3126.	0.8	79
89	Autologous chondrocyte implantation (ACI) for aged patients: development of the proper cell expansion conditions for possible therapeutic applications. <i>Osteoarthritis and Cartilage</i> , 2005, 13, 589-600.	1.3	78
90	Antibodies to interferon (IFN) in hepatitis C patients relapsing while continuing recombinant IFN-alpha2 therapy. <i>Clinical and Experimental Immunology</i> , 1996, 104, 384-387.	2.6	77

#	ARTICLE	IF	CITATIONS
91	Human circulating group 2 innate lymphoid cells can express CD154 and promote IgE production. <i>Journal of Allergy and Clinical Immunology</i> , 2017, 139, 964-976.e4.	2.9	77
92	Abnormal production of T helper 2 cytokines interleukin-4 and interleukin-5 by T cells from newborns with atopic parents. <i>European Journal of Immunology</i> , 1996, 26, 2293-2298.	2.9	76
93	Demonstration on protein A of two distinct immunoglobulin-binding sites and their role in the mitogenic activity of <i>Staphylococcus aureus</i> Cowan I on human B cells. <i>Journal of Immunology</i> , 1982, 129, 596-602.	0.8	76
94	B cell growth factor activity of interferon-gamma. Recombinant human interferon-gamma promotes proliferation of anti-mu-activated human B lymphocytes. <i>Journal of Immunology</i> , 1986, 136, 3513-6.	0.8	75
95	Enhanced HIV expression during Th2-oriented responses explained by the opposite regulatory effect of IL-4 and IFN- γ on fusin/CXCR4. <i>European Journal of Immunology</i> , 1998, 28, 3280-3290.	2.9	74
96	Potential pathogenetic role of Th17, Th0, and Th2 cells in erosive and reticular oral lichen planus. <i>Oral Diseases</i> , 2014, 20, 212-218.	3.0	73
97	High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus. <i>Blood</i> , 1998, 91, 3323-3332.	1.4	72
98	Standardizing terms, definitions and concepts for describing and interpreting unwanted immunogenicity of biopharmaceuticals: recommendations of the Innovative Medicines Initiative ABIRISK consortium. <i>Clinical and Experimental Immunology</i> , 2015, 181, 385-400.	2.6	72
99	Cytolytic T Lymphocytes with Natural Killer Activity in Thyroid Infiltrate of Patients with Hashimoto's Thyroiditis: Analysis at Clonal Level*. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986, 62, 52-57.	3.6	70
100	Demonstration of circulating allergen-specific CD4 ⁺ CD25 ^{high} Foxp3 ⁺ T-regulatory cells in both nonatopic and atopic individuals. <i>Journal of Allergy and Clinical Immunology</i> , 2007, 120, 429-436.	2.9	70
101	Noncognate contact-dependent B cell activation can promote IL-4-dependent in vitro human IgE synthesis. <i>Journal of Immunology</i> , 1990, 144, 2102-8.	0.8	70
102	Opposite role for interleukin-4 and interferon- γ on CD30 and lymphocyte activation gene-3 (LAG-3) expression by activated naive T cells. <i>European Journal of Immunology</i> , 1997, 27, 2239-2244.	2.9	67
103	Human immature myeloid dendritic cells trigger a TH2-polarizing program via Jagged-1/Notch interaction. <i>Journal of Allergy and Clinical Immunology</i> , 2008, 121, 1000-1005.e8.	2.9	66
104	T cell responses induced by allergen-specific immunotherapy. <i>Clinical and Experimental Immunology</i> , 2010, 161, 10-18.	2.6	66
105	Macrophage-Derived Chemokine and EB1-Ligand Chemokine Attract Human Thymocytes in Different Stage of Development and Are Produced by Distinct Subsets of Medullary Epithelial Cells: Possible Implications for Negative Selection. <i>Journal of Immunology</i> , 2000, 165, 238-246.	0.8	65
106	<i>Eomes</i> controls the development of Th17-derived (non-classic) Th1 cells during chronic inflammation. <i>European Journal of Immunology</i> , 2019, 49, 79-95.	2.9	64
107	CD30 ligation induces nuclear factor- κ B activation in human T cell lines. <i>European Journal of Immunology</i> , 1995, 25, 2870-2876.	2.9	63
108	Relaxin favors the development of activated human T cells into Th1-like effectors. <i>European Journal of Immunology</i> , 1999, 29, 2241-2247.	2.9	63

#	ARTICLE	IF	CITATIONS
109	PF-4/CXCL4 and CXCL4L1 exhibit distinct subcellular localization and a differentially regulated mechanism of secretion. <i>Blood</i> , 2007, 109, 4127-4134.	1.4	62
110	The additional values of microarray allergen assay in the management of polysensitized patients with respiratory allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013, 68, 1029-1033.	5.7	62
111	Immediate adverse reactions to biologicals: from pathogenic mechanisms to prophylactic management. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2011, 11, 262-268.	2.3	61
112	Allergological in vitro and in vivo evaluation of patients with hypersensitivity reactions to infliximab. <i>Clinical and Experimental Allergy</i> , 2013, 43, n/a-n/a.	2.9	61
113	Mesenchymal stem cells are enriched in head neck squamous cell carcinoma, correlates with tumour size and inhibit T-cell proliferation. <i>British Journal of Cancer</i> , 2015, 112, 745-754.	6.4	61
114	Production of IL-4 and leukemia inhibitory factor by T cells of the cumulus oophorus: a favorable microenvironment for pre-implantation embryo development. <i>European Journal of Immunology</i> , 2001, 31, 2431-2437.	2.9	60
115	Th1 versus Th2 responses in AIDS. <i>Current Opinion in Immunology</i> , 1994, 6, 616-622.	5.5	59
116	Drug-Specific Th2 Cells and IgE Antibodies in a Patient with Anaphylaxis to Rituximab. <i>International Archives of Allergy and Immunology</i> , 2012, 159, 321-326.	2.1	59
117	Brief Report: Etanercept Inhibits the Tumor Necrosis Factor α -Driven Shift of Th17 Lymphocytes Toward a Nonclassic Th1 Phenotype in Juvenile Idiopathic Arthritis. <i>Arthritis and Rheumatology</i> , 2014, 66, 1372-1377.	5.6	59
118	Human Th17 cells: Are they different from murine Th17 cells?. <i>European Journal of Immunology</i> , 2009, 39, 637-640.	2.9	56
119	Role for T cells, IL-2 and IL-6 in the IL-4-dependent in vitro human IgE synthesis. <i>Immunology</i> , 1989, 68, 300-6.	4.4	56
120	Highly Th2-skewed cytokine profile of beta-lactam-specific T cells from nonatopic subjects with adverse drug reactions. <i>Journal of Immunology</i> , 1999, 163, 1053-9.	0.8	56
121	Activation of HIV expression by CD30 triggering in CD4+ T cells from HIV-infected individuals. <i>Immunity</i> , 1995, 3, 251-255.	14.3	54
122	Evaluation of different inhaled combination therapies (EDICT): a randomised, double-blind comparison		

#	ARTICLE	IF	CITATIONS
127	An Alternative View of the Th1/Th2 Switch Hypothesis in HIV Infection. <i>AIDS Research and Human Retroviruses</i> , 1994, 10, iii-ix.	1.1	51
128	In vitro production of IgE by human peripheral blood mononuclear cells. I. Rate of IgE biosynthesis. <i>Clinical and Experimental Immunology</i> , 1980, 42, 167-74.	2.6	51
129	Redirection of allergen-specific TH2 responses by a modified adenine through Toll-like receptor 7 interaction and IL-12/IFN release. <i>Journal of Allergy and Clinical Immunology</i> , 2006, 118, 511-517.	2.9	50
130	CD4+CD161+ T Lymphocytes Infiltrate Crohn's Disease-Associated Perianal Fistulas and Are Reduced by Anti-TNF- α Local Therapy. <i>International Archives of Allergy and Immunology</i> , 2013, 161, 81-86.	2.1	50
131	Main features of human T helper 17 cells. <i>Annals of the New York Academy of Sciences</i> , 2013, 1284, 66-70.	3.8	49
132	Limited expression of R5-tropic HIV-1 in CCR5-positive type 1 "polarized T cells explained by their ability to produce RANTES, MIP-1 α , and MIP-1 β . <i>Blood</i> , 2000, 95, 1167-1174.	1.4	47
133	Asthma control in severe asthmatics under treatment with omalizumab: A cross-sectional observational study in Italy. <i>Pulmonary Pharmacology and Therapeutics</i> , 2015, 31, 123-129.	2.6	47
134	Human T helper type 1 dichotomy: origin, phenotype and biological activities. <i>Immunology</i> , 2015, 144, 343-351.	4.4	47
135	Eosinophils, the IL-5/IL-5R α axis, and the biologic effects of benralizumab in severe asthma. <i>Respiratory Medicine</i> , 2019, 160, 105819.	2.9	46
136	Tako-Tsubo-like syndrome during anaphylactic reaction. <i>European Journal of Heart Failure</i> , 2007, 9, 209-211.	7.1	44
137	High Serum β -Lactams Specific/Total IgE Ratio Is Associated with Immediate Reactions to β -Lactams Antibiotics. <i>PLoS ONE</i> , 2015, 10, e0121857.	2.5	44
138	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. <i>Blood</i> , 1997, 89, 3672-3681.	1.4	42
139	Reversal of human allergen-specific CRTH2+ TH2 cells by IL-12 or the PS-DSP30 oligodeoxynucleotide. <i>Journal of Allergy and Clinical Immunology</i> , 2001, 108, 815-821.	2.9	42
140	Anti-cyclic Citrullinated Peptide Antibodies are Highly Associated with Severe Bone Lesions in Rheumatoid Arthritis Anti-CCP and Bone Damage in RA. <i>Autoimmunity</i> , 2004, 37, 495-501.	2.6	42
141	Phosphorothioate oligodeoxynucleotides promote the in vitro development of human allergen-specific CD4+ T cells into Th1 effectors. <i>Journal of Immunology</i> , 1999, 163, 5946-53.	0.8	42
142	Displacement of T Lymphocytes with the "Helper/Inducer" Phenotype from Peripheral Blood to Lymphoid Organs in Untreated Patients with Hodgkin's Disease. <i>Scandinavian Journal of Haematology</i> , 1983, 31, 305-314.	0.0	41
143	Frequent coexpression of cytolytic activity and lymphokine production among human T lymphocytes. Production of B cell growth factor and interleukin 2 by T8+ and T4+ cytolytic clones. <i>European Journal of Immunology</i> , 1984, 14, 1066-1069.	2.9	40
144	Omalizumab dampens type 2 inflammation in a group of long-term treated asthma patients and detaches IgE from Fc ϵ RI. <i>European Journal of Immunology</i> , 2018, 48, 2005-2014.	2.9	40

#	ARTICLE	IF	CITATIONS
145	Altered Proportion of Tmu and Tgamma-Cell Subpopulations in Patients with Hodgkin's Disease. Scandinavian Journal of Immunology, 1978, 7, 511-514.	2.7	39
146	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. Cancer, 1993, 72, 201-206.	4.1	38
147	Influence of total serum IgE levels on the <i>in vitro</i> detection of β -lactams-specific IgE antibodies. Clinical and Experimental Allergy, 2009, 39, 838-844.	2.9	37
148	Molecular basis of cross-reactivity among allergen-specific human T cells: T-cell receptor V alpha gene usage and epitope structure. Immunology, 1994, 81, 15-20.	4.4	37
149	In vivo activated cytotoxic T cells in the thyroid infiltrate of patients with Hashimoto's thyroiditis. Clinical and Experimental Immunology, 1986, 65, 140-7.	2.6	37
150	Decrease of allergen-specific T-cell response induced by local nasal immunotherapy. Clinical and Experimental Allergy, 1998, 28, 404-412.	2.9	36
151	<i>IL-4</i> -induced gene 1 maintains high <i>T</i> ob1 expression that contributes to <i>TCR</i> unresponsiveness in human <i>T</i> helper 17 cells. European Journal of Immunology, 2014, 44, 654-661.	2.9	36
152	In vitro selective expansion of allergen specific T cells from atopic patients. Clinical and Experimental Immunology, 1983, 52, 21-8.	2.6	36
153	Mechanisms of Action of Ig Preparations: Immunomodulatory and Anti-Inflammatory Effects. Frontiers in Immunology, 2014, 5, 690.	4.8	35
154	Decidual Interleukin-22-Producing CD4+ T Cells (Th17/Th0/IL-22+ and Th17/Th2/IL-22+, Th2/IL-22+), Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5 of Molecular Sciences, 2019, 20, 428.	4.1	35
155	Abnormalities of in vitro immunoglobulin synthesis by peripheral blood lymphocytes from untreated patients with Hodgkin's disease.. Journal of Clinical Investigation, 1983, 71, 1375-1382.	8.2	35
156	In vitro Synthesis of Human IgE: Reappraisal of a 5-Year Study. International Archives of Allergy and Immunology, 1985, 77, 32-37.	2.1	34
157	The Quality of Life of Children and Adolescents with X-Linked Agammaglobulinemia. Journal of Clinical Immunology, 2009, 29, 501-507.	3.8	34
158	The TLR7 Ligand 9-Benzyl-2-Butoxy-8-Hydroxy Adenine Inhibits IL-17 Response by Eliciting IL-10 and IL-10-Inducing Cytokines. Journal of Immunology, 2011, 186, 4707-4715.	0.8	34
159	Manifestations of Antidrug Antibodies Response: Hypersensitivity and Infusion Reactions. Journal of Interferon and Cytokine Research, 2014, 34, 946-952.	1.2	34
160	Cellular and Humoral Immune Responses During Tuberculosis Infection: Useful Knowledge in the Era of Biological Agents. Journal of rheumatology Supplement, The, 2014, 91, 17-23.	2.2	34
161	Increased Numbers of Th2-Like CD4+ T Cells in Target Organs and in the Allergen-Specific Repertoire of Allergic Patients. International Archives of Allergy and Immunology, 1991, 94, 133-136.	2.1	33
162	Genetic and Environmental Factors Contributing to the Onset of Allergic Disorders. International Archives of Allergy and Immunology, 2000, 121, 2-9.	2.1	33

#	ARTICLE	IF	CITATIONS
163	Chemoattractant Receptors Expressed on Type 2 T Cells and Their Role in Disease. <i>International Archives of Allergy and Immunology</i> , 2001, 125, 273-279.	2.1	33
164	Activation through CD3 molecule leads a number of human T cell clones to induce IgE synthesis in vitro by B cells from allergic and nonallergic individuals. <i>Journal of Immunology</i> , 1987, 138, 1744-9.	0.8	33
165	Human T cell clones can induce in vitro IgE synthesis in normal B cells regardless of alloantigen recognition or specificity for peculiar antigens. <i>European Journal of Immunology</i> , 1986, 16, 1509-1514.	2.9	32
166	Angiogenic T cell expansion correlates with severity of peripheral vascular damage in systemic sclerosis. <i>PLoS ONE</i> , 2017, 12, e0183102.	2.5	32
167	Clinicogenomic factors of biotherapy immunogenicity in autoimmune disease: A prospective multicohort study of the ABIRISK consortium. <i>PLoS Medicine</i> , 2020, 17, e1003348.	8.4	31
168	IgE synthesis in vitro induced by T cell factors from patients with elevated serum IgE levels. <i>Clinical and Experimental Immunology</i> , 1983, 52, 85-8.	2.6	31
169	Role of Interleukin 4 and Gamma Interferon in the Regulation of Human IgE Synthesis: Possible Alterations in Atopic Patients. <i>International Archives of Allergy and Immunology</i> , 1989, 88, 111-113.	2.1	30
170	Interleukin-17-producing decidual CD4+ T cells are not deleterious for human pregnancy when they also produce interleukin-4. <i>Clinical and Molecular Allergy</i> , 2016, 14, 1.	1.8	30
171	Quantitative analysis of the CD4+ T cell response to therapeutic antibodies in healthy donors using a novel T cell:PBMC assay. <i>PLoS ONE</i> , 2017, 12, e0178544.	2.5	30
172	No relationship between skin-infiltrating T-like cells and allergen-specific IgE response in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1995, 96, 411-420.	2.9	29
173	Development in vitro of human CD4+ thymocytes into functionally mature Th2 cells. Exogenous interleukin-12 is required for priming thymocytes to produce both Th1 cytokines and interleukin-10. <i>European Journal of Immunology</i> , 1996, 26, 1083-1087.	2.9	29
174	TLR7/8 agonists impair monocyte-derived dendritic cell differentiation and maturation. <i>Journal of Leukocyte Biology</i> , 2007, 81, 221-228.	3.3	29
175	T-cell responses during allergen-specific immunotherapy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2012, 12, 1-6.	2.3	29
176	Circulating T cells to infliximab are detectable mainly in treated patients developing anti-drug antibodies and hypersensitivity reactions. <i>Clinical and Experimental Immunology</i> , 2016, 186, 364-372.	2.6	29
177	Low-Dose Mepolizumab Effectiveness in Patients Suffering From Eosinophilic Granulomatosis With Polyangiitis. <i>Allergy, Asthma and Immunology Research</i> , 2020, 12, 885.	2.9	29
178	Co-operation between T and B lymphocytes from human tonsils in the response to mitogens and antigens. <i>Clinical and Experimental Immunology</i> , 1977, 28, 332-40.	2.6	28
179	High CD30 ligand expression by epithelial cells and Hassal's corpuscles in the medulla of human thymus. <i>Blood</i> , 1998, 91, 3323-32.	1.4	28
180	CXCR3 and $\alpha 7$ integrin identify a subset of CD8+ mature thymocytes that share phenotypic and functional properties with CD8+ gut intraepithelial lymphocytes. <i>Gut</i> , 2006, 55, 961-968.	12.1	27

#	ARTICLE	IF	CITATIONS
181	Detection by Flow Cytometry of ESAT-6- and PPD-Specific Circulating CD4+ T Lymphocytes as a Diagnostic Tool for Tuberculosis. <i>International Archives of Allergy and Immunology</i> , 2007, 143, 1-9.	2.1	27
182	Safety and Tolerability of Infliximab Therapy: Suggestions and Criticisms Based on Wide Clinical Experience. <i>International Journal of Immunopathology and Pharmacology</i> , 2008, 21, 367-374.	2.1	27
183	Asthma and Chronic Rhinosinusitis: How Similar Are They in Pathogenesis and Treatment Responses?. <i>International Journal of Molecular Sciences</i> , 2021, 22, 3340.	4.1	27
184	T cell clones providing helper function for IgE synthesis release soluble factor(s) that induce IgE production in human B cells: possible role for interleukin 4 (IL-4). <i>Clinical and Experimental Immunology</i> , 1988, 73, 57-62.	2.6	27
185	Isolation and characterization of allergen-binding cells from normal and allergic donors. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1995, 1, 115-125.	2.4	26
186	Platelet aggregation and histamine release by immunological stimuli. <i>Immunopharmacology</i> , 1994, 28, 19-29.	2.0	25
187	Association of responsiveness to the major pollen allergen of <i>Parietaria officinalis</i> with HLA-DRB1 alleles a multicenter study. <i>Human Immunology</i> , 1996, 46, 100-106.	2.4	25
188	Medroxyprogesterone Acetate Decreases Th1, Th17, and Increases Th22 Responses via AHR Signaling Which Could Affect Susceptibility to Infections and Inflammatory Disease. <i>Frontiers in Immunology</i> , 2019, 10, 642.	4.8	25
189	In vitro production of IgE by human peripheral blood mononuclear cells. III. Demonstration of a circulating IgE-bearing cell involved in the spontaneous IgE biosynthesis. <i>Clinical and Experimental Immunology</i> , 1982, 49, 176-84.	2.6	25
190	BCA-1, A B-cell chemoattractant signal, is constantly expressed in cutaneous lymphoproliferative B-cell disorders. <i>European Journal of Cancer</i> , 2003, 39, 1625-1631.	2.8	24
191	Modified Adenine (9-Benzyl-2-Butoxy-8-Hydroxyadenine) Redirects Th2-Mediated Murine Lung Inflammation by Triggering TLR7. <i>Journal of Immunology</i> , 2009, 182, 880-889.	0.8	24
192	Skin testing and infliximab-specific antibodies detection as a combined strategy for preventing infusion reaction. <i>Internal and Emergency Medicine</i> , 2012, 7, 77-79.	2.0	24
193	Hyperproduction of IgE and T-Cell Dysfunction in Hodgkin's Disease. <i>International Archives of Allergy and Immunology</i> , 1980, 63, 64-72.	2.1	23
194	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988, 71, 1503-1506.	1.4	23
195	HIV can induce a TH1 to TH0 shift, and preferentially replicates in CD4+ T-cell clones producing TH2-type cytokines. <i>Research in Immunology</i> , 1994, 145, 611-618.	0.9	23
196	Therapeutic Efficacy of Autologous Non-Mobilized Enriched Circulating Endothelial Progenitors in Patients With Critical Limb Ischemia: The SCELTA Trial. <i>Circulation Journal</i> , 2018, 82, 1688-1698.	1.6	23
197	In vitro infection with HIV enables human CD4+ T cell clones to induce noncognate contact-dependent polyclonal B cell activation. <i>Journal of Immunology</i> , 1991, 146, 3413-8.	0.8	23
198	Type 1 T Helper Cells Specific for <i>Candida albicans</i> Antigens in Peripheral Blood and Vaginal Mucosa of Women with Recurrent Vaginal Candidiasis. <i>Journal of Infectious Diseases</i> , 2002, 186, 87-93.	4.0	22

#	ARTICLE	IF	CITATIONS
199	Clonal analysis of T lymphocytes in spleens from patients with Hodgkin's disease. Frequent occurrence of unusual T4-positive cells which co-express cytolytic activity and production of interleukin-2. <i>International Journal of Cancer</i> , 1986, 37, 343-349.	5.1	21
200	Cytokine production by allergen (Der pl)-specific CD4+ T cell clones derived from a patient with severe atopic disease. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 21, 186-189.	1.0	21
201	Chemokine receptors and other surface molecules preferentially associated with human Th1 or Th2 cells. <i>Microbes and Infection</i> , 1999, 1, 103-106.	1.9	21
202	Vascular endothelial growth factor receptor-2 and low affinity VEGF binding sites on human glomerular endothelial cells: Biological effects and advanced glycosilation end products modulation. <i>Microvascular Research</i> , 2005, 70, 179-188.	2.5	21
203	Omalizumab in elderly patients with chronic spontaneous urticaria: An Italian real-life experience. <i>Annals of Allergy, Asthma and Immunology</i> , 2018, 120, 318-323.	1.0	21
204	Synergy of B cell growth factor and interleukin 2 in the proliferation of activated human B cells. <i>European Journal of Immunology</i> , 1985, 15, 1158-1164.	2.9	20
205	T-cell independence of immunoglobulin synthesis by human peripheral blood lymphocytes stimulated with SpA-containing staphylococci. <i>Immunology</i> , 1980, 41, 921-7.	4.4	20
206	TH2 downregulation of macrophage HIV-1 replication. <i>Science</i> , 1995, 267, 538-539.	12.6	19
207	AT1 and AT2 receptors in human glomerular endothelial cells at different passages. <i>Microvascular Research</i> , 2003, 66, 22-29.	2.5	19
208	Assays and Strategies for Immunogenicity Assessment of Biological Agents. <i>Drug Development Research</i> , 2014, 75, S4-6.	2.9	19
209	Receptors for IgM: a feature of subpopulations of both T and B human lymphocytes. <i>Clinical and Experimental Immunology</i> , 1978, 32, 324-32.	2.6	19
210	Role of T Cells and T-Cell-Derived Cytokines in the Pathogenesis of Allergic Diseases. <i>Annals of the New York Academy of Sciences</i> , 1994, 725, 2-12.	3.8	18
211	An overview on safety of monoclonal antibodies. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2016, 16, 576-581.	2.3	18
212	Musculin inhibits human Tâ€helper 17 cell response to interleukin 2 by controlling STAT5B activity. <i>European Journal of Immunology</i> , 2017, 47, 1427-1442.	2.9	18
213	The Kinetics of Antidrug Antibodies, Drug Levels, and Clinical Outcomes in Infliximab-Exposed Patients with Immune-Mediated Disorders. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018, 6, 2065-2072.e2.	3.8	18
214	Anti-COVID-19 Vaccination in Patients with Autoimmune-Autoinflammatory Disorders and Primary/Secondary Immunodeficiencies: The Position of the Task Force on Behalf of the Italian Immunological Societies. <i>Biomedicines</i> , 2021, 9, 1163.	3.2	18
215	Th1-Induced CD106 Expression Mediates Leukocytes Adhesion on Synovial Fibroblasts from Juvenile Idiopathic Arthritis Patients. <i>PLoS ONE</i> , 2016, 11, e0154422.	2.5	18
216	In vitro production of IgE by human peripheral blood mononuclear cells. IV. Modulation by allergen of the spontaneous IgE antibody biosynthesis. <i>Clinical and Experimental Immunology</i> , 1982, 49, 185-92.	2.6	18

#	ARTICLE	IF	CITATIONS
217	Human T _H 1 and T _H 2 Subsets. International Archives of Allergy and Immunology, 1992, 99, 242-245.	2.1	17
218	Cytokines and chemokines in T lymphopoiesis and T-cell effector function. Trends in Immunology, 2000, 21, 416-418.	7.5	17
219	Immunosuppressive Activity of Abatacept on Circulating T Helper Lymphocytes from Juvenile Idiopathic Arthritis Patients. International Archives of Allergy and Immunology, 2016, 171, 45-53.	2.1	17
220	Group 2 Innate Lymphoid Cells: A Double-Edged Sword in Cancer?. Cancers, 2020, 12, 3452.	3.7	17
221	Pathogenic Mechanisms of Vaccine-Induced Immune Thrombotic Thrombocytopenia in People Receiving Anti-COVID-19 Adenoviral-Based Vaccines: A Proposal. Frontiers in Immunology, 2021, 12, 728513.	4.8	17
222	Toll-like receptor 8 agonists improve NK-cell function primarily targeting CD56 ^{bright} CD16 ^{hi} subset. , 2022, 10, e003385.		17
223	Recent advances in the phenotypic and functional analysis of human T lymphocytes. Seminars in Hematology, 1984, 21, 257-69.	3.4	17
224	Role for CD30 in HIV expression. Immunology Letters, 1996, 51, 83-88.	2.5	16
225	Surface Markers and Function of Circulating Thyroid Autoantibody-Producing Cells. Journal of Clinical Endocrinology and Metabolism, 1984, 58, 18-24.	3.6	15
226	Effect of in vitro irradiation and cell cycle-inhibitory drugs on the spontaneous human IgE synthesis in vitro*. Journal of Allergy and Clinical Immunology, 1987, 79, 69-77.	2.9	15
227	Development and application of <i>in vitro</i> models for the study of human IgE synthesis. Allergy: European Journal of Allergy and Clinical Immunology, 1988, 43, 32-37.	5.7	15
228	Microchimerism and Systemic Sclerosis. International Archives of Allergy and Immunology, 2001, 125, 196-202.	2.1	15
229	Partial safety of the new COX-2 inhibitor rofecoxib in NSAIDs high sensitive patients. Allergy: European Journal of Allergy and Clinical Immunology, 2004, 59, 1133-1134.	5.7	15
230	Environmental Factors Favoring the Allergen-specific Th2 Response in Allergic Subjects. Annals of the New York Academy of Sciences, 2000, 917, 844-852.	3.8	15
231	Hypergravity speeds up the development of T-lymphocyte motility. European Biophysics Journal, 2006, 35, 393-400.	2.2	15
232	Poly(I:C) promotes the production of IL-17A by murine CD1d-driven invariant NKT cells in airway inflammation. Allergy: European Journal of Allergy and Clinical Immunology, 2012, 67, 1223-1232.	5.7	15
233	Influence of anti-TNF immunogenicity on safety in rheumatic disease: a narrative review. Expert Opinion on Drug Safety, 2016, 15, 3-10.	2.4	15
234	A pathogenic integrated view explaining the different endotypes of asthma and allergic disorders. Allergy: European Journal of Allergy and Clinical Immunology, 2022, 77, 3267-3292.	5.7	15

#	ARTICLE	IF	CITATIONS
235	Short- and long-term effects of radiation on T-cell subsets in peripheral blood of patients with Hodgkin's disease. <i>Cancer</i> , 1980, 46, 2590-2595.	4.1	14
236	Influence of both TCR repertoire and severity of the atopic status on the cytokine secretion profile of <i>Parietaria officinalis</i> -specific T cells. <i>European Journal of Immunology</i> , 1998, 28, 37-46.	2.9	14
237	Efficacy and Safety of Mepolizumab (Anti-Interleukin-5) Treatment in Gleich's Syndrome. <i>Frontiers in Immunology</i> , 2018, 9, 1198.	4.8	14
238	Mechanisms of Drug Desensitization: Not Only Mast Cells. <i>Frontiers in Pharmacology</i> , 2020, 11, 590991.	3.5	14
239	Redirecting Th2 Responses in Allergy. <i>Current Topics in Microbiology and Immunology</i> , 1999, 238, 27-56.	1.1	14
240	Role of interleukin-4 in the induction of human IgE synthesis and its suppression by interferon- γ . <i>Research in Clinic and Laboratory</i> , 1987, 17, 363-367.	0.3	14
241	Different reactivity of activated human B cells to B-cell growth factor and interleukin 2 in the costimulation assay with anti-IgM antibody and in the preactivation assay with staphylococcus bacteria. <i>Cellular Immunology</i> , 1985, 95, 358-367.	3.0	13
242	A novel allergen-adjuvant conjugate suitable for specific immunotherapy of respiratory allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 84-92.e6.	2.9	13
243	Perspectives in vaccine adjuvants for allergen-specific immunotherapy. <i>Immunology Letters</i> , 2014, 161, 207-210.	2.5	13
244	How the immune system responds to therapeutic biological agents. <i>Journal of International Medical Research</i> , 2016, 44, 38-42.	1.0	13
245	IL-10 ⁺ Producing Infliximab-Specific T Cells Regulate the Antidrug T Cell Response in Exposed Patients. <i>Journal of Immunology</i> , 2017, 199, 1283-1289.	0.8	13
246	Tocilizumab in Giant Cell Arteritis: A Real-Life Retrospective Study. <i>Angiology</i> , 2018, 69, 763-769.	1.8	13
247	Desensitization modulates humoral and cellular immune response to infliximab in a patient with an immediate hypersensitivity reaction. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020, 8, 1764-1767.e1.	3.8	13
248	Functional characterization and modulation of cytokine production by CD8 ⁺ T cells from human immunodeficiency virus-infected individuals. <i>Blood</i> , 1997, 89, 3672-81.	1.4	13
249	Increased production of IgE protein and IgE antibodies specific for fungal antigens in patients with the acquired immunodeficiency syndrome. <i>Research in Clinic and Laboratory</i> , 1989, 19, 45-49.	0.3	13
250	HLA-DRB1* and allergy to <i>Parietaria</i> : linkage and association analyses. <i>Human Immunology</i> , 1999, 60, 1250-1258.	2.4	12
251	Coronary vasospasm during an acute allergic reaction. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002, 57, 867-868.	5.7	12
252	CRTH2: marker for the detection of human Th2 and Tc2 cells. <i>Advances in Experimental Medicine and Biology</i> , 2001, 495, 25-29.	1.6	12

#	ARTICLE	IF	CITATIONS
253	Strategies Targeting Type 2 Inflammation: From Monoclonal Antibodies to JAK-Inhibitors. <i>Biomedicines</i> , 2021, 9, 1497.	3.2	12
254	Frequent T4-positive cells with cytolytic activity in spleens of patients with Hodgkin's disease (a) Tj ETQq0 0 0 rgBT /Overlock, 10 Tf 50 7	0.8	12
255	Functional features of human CD25+ regulatory thymocytes. <i>Microbes and Infection</i> , 2005, 7, 1017-1022.	1.9	11
256	Heart as the early main target of severe anaphylactic reactions: two case reports. <i>Internal and Emergency Medicine</i> , 2011, 6, 467-469.	2.0	11
257	Pediatric Tumors-Mediated Inhibitory Effect on NK Cells: The Case of Neuroblastoma and Wilmsâ€™ Tumors. <i>Cancers</i> , 2021, 13, 2374.	3.7	11
258	Role of low nuclear grading of renal carcinoma cells in the functional profile of tumor-infiltrating T cells. <i>International Journal of Cancer</i> , 2002, 98, 674-681.	5.1	10
259	T cells specific for <i>Candida albicans</i> antigens and producing type 2 cytokines in lesional mucosa of untreated HIV-infected patients with pseudomembranous oropharyngeal candidiasis. <i>Microbes and Infection</i> , 2008, 10, 166-174.	1.9	10
260	Assessment of the risk of polyomavirus JC reactivation in patients with immune-mediated diseases during long-term treatment with infliximab. <i>Journal of NeuroVirology</i> , 2012, 18, 55-61.	2.1	10
261	Chitinase 3-like-1 is produced by human Th17 cells and correlates with the level of inflammation in juvenile idiopathic arthritis patients. <i>Clinical and Molecular Allergy</i> , 2016, 14, 16.	1.8	10
262	T Cell Response to Infliximab in Exposed Patients: A Longitudinal Analysis. <i>Frontiers in Immunology</i> , 2019, 9, 3113.	4.8	10
263	Role of T Cells in the Pathogenesis of Hodgkin's Disease. <i>International Review of Experimental Pathology</i> , 1992, 33, 141-164.	0.2	10
264	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. <i>Blood</i> , 1997, 89, 3672-3681.	1.4	10
265	High proportion of inflammatory CD62L ^{low} eosinophils in blood and nasal polyps of severe asthma patients. <i>Clinical and Experimental Allergy</i> , 2023, 53, 78-87.	2.9	10
266	Study of some Immunological Parameters in Untreated Patients with Hodgkinâ€™s Disease. <i>International Archives of Allergy and Immunology</i> , 1977, 55, 429-438.	2.1	9
267	Phenotypic and functional characterization of a SÃ©zary cell. <i>Journal of Clinical Immunology</i> , 1982, 2, 343-349.	3.8	9
268	Protein A Reactivity of Lymphocytes from Some Patients with Chronic Lymphocytic Leukaemia Mediated by an Interaction with the F(ab') ₂ Region of Surface Immunoglobulin. <i>Scandinavian Journal of Immunology</i> , 1982, 15, 287-295.	2.7	9
269	Preventive Effects of Beclomethasone on Histamine-Induced Changes in Breathing Pattern in Asthma. <i>Chest</i> , 1993, 103, 122-128.	0.8	9
270	Activated and "Memory" Phenotype of Circulating T Lymphocytes in Intrauterine Life. <i>Cellular Immunology</i> , 1994, 155, 486-492.	3.0	9

#	ARTICLE	IF	CITATIONS
271	Enhanced expression of the CXCR4 co-receptor in HIV-1-infected individuals correlates with the emergence of syncytia-inducing strains. <i>Cytokines, Cellular & Molecular Therapy</i> , 2000, 6, 19-24.	0.3	9
272	Kimura's disease: case report of an Italian young male and response to oral cyclosporine A in an 8 years follow-up. <i>Clinical Rheumatology</i> , 2013, 32, 55-57.	2.2	9
273	The percentage of patients achieving complete remission of urticaria increases with repeated courses of treatment. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 339-340.	3.8	9
274	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. , 2000, 30, 204.		9
275	Th1 and Th2 Cells in HIV Infection. <i>Chemical Immunology and Allergy</i> , 1996, 63, 138-157.	1.7	8
276	Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001, 70, 767-772.	1.9	8
277	Influence of impaired T and B cell compartments on efficacy of IVIg in dysimmune neuropathies. <i>European Journal of Neurology</i> , 2007, 14, 1147-1153.	3.3	8
278	The safety of monoclonal antibodies in asthma. <i>Expert Opinion on Drug Safety</i> , 2016, 15, 1087-1095.	2.4	8
279	IgG4 anti-infliximab in treated patients: Clinical impact and temporal evolution. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018, 73, 2172-2181.	5.7	8
280	Higher blood eosinophil levels after omalizumab treatment may be associated with poorer asthma outcomes. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019, 7, 1643-1646.	3.8	8
281	Hypersensitivity reactions to biologics used in rheumatology. <i>Expert Review of Clinical Immunology</i> , 2019, 15, 1263-1271.	3.0	8
282	The intestinal expansion of TCR α ⁺ and disappearance of IL4 ⁺ T cells suggest their involvement in the evolution from potential to overt celiac disease. <i>European Journal of Immunology</i> , 2019, 49, 2222-2234.	2.9	8
283	Decreased circulating lymphatic endothelial progenitor cells in digital ulcer-complicated systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2019, 78, 575-577.	0.9	8
284	Drug-specific Treg cells are induced during desensitization procedure for rituximab and tocilizumab in patients with anaphylaxis. <i>Scientific Reports</i> , 2021, 11, 12558.	3.3	8
285	High CD30 Ligand Expression by Epithelial Cells and Hassal's Corpuscles in the Medulla of Human Thymus. <i>Blood</i> , 1998, 91, 3323-3332.	1.4	8
286	How to Prevent and Mitigate Hypersensitivity Reactions to Biologicals Induced by Anti-Drug Antibodies?. <i>Frontiers in Immunology</i> , 2021, 12, 765747.	4.8	8
287	Study of some properties of the receptor for IgM on human lymphocytes. <i>Clinical and Experimental Immunology</i> , 1979, 36, 502-10.	2.6	8
288	CD8+ T lymphocytes producing Th2-type cytokines (Tc2) in HIV-infected individuals. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 1995, 9, 78-81.	0.7	8

#	ARTICLE	IF	CITATIONS
289	Regulatory mechanisms of in vitro human IgE synthesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1989, 44, 9-15.	5.7	7
290	The IgE response in atopy and infections. <i>Clinical and Experimental Allergy</i> , 1991, 21, 72-78.	2.9	7
291	Abnormal B cell helper activity by virus-infected human CD4+ T cells. <i>Seminars in Immunology</i> , 1993, 5, 449-455.	5.6	7
292	Hapten-Specific Th17 Cells in the Peripheral Blood of β -Lactam-Induced AGEP. <i>Allergology International</i> , 2014, 63, 129-131.	3.3	7
293	Treatment with 8-OH ϵ -modified adenine (TLR 7 ligand) allergen conjugates decreases T helper type 2-oriented murine airway inflammation. <i>Immunology</i> , 2015, 145, 570-582.	4.4	7
294	Anaphylactic reactions to biological drugs. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2020, 20, 346-351.	2.3	7
295	Molecular diagnosis and the Italian Board for ISAC. <i>European Annals of Allergy and Clinical Immunology</i> , 2014, 46, 68.	1.0	7
296	New insights into the mechanisms which regulate IgE synthesis in man. <i>Haematologica</i> , 1989, 74, 317-23.	3.5	7
297	Phenotypic and functional heterogeneity of human T lymphocytes producing B-cell growth factor(s): A clonal analysis. <i>Clinical Immunology and Immunopathology</i> , 1985, 36, 168-175.	2.0	6
298	Role of IL12 in the development of human Th1 type cells. <i>Research in Immunology</i> , 1995, 146, 457-460.	0.9	6
299	Immunogenicity-unwanted immune responses to biological drugs “can we predict them?”. <i>Expert Review of Clinical Pharmacology</i> , 2021, 14, 47-53.	3.1	6
300	What we know and still ignore on COVID-19 immune pathogenesis and a proposal based on the experience of allergic disorders. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2022, 77, 1114-1128.	5.7	6
301	The Viral Chemokine Macrophage Inflammatory Protein-II Is a Selective Th2 Chemoattractant. <i>Blood</i> , 1998, 92, 4036-4039.	1.4	6
302	Asthma: developments in targeted therapy. <i>Expert Review of Clinical Immunology</i> , 2012, 8, 13-15.	3.0	5
303	Regulation of IgE synthesis by CD4+ human T-cell subsets. <i>Research in Immunology</i> , 1991, 142, 63-79.	0.9	4
304	Dermatophagoides pteronyssinus group 2 allergen bound to 8-OH modified adenine reduces the Th2-mediated airway inflammation without inducing a Th17 response and autoimmunity. <i>Molecular Immunology</i> , 2016, 77, 60-70.	2.2	4
305	Hypersensitivity Reactions to Biologicals: True Allergy?. <i>Current Treatment Options in Allergy</i> , 2016, 3, 147-157.	2.2	4
306	Persistence of both reversible airway obstruction and higher blood eosinophils may predict lung function decline in severe asthma. <i>Clinical Respiratory Journal</i> , 2021, 15, 237-243.	1.6	4

#	ARTICLE	IF	CITATIONS
307	Role of Type 2 T Helper Cells (TH2) in Allergic Disorders. <i>Advances in Experimental Medicine and Biology</i> , 1996, 409, 359-363.	1.6	4
308	New Trends on the Pathogenetic Aspects of Allergic Bronchial Asthma. <i>Respiration</i> , 1986, 50, 103-115.	2.6	3
309	In vitro IgE Synthesis Induced by Human T Cell Clones in Normal B Cells and Its Suppression by Heterogenous T Cell Populations. <i>International Archives of Allergy and Immunology</i> , 1987, 82, 411-413.	2.1	3
310	In vitro Infection with hiv of antigen-specific t cell clones derived from hiv-seronegative individuals. effects on cytokine production and helper function. <i>Research in Clinic and Laboratory</i> , 1991, 21, 85-90.	0.3	3
311	Rapid clinical improvement of atopic dermatitis in an Omalizumab treated patient. <i>Clinical and Molecular Allergy</i> , 2019, 17, 5.	1.8	3
312	In vitro IgE production by human lymphocytes and its regulation. <i>Monographs in Allergy</i> , 1983, 18, 61-8.	0.2	3
313	IL-1R8 silencing improves the anti-tumor function of freshly isolated human NK cells. , 2022, 10, e003858.		3
314	Human IgE Biosynthesis In Vitro. <i>Clinical Reviews in Allergy</i> , 1989, 7, 193-216.	1.0	3
315	99 IgE synthesis in vitro induced by T cell factors from patients with elevated serum IgE levels. <i>Journal of Allergy and Clinical Immunology</i> , 1983, 71, 113.	2.9	2
316	A novel pathway of human B cell activation initiated by CK226 surface antigen. <i>European Journal of Immunology</i> , 1990, 20, 1161-1165.	2.9	2
317	Both CD8+ and CD16+ human T cell clones can provide B cell help for immunoglobulin production. <i>International Journal of Clinical and Laboratory Research</i> , 1992, 22, 36-39.	1.0	2
318	Multiorgan Infiltration by CD8+ T Cells and 1p;16p Translocation in a Patient with Hypogammaglobulinemia and a Reduced Number of B Cells. <i>International Archives of Allergy and Immunology</i> , 2012, 158, 206-210.	2.1	2
319	The management of paediatric allergy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2013, 13, S1-S50.	2.3	2
320	FRI0362â€¦Angiogenic t cell expansion correlates with severity of peripheral vascular damage in systemic sclerosis. , 2017, , .		2
321	Physiology of the IgE System and Mechanisms of Its Dysfunction in Atopic Diseases. <i>International Archives of Allergy and Immunology</i> , 1985, 76, 34-42.	2.1	1
322	Diminished Production of Interleukin 2 and Gamma-Interferon by Cloned «TÂ» Cells from Patients with the Acquired Immunodeficiency Syndrome (AIDS). <i>Tumori</i> , 1987, 73, 273-278.	1.1	1
323	539 Interleukin 4 (IL-4) is responsible for IgE synthesis induced in vitro by human T cell clones. <i>Journal of Allergy and Clinical Immunology</i> , 1988, 81, 303.	2.9	1
324	CD4 + T Cells from Lymph Nodes Involved by Hodgkin's Disease Showing Response in Autologous Mixed Lymphocyte Reaction, are Polyclonal. <i>Leukemia and Lymphoma</i> , 1990, 2, 215-222.	1.3	1

#	ARTICLE	IF	CITATIONS
325	Response. <i>Science</i> , 1995, 267, 539-539.	12.6	1
326	REGULATORY T CELLS EXPRESSION IN PERIPHERAL BLOOD AND TUMOUR INFILTRATE OF PATIENTS WITH RENAL CELL CARCINOMA: CORRELATION WITH PROGNOSTIC FACTORS. <i>European Urology Supplements</i> , 2008, 7, 99.	0.1	1
327	Allergen Component Resolved Diagnostics in Multi-Sensitized Patients with Respiratory Symptoms. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, AB136.	2.9	1
328	European medicines agency guideline for biological medicinal products: a further step for a safe use of biosimilars. <i>Clinical and Molecular Allergy</i> , 2015, 13, 3.	1.8	1
329	Persistent unilateral ulcer of the ear as the first manifestation of relapsing polychondritis. <i>Clinical and Experimental Dermatology</i> , 2018, 43, 823-824.	1.3	1
330	Influence of both TCR repertoire and severity of the atopic status on the cytokine secretion profile of <i>Parietaria officinalis</i> -specific T cells. <i>European Journal of Immunology</i> , 1998, 28, 37-46.	2.9	1
331	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. <i>European Journal of Immunology</i> , 2000, 30, 204-210.	2.9	1
332	The immune derangement and strategies for immunotherapy. <i>Cancer Treatment and Research</i> , 1989, 41, 53-88.	0.5	1
333	T Lymphocytes and Subpopulations: Involvement of TH2 Cells in Allergic Diseases. , 1997, , 131-136.		1
334	CD30-CD30 Ligand Interaction in Primary Cutaneous CD30+T-Cell Lymphomas: A Clue to the Pathophysiology of Clinical Regression. <i>Blood</i> , 1999, 94, 3077-3083.	1.4	1
335	The Role of Lymphocytes in Atopic Diseases. , 1983, , 471-477.		1
336	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988, 71, 1503-6.	1.4	1
337	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988, 71, 1503-1506.	1.4	1
338	Advances in understanding of mechanisms of IgE dysregulation in atopy by the application of in vitro methods. <i>Journal of Allergy and Clinical Immunology</i> , 1986, 78, 988-994.	2.9	0
339	HIV pathogenesis: Th2 shift, Th2 CD8+ T cells and CD30. <i>Research in Immunology</i> , 1994, 145, 717.	0.9	0
340	Overview of the forum, and the future of research on cytokines and HIV pathogenesis. <i>Research in Immunology</i> , 1994, 145, 714.	0.9	0
341	A Case of Chronic Urticaria Due to <i>Dirofaria</i> Infestation. <i>Allergology International</i> , 2004, 53, 383-385.	3.3	0
342	Development Of In Vitro T Cell Priming Assays For Identification Of Contact Allergens And Respiratory Sensitizers. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, AB91.	2.9	0

#	ARTICLE	IF	CITATIONS
343	A Modified Adenine Chemically Coupled to Allergenic Molecule(s) as Inducer of Allergen-specific Th2 Cells Redirection. <i>Journal of Allergy and Clinical Immunology</i> , 2010, 125, AB131.	2.9	0
344	Natural Killer Cell Deficiencies In Children With Herpetic Encephalitis - A Case Series. <i>Journal of Allergy and Clinical Immunology</i> , 2011, 127, AB14-AB14.	2.9	0
345	Human TH17 Cells. , 2011, , 231-242.		0
346	PS1-012. Evidence of a Transient Nature of the th17 Phenotype of cd4+cd161+ t Cells in the Synovial Fluid From Patients with Juvenile Idiopathic Arthritis. <i>Cytokine</i> , 2011, 56, 19.	3.2	0
347	Section 1: Psoriasis. <i>Clinical Drug Investigation</i> , 2013, 33, 63-93.	2.2	0
348	Fibroblast growth factor 2 exerts different unexpected effects on bone marrow-derived human mesenchymal stromal cells. <i>Cytotherapy</i> , 2013, 15, S15-S16.	0.7	0
349	SAT0129â€¦Incidence and clinical outcome of anti-drug antibodies in infliximab-treated patients. <i>Annals of the Rheumatic Diseases</i> , 2013, 71, 514.2-514.	0.9	0
350	Stable Conjugates Between A Novel Toll-Like Receptor 7 Ligand and Protein Allergens As Modulators Of Th2 Responses In Vitro and In Vivo. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 133, AB291.	2.9	0
351	Welcome to a new era for Clinical and Molecular Allergy. <i>Clinical and Molecular Allergy</i> , 2015, 13, 6.	1.8	0
352	Cutaneous leucocytoclastic vasculitis with anti-EJ autoantibodies: mere coincidence or a manifestation of antisynthetase syndrome?. <i>Clinical and Experimental Dermatology</i> , 2017, 42, 345-347.	1.3	0
353	Autoimmune-mediated hemotoxicities. <i>Current Opinion in Toxicology</i> , 2020, 19, 63-67.	5.0	0
354	Phosphorothioate oligonucleotides: looking for the motif(s) possessing immunostimulatory activities in humans. <i>Advances in Experimental Medicine and Biology</i> , 2001, 495, 261-264.	1.6	0
355	The Role of Lymphocytes and of their Abnormalities in Atopic Diseases. , 1987, , 140-146.		0
356	T Cell Subtypes in Allergy. , 1993, , 33-42.		0
357	Responsiveness to the Major Pollen Allergen of <i>Parietaria Officinalis</i> is Associated with Defined HLA-DRB1* Alleles in Italian and Spanish Allergic Patients. <i>Advances in Experimental Medicine and Biology</i> , 1996, 409, 75-79.	1.6	0
358	Pathophysiology of Th1 and Th2 Responses in Humans. , 1997, , 149-166.		0
359	T-Cell Independent Activation of Human B Cells by Anti-Ig Antibodies and Protein A-Containing Staphylococci. , 1999, , 25-33.		0
360	Heterogeneity of B cell growth factor (BCGF)-producing T cells in humans. Clonal analysis of BCGF-producing cells within T4+ and T8+ subsets and evidence for the involvement of different growth factors in different BCGF assays. <i>Research in Clinic and Laboratory</i> , 1986, 16, 23-28.	0.3	0

#	ARTICLE	IF	CITATIONS
361	Immune mechanisms in the pathogenesis of inflammatory gastrointestinal disorders. The Italian Journal of Gastroenterology, 1996, 28 Suppl 2, 11-7.	0.1	0