

Enrico Maggi

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3269030/enrico-maggi-publications-by-citations.pdf>

Version: 2024-04-10

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

345 papers	25,247 citations	79 h-index	152 g-index
367 ext. papers	27,225 ext. citations	6.2 avg, IF	6.2 L-index

#	Paper	IF	Citations
345	Phenotypic and functional features of human Th17 cells. <i>Journal of Experimental Medicine</i> , 2007 , 204, 1849-61	16.6	1476
344	Natural killer cell stimulatory factor (interleukin 12 [IL-12]) induces T helper type 1 (Th1)-specific immune responses and inhibits the development of IL-4-producing Th cells. <i>Journal of Experimental Medicine</i> , 1993 , 177, 1199-204	16.6	1458
343	Role for interferon-gamma in the immunomodulatory activity of human bone marrow mesenchymal stem cells. <i>Stem Cells</i> , 2006 , 24, 386-98	5.8	1030
342	Human interleukin 17-producing cells originate from a CD161+CD4+ T cell precursor. <i>Journal of Experimental Medicine</i> , 2008 , 205, 1903-16	16.6	569
341	An alternatively spliced variant of CXCR3 mediates the inhibition of endothelial cell growth induced by IP-10, Mig, and I-TAC, and acts as functional receptor for platelet factor 4. <i>Journal of Experimental Medicine</i> , 2003 , 197, 1537-49	16.6	560
340	Isolation and characterization of multipotent progenitor cells from the Bowman's capsule of adult human kidneys. <i>Journal of the American Society of Nephrology: JASN</i> , 2006 , 17, 2443-56	12.7	556
339	Defective production of both leukemia inhibitory factor and type 2 T-helper cytokines by decidual T cells in unexplained recurrent abortions. <i>Nature Medicine</i> , 1998 , 4, 1020-4	50.5	551
338	Allergen- and bacterial antigen-specific T-cell clones established from atopic donors show a different profile of cytokine production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 4538-42	11.5	519
337	IL-4 is an essential factor for the IgE synthesis induced in vitro by human T cell clones and their supernatants. <i>Journal of Immunology</i> , 1988 , 140, 4193-8	5.3	492
336	Reciprocal regulatory effects of IFN-gamma and IL-4 on the in vitro development of human Th1 and Th2 clones. <i>Journal of Immunology</i> , 1992 , 148, 2142-7	5.3	461
335	Ability of HIV to promote a TH1 to TH0 shift and to replicate preferentially in TH2 and TH0 cells. <i>Science</i> , 1994 , 265, 244-8	33.3	449
334	Regeneration of glomerular podocytes by human renal progenitors. <i>Journal of the American Society of Nephrology: JASN</i> , 2009 , 20, 322-32	12.7	407
333	Interleukin 12 induces stable priming for interferon gamma (IFN-gamma) production during differentiation of human T helper (Th) cells and transient IFN-gamma production in established Th2 cell clones. <i>Journal of Experimental Medicine</i> , 1994 , 179, 1273-83	16.6	386
332	Toll-like receptors 3 and 4 are expressed by human bone marrow-derived mesenchymal stem cells and can inhibit their T-cell modulatory activity by impairing Notch signaling. <i>Stem Cells</i> , 2008 , 26, 279-89	5.8	380
331	Infection of peripheral mononuclear blood cells by hepatitis C virus. <i>Journal of Hepatology</i> , 1992 , 15, 382-6	13.4	365
330	Phenotype, localization, and mechanism of suppression of CD4(+)CD25(+) human thymocytes. <i>Journal of Experimental Medicine</i> , 2002 , 196, 379-87	16.6	333
329	Skin-derived aeroallergen-specific T-cell clones of Th2 phenotype in patients with atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1992 , 90, 184-93	11.5	324

328	Type 1 T-helper cell predominance and interleukin-12 expression in the gut of patients with Crohn's disease. <i>American Journal of Pathology</i> , 1997 , 150, 823-32	5.8	321
327	Cell cycle-dependent expression of CXC chemokine receptor 3 by endothelial cells mediates angiostatic activity. <i>Journal of Clinical Investigation</i> , 2001 , 107, 53-63	15.9	300
326	Human CD8+CD25+ thymocytes share phenotypic and functional features with CD4+CD25+ regulatory thymocytes. <i>Blood</i> , 2003 , 102, 4107-14	2.2	297
325	IL-4 and IFN (alpha and gamma) exert opposite regulatory effects on the development of cytolytic potential by Th1 or Th2 human T cell clones. <i>Journal of Immunology</i> , 1992 , 149, 2977-83	5.3	286
324	CD161 is a marker of all human IL-17-producing T-cell subsets and is induced by RORC. <i>European Journal of Immunology</i> , 2010 , 40, 2174-81	6.1	266
323	Th2-like CD8+ T cells showing B cell helper function and reduced cytolytic activity in human immunodeficiency virus type 1 infection. <i>Journal of Experimental Medicine</i> , 1994 , 180, 489-95	16.6	247
322	CRTH2 is the most reliable marker for the detection of circulating human type 2 Th and type 2 T cytotoxic cells in health and disease. <i>European Journal of Immunology</i> , 2000 , 30, 2972-9	6.1	244
321	Th17 cells: new players in asthma pathogenesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2011 , 66, 989-98	9.3	232
320	Essential but differential role for CXCR4 and CXCR7 in the therapeutic homing of human renal progenitor cells. <i>Journal of Experimental Medicine</i> , 2008 , 205, 479-90	16.6	230
319	Identification of a novel subset of human circulating memory CD4(+) T cells that produce both IL-17A and IL-4. <i>Journal of Allergy and Clinical Immunology</i> , 2010 , 125, 222-30.e1-4	11.5	228
318	CD14+CD34 ^{low} cells with stem cell phenotypic and functional features are the major source of circulating endothelial progenitors. <i>Circulation Research</i> , 2005 , 97, 314-22	15.7	218
317	Human CD8+ T lymphocyte subsets that express HLA class I-specific inhibitory receptors represent oligoclonally or monoclonally expanded cell populations. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1996 , 93, 12433-8	11.5	213
316	Tryptase-chymase double-positive human mast cells express the eotaxin receptor CCR3 and are attracted by CCR3-binding chemokines. <i>American Journal of Pathology</i> , 1999 , 155, 1195-204	5.8	206
315	Accumulation of Th-2-like helper T cells in the conjunctiva of patients with vernal conjunctivitis. <i>Journal of Immunology</i> , 1991 , 146, 1169-74	5.3	201
314	Profiles of lymphokine activities and helper function for IgE in human T cell clones. <i>European Journal of Immunology</i> , 1988 , 18, 1045-50	6.1	198
313	Role of hormone-controlled Th1- and Th2-type cytokines in successful pregnancy. <i>Journal of Neuroimmunology</i> , 2000 , 109, 30-3	3.5	192
312	Anti-infliximab IgE and non-IgE antibodies and induction of infusion-related severe anaphylactic reactions. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2010 , 65, 657-61	9.3	178
311	Regenerative potential of embryonic renal multipotent progenitors in acute renal failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2007 , 18, 3128-38	12.7	172

310	Type 17 T helper cells-origins, features and possible roles in rheumatic disease. <i>Nature Reviews Rheumatology</i> , 2009 , 5, 325-31	8.1	169
309	Evidence of the transient nature of the Th17 phenotype of CD4+CD161+ T cells in the synovial fluid of patients with juvenile idiopathic arthritis. <i>Arthritis and Rheumatism</i> , 2011 , 63, 2504-15		160
308	The Viral Chemokine Macrophage Inflammatory Protein-II Is a Selective Th2 Chemoattractant. <i>Blood</i> , 1998 , 92, 4036-4039	2.2	156
307	The phenotype of human Th17 cells and their precursors, the cytokines that mediate their differentiation and the role of Th17 cells in inflammation. <i>International Immunology</i> , 2008 , 20, 1361-8	4.9	152
306	Th2 cells are less susceptible than Th1 cells to the suppressive activity of CD25+ regulatory thymocytes because of their responsiveness to different cytokines. <i>Blood</i> , 2004 , 103, 3117-21	2.2	149
305	CD30 expression by CD8+ T cells producing type 2 helper cytokines. Evidence for large numbers of CD8+CD30+ T cell clones in human immunodeficiency virus infection. <i>Journal of Experimental Medicine</i> , 1994 , 180, 2407-11	16.6	146
304	Assessment of chemokine receptor expression by human Th1 and Th2 cells in vitro and in vivo. <i>Journal of Leukocyte Biology</i> , 1999 , 65, 691-9	6.5	145
303	Sublingual immunotherapy with Dermatophagoides monomeric allergoid down-regulates allergen-specific immunoglobulin E and increases both interferon-gamma- and interleukin-10-production. <i>Clinical and Experimental Allergy</i> , 2006 , 36, 261-72	4.1	142
302	Type 2 helper T-cell predominance and high CD30 expression in systemic sclerosis. <i>American Journal of Pathology</i> , 1997 , 151, 1751-8	5.8	141
301	Properties and origin of human Th17 cells. <i>Molecular Immunology</i> , 2009 , 47, 3-7	4.3	137
300	Thymic regulatory T cells. <i>Autoimmunity Reviews</i> , 2005 , 4, 579-86	13.6	134
299	Aeroallergen sensitization can occur during fetal life. <i>International Archives of Allergy and Immunology</i> , 1993 , 102, 301-3	3.7	134
298	CD30, Th2 cytokines and HIV infection: a complex and fascinating link. <i>Trends in Immunology</i> , 1995 , 16, 76-80		133
297	Membrane tumour necrosis factor-alpha is involved in the polyclonal B-cell activation induced by HIV-infected human T cells. <i>Nature</i> , 1993 , 363, 464-6	50.4	131
296	The TH1/TH2 paradigm in allergy. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1998 , 3, 233-44		120
295	Polyinosinic acid: polycytidylic acid promotes T helper type 1-specific immune responses by stimulating macrophage production of interferon-alpha and interleukin-12. <i>European Journal of Immunology</i> , 1995 , 25, 2656-60	6.1	120
294	TGF-beta indirectly favors the development of human Th17 cells by inhibiting Th1 cells. <i>European Journal of Immunology</i> , 2009 , 39, 207-15	6.1	118
293	Defining the human T helper 17 cell phenotype. <i>Trends in Immunology</i> , 2012 , 33, 505-12	14.4	115

292	T-cell recognition of chemicals, protein allergens and drugs: towards the development of in vitro assays. <i>Cellular and Molecular Life Sciences</i> , 2010 , 67, 4171-84	10.3	114
291	CD30 and type 2 T helper (Th2) responses. <i>Journal of Leukocyte Biology</i> , 1995 , 57, 726-30	6.5	113
290	Functional deficit of T regulatory cells in Fulani, an ethnic group with low susceptibility to Plasmodium falciparum malaria. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2008 , 105, 646-51	11.5	105
289	Th2-oriented profile of male offspring T cells present in women with systemic sclerosis and reactive with maternal major histocompatibility complex antigens. <i>Arthritis and Rheumatism</i> , 2002 , 46, 445-50		105
288	An update on human Th1 and Th2 cells. <i>International Archives of Allergy and Immunology</i> , 1997 , 113, 153-67	5.7	103
287	Effects of interferon-alpha on cytokine profile, T cell receptor repertoire and peptide reactivity of human allergen-specific T cells. <i>European Journal of Immunology</i> , 1996 , 26, 697-703	6.1	103
286	Role of TH1/TH2 cytokines in HIV infection. <i>Immunological Reviews</i> , 1994 , 140, 73-92	11.3	102
285	Defective production of LIF, M-CSF and Th2-type cytokines by T cells at fetomaternal interface is associated with pregnancy loss. <i>Journal of Reproductive Immunology</i> , 2001 , 52, 35-43	4.2	101
284	Immune regulation by mesenchymal stem cells derived from adult spleen and thymus. <i>Stem Cells and Development</i> , 2007 , 16, 797-810	4.4	100
283	Cytokines and chemokines in follicular fluids and potential of the corresponding embryo: the role of granulocyte colony-stimulating factor. <i>Human Reproduction</i> , 2008 , 23, 2001-9	5.7	98
282	Interferon-inducible protein 10, monokine induced by interferon gamma, and interferon-inducible T-cell alpha chemoattractant are produced by thymic epithelial cells and attract T-cell receptor (TCR) alphabeta+ CD8+ single-positive T cells, TCRgammadelta+ T cells, and natural killer-type cells in human thymus. <i>Blood</i> , 2001 , 97, 601-7	2.2	98
281	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines. <i>European Journal of Immunology</i> , 2000 , 30, 204-10	6.1	97
280	Defective in vitro production of gamma-interferon and tumor necrosis factor-alpha by circulating T cells from patients with the hyper-immunoglobulin E syndrome. <i>Journal of Clinical Investigation</i> , 1989 , 84, 1830-5	15.9	96
279	Rarity of human T helper 17 cells is due to retinoic acid orphan receptor-dependent mechanisms that limit their expansion. <i>Immunity</i> , 2012 , 36, 201-14	32.3	93
278	Surface immunoglobulins are involved in the interaction of protein A with human B cells and in the triggering of B cell proliferation induced by protein A-containing Staphylococcus aureus. <i>Journal of Immunology</i> , 1981 , 127, 1307-13	5.3	93
277	Role of hormone-controlled T-cell cytokines in the maintenance of pregnancy. <i>Biochemical Society Transactions</i> , 2000 , 28, 212-5	5.1	92
276	Reduced production of interleukin 2 and interferon-gamma and enhanced helper activity for IgG synthesis by cloned CD4+ T cells from patients with AIDS. <i>European Journal of Immunology</i> , 1987 , 17, 1685-90	6.1	88
275	Distinctive features of classic and nonclassic (Th17 derived) human Th1 cells. <i>European Journal of Immunology</i> , 2012 , 42, 3180-8	6.1	87

274	CXCR3-mediated opposite effects of CXCL10 and CXCL4 on TH1 or TH2 cytokine production. <i>Journal of Allergy and Clinical Immunology</i> , 2005 , 116, 1372-9	11.5	86
273	The novel synthetic immune response modifier R-848 (Resiquimod) shifts human allergen-specific CD4+ TH2 lymphocytes into IFN-gamma-producing cells. <i>Journal of Allergy and Clinical Immunology</i> , 2003 , 111, 380-8	11.5	84
272	Human bone marrow non-B, non-T cells produce interleukin 4 in response to cross-linkage of Fc epsilon and Fc gamma receptors. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1991 , 88, 8656-60	11.5	84
271	Role for interactions between IP-10/Mig and CXCR3 in proliferative glomerulonephritis. <i>Journal of the American Society of Nephrology: JASN</i> , 1999 , 10, 2518-26	12.7	83
270	Acute infusion reactions induced by monoclonal antibody therapy. <i>Expert Review of Clinical Immunology</i> , 2011 , 7, 55-63	5.1	82
269	Frequency of regulatory T cells in peripheral blood and in tumour-infiltrating lymphocytes correlates with poor prognosis in renal cell carcinoma. <i>BJU International</i> , 2011 , 107, 1500-6	5.6	81
268	The ImmunoCAP ISAC molecular allergology approach in adult multi-sensitized Italian patients with respiratory symptoms. <i>Clinical Biochemistry</i> , 2011 , 44, 1005-11	3.5	81
267	In vivo CD30 expression in human diseases with predominant activation of Th2-like T cells. <i>Journal of Leukocyte Biology</i> , 1997 , 61, 539-544	6.5	80
266	Is IgE or eosinophils the key player in allergic asthma pathogenesis? Are we asking the right question?. <i>Respiratory Research</i> , 2018 , 19, 113	7.3	79
265	Expression and release of LAG-3-encoded protein by human CD4+ T cells are associated with IFN-gamma production. <i>FASEB Journal</i> , 1996 , 10, 769-76	0.9	78
264	Role of interleukins in induction and regulation of human IgE synthesis. <i>Clinical Immunology and Immunopathology</i> , 1989 , 50, S13-23		77
263	Aberrant interleukin (IL)-4 and IL-5 production in vitro by CD4+ helper T cells from atopic subjects. <i>European Journal of Immunology</i> , 1992 , 22, 1615-20	6.1	73
262	Demonstration on protein A of two distinct immunoglobulin-binding sites and their role in the mitogenic activity of Staphylococcus aureus Cowan I on human B cells. <i>Journal of Immunology</i> , 1982 , 129, 596-602	5.3	73
261	Different mitogenic activity of soluble and insoluble staphylococcal protein A (SPA). <i>Immunology</i> , 1978 , 35, 471-8	7.8	72
260	B cell growth factor activity of interferon-gamma. Recombinant human interferon-gamma promotes proliferation of anti-mu-activated human B lymphocytes. <i>Journal of Immunology</i> , 1986 , 136, 3513-6	5.3	70
259	High CD30 Ligand Expression by Epithelial Cells and Hassall's Corpuscles in the Medulla of Human Thymus. <i>Blood</i> , 1998 , 91, 3323-3332	2.2	68
258	Antibodies to interferon (IFN) in hepatitis C patients relapsing while continuing recombinant IFN-alpha2 therapy. <i>Clinical and Experimental Immunology</i> , 1996 , 104, 384-7	6.2	68
257	Noncognate contact-dependent B cell activation can promote IL-4-dependent in vitro human IgE synthesis. <i>Journal of Immunology</i> , 1990 , 144, 2102-8	5.3	68

256	Abnormal production of T helper 2 cytokines interleukin-4 and interleukin-5 by T cells from newborns with atopic parents. <i>European Journal of Immunology</i> , 1996 , 26, 2293-8	6.1	67
255	Autologous chondrocyte implantation (ACI) for aged patients: development of the proper cell expansion conditions for possible therapeutic applications. <i>Osteoarthritis and Cartilage</i> , 2005 , 13, 589-600	6.2	66
254	COVID-19: Unanswered questions on immune response and pathogenesis. <i>Journal of Allergy and Clinical Immunology</i> , 2020 , 146, 18-22	11.5	65
253	Enhanced HIV expression during Th2-oriented responses explained by the opposite regulatory effect of IL-4 and IFN-gamma of fusin/CXCR4. <i>European Journal of Immunology</i> , 1998 , 28, 3280-90	6.1	65
252	IP-10 and Mig production by glomerular cells in human proliferative glomerulonephritis and regulation by nitric oxide. <i>Journal of the American Society of Nephrology: JASN</i> , 2002 , 13, 53-64	12.7	63
251	Standardizing terms, definitions and concepts for describing and interpreting unwanted immunogenicity of biopharmaceuticals: recommendations of the Innovative Medicines Initiative ABIRISK consortium. <i>Clinical and Experimental Immunology</i> , 2015 , 181, 385-400	6.2	62
250	Human circulating group 2 innate lymphoid cells can express CD154 and promote IgE production. <i>Journal of Allergy and Clinical Immunology</i> , 2017 , 139, 964-976.e4	11.5	61
249	Th17 and non-classic Th1 cells in chronic inflammatory disorders: two sides of the same coin. <i>International Archives of Allergy and Immunology</i> , 2014 , 164, 171-7	3.7	61
248	Human immature myeloid dendritic cells trigger a TH2-polarizing program via Jagged-1/Notch interaction. <i>Journal of Allergy and Clinical Immunology</i> , 2008 , 121, 1000-5.e8	11.5	61
247	Demonstration of circulating allergen-specific CD4+CD25highFoxp3+ T-regulatory cells in both nonatopic and atopic individuals. <i>Journal of Allergy and Clinical Immunology</i> , 2007 , 120, 429-36	11.5	61
246	Macrophage-derived chemokine and EBI1-ligand chemokine attract human thymocytes in different stage of development and are produced by distinct subsets of medullary epithelial cells: possible implications for negative selection. <i>Journal of Immunology</i> , 2000 , 165, 238-46	5.3	60
245	Cytolytic T lymphocytes with natural killer activity in thyroid infiltrate of patients with Hashimoto's thyroiditis: analysis at clonal level. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1986 , 62, 52-7	5.6	60
244	Opposite role for interleukin-4 and interferon-gamma on CD30 and lymphocyte activation gene-3 (LAG-3) expression by activated naive T cells. <i>European Journal of Immunology</i> , 1997 , 27, 2239-44	6.1	57
243	Production of IL-4 and leukemia inhibitory factor by T cells of the cumulus oophorus: a favorable microenvironment for pre-implantation embryo development. <i>European Journal of Immunology</i> , 2001 , 31, 2431-7	6.1	57
242	Relaxin favors the development of activated human T cells into Th1-like effectors. <i>European Journal of Immunology</i> , 1999 , 29, 2241-7	6.1	56
241	Demethylation of the RORC2 and IL17A in human CD4+ T lymphocytes defines Th17 origin of nonclassic Th1 cells. <i>Journal of Immunology</i> , 2015 , 194, 3116-26	5.3	54
240	T-cell responses induced by allergen-specific immunotherapy. <i>Clinical and Experimental Immunology</i> , 2010 , 161, 10-8	6.2	54
239	PF-4/CXCL4 and CXCL4L1 exhibit distinct subcellular localization and a differentially regulated mechanism of secretion. <i>Blood</i> , 2007 , 109, 4127-34	2.2	54

238	CD30 ligation induces nuclear factor-kappa B activation in human T cell lines. <i>European Journal of Immunology</i> , 1995 , 25, 2870-6	6.1	53
237	Immediate adverse reactions to biologicals: from pathogenic mechanisms to prophylactic management. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2011 , 11, 262-8	3.3	52
236	Role for T cells, IL-2 and IL-6 in the IL-4-dependent in vitro human IgE synthesis. <i>Immunology</i> , 1989 , 68, 300-6	7.8	52
235	In vitro production of IgE by human peripheral blood mononuclear cells. II. Cells involved in the spontaneous IgE production in atopic patients. <i>Clinical and Experimental Immunology</i> , 1980 , 42, 579-88	6.2	52
234	Highly Th2-skewed cytokine profile of beta-lactam-specific T cells from nonatopic subjects with adverse drug reactions. <i>Journal of Immunology</i> , 1999 , 163, 1053-9	5.3	52
233	Activation of HIV expression by CD30 triggering in CD4+ T cells from HIV-infected individuals. <i>Immunity</i> , 1995 , 3, 251-5	32.3	50
232	In vitro production of IgE by human peripheral blood mononuclear cells. I. Rate of IgE biosynthesis. <i>Clinical and Experimental Immunology</i> , 1980 , 42, 167-74	6.2	50
231	Potential pathogenetic role of Th17, Th0, and Th2 cells in erosive and reticular oral lichen planus. <i>Oral Diseases</i> , 2014 , 20, 212-8	3.5	49
230	Evaluation of different inhaled combination therapies (EDICT): a randomised, double-blind comparison of Seretide (50/250 microg bd Diskus vs. Formoterol (12 microg bd) and budesonide (800 microg bd) given concurrently (both via Turbuhaler) in patients with moderate-to-severe asthma. <i>Respiratory Medicine</i> , 2002 , 96, 851-61	4.6	49
229	Th1 versus Th2 responses in AIDS. <i>Current Opinion in Immunology</i> , 1994 , 6, 616-22	7.8	49
228	Interleukin-1 favours the in vitro development of type 2 T helper (Th2) human T-cell clones. <i>Research in Immunology</i> , 1994 , 145, 93-100		49
227	The additional values of microarray allergen assay in the management of polysensitized patients with respiratory allergy. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2013 , 68, 1029-33	9.3	47
226	Human Th17 cells: are they different from murine Th17 cells?. <i>European Journal of Immunology</i> , 2009 , 39, 637-40	6.1	47
225	Limited expression of R5-tropic HIV-1 in CCR5-positive type 1β polarized T cells explained by their ability to produce RANTES, MIP-1β and MIP-1α. <i>Blood</i> , 2000 , 95, 1167-1174	2.2	46
224	Allergological in vitro and in vivo evaluation of patients with hypersensitivity reactions to infliximab. <i>Clinical and Experimental Allergy</i> , 2013 , 43, 659-64	4.1	45
223	Drug-specific Th2 cells and IgE antibodies in a patient with anaphylaxis to rituximab. <i>International Archives of Allergy and Immunology</i> , 2012 , 159, 321-6	3.7	45
222	An alternative view of the Th1/Th2 switch hypothesis in HIV infection. <i>AIDS Research and Human Retroviruses</i> , 1994 , 10, iii-ix	1.6	45
221	A lymphoproliferative disorder of the large granular lymphocytes with natural killer activity. <i>Journal of Clinical Immunology</i> , 1983 , 3, 30-41	5.7	44

220	Mesenchymal stem cells are enriched in head neck squamous cell carcinoma, correlates with tumour size and inhibit T-cell proliferation. <i>British Journal of Cancer</i> , 2015 , 112, 745-54	8.7	43
219	Redirection of allergen-specific TH2 responses by a modified adenine through Toll-like receptor 7 interaction and IL-12/IFN release. <i>Journal of Allergy and Clinical Immunology</i> , 2006 , 118, 511-7	11.5	43
218	Phosphorothioate oligodeoxynucleotides promote the in vitro development of human allergen-specific CD4+ T cells into Th1 effectors. <i>Journal of Immunology</i> , 1999 , 163, 5946-53	5.3	42
217	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. <i>Blood</i> , 1997 , 89, 3672-3681	2.2	41
216	Asthma control in severe asthmatics under treatment with omalizumab: a cross-sectional observational study in Italy. <i>Pulmonary Pharmacology and Therapeutics</i> , 2015 , 31, 123-9	3.5	39
215	CD4+CD161+ T lymphocytes infiltrate Crohn's disease-associated perianal fistulas and are reduced by anti-TNF- α local therapy. <i>International Archives of Allergy and Immunology</i> , 2013 , 161, 81-6	3.7	39
214	Brief report: etanercept inhibits the tumor necrosis factor α -driven shift of Th17 lymphocytes toward a nonclassic Th1 phenotype in juvenile idiopathic arthritis. <i>Arthritis and Rheumatology</i> , 2014 , 66, 1372-7	9.5	38
213	Displacement of T lymphocytes with the α Helper/Inducer phenotype from peripheral blood to lymphoid organs in untreated patients with Hodgkin's disease. <i>Scandinavian Journal of Haematology</i> , 1983 , 31, 305-14		38
212	Anti-cyclic citrullinated peptide antibodies are highly associated with severe bone lesions in rheumatoid arthritis anti-CCP and bone damage in RA. <i>Autoimmunity</i> , 2004 , 37, 495-501	3	38
211	Reversal of human allergen-specific CRTH2+ T(H)2 cells by IL-12 or the PS-DSP30 oligodeoxynucleotide. <i>Journal of Allergy and Clinical Immunology</i> , 2001 , 108, 815-21	11.5	38
210	Frequent coexpression of cytolytic activity and lymphokine production among human T lymphocytes. Production of B cell growth factor and interleukin 2 by T8+ and T4+ cytolytic clones. <i>European Journal of Immunology</i> , 1984 , 14, 1066-9	6.1	37
209	Altered proportion of T mu- and T gamma-cell subpopulations in patients with Hodgkin's disease. <i>Scandinavian Journal of Immunology</i> , 1978 , 7, 511-4	3.4	37
208	High serum β -lactams specific/total IgE ratio is associated with immediate reactions to β -lactams antibiotics. <i>PLoS ONE</i> , 2015 , 10, e0121857	3.7	35
207	Tako-Tsubo-like syndrome during anaphylactic reaction. <i>European Journal of Heart Failure</i> , 2007 , 9, 209-11	11.3	35
206	Serum levels of soluble interleukin-2 receptor in Hodgkin disease. Relationship with clinical stage, tumor burden, and treatment outcome. <i>Cancer</i> , 1993 , 72, 201-6	6.4	35
205	In vivo activated cytotoxic T cells in the thyroid infiltrate of patients with Hashimoto's thyroiditis. <i>Clinical and Experimental Immunology</i> , 1986 , 65, 140-7	6.2	35
204	Eomes controls the development of Th17-derived (non-classic) Th1 cells during chronic inflammation. <i>European Journal of Immunology</i> , 2019 , 49, 79-95	6.1	34
203	Main features of human T helper 17 cells. <i>Annals of the New York Academy of Sciences</i> , 2013 , 1284, 66-70	6.5	34

202	Molecular basis of cross-reactivity among allergen-specific human T cells: T-cell receptor V alpha gene usage and epitope structure. <i>Immunology</i> , 1994 , 81, 15-20	7.8	34
201	In vitro selective expansion of allergen specific T cells from atopic patients. <i>Clinical and Experimental Immunology</i> , 1983 , 52, 21-8	6.2	34
200	Activation through CD3 molecule leads a number of human T cell clones to induce IgE synthesis in vitro by B cells from allergic and nonallergic individuals. <i>Journal of Immunology</i> , 1987 , 138, 1744-9	5.3	33
199	HLA-G5 induces IL-4 secretion critical for successful pregnancy through differential expression of ILT2 receptor on decidual CD4+ T cells and macrophages. <i>Journal of Immunology</i> , 2013 , 191, 3651-62	5.3	32
198	Influence of total serum IgE levels on the in vitro detection of beta-lactams-specific IgE antibodies. <i>Clinical and Experimental Allergy</i> , 2009 , 39, 838-44	4.1	32
197	Abnormalities of in vitro immunoglobulin synthesis by peripheral blood lymphocytes from untreated patients with Hodgkin's disease. <i>Journal of Clinical Investigation</i> , 1983 , 71, 1375-82	15.9	32
196	The TLR7 ligand 9-benzyl-2-butoxy-8-hydroxy adenine inhibits IL-17 response by eliciting IL-10 and IL-10-inducing cytokines. <i>Journal of Immunology</i> , 2011 , 186, 4707-15	5.3	31
195	Chemoattractant receptors expressed on type 2 T cells and their role in disease. <i>International Archives of Allergy and Immunology</i> , 2001 , 125, 273-9	3.7	31
194	Human Th1 dichotomy: origin, phenotype and biologic activities. <i>Immunology</i> , 2014 , 144, 343	7.8	30
193	The quality of life of children and adolescents with X-linked agammaglobulinemia. <i>Journal of Clinical Immunology</i> , 2009 , 29, 501-7	5.7	30
192	Decrease of allergen-specific T-cell response induced by local nasal immunotherapy. <i>Clinical and Experimental Allergy</i> , 1998 , 28, 404-12	4.1	30
191	IgE synthesis in vitro induced by T cell factors from patients with elevated serum IgE levels. <i>Clinical and Experimental Immunology</i> , 1983 , 52, 85-8	6.2	30
190	Manifestations of Antidrug Antibodies Response: Hypersensitivity and Infusion Reactions. <i>Journal of Interferon and Cytokine Research</i> , 2014 , 34, 946-952	3.5	29
189	Development in vitro of human CD4+ thymocytes into functionally mature Th2 cells. Exogenous interleukin-12 is required for priming thymocytes to produce both Th1 cytokines and interleukin-10. <i>European Journal of Immunology</i> , 1996 , 26, 1083-7	6.1	29
188	Omalizumab dampens type 2 inflammation in a group of long-term treated asthma patients and detaches IgE from FcβI. <i>European Journal of Immunology</i> , 2018 , 48, 2005-2014	6.1	29
187	Genetic and environmental factors contributing to the onset of allergic disorders. <i>International Archives of Allergy and Immunology</i> , 2000 , 121, 2-9	3.7	28
186	Human T cell clones can induce in vitro IgE synthesis in normal B cells regardless of alloantigen recognition or specificity for peculiar antigens. <i>European Journal of Immunology</i> , 1986 , 16, 1509-14	6.1	28
185	In vitro synthesis of human IgE: reappraisal of a 5-year study. <i>International Archives of Allergy and Immunology</i> , 1985 , 77, 32-7	3.7	28

184	Cellular and humoral immune responses during tuberculosis infection: useful knowledge in the era of biological agents. <i>Journal of rheumatology Supplement, The</i> , 2014 , 91, 17-23		27
183	Mechanisms of action of Ig preparations: immunomodulatory and anti-inflammatory effects. <i>Frontiers in Immunology</i> , 2014 , 5, 690	8.4	27
182	T-cell responses during allergen-specific immunotherapy. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2012 , 12, 1-6	3.3	27
181	No relationship between skin-infiltrating TH2-like cells and allergen-specific IgE response in atopic dermatitis. <i>Journal of Allergy and Clinical Immunology</i> , 1995 , 96, 411-20	11.5	27
180	Co-operation between T and B lymphocytes from human tonsils in the response to mitogens and antigens. <i>Clinical and Experimental Immunology</i> , 1977 , 28, 332-40	6.2	27
179	T cell clones providing helper function for IgE synthesis release soluble factor(s) that induce IgE production in human B cells: possible role for interleukin 4 (IL-4). <i>Clinical and Experimental Immunology</i> , 1988 , 73, 57-62	6.2	27
178	Detection by flow cytometry of ESAT-6- and PPD-specific circulating CD4+ T lymphocytes as a diagnostic tool for tuberculosis. <i>International Archives of Allergy and Immunology</i> , 2007 , 143, 1-9	3.7	26
177	Eosinophils, the IL-5/IL-5R α axis, and the biologic effects of benralizumab in severe asthma. <i>Respiratory Medicine</i> , 2019 , 160, 105819	4.6	25
176	IL-4-induced gene 1 maintains high Tob1 expression that contributes to TCR unresponsiveness in human T helper 17 cells. <i>European Journal of Immunology</i> , 2014 , 44, 654-61	6.1	25
175	TLR7/8 agonists impair monocyte-derived dendritic cell differentiation and maturation. <i>Journal of Leukocyte Biology</i> , 2007 , 81, 221-8	6.5	25
174	Isolation and characterization of allergen-binding cells from normal and allergic donors. <i>Immunotechnology: an International Journal of Immunological Engineering</i> , 1995 , 1, 115-25		25
173	Role of interleukin 4 and gamma interferon in the regulation of human IgE synthesis: possible alterations in atopic patients. <i>International Archives of Allergy and Immunology</i> , 1989 , 88, 111-3	3.7	25
172	Safety and tolerability of infliximab therapy: suggestions and criticisms based on wide clinical experience. <i>International Journal of Immunopathology and Pharmacology</i> , 2008 , 21, 367-74	3	24
171	CXCR3 and alphaEbeta7 integrin identify a subset of CD8+ mature thymocytes that share phenotypic and functional properties with CD8+ gut intraepithelial lymphocytes. <i>Gut</i> , 2006 , 55, 961-8	19.2	24
170	Platelet aggregation and histamine release by immunological stimuli. <i>Immunopharmacology</i> , 1994 , 28, 19-29		24
169	Decidual Interleukin-22-Producing CD4+ T Cells (Th17/Th0/IL-22+ and Th17/Th2/IL-22+, Th2/IL-22+, Th0/IL-22+), Which Also Produce IL-4, Are Involved in the Success of Pregnancy. <i>International Journal of Molecular Sciences</i> , 2019 , 20,	6.3	23
168	Association of responsiveness to the major pollen allergen of <i>Parietaria officinalis</i> with HLA-DRB1* alleles: a multicenter study. <i>Human Immunology</i> , 1996 , 46, 100-6	2.3	23
167	Increased numbers of Th2-like CD4+ T cells in target organs and in the allergen-specific repertoire of allergic patients. Possible role of IL-4 produced by non-T cells. <i>International Archives of Allergy and Immunology</i> , 1991 , 94, 133-6	3.7	23

166	Circulating T cells to infliximab are detectable mainly in treated patients developing anti-drug antibodies and hypersensitivity reactions. <i>Clinical and Experimental Immunology</i> , 2016 , 186, 364-372	6.2	22
165	Interleukin-17-producing decidual CD4+ T cells are not deleterious for human pregnancy when they also produce interleukin-4. <i>Clinical and Molecular Allergy</i> , 2016 , 14, 1	3.7	22
164	Modified adenine (9-benzyl-2-butoxy-8-hydroxyadenine) redirects Th2-mediated murine lung inflammation by triggering TLR7. <i>Journal of Immunology</i> , 2009 , 182, 880-9	5.3	22
163	In vitro infection with HIV enables human CD4+ T cell clones to induce noncognate contact-dependent polyclonal B cell activation. <i>Journal of Immunology</i> , 1991 , 146, 3413-8	5.3	22
162	In vitro production of IgE by human peripheral blood mononuclear cells. III. Demonstration of a circulating IgE-bearing cell involved in the spontaneous IgE biosynthesis. <i>Clinical and Experimental Immunology</i> , 1982 , 49, 176-84	6.2	22
161	HIV can induce a TH1 to TH0 shift, and preferentially replicates in CD4+ T-cell clones producing TH2-type cytokines. <i>Research in Immunology</i> , 1994 , 145, 611-7; discussion 617-8		21
160	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988 , 71, 1503-1506	2.2	21
159	Quantitative analysis of the CD4+ T cell response to therapeutic antibodies in healthy donors using a novel T cell:PBMC assay. <i>PLoS ONE</i> , 2017 , 12, e0178544	3.7	21
158	Angiogenic T cell expansion correlates with severity of peripheral vascular damage in systemic sclerosis. <i>PLoS ONE</i> , 2017 , 12, e0183102	3.7	21
157	Skin testing and infliximab-specific antibodies detection as a combined strategy for preventing infusion reaction. <i>Internal and Emergency Medicine</i> , 2012 , 7 Suppl 2, S77-9	3.7	20
156	Vascular endothelial growth factor receptor-2 and low affinity VEGF binding sites on human glomerular endothelial cells: Biological effects and advanced glycosylation end products modulation. <i>Microvascular Research</i> , 2005 , 70, 179-88	3.7	20
155	BCA-1, A B-cell chemoattractant signal, is constantly expressed in cutaneous lymphoproliferative B-cell disorders. <i>European Journal of Cancer</i> , 2003 , 39, 1625-31	7.5	20
154	Clonal analysis of T lymphocytes in spleens from patients with Hodgkin's disease. Frequent occurrence of unusual T4-positive cells which co-express cytolytic activity and production of interleukin-2. <i>International Journal of Cancer</i> , 1986 , 37, 343-9	7.5	20
153	High CD30 ligand expression by epithelial cells and Hassall's corpuscles in the medulla of human thymus. <i>Blood</i> , 1998 , 91, 3323-32	2.2	20
152	Type 1 T helper cells specific for <i>Candida albicans</i> antigens in peripheral blood and vaginal mucosa of women with recurrent vaginal candidiasis. <i>Journal of Infectious Diseases</i> , 2002 , 186, 87-93	7	19
151	Synergy of B cell growth factor and interleukin 2 in the proliferation of activated human B cells. <i>European Journal of Immunology</i> , 1985 , 15, 1158-64	6.1	19
150	Hyperproduction of IgE and T-cell dysfunction in Hodgkin's disease. <i>International Archives of Allergy and Immunology</i> , 1980 , 63, 64-72	3.7	19
149	T-cell independence of immunoglobulin synthesis by human peripheral blood lymphocytes stimulated with SpA-containing staphylococci. <i>Immunology</i> , 1980 , 41, 921-7	7.8	19

148	Therapeutic Efficacy of Autologous Non-Mobilized Enriched Circulating Endothelial Progenitors in Patients With Critical Limb Ischemia - The SCELTA Trial. <i>Circulation Journal</i> , 2018 , 82, 1688-1698	2.9	18
147	AT1 and AT2 receptors in human glomerular endothelial cells at different passages. <i>Microvascular Research</i> , 2003 , 66, 22-9	3.7	18
146	Cytokine production by allergen (Der pI)-specific CD4+ T cell clones derived from a patient with severe atopic disease. <i>International Journal of Clinical and Laboratory Research</i> , 1991 , 21, 186-9		18
145	In vitro production of IgE by human peripheral blood mononuclear cells. IV. Modulation by allergen of the spontaneous IgE antibody biosynthesis. <i>Clinical and Experimental Immunology</i> , 1982 , 49, 185-92	6.2	18
144	Receptors for IgM: a feature of subpopulations of both T and B human lymphocytes. <i>Clinical and Experimental Immunology</i> , 1978 , 32, 324-32	6.2	18
143	Chemokine receptors and other surface molecules preferentially associated with human Th1 or Th2 cells. <i>Microbes and Infection</i> , 1999 , 1, 103-6	9.3	17
142	Recent advances in the phenotypic and functional analysis of human T lymphocytes. <i>Seminars in Hematology</i> , 1984 , 21, 257-69	4	17
141	Cytokines and chemokines in T lymphopoiesis and T-cell effector function. <i>Trends in Immunology</i> , 2000 , 21, 416-8		16
140	Role of T cells and T-cell-derived cytokines in the pathogenesis of allergic diseases. <i>Annals of the New York Academy of Sciences</i> , 1994 , 725, 2-12	6.5	16
139	Effect of in vitro irradiation and cell cycle-inhibitory drugs on the spontaneous human IgE synthesis in vitro. <i>Journal of Allergy and Clinical Immunology</i> , 1987 , 79, 69-77	11.5	15
138	Influence of anti-TNF immunogenicity on safety in rheumatic disease: a narrative review. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 3-10	4.1	15
137	Immunosuppressive Activity of Abatacept on Circulating T Helper Lymphocytes from Juvenile Idiopathic Arthritis Patients. <i>International Archives of Allergy and Immunology</i> , 2016 , 171, 45-53	3.7	14
136	An overview on safety of monoclonal antibodies. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2016 , 16, 576-581	3.3	14
135	Assays and strategies for immunogenicity assessment of biological agents. <i>Drug Development Research</i> , 2014 , 75 Suppl 1, S4-6	5.1	14
134	Poly(I:C) promotes the production of IL-17A by murine CD1d-driven invariant NKT cells in airway inflammation. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2012 , 67, 1223-32	9.3	14
133	Hypergravity speeds up the development of T-lymphocyte motility. <i>European Biophysics Journal</i> , 2006 , 35, 393-400	1.9	14
132	Role for CD30 in HIV expression. <i>Immunology Letters</i> , 1996 , 51, 83-8	4.1	14
131	Human TH1 and TH2 Subsets. <i>International Archives of Allergy and Immunology</i> , 1992 , 99, 242-245	3.7	14

130	Short- and long-term effects of radiation on T-cell subsets in peripheral blood of patients with Hodgkin's disease. <i>Cancer</i> , 1980 , 46, 2590-5	6.4	14
129	Low-Dose Mepolizumab Effectiveness in Patients Suffering From Eosinophilic Granulomatosis With Polyangiitis. <i>Allergy, Asthma and Immunology Research</i> , 2020 , 12, 885-893	5.3	14
128	Musculin inhibits human T-helper 17 cell response to interleukin 2 by controlling STAT5B activity. <i>European Journal of Immunology</i> , 2017 , 47, 1427-1442	6.1	13
127	Influence of both TCR repertoire and severity of the atopic status on the cytokine secretion profile of <i>Parietaria officinalis</i> -specific T cells. <i>European Journal of Immunology</i> , 1998 , 28, 37-46	6.1	13
126	TH2 downregulation of macrophage HIV-1 replication. <i>Science</i> , 1995 , 267, 538-9	33.3	13
125	Different reactivity of activated human B cells to B-cell growth factor and interleukin 2 in the costimulation assay with anti-IgM antibody and in the preactivation assay with <i>Staphylococcus</i> bacteria. <i>Cellular Immunology</i> , 1985 , 95, 358-67	4.4	13
124	Clinicogenomic factors of biotherapy immunogenicity in autoimmune disease: A prospective multicohort study of the ABIRISK consortium. <i>PLoS Medicine</i> , 2020 , 17, e1003348	11.6	13
123	Th1-Induced CD106 Expression Mediates Leukocytes Adhesion on Synovial Fibroblasts from Juvenile Idiopathic Arthritis Patients. <i>PLoS ONE</i> , 2016 , 11, e0154422	3.7	13
122	A novel allergen-adjuvant conjugate suitable for specific immunotherapy of respiratory allergy. <i>Journal of Allergy and Clinical Immunology</i> , 2013 , 132, 84-92	11.5	12
121	Microchimerism and systemic sclerosis. <i>International Archives of Allergy and Immunology</i> , 2001 , 125, 196-202	3.7	12
120	Development and application of in vitro models for the study of human IgE synthesis. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1988 , 43 Suppl 5, 32-7	9.3	12
119	Surface markers and function of circulating thyroid autoantibody-producing cells. <i>Journal of Clinical Endocrinology and Metabolism</i> , 1984 , 58, 18-24	5.6	12
118	Frequent T4-positive cells with cytolytic activity in spleens of patients with Hodgkin's disease (a clonal analysis). <i>Journal of Immunology</i> , 1986 , 136, 1516-20	5.3	12
117	The Kinetics of Antidrug Antibodies, Drug Levels, and Clinical Outcomes in Infliximab-Exposed Patients with Immune-Mediated Disorders. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2018 , 6, 2065-2072.e2	5.4	11
116	Perspectives in vaccine adjuvants for allergen-specific immunotherapy. <i>Immunology Letters</i> , 2014 , 161, 207-10	4.1	11
115	Environmental factors favoring the allergen-specific Th2 response in allergic subjects. <i>Annals of the New York Academy of Sciences</i> , 2000 , 917, 844-52	6.5	11
114	Partial safety of the new COX-2 inhibitor rofecoxib in NSAIDs high sensitive patients. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2004 , 59, 1133-4	9.3	11
113	Redirecting Th2 responses in allergy. <i>Current Topics in Microbiology and Immunology</i> , 1999 , 238, 27-56	3.3	11

112	Medroxyprogesterone Acetate Decreases Th1, Th17, and Increases Th22 Responses via AHR Signaling Which Could Affect Susceptibility to Infections and Inflammatory Disease. <i>Frontiers in Immunology</i> , 2019 , 10, 642	8.4	10
111	IL-10-Producing Infliximab-Specific T Cells Regulate the Antidrug T Cell Response in Exposed Patients. <i>Journal of Immunology</i> , 2017 , 199, 1283-1289	5.3	10
110	Role of low nuclear grading of renal carcinoma cells in the functional profile of tumor-infiltrating T cells. <i>International Journal of Cancer</i> , 2002 , 98, 674-81	7.5	10
109	Functional features of human CD25+ regulatory thymocytes. <i>Microbes and Infection</i> , 2005 , 7, 1017-22	9.3	10
108	HLA-DRB1* and allergy to Parietaria: linkage and association analyses. <i>Human Immunology</i> , 1999 , 60, 1250-8	2.3	10
107	Functional Characterization and Modulation of Cytokine Production by CD8+ T Cells from Human Immunodeficiency Virus-Infected Individuals. <i>Blood</i> , 1997 , 89, 3672-3681	2.2	10
106	How the immune system responds to therapeutic biological agents. <i>Journal of International Medical Research</i> , 2016 , 44, 38-42	1.4	10
105	Role of interleukin-4 in the induction of human IgE synthesis and its suppression by interferon-gamma. <i>Research in Clinic and Laboratory</i> , 1987 , 17, 363-7		10
104	Tocilizumab in Giant Cell Arteritis: A Real-Life Retrospective Study. <i>Angiology</i> , 2018 , 69, 763-769	2.1	9
103	T cells specific for Candida albicans antigens and producing type 2 cytokines in lesional mucosa of untreated HIV-infected patients with pseudomembranous oropharyngeal candidiasis. <i>Microbes and Infection</i> , 2008 , 10, 166-74	9.3	9
102	Coronary vasospasm during an acute allergic reaction. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2002 , 57, 867-8	9.3	9
101	Activated and "memory" phenotype of circulating T lymphocytes in intrauterine life. <i>Cellular Immunology</i> , 1994 , 155, 486-92	4.4	9
100	Protein A reactivity of lymphocytes from some patients with chronic lymphocytic leukaemia mediated by an interaction with the F(ab)2 region of surface immunoglobulin. <i>Scandinavian Journal of Immunology</i> , 1982 , 15, 287-95	3.4	9
99	Study of some immunological parameters in untreated patients with Hodgkin's disease. <i>International Archives of Allergy and Immunology</i> , 1977 , 55, 429-38	3.7	9
98	Role of T cells in the pathogenesis of Hodgkin's disease. <i>International Review of Experimental Pathology</i> , 1992 , 33, 141-64		9
97	Asthma and Chronic Rhinosinusitis: How Similar Are They in Pathogenesis and Treatment Responses?. <i>International Journal of Molecular Sciences</i> , 2021 , 22,	6.3	9
96	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines 2000 , 30, 204		9
95	CRTH2: marker for the detection of human Th2 and Tc2 cells. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 495, 25-9	3.6	9

94	Functional characterization and modulation of cytokine production by CD8+ T cells from human immunodeficiency virus-infected individuals. <i>Blood</i> , 1997 , 89, 3672-81	2.2	9
93	Increased production of IgE protein and IgE antibodies specific for fungal antigens in patients with the acquired immunodeficiency syndrome. <i>Research in Clinic and Laboratory</i> , 1989 , 19, 45-9		9
92	T Cell Response to Infliximab in Exposed Patients: A Longitudinal Analysis. <i>Frontiers in Immunology</i> , 2018 , 9, 3113	8.4	8
91	Omalizumab in elderly patients with chronic spontaneous urticaria: An Italian real-life experience. <i>Annals of Allergy, Asthma and Immunology</i> , 2018 , 120, 318-323	3.2	8
90	Efficacy and Safety of Mepolizumab (Anti-Interleukin-5) Treatment in Gleich® Syndrome. <i>Frontiers in Immunology</i> , 2018 , 9, 1198	8.4	8
89	Assessment of the risk of polyomavirus JC reactivation in patients with immune-mediated diseases during long-term treatment with infliximab. <i>Journal of NeuroVirology</i> , 2012 , 18, 55-61	3.9	8
88	Heart as the early main target of severe anaphylactic reactions: two case reports. <i>Internal and Emergency Medicine</i> , 2011 , 6, 467-9	3.7	8
87	Th1 and Th2 Cells in HIV Infection. <i>Chemical Immunology and Allergy</i> , 1996 , 63, 138-157		8
86	Preventive effects of beclomethasone on histamine-induced changes in breathing pattern in asthma. <i>Chest</i> , 1993 , 103, 122-8	5.3	8
85	Study of some properties of the receptor for IgM on human lymphocytes. <i>Clinical and Experimental Immunology</i> , 1979 , 36, 502-10	6.2	8
84	Chitinase 3-like-1 is produced by human Th17 cells and correlates with the level of inflammation in juvenile idiopathic arthritis patients. <i>Clinical and Molecular Allergy</i> , 2016 , 14, 16	3.7	8
83	The safety of monoclonal antibodies in asthma. <i>Expert Opinion on Drug Safety</i> , 2016 , 15, 1087-95	4.1	8
82	Pathogenic Mechanisms of Vaccine-Induced Immune Thrombotic Thrombocytopenia in People Receiving Anti-COVID-19 Adenoviral-Based Vaccines: A Proposal. <i>Frontiers in Immunology</i> , 2021 , 12, 728513	8.4	8
81	Mechanisms of Drug Desensitization: Not Only Mast Cells. <i>Frontiers in Pharmacology</i> , 2020 , 11, 590991	5.6	7
80	Kimura® disease: case report of an Italian young male and response to oral cyclosporine A in an 8 years follow-up. <i>Clinical Rheumatology</i> , 2013 , 32 Suppl 1, S55-7	3.9	7
79	Oligoclonal T cell repertoire in cerebrospinal fluid of patients with inflammatory diseases of the nervous system. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2001 , 70, 767-72	5.5	7
78	Enhanced expression of the CXCR4 co-receptor in HIV-1-infected individuals correlates with the emergence of syncytia-inducing strains. <i>Cytokines, Cellular & Molecular Therapy</i> , 2000 , 6, 19-24		7
77	High CD30 Ligand Expression by Epithelial Cells and Hassall® Corpuscles in the Medulla of Human Thymus. <i>Blood</i> , 1998 , 91, 3323-3332	2.2	7

76	CD8+ T lymphocytes producing Th2-type cytokines (Tc2) in HIV-infected individuals. <i>Journal of Biological Regulators and Homeostatic Agents</i> , 1995 , 9, 78-81	0.7	7
75	Treatment with 8-OH-modified adenine (TLR7 ligand)-allergen conjugates decreases T helper type 2-oriented murine airway inflammation. <i>Immunology</i> , 2015 , 145, 570-82	7.8	6
74	Desensitization modulates humoral and cellular immune response to infliximab in a patient with an immediate hypersensitivity reaction. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2020 , 8, 1764-1767.81	5.4	6
73	IgG4 anti-infliximab in treated patients: Clinical impact and temporal evolution. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2018 , 73, 2172-2181	9.3	6
72	Higher blood eosinophil levels after omalizumab treatment may be associated with poorer asthma outcomes. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 1643-1646	5.4	6
71	Regulatory mechanisms of in vitro human IgE synthesis*. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 1989 , 44, 9-15	9.3	6
70	Phenotypic and functional heterogeneity of human T lymphocytes producing B-cell growth factor(s): a clonal analysis. <i>Clinical Immunology and Immunopathology</i> , 1985 , 36, 168-75		6
69	Phenotypic and functional characterization of a S _H ary cell. <i>Journal of Clinical Immunology</i> , 1982 , 2, 343-9	5.7	6
68	New insights into the mechanisms which regulate IgE synthesis in man. <i>Haematologica</i> , 1989 , 74, 317-23	6.6	6
67	The Viral Chemokine Macrophage Inflammatory Protein-II Is a Selective Th2 Chemoattractant. <i>Blood</i> , 1998 , 92, 4036-4039	2.2	6
66	Hapten-specific TH17 cells in the peripheral blood of Bactam-induced AGEF. <i>Allergology International</i> , 2014 , 63, 129-31	4.4	5
65	Influence of impaired T- and B-cell compartments on efficacy of IVIg in dysimmune neuropathies. <i>European Journal of Neurology</i> , 2007 , 14, 1147-53	6	5
64	Role of IL12 in the development of human Th1 type cells. <i>Research in Immunology</i> , 1995 , 146, 452-60		5
63	Abnormal B cell helper activity by virus-infected human CD4+ T cells. <i>Seminars in Immunology</i> , 1993 , 5, 449-55	10.7	5
62	The IgE response in atopy and infections. <i>Clinical and Experimental Allergy</i> , 1991 , 21 Suppl 1, 72-8	4.1	5
61	Molecular diagnosis and the Italian Board for ISAC. <i>European Annals of Allergy and Clinical Immunology</i> , 2014 , 46, 68	1.3	5
60	Anti-COVID-19 Vaccination in Patients with Autoimmune-Autoinflammatory Disorders and Primary/Secondary Immunodeficiencies: The Position of the Task Force on Behalf of the Italian Immunological Societies. <i>Biomedicines</i> , 2021 , 9,	4.8	5
59	Hypersensitivity Reactions to Biologicals: True Allergy?. <i>Current Treatment Options in Allergy</i> , 2016 , 3, 147-157	1	4

58	The percentage of patients achieving complete remission of urticaria increases with repeated courses of treatment. <i>Journal of Allergy and Clinical Immunology: in Practice</i> , 2019 , 7, 339-340	5.4	4
57	Hypersensitivity reactions to biologics used in rheumatology. <i>Expert Review of Clinical Immunology</i> , 2019 , 15, 1263-1271	5.1	4
56	The intestinal expansion of TCR α and disappearance of IL4 T γ cells suggest their involvement in the evolution from potential to overt celiac disease. <i>European Journal of Immunology</i> , 2019 , 49, 2222-2234	6.1	4
55	Asthma: developments in targeted therapy. <i>Expert Review of Clinical Immunology</i> , 2012 , 8, 13-5	5.1	4
54	Strategies Targeting Type 2 Inflammation: From Monoclonal Antibodies to JAK-Inhibitors. <i>Biomedicines</i> , 2021 , 9,	4.8	4
53	Pediatric Tumors-Mediated Inhibitory Effect on NK Cells: The Case of Neuroblastoma and WilmsO Tumors. <i>Cancers</i> , 2021 , 13,	6.6	4
52	Immunogenicity-unwanted immune responses to biological drugs - can we predict them?. <i>Expert Review of Clinical Pharmacology</i> , 2021 , 14, 47-53	3.8	4
51	Role of type 2 T helper cells (Th2) in allergic disorders. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 409, 359-63	3.6	4
50	Rapid clinical improvement of atopic dermatitis in an Omalizumab treated patient. <i>Clinical and Molecular Allergy</i> , 2019 , 17, 5	3.7	3
49	Regulation of IgE synthesis by CD4+ human T-cell subsets. <i>Research in Immunology</i> , 1991 , 142, 63-7		3
48	In vitro IgE synthesis induced by human T cell clones in normal B cells and its suppression by heterogenous T cell populations. <i>International Archives of Allergy and Immunology</i> , 1987 , 82, 411-3	3.7	3
47	New trends on the pathogenetic aspects of allergic bronchial asthma. <i>Respiration</i> , 1986 , 50 Suppl 2, 103-15	3.7	3
46	In vitro IgE production by human lymphocytes and its regulation. <i>Monographs in Allergy</i> , 1983 , 18, 61-8		3
45	Drug-specific Treg cells are induced during desensitization procedure for rituximab and tocilizumab in patients with anaphylaxis. <i>Scientific Reports</i> , 2021 , 11, 12558	4.9	3
44	Decreased circulating lymphatic endothelial progenitor cells in digital ulcer-complicated systemic sclerosis. <i>Annals of the Rheumatic Diseases</i> , 2019 , 78, 575-577	2.4	3
43	Human IgE biosynthesis in vitro. <i>Clinical Reviews in Allergy</i> , 1989 , 7, 193-216		3
42	FRI0362 Angiogenic t cell expansion correlates with severity of peripheral vascular damage in systemic sclerosis 2017 ,		2
41	The management of paediatric allergy: not everybody@ cup of tea--10-11th February 2012. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2013 , 13 Suppl 1, S1-50	3.3	2

40	Multiorgan infiltration by CD8+ T cells and 1p;16p translocation in a patient with hypogammaglobulinemia and a reduced number of B cells. <i>International Archives of Allergy and Immunology</i> , 2012 , 158, 206-10	3.7	2
39	A novel pathway of human B cell activation initiated by CK226 surface antigen. <i>European Journal of Immunology</i> , 1990 , 20, 1161-5	6.1	2
38	99 IgE synthesis in vitro induced by T cell factors from patients with elevated serum IgE levels. <i>Journal of Allergy and Clinical Immunology</i> , 1983 , 71, 113	11.5	2
37	How to Prevent and Mitigate Hypersensitivity Reactions to Biologicals Induced by Anti-Drug Antibodies?. <i>Frontiers in Immunology</i> , 2021 , 12, 765747	8.4	2
36	Anaphylactic reactions to biological drugs. <i>Current Opinion in Allergy and Clinical Immunology</i> , 2020 , 20, 346-351	3.3	2
35	Dermatophagoides pteronyssinus group 2 allergen bound to 8-OH modified adenine reduces the Th2-mediated airway inflammation without inducing a Th17 response and autoimmunity. <i>Molecular Immunology</i> , 2016 , 77, 60-70	4.3	2
34	Persistence of both reversible airway obstruction and higher blood eosinophils may predict lung function decline in severe asthma. <i>Clinical Respiratory Journal</i> , 2021 , 15, 237-243	1.7	2
33	What we know and still ignore on COVID-19 immune pathogenesis and a proposal based on the experience of allergic disorders. <i>Allergy: European Journal of Allergy and Clinical Immunology</i> , 2021 ,	9.3	2
32	European medicines agency guideline for biological medicinal products: a further step for a safe use of biosimilars. <i>Clinical and Molecular Allergy</i> , 2015 , 13, 3	3.7	1
31	Response. <i>Science</i> , 1995 , 267, 539	33.3	1
30	In vitro infection with HIV of antigen-specific T cell clones derived from HIV-seronegative individuals. Effects on cytokine production and helper function. <i>Research in Clinic and Laboratory</i> , 1991 , 21, 85-90		1
29	Both CD8+ and CD16+ human T cell clones can provide B cell help for immunoglobulin production. <i>International Journal of Clinical and Laboratory Research</i> , 1992 , 22, 36-9		1
28	CD4 + T Cells from Lymph Nodes Involved by Hodgkin's Disease Showing Response in Autologous Mixed Lymphocyte Reaction, are Polyclonal. <i>Leukemia and Lymphoma</i> , 1990 , 2, 215-22	1.9	1
27	Diminished Production of Interleukin 2 and Gamma-Interferon by Cloned «T» Cells from Patients with the Acquired Immunodeficiency Syndrome (AIDS). <i>Tumori</i> , 1987 , 73, 273-278	1.7	1
26	Physiology of the IgE system and mechanisms of its dysfunction in atopic diseases. <i>International Archives of Allergy and Immunology</i> , 1985 , 76 Suppl 1, 34-42	3.7	1
25	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988 , 71, 1503-6	2.2	1
24	Human Th1 and Th2 Cells: Regulation of Development and Role in Protection and Disease 1993 , 239-245		1
23	Influence of both TCR repertoire and severity of the atopic status on the cytokine secretion profile of <i>Parietaria officinalis</i> -specific T cells 1998 , 28, 37		1

22	Macrophage-derived chemokine production by activated human T cells in vitro and in vivo: preferential association with the production of type 2 cytokines 2000 , 30, 204		1
21	The immune derangement and strategies for immunotherapy. <i>Cancer Treatment and Research</i> , 1989 , 41, 53-88	3.5	1
20	High numbers of CD4+ T cells showing abnormal recognition of DR antigens in lymphoid organs involved by Hodgkin's disease. <i>Blood</i> , 1988 , 71, 1503-1506	2.2	1
19	Cutaneous leucocytoclastic vasculitis with anti-EJ autoantibodies: mere coincidence or a manifestation of antisynthetase syndrome?. <i>Clinical and Experimental Dermatology</i> , 2017 , 42, 345-347	1.8	
18	Welcome to a new era for Clinical and Molecular Allergy. <i>Clinical and Molecular Allergy</i> , 2015 , 13, 6	3.7	
17	SAT0129 Incidence and clinical outcome of anti-drug antibodies in infliximab-treated patients. <i>Annals of the Rheumatic Diseases</i> , 2013 , 71, 514.2-514	2.4	
16	Human TH17 Cells 2011 , 231-242		
15	A Case of Chronic Urticaria Due to <i>Dirofilaria</i> Infestation. <i>Allergology International</i> , 2004 , 53, 383-385	4.4	
14	Advances in understanding of mechanisms of IgE dysregulation in atopy by the application of in vitro methods. <i>Journal of Allergy and Clinical Immunology</i> , 1986 , 78, 988-94	11.5	
13	Heterogeneity of B cell growth factor (BCGF)-producing T cells in humans. Clonal analysis of BCGF-producing cells within T4+ and T8+ subsets and evidence for the involvement of different growth factors in different BCGF assays. <i>Research in Clinic and Laboratory</i> , 1986 , 16, 23-8		
12	Phosphorothioate oligonucleotides: looking for the motif(s) possessing immunostimulatory activities in humans. <i>Advances in Experimental Medicine and Biology</i> , 2001 , 495, 261-4	3.6	
11	The Role of Lymphocytes in Atopic Diseases 1983 , 471-477		
10	The Role of Lymphocytes and of their Abnormalities in Atopic Diseases 1987 , 140-146		
9	T Cell Subtypes in Allergy 1993 , 33-42		
8	Responsiveness to the major pollen allergen of <i>Parietaria officinalis</i> is associated with defined HLA-DRB1* alleles in Italian and Spanish allergic patients. <i>Advances in Experimental Medicine and Biology</i> , 1996 , 409, 75-9	3.6	
7	Pathophysiology of Th1 and Th2 Responses in Humans 1997 , 149-166		
6	T Lymphocytes and Subpopulations: Involvement of TH2 Cells in Allergic Diseases 1997 , 131-136		
5	T-Cell Independent Activation of Human B Cells by Anti-Ig Antibodies and Protein A-Containing Staphylococci 1999 , 25-33		

4	CD30-CD30 Ligand Interaction in Primary Cutaneous CD30+T-Cell Lymphomas: A Clue to the Pathophysiology of Clinical Regression. <i>Blood</i> , 1999 , 94, 3077-3083	2.2
3	Autoimmune-mediated hemotoxicities. <i>Current Opinion in Toxicology</i> , 2020 , 19, 63-67	4.4
2	Persistent unilateral ulcer of the ear as the first manifestation of relapsing polychondritis. <i>Clinical and Experimental Dermatology</i> , 2018 , 43, 823-824	1.8
1	Immune mechanisms in the pathogenesis of inflammatory gastrointestinal disorders. <i>The Italian Journal of Gastroenterology</i> , 1996 , 28 Suppl 2, 11-7	