

Paula Aguilera

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3269698/publications.pdf>

Version: 2024-02-01

55
papers

1,071
citations

361296

20
h-index

454834

30
g-index

56
all docs

56
docs citations

56
times ranked

1650
citing authors

#	ARTICLE	IF	CITATIONS
1	Update in genetic susceptibility in melanoma. <i>Annals of Translational Medicine</i> , 2015, 3, 210.	0.7	100
2	Genetic Abnormalities in Large to Giant Congenital Nevi: Beyond NRAS Mutations. <i>Journal of Investigative Dermatology</i> , 2019, 139, 900-908.	0.3	67
3	Dermoscopic Clues for Diagnosing Melanomas That Resemble Seborrheic Keratosis. <i>JAMA Dermatology</i> , 2017, 153, 544.	2.0	57
4	Increased prevalence of lung, breast, and pancreatic cancers in addition to melanoma risk in families bearing the cyclin-dependent kinase inhibitor 2A mutation: Implications for genetic counseling. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 888-895.	0.6	52
5	Genetic alterations in RAS-regulated pathway in acral lentiginous melanoma. <i>Experimental Dermatology</i> , 2013, 22, 148-150.	1.4	49
6	Prevalence and predictors of germline CDKN2A mutations for melanoma cases from Australia, Spain and the United Kingdom. <i>Hereditary Cancer in Clinical Practice</i> , 2014, 12, 20.	0.6	45
7	Cutaneous T-cell lymphoma: A histopathologic mimicker of lupus erythematosus profundus (lupus) Tj ETQq1 1 0.784314 rgBT /Over 0,6 48	0.6	48
8	Prevalence of <i>MITF</i> p.E318K in Patients With Melanoma Independent of the Presence of <i>CDKN2A</i> Causative Mutations. <i>JAMA Dermatology</i> , 2016, 152, 405.	2.0	41
9	Efficacy and safety of givosiran for acute hepatic porphyria: 24-month interim analysis of the randomized phase 3 ENVISION study. <i>Liver International</i> , 2022, 42, 161-172.	1.9	41
10	AURKA Overexpression Is Driven by <i>FOXM1</i> and MAPK/ERK Activation in Melanoma Cells Harboring BRAF or NRAS Mutations: Impact on Melanoma Prognosis and Therapy. <i>Journal of Investigative Dermatology</i> , 2017, 137, 1297-1310.	0.3	40
11	Patterns of distribution of giant congenital melanocytic nevi (GCMN): The 6B rule. <i>Journal of the American Academy of Dermatology</i> , 2017, 76, 689-694.	0.6	38
12	<i>POT1</i> germline mutations but not <i>TERT</i> promoter mutations are implicated in melanoma susceptibility in a large cohort of Spanish melanoma families. <i>British Journal of Dermatology</i> , 2019, 181, 105-113.	1.4	37
13	Benefits of oral <i>Polypodium Leucotomos</i> extract in MM high-risk patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2013, 27, 1095-1100.	1.3	34
14	Association of the <i>POT1</i> Germline Missense Variant p.I78T With Familial Melanoma. <i>JAMA Dermatology</i> , 2019, 155, 604.	2.0	34
15	Dysregulation of homocysteine homeostasis in acute intermittent porphyria patients receiving heme arginate or givosiran. <i>Journal of Inherited Metabolic Disease</i> , 2021, 44, 961-971.	1.7	34
16	Dermoscopy Improves the Diagnostic Accuracy of Melanomas Clinically Resembling Seborrheic Keratosis: Cross-Sectional Study of the Ability to Detect Seborrheic Keratosis-Like Melanomas by a Group of Dermatologists with Varying Degrees of Experience. <i>Dermatology</i> , 2017, 233, 471-479.	0.9	27
17	Direct-acting antivirals for hepatitis C virus induce a rapid clinical and biochemical remission of porphyria cutanea tarda. <i>British Journal of Dermatology</i> , 2017, 177, e183-e184.	1.4	23
18	Comprehensive analysis of the tryptophan metabolome in urine of patients with acute intermittent porphyria. <i>Journal of Chromatography B: Analytical Technologies in the Biomedical and Life Sciences</i> , 2017, 1060, 347-354.	1.2	23

#	ARTICLE	IF	CITATIONS
19	Treatment of chronic hepatitis with boceprevir leads to remission of porphyria cutanea tarda. <i>British Journal of Dermatology</i> , 2014, 171, 1595-1596.	1.4	21
20	Determinación de la dosis eritemática mínima y reacciones anómalas a radiación ultravioleta A según fototipo. <i>Actas Dermo-sifilográficas</i> , 2014, 105, 780-788.	0.2	21
21	Acne fulminans successfully treated with cyclosporine and isotretinoin. <i>Journal of the American Academy of Dermatology</i> , 2014, 70, e38-e39.	0.6	18
22	Urticaria solar. Epidemiología y fenotipos clínicos en una serie española de 224 pacientes. <i>Actas Dermo-sifilográficas</i> , 2017, 108, 132-139.	0.2	18
23	Clinical and photobiological response in eight patients with solar urticaria under treatment with omalizumab, and review of the literature. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2018, 34, 194-199.	0.7	15
24	Porokeratosis <i>ptychotropa</i> responding to photodynamic therapy: An alternative treatment for a refractory disease. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017, 33, 271-274.	0.7	15
25	Association Between Confocal Morphologic Classification and Clinical Phenotypes of Multiple Primary and Familial Melanomas. <i>JAMA Dermatology</i> , 2016, 152, 1099.	2.0	13
26	Photoonycholysis: new findings. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 56-62.	1.3	12
27	Human immunodeficiency virus and risk of porphyria cutanea tarda: a possible association examined in a large hospital. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2016, 32, 93-97.	0.7	10
28	Resolution of aquagenic pruritus with intermittent UVA/NB-UVB combined therapy. <i>Photodermatology Photoimmunology and Photomedicine</i> , 2017, 33, 291-292.	0.7	10
29	Successful Short Desensitization Treatment Protocol with Narrowband UVB Phototherapy (TL-01) in Polymorphic Light Eruption. <i>Actas Dermo-sifilográficas</i> , 2017, 108, 752-757.	0.2	9
30	Dermoscopy comparative approach for early diagnosis in familial melanoma: influence of MC1R genotype. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2021, 35, 403-410.	1.3	8
31	Clinical and Histopathological Characteristics between Familial and Sporadic Melanoma in Barcelona, Spain. <i>Journal of Clinical & Experimental Dermatology Research</i> , 2014, 05, 231.	0.1	7
32	Late-onset cutaneous porphyria in a patient heterozygous for a uroporphyrinogen III synthase gene mutation. <i>British Journal of Dermatology</i> , 2016, 175, 1346-1350.	1.4	7
33	Acquired erythropoietic uroporphyrinemia secondary to myelodysplastic syndrome with chromosome 3 alterations: a case report. <i>British Journal of Dermatology</i> , 2018, 179, 486-490.	1.4	7
34	Clinical response and long-term follow-up of 20 patients with refractory solar urticaria under treatment with omalizumab. <i>Journal of the American Academy of Dermatology</i> , 2023, 88, 1110-1111.	0.6	7
35	Detection of cell-free circulating BRAF ^{V600E} by droplet digital polymerase chain reaction in patients with and without melanoma under dermatological surveillance. <i>British Journal of Dermatology</i> , 2020, 182, 382-389.	1.4	7
36	Resolution of subclinical porphyria cutanea tarda after hepatitis C eradication with direct-acting antivirals. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 968-973.	1.9	7

#	ARTICLE	IF	CITATIONS
37	Sutton Naevi as Melanoma Simulators: Can Confocal Microscopy Help in the Diagnosis?. Acta Dermato-Venerologica, 2020, 100, adv00134-6.	0.6	7
38	Evaluation of Metabolic Changes in Acute Intermittent Porphyria Patients by Targeted Metabolomics. International Journal of Molecular Sciences, 2022, 23, 3219.	1.8	7
39	Refractory solar urticaria successfully treated with omalizumab with normalization of phototest. Actas Dermo-sifiliográficas, 2017, 108, 593-594.	0.2	6
40	Histologic features of melanoma associated with germline mutations of CDKN2A, CDK4, and POT1 in melanoma-prone families from the United States, Italy, and Spain. Journal of the American Academy of Dermatology, 2020, 83, 860-869.	0.6	5
41	Recomendaciones del Grupo Español de Fotobiología de la AEDV en referencia al manejo de las unidades de fototerapia durante la pandemia por SARS-CoV-2. Actas Dermo-sifiliográficas, 2021, 112, 73-75.	0.2	5
42	Inherited duplications of PPP2R3B predispose to nevi and melanoma via a C21orf91-driven proliferative phenotype. Genetics in Medicine, 2021, 23, 1636-1647.	1.1	5
43	Acquired erythropoietic uroporphyrin secondary to myeloid malignancy: A case report and literature review. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 86-91.	0.7	5
44	Genome-wide linkage analysis in Spanish melanoma-prone families identifies a new familial melanoma susceptibility locus at 11q. European Journal of Human Genetics, 2018, 26, 1188-1193.	1.4	4
45	Recomendaciones sobre exposición solar y fotoprotección del Grupo Español de Fotobiología de la AEDV adecuadas al periodo de desconfinamiento durante la pandemia por SARS-CoV-2. Actas Dermo-sifiliográficas, 2020, 111, 799-801.	0.2	3
46	Management of Phototherapy Units During the COVID-19 Pandemic: Recommendations of the AEDV's Spanish Photobiology Group. Actas Dermo-sifiliográficas, 2021, 112, 73-75.	0.2	3
47	Pseudoporphyria: a diagnostic challenge: A case series and a proposed diagnostic algorithm. Photodermatology Photoimmunology and Photomedicine, 2022, 38, 604-607.	0.7	3
48	When passion hurts: adverse cutaneous reaction to tattoo in a FC Barcelona soccer fan (©) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 5	1.3	2
49	DNA Repair and Immune Response Pathways Are Deregulated in Melanocyte-Keratinocyte Co-cultures Derived From the Healthy Skin of Familial Melanoma Patients. Frontiers in Medicine, 2021, 8, 692341.	1.2	2
50	Inducción de fototolerancia con ultravioleta B de banda estrecha en urticaria solar. Actas Dermo-sifiliográficas, 2018, 109, 853.	0.2	1
51	Reversible encephalopathy syndrome in acute porphyria attack. Medicina Clínica, 2019, 153, e31-e32.	0.3	1
52	Recommendations on Sun Exposure and Photoprotection Following Easing of the COVID19 Pandemic Lockdown: Spanish Photobiology Group of the Spanish Academy of Dermatology and Venerology (AEDV). Actas Dermo-sifiliográficas, 2020, 111, 799-801.	0.2	1
53	Inducing Light Tolerance With Narrowband UV-B Therapy in Solar Urticaria. Actas Dermo-sifiliográficas, 2018, 109, 853.	0.2	0
54	Tratamiento de 2 pacientes con prurito acuagénico con ciclos de terapia combinada UVA/UVB de banda estrecha una vez por año. Actas Dermo-sifiliográficas, 2020, 111, 889-892.	0.2	0

#	ARTICLE	IF	CITATIONS
55	Treatment of 2 Patients With Aquagenic Pruritus With UVA/Narrow Band UVB Combined Therapy Once a Year. <i>Actas Dermo-sifiliográficas</i> , 2020, 111, 889-892.	0.2	0