## **Yannick Tholance**

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3269960/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Association of Cerebrospinal Fluid Prion Protein Levels and the Distinction Between Alzheimer Disease and Creutzfeldt-Jakob Disease. JAMA Neurology, 2015, 72, 267.	9.0	69
2	CSF neopterin level as a diagnostic marker in primary central nervous system lymphoma. Neuro-Oncology, 2015, 17, 1497-1503.	1.2	52
3	Cerebrospinal Fluid Aβ40 Improves the Interpretation of Aβ42 Concentration for Diagnosing Alzheimer's Disease. Frontiers in Neurology, 2015, 6, 247.	2.4	49
4	Clinical characterisation of sensory neuropathy with anti-FGFR3 autoantibodies. Journal of Neurology, Neurosurgery and Psychiatry, 2020, 91, 49-57.	1.9	44
5	Uterus tolerance to extended cold ischemic storage after auto-transplantation in ewes. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2017, 214, 162-167.	1.1	38
6	Autoantigenomics: Holistic characterization of autoantigen repertoires for a better understanding of autoimmune diseases. Autoimmunity Reviews, 2020, 19, 102450.	5.8	27
7	Reducing the risk of misdiagnosis of indirect ELISA by normalizing serum-specific background noise: The example of detecting anti-FGFR3 autoantibodies. Journal of Immunological Methods, 2019, 466, 52-56.	1.4	26
8	Analytical validation of microdialysis analyzer for monitoring glucose, lactate and pyruvate in cerebral microdialysates. Clinica Chimica Acta, 2011, 412, 647-654.	1.1	15
9	Argonaute Autoantibodies as Biomarkers in Autoimmune Neurologic Diseases. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, .	6.0	15
10	Outcome of Poor-Grade Subarachnoid Hemorrhage as Determined by Biomarkers of Glucose Cerebral Metabolism. Neurocritical Care, 2013, 18, 234-244.	2.4	13
11	Biochemical neuromonitoring of poor-grade aneurysmal subarachnoid hemorrhage: comparative analysis of metabolic events detected by cerebral microdialysis and by retrograde jugular vein catheterization. Neurological Research, 2015, 37, 578-587.	1.3	12
12	Placing intracerebral probes to optimise detection of delayed cerebral ischemia and allow for the prediction of patient outcome in aneurysmal subarachnoid haemorrhage. Journal of Cerebral Blood Flow and Metabolism, 2017, 37, 2820-2832.	4.3	12
13	CIDP Antibodies Target Junction Proteins and Identify Patient Subgroups. Neurology: Neuroimmunology and NeuroInflammation, 2021, 8, .	6.0	10
14	Clinical Neurochemistry of Subarachnoid Hemorrhage: Toward Predicting Individual Outcomes via Biomarkers of Brain Energy Metabolism. ACS Chemical Neuroscience, 2015, 6, 1902-1905.	3.5	8
15	Completing the Immunological Fingerprint by Refractory Proteins: Autoantibody Screening via an Improved Immunoblotting Technique. Proteomics - Clinical Applications, 2019, 13, e1800157.	1.6	8
16	Metabolic alterations of uterine grafts after extended cold ischemic storage: experimental study in ewes. Molecular Human Reproduction, 2019, 25, 647-659.	2.8	6
17	Proper definition of the set of autoantibody-targeted antigens relies on appropriate reference group selection. New Biotechnology, 2021, 60, 168-172.	4.4	5
18	Anti-FGFR3 antibody epitopes are functional sites and correlate with the neuropathy pattern. Journal of Neuroimmunology, 2021, 361, 577757.	2.3	5

#	Article	IF	CITATIONS
19	What is the pattern of the neuropathy associated with antiâ€FGFR3 antibodies?. European Journal of Neurology, 2020, 27, e58.	3.3	1