## Gülen Arslan Lied

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3270515/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Gut bless you: The microbiota-gut-brain axis in irritable bowel syndrome. World Journal of Gastroenterology, 2022, 28, 412-431.	1.4	37
2	The Effects of Fecal Microbiota Transplantation on the Symptoms and the Duodenal Neurogenin 3, Musashi 1, and Enteroendocrine Cells in Patients With Diarrhea-Predominant Irritable Bowel Syndrome. Frontiers in Cellular and Infection Microbiology, 2021, 11, 524851.	1.8	10
3	Assessment of Markers of Gut Integrity and Inflammation in Non-Celiac Gluten Sensitivity After a Gluten Free-Diet. International Journal of General Medicine, 2021, Volume 14, 9459-9470.	0.8	2
4	Study protocol of the Bergen brain-gut-microbiota-axis study. Medicine (United States), 2020, 99, e21950.	0.4	11
5	Supplementation with Low Doses of a Cod Protein Hydrolysate on Glucose Regulation and Lipid Metabolism in Adults with Metabolic Syndrome: A Randomized, Double-Blind Study. Nutrients, 2020, 12, 1991.	1.7	9
6	<p>Effects of Plant-Based Diets on Outcomes Related to Glucose Metabolism: A Systematic Review</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 2811-2822.	1.1	22
7	<p>Effects of Plant-Based Diets on Weight Status: A Systematic Review</p> . Diabetes, Metabolic Syndrome and Obesity: Targets and Therapy, 2020, Volume 13, 3433-3448.	1.1	50
8	Gut microbiota and therapeutic approaches for dysbiosis in irritable bowel syndrome: recent developments and future perspectives. Turkish Journal of Medical Sciences, 2020, 50, 1632-1641.	0.4	13
9	The Effect of Supplementation with Low Doses of a Cod Protein Hydrolysate on Satiety Hormones and Inflammatory Biomarkers in Adults with Metabolic Syndrome: A Randomized, Double-Blind Study. Nutrients, 2020, 12, 3421.	1.7	4
10	Abnormal Uroguanylin Immunoreactive Cells Density in the Duodenum of Patients with Diarrhea-Predominant Irritable Bowel Syndrome Changes following Fecal Microbiota Transplantation. Gastroenterology Research and Practice, 2020, 2020, 1-9.	0.7	6
11	Comparison of gut microbiota profile in celiac disease, non-celiac gluten sensitivity and irritable bowel syndrome: A systematic review. Turkish Journal of Gastroenterology, 2020, 31, 735-745.	0.4	5
12	Non-coeliac gluten sensitivity and the spectrum of gluten-related disorders: an updated overview. Nutrition Research Reviews, 2019, 32, 28-37.	2.1	44
13	Effects of a Cod Protein Hydrolysate Supplement on Symptoms, Gut Integrity Markers and Fecal Fermentation in Patients with Irritable Bowel Syndrome. Nutrients, 2019, 11, 1635.	1.7	10
14	<p>Intraoperative anaphylaxis to gelatin-based hemostatic agents: a case report</p> . Journal of Asthma and Allergy, 2019, Volume 12, 163-167.	1.5	26
15	Probiotics in Irritable Bowel Syndrome: An Up-to-Date Systematic Review. Nutrients, 2019, 11, 2048.	1.7	89
16	Fish–derived proteins and their potential to improve human health. Nutrition Reviews, 2019, 77, 572-583.	2.6	47
17	Clinical response to fecal microbiota transplantation in patients with diarrhea-predominant irritable bowel syndrome is associated with normalization of fecal microbiota composition and short-chain fatty acid levels. Scandinavian Journal of Gastroenterology, 2019, 54, 690-699.	0.6	29
18	Acute effect of a cod protein hydrolysate on postprandial acylated ghrelin concentration and sensations associated with appetite in healthy subjects: a double-blind crossover trial. Food and Nutrition Research, 2019, 63, .	1.2	6

#	Article	IF	CITATIONS
19	Exploring Gut Microbiota Composition as an Indicator of Clinical Response to Dietary FODMAP Restriction in Patients with Irritable Bowel Syndrome. Digestive Diseases and Sciences, 2018, 63, 429-436.	1.1	67
20	Does the low FODMAP diet improve symptoms of radiation-induced enteropathy? A pilot study. Scandinavian Journal of Gastroenterology, 2018, 53, 541-548.	0.6	8
21	The kinetics of gut microbial community composition in patients with irritable bowel syndrome following fecal microbiota transplantation. PLoS ONE, 2018, 13, e0194904.	1.1	59
22	Effect of a cod protein hydrolysate on postprandial glucose metabolism in healthy subjects: a double-blind cross-over trial. Journal of Nutritional Science, 2018, 7, e33.	0.7	28
23	Altered levels of cytokines in patients with irritable bowel syndrome are not correlated with fatigue. International Journal of General Medicine, 2018, Volume 11, 285-291.	0.8	24
24	Extra-intestinal symptoms in patients with irritable bowel syndrome: related to high total IgE levels and atopic sensitization?. Scandinavian Journal of Gastroenterology, 2016, 51, 908-913.	0.6	9
25	Functional Gastrointestinal Symptoms Are Associated with Higher Serum Total IgE Levels, but Less Atopic Sensitization. Digestive Diseases and Sciences, 2016, 61, 189-197.	1.1	7
26	Indication of Immune Activation in Patients with Perceived Food Hypersensitivity. Digestive Diseases and Sciences, 2014, 59, 259-266.	1.1	5
27	Fecal fat excretion in irritable bowel syndrome. Scandinavian Journal of Gastroenterology, 2012, 47, 1120-1121.	0.6	3
28	Increased wall thickness using ultrasonography is associated with inflammation in an animal model of experimental colitis. Clinical and Experimental Gastroenterology, 2012, 5, 195.	1.0	8
29	Perceived food hypersensitivity: A review of 10 years of interdisciplinary research at a reference center. Scandinavian Journal of Castroenterology, 2011, 46, 1169-1178.	0.6	34
30	Anxiety and depression in patients with self-reported food hypersensitivity. General Hospital Psychiatry, 2010, 32, 42-48.	1.2	31
31	Clinical and surgical recurrence of Crohn's disease after ileocolonic resection in a specialist unit. European Journal of Gastroenterology and Hepatology, 2009, 21, 551-557.	0.8	45
32	Effects of Seal Oil on Meal-Induced Symptoms and Gastric Accommodation in Patients with Subjective Food Hypersensitivity: A Pilot Study. Clinical Medicine Gastroenterology, 2008, 1, CGast.S1028.	0.2	2
33	Gastrointestinal food hypersensitivity: symptoms, diagnosis and provocation tests. Turkish Journal of Gastroenterology, 2007, 18, 5-13.	0.4	4