

Qun Chen

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/327135/qun-chen-publications-by-year.pdf>

Version: 2024-04-17

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

77
papers

5,052
citations

29
h-index

71
g-index

85
ext. papers

5,692
ext. citations

5.6
avg, IF

5.56
L-index

#	Paper	IF	Citations
77	Calpain-mediated protein targets in cardiac mitochondria following ischemia-reperfusion.. <i>Scientific Reports</i> , 2022 , 12, 138	4.9	2
76	Visceral Adiposity, Inflammation, and Testosterone Predict Skeletal Muscle Mitochondrial Mass and Activity in Chronic Spinal Cord Injury.. <i>Frontiers in Physiology</i> , 2022 , 13, 809845	4.6	
75	Assessment of mitochondrial respiratory capacity using minimally invasive and noninvasive techniques in persons with spinal cord injury.. <i>PLoS ONE</i> , 2022 , 17, e0265141	3.7	
74	The mitochondrial electron transport chain contributes to calpain 1 activation during ischemia-reperfusion.. <i>Biochemical and Biophysical Research Communications</i> , 2022 , 613, 127-132	3.4	1
73	Chronic metformin treatment decreases cardiac injury during ischemia-reperfusion by attenuating endoplasmic reticulum stress with improved mitochondrial function. <i>Aging</i> , 2021 , 13, 7828-7845	5.6	6
72	Metformin and myocardial ischemia and reperfusion injury: Moving toward "prime time" human use?. <i>Translational Research</i> , 2021 , 229, 1-4	11	3
71	Preventing Myocardial Injury Following Non-Cardiac Surgery: A Potential Role for Preoperative Antioxidant Therapy with Ubiquinone. <i>Antioxidants</i> , 2021 , 10,	7.1	3
70	Neuromuscular electrical stimulation resistance training enhances oxygen uptake and ventilatory efficiency independent of mitochondrial complexes after spinal cord injury: a randomized clinical trial. <i>Journal of Applied Physiology</i> , 2021 , 131, 265-276	3.7	2
69	Cerebral and myocardial mitochondrial injury differ in a rat model of cardiac arrest and cardiopulmonary resuscitation. <i>Biomedicine and Pharmacotherapy</i> , 2021 , 140, 111743	7.5	2
68	The Commonalities and Differences in Mitochondrial Dysfunction Between and Myocardial Global Ischemia Rat Heart Models: Implications for Donation After Circulatory Death Research. <i>Frontiers in Physiology</i> , 2020 , 11, 681	4.6	6
67	Endoplasmic reticulum stress-induced complex I defect: Central role of calcium overload. <i>Archives of Biochemistry and Biophysics</i> , 2020 , 683, 108299	4.1	20
66	Sixteen weeks of testosterone with or without evoked resistance training on protein expression, fiber hypertrophy and mitochondrial health after spinal cord injury. <i>Journal of Applied Physiology</i> , 2020 , 128, 1487-1496	3.7	15
65	Ischemia and reperfusion injury to mitochondria and cardiac function in donation after circulatory death hearts- an experimental study. <i>PLoS ONE</i> , 2020 , 15, e0243504	3.7	3
64	Targeting ER stress and calpain activation to reverse age-dependent mitochondrial damage in the heart. <i>Mechanisms of Ageing and Development</i> , 2020 , 192, 111380	5.6	8
63	Endoplasmic reticulum stress-mediated mitochondrial dysfunction in aged hearts. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2020 , 1866, 165899	6.9	18
62	Cardiomyocyte specific deletion of p53 decreases cell injury during ischemia-reperfusion: Role of Mitochondria. <i>Free Radical Biology and Medicine</i> , 2020 , 158, 162-170	7.8	7
61	Cardiac Specific Knockout of p53 Decreases ER Stress-Induced Mitochondrial Damage. <i>Frontiers in Cardiovascular Medicine</i> , 2019 , 6, 10	5.4	16

60	Mitochondrial Complex I Inhibition by Metformin Limits Reperfusion Injury. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2019 , 369, 282-290	4.7	49
59	Inhibition of the ubiquitous calpains protects complex I activity and enables improved mitophagy in the heart following ischemia-reperfusion. <i>American Journal of Physiology - Cell Physiology</i> , 2019 , 317, C910-C921	5.4	26
58	Activation of Mitochondrial Calpains Contributes to the Selective Degradation of Specific Mitochondrial Proteins. <i>FASEB Journal</i> , 2019 , 33, 802.15	0.9	
57	Remote Ischemic Pre-Conditioning Attenuates Adverse Cardiac Remodeling and Mortality Following Doxorubicin Administration in Mice. <i>JACC: CardioOncology</i> , 2019 , 1, 221-234	3.8	6
56	Mitochondrial health and muscle plasticity after spinal cord injury. <i>European Journal of Applied Physiology</i> , 2019 , 119, 315-331	3.4	29
55	Plasma adiponectin levels are correlated with body composition, metabolic profiles, and mitochondrial markers in individuals with chronic spinal cord injury. <i>Spinal Cord</i> , 2018 , 56, 863-872	2.7	11
54	Mitochondrial Disruption in Cardiovascular Diseases 2018 , 241-267		
53	Intermediary metabolism and fatty acid oxidation: novel targets of electron transport chain-driven injury during ischemia and reperfusion. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2018 , 314, H787-H795	5.2	16
52	Metformin as a modulator of myocardial fibrosis postmyocardial infarction via regulation of cardiomyocyte-fibroblast crosstalk. <i>Translational Research</i> , 2018 , 199, 1-3	11	2
51	Mitochondrial Dysfunction in Cardiovascular Aging. <i>Advances in Experimental Medicine and Biology</i> , 2017 , 982, 451-464	3.6	25
50	A New Strategy to Treat Mitochondrial Disease Without Improvement of Mitochondrial Function?. <i>EBioMedicine</i> , 2017 , 18, 19-20	8.8	2
49	Metformin attenuates ER stress-induced mitochondrial dysfunction. <i>Translational Research</i> , 2017 , 190, 40-50	11	43
48	Skeletal muscle mitochondrial mass is linked to lipid and metabolic profile in individuals with spinal cord injury. <i>European Journal of Applied Physiology</i> , 2017 , 117, 2137-2147	3.4	17
47	Mitochondrial Dysfunction and Myocardial Ischemia-Reperfusion: Implications for Novel Therapies. <i>Annual Review of Pharmacology and Toxicology</i> , 2017 , 57, 535-565	17.9	188
46	Mitochondrial mass and activity as a function of body composition in individuals with spinal cord injury. <i>Physiological Reports</i> , 2017 , 5, e13080	2.6	22
45	Mechanistic Insight of Bivalent Compound 21MO as Potential Neuroprotectant for Alzheimer's Disease. <i>Molecules</i> , 2016 , 21, 412	4.8	8
44	Activation of mitochondrial calpain and increased cardiac injury: beyond AIF release. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016 , 310, H376-84	5.2	46
43	Mitochondrial Metabolism in Aging Heart. <i>Circulation Research</i> , 2016 , 118, 1593-611	15.7	163

42	Cardioprotective function of mitochondrial-targeted and transcriptionally inactive STAT3 against ischemia and reperfusion injury. <i>Basic Research in Cardiology</i> , 2015 , 110, 53	11.8	26
41	Heart mitochondria and calpain 1: Location, function, and targets. <i>Biochimica Et Biophysica Acta - Molecular Basis of Disease</i> , 2015 , 1852, 2372-8	6.9	28
40	Bivalent Compound 17MN Exerts Neuroprotection through Interaction at Multiple Sites in a Cellular Model of Alzheimer's Disease. <i>Journal of Alzheimer's Disease</i> , 2015 , 47, 1021-33	4.3	12
39	Pivotal Importance of STAT3 in Protecting the Heart from Acute and Chronic Stress: New Advancement and Unresolved Issues. <i>Frontiers in Cardiovascular Medicine</i> , 2015 , 2, 36	5.4	45
38	Inhibition of Bcl-2 sensitizes mitochondrial permeability transition pore (MPTP) opening in ischemia-damaged mitochondria. <i>PLoS ONE</i> , 2015 , 10, e0118834	3.7	36
37	Blocking GSK3 β -mediated dynamin1 phosphorylation enhances BDNF-dependent TrkB endocytosis and the protective effects of BDNF in neuronal and mouse models of Alzheimer's disease. <i>Neurobiology of Disease</i> , 2015 , 74, 377-91	7.5	16
36	Myosin Va mediates BDNF-induced postendocytic recycling of full-length TrkB and its translocation into dendritic spines. <i>Journal of Cell Science</i> , 2015 , 128, 1108-22	5.3	14
35	Electron flow into cytochrome c coupled with reactive oxygen species from the electron transport chain converts cytochrome c to a cardiolipin peroxidase: role during ischemia-reperfusion. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2014 , 1840, 3199-207	4	29
34	A deficiency of apoptosis inducing factor (AIF) in Harlequin mouse heart mitochondria paradoxically reduces ROS generation during ischemia-reperfusion. <i>Frontiers in Physiology</i> , 2014 , 5, 271	4.6	11
33	Transient complex I inhibition at the onset of reperfusion by extracellular acidification decreases cardiac injury. <i>American Journal of Physiology - Cell Physiology</i> , 2014 , 306, C1142-53	5.4	34
32	Cardioprotection by modulation of mitochondrial respiration during ischemia-reperfusion: role of apoptosis-inducing factor. <i>Biochemical and Biophysical Research Communications</i> , 2013 , 435, 627-33	3.4	18
31	Reverse electron flow-mediated ROS generation in ischemia-damaged mitochondria: role of complex I inhibition vs. depolarization of inner mitochondrial membrane. <i>Biochimica Et Biophysica Acta - General Subjects</i> , 2013 , 1830, 4537-42	4	24
30	Deficiency of Apoptosis Inducing Factor (AIF) decreases complex I activity and increases the ROS generation in isolated cardiac mitochondria. <i>FASEB Journal</i> , 2013 , 27, 1085.18	0.9	2
29	Reactive Oxygen Species and Electron Flow Are Needed to Oxidize Cytochrome c at the Methionine Residues. <i>FASEB Journal</i> , 2013 , 27, 1085.20	0.9	
28	Blockade of electron transport before ischemia protects mitochondria and decreases myocardial injury during reperfusion in aged rat hearts. <i>Translational Research</i> , 2012 , 160, 207-16	11	30
27	Cytoprotection by the modulation of mitochondrial electron transport chain: the emerging role of mitochondrial STAT3. <i>Mitochondrion</i> , 2012 , 12, 180-9	4.9	95
26	Blockade of electron transport at the onset of reperfusion decreases cardiac injury in aged hearts by protecting the inner mitochondrial membrane. <i>Journal of Aging Research</i> , 2012 , 2012, 753949	2.3	30
25	Postconditioning modulates ischemia-damaged mitochondria during reperfusion. <i>Journal of Cardiovascular Pharmacology</i> , 2012 , 59, 101-8	3.1	34

24	Activation of mitochondrial β -calpain increases AIF cleavage in cardiac mitochondria during ischemia-reperfusion. <i>Biochemical and Biophysical Research Communications</i> , 2011 , 415, 533-8	3.4	72
23	Blockade of electron transport during ischemia preserves bcl-2 and inhibits opening of the mitochondrial permeability transition pore. <i>FEBS Letters</i> , 2011 , 585, 921-6	3.8	45
22	Sphingosine-1-phosphate produced by sphingosine kinase 2 in mitochondria interacts with prohibitin 2 to regulate complex IV assembly and respiration. <i>FASEB Journal</i> , 2011 , 25, 600-12	0.9	256
21	Mitochondrial-targeted Signal transducer and activator of transcription 3 (STAT3) protects against ischemia-induced changes in the electron transport chain and the generation of reactive oxygen species. <i>Journal of Biological Chemistry</i> , 2011 , 286, 29610-20	5.4	164
20	Acidification inhibits complex I: potential mechanism of cardiac protection at the onset of reperfusion. <i>FASEB Journal</i> , 2011 , 25, 1097.22	0.9	
19	Reversible, brief blockade of mitochondrial respiration at the onset of reperfusion decreases myocardial injury in aging hearts. <i>FASEB Journal</i> , 2011 , 25, 1033.4	0.9	
18	Isolating the segment of the mitochondrial electron transport chain responsible for mitochondrial damage during cardiac ischemia. <i>Biochemical and Biophysical Research Communications</i> , 2010 , 397, 656-60	3.4	27
17	Comparative study of p38 MAPK signal transduction pathway of peripheral blood mononuclear cells from patients with coal-combustion-type fluorosis with and without high hair selenium levels. <i>International Journal of Hygiene and Environmental Health</i> , 2010 , 213, 381-6	6.9	22
16	Function of mitochondrial Stat3 in cellular respiration. <i>Science</i> , 2009 , 323, 793-7	33.3	702
15	Reversible blockade of electron transport with amobarbital at the onset of reperfusion attenuates cardiac injury. <i>Translational Research</i> , 2009 , 153, 224-31	11	49
14	Modulation of mitochondrial bioenergetics in the isolated Guinea pig beating heart by potassium and lidocaine cardioplegia: implications for cardioprotection. <i>Journal of Cardiovascular Pharmacology</i> , 2009 , 54, 298-309	3.1	21
13	Postconditioning during reperfusion attenuates myocardial injury without improved mitochondrial oxidative phosphorylation. <i>FASEB Journal</i> , 2009 , 23, 763.5	0.9	
12	Segmentation of 4D MR renography images using temporal dynamics in a level set framework 2008		3
11	Ischemic defects in the electron transport chain increase the production of reactive oxygen species from isolated rat heart mitochondria. <i>American Journal of Physiology - Cell Physiology</i> , 2008 , 294, C460-6	5.4	243
10	Inhibited mitochondrial respiration by amobarbital during cardiac ischaemia improves redox state and reduces matrix Ca ²⁺ overload and ROS release. <i>Cardiovascular Research</i> , 2008 , 77, 406-15	9.9	81
9	Modulation of electron transport protects cardiac mitochondria and decreases myocardial injury during ischemia and reperfusion. <i>American Journal of Physiology - Cell Physiology</i> , 2007 , 292, C137-47	5.4	212
8	Blockade of the proximal, but not the distal, electron transport chain immediately before ischemia protects cardiac mitochondria. <i>FASEB Journal</i> , 2007 , 21, A1376	0.9	
7	Depletion of cardiolipin and cytochrome c during ischemia increases hydrogen peroxide production from the electron transport chain. <i>Free Radical Biology and Medicine</i> , 2006 , 40, 976-82	7.8	102

6	Blockade of electron transport before cardiac ischemia with the reversible inhibitor amobarbital protects rat heart mitochondria. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 316, 200-7	4.7	113
5	Reversible blockade of electron transport during ischemia protects mitochondria and decreases myocardial injury following reperfusion. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2006 , 319, 1405-12	4.7	164
4	Blockade of electron transport during ischemia protects cardiac mitochondria. <i>Journal of Biological Chemistry</i> , 2004 , 279, 47961-7	5.4	178
3	Ischemia, rather than reperfusion, inhibits respiration through cytochrome oxidase in the isolated, perfused rabbit heart: role of cardiolipin. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2004 , 287, H258-67	5.2	98
2	Production of reactive oxygen species by mitochondria: central role of complex III. <i>Journal of Biological Chemistry</i> , 2003 , 278, 36027-31	5.4	1170
1	Blocking Na(+)/H(+) exchange reduces [Na(+)](i) and [Ca(2+)](i) load after ischemia and improves function in intact hearts. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2001 , 281, H2398-409	5.2	66