Geoff P Delaney

List of Publications by Year in Descending Order

Source: https://exaly.com/author-pdf/3271438/geoff-p-delaney-publications-by-year.pdf

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

3,011 102 22 53 g-index h-index citations papers 4.98 113 3,744 3.1 L-index avg, IF ext. citations ext. papers

#	Paper	IF	Citations
102	Patterns of palliative radiotherapy fractionation for brain metastases patients in New South Wales, Australia. <i>Radiotherapy and Oncology</i> , 2021 , 156, 174-180	5.3	2
101	Barriers and Facilitators to Integrative Oncology Services in Australia: A Changed Mind Set Required. <i>Journal of Alternative and Complementary Medicine</i> , 2021 , 27, S89-S98	2.4	2
100	The effect of imaging modality (magnetic resonance imaging vs. computed tomography) and patient position (supine vs. prone) on target and organ at risk doses in partial breast irradiation. <i>Journal of Medical Radiation Sciences</i> , 2021 , 68, 157-166	1.5	1
99	Patterns of use of palliative radiotherapy fractionation for bone metastases and 30-day mortality. <i>Radiotherapy and Oncology</i> , 2021 , 154, 299-305	5.3	5
98	Segmental Cardiac Radiation Dose Determines Magnitude of Regional Cardiac Dysfunction. <i>Journal of the American Heart Association</i> , 2021 , 10, e019476	6	3
97	Implementation of the Australian Computer-Assisted Theragnostics (AusCAT) network for radiation oncology datalextraction, reporting and distributed learning. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2021 , 65, 627-636	1.7	3
96	Validation of a new open-source method for automatic delineation and dose assessment of the heart and LADCA in breast radiotherapy with simultaneous uncertainty estimation. <i>Physics in Medicine and Biology</i> , 2021 , 66, 035014	3.8	1
95	Acupuncture for Cancer Related Pain: Protocol for a Pragmatic Randomised Wait-List Controlled Trial. <i>Integrative Cancer Therapies</i> , 2020 , 19, 1534735420976579	3	O
94	Quality of life after breast-conserving therapy and adjuvant radiotherapy for non-low-risk ductal carcinoma in situ (BIG 3-07/TROG 07.01): 2-year results of a randomised, controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2020 , 21, 685-698	21.7	15
93	CliniciansTattitudes to oncology clinical practice guidelines and the barriers and facilitators to adherence: a mixed methods study protocol. <i>BMJ Open</i> , 2020 , 10, e035448	3	3
92	What are the attitudes of health professionals regarding patient reported outcome measures (PROMs) in oncology practice? A mixed-method synthesis of the qualitative evidence. <i>BMC Health Services Research</i> , 2020 , 20, 102	2.9	14
91	Web-Based Patient-Reported Outcome Measures for Personalized Treatment and Care (PROMPT-Care): Multicenter Pragmatic Nonrandomized Trial. <i>Journal of Medical Internet Research</i> , 2020 , 22, e19685	7.6	15
90	Factors affecting radiotherapy utilisation in geriatric oncology patients in NSW, Australia. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2020 , 16, 17-23	1.9	1
89	Quality management in radiation therapy: A 15 year review of incident reporting in two integrated cancer centres. <i>Technical Innovations and Patient Support in Radiation Oncology</i> , 2020 , 14, 15-20	1.9	1
88	Analysis of cardiac substructure dose in a large, multi-centre danish breast cancer cohort (the DBCG HYPO trial): Trends and predictive modelling. <i>Radiotherapy and Oncology</i> , 2020 , 153, 130-138	5.3	5
87	Hospital policies on complementary medicine: a cross-sectional survey of Australian cancer services. <i>Medical Journal of Australia</i> , 2020 , 213, 474-475	4	1
86	How Do We Work as Researchers in the Real World? Mapping the Trajectory of Methodological Decision Making in Health Services Research. <i>International Journal of Qualitative Methods, The</i> , 2020 , 19, 160940692091367	3.3	2

(2018-2020)

85	Variation in the use of radiotherapy fractionation for breast cancer: Survival outcome and cost implications. <i>Radiotherapy and Oncology</i> , 2020 , 152, 70-77	5.3	4
84	Clinical trials knowledge and attitudes of Vietnamese- and Anglo-Australian cancer patients: A cross-sectional study. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020 , 16, e242-e251	1.9	2
83	International comparison of cosmetic outcomes of breast conserving surgery and radiation therapy for women with ductal carcinoma in situ of the breast. <i>Radiotherapy and Oncology</i> , 2020 , 142, 180-185	5.3	3
82	Coverage of cancer services in Australia and providersTviews on service gaps: findings from a national cross-sectional survey. <i>BMC Cancer</i> , 2019 , 19, 570	4.8	7
81	Estimating the cost of radiotherapy for 5-year local control and overall survival benefit. <i>Radiotherapy and Oncology</i> , 2019 , 136, 154-160	5.3	4
80	Feasibility of multi-atlas cardiac segmentation from thoracic planning CT in a probabilistic framework. <i>Physics in Medicine and Biology</i> , 2019 , 64, 085006	3.8	22
79	Radiotherapy underutilisation and its impact on local control and survival in New South Wales, Australia. <i>Radiotherapy and Oncology</i> , 2019 , 141, 41-47	5.3	7
78	Phase III non-randomized controlled trial of PROMPT-Care, an eHealth intervention utilizing patient reported outcomes in routine clinical care: Impact on emergency department presentations <i>Journal of Clinical Oncology</i> , 2019 , 37, 6510-6510	2.2	1
77	Interpreting and Acting on the PRO Scores From the Patient-reported Outcomes for Personalized Treatment and Care (PROMPT-Care) eHealth System. <i>Medical Care</i> , 2019 , 57 Suppl 5 Suppl 1, S85-S91	3.1	11
76	Persistent reduction in global longitudinal strain in the longer term after radiation therapy in patients with breast cancer. <i>Radiotherapy and Oncology</i> , 2019 , 132, 148-154	5.3	16
75	Variations in breast cancer histology and treatment patterns between the major ethnic groups of South West Sydney. <i>Breast Journal</i> , 2018 , 24, 615-619	1.2	2
74	The impact of imaging modality (CT vs MRI) and patient position (supine vs prone) on tangential whole breast radiation therapy planning. <i>Practical Radiation Oncology</i> , 2018 , 8, e87-e97	2.8	5
73	Guidance for establishing an integrative oncology service in the Australian healthcare setting-a discussion paper. <i>Supportive Care in Cancer</i> , 2018 , 26, 471-481	3.9	5
72	Impact of radiotherapy underutilisation measured by survival shortfall, years of potential life lost and disability-adjusted life years lost in New South Wales, Australia. <i>Radiotherapy and Oncology</i> , 2018 , 129, 191-195	5.3	9
71	Australian integrative oncology services: a mixed-method study exploring the views of cancer survivors. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 153	4.7	13
70	The impact of a radiologist-led workshop on MRI target volume delineation for radiotherapy. Journal of Medical Radiation Sciences, 2018, 65, 300-310	1.5	4
69	Development of Health Pathways to Standardize Cancer Care Pathways Informed by Patient-Reported Outcomes and Clinical Practice Guidelines. <i>JCO Clinical Cancer Informatics</i> , 2018 , 2, 1-13	5.2	9
68	Integrative oncology and complementary medicine cancer services in Australia: findings from a national cross-sectional survey. <i>BMC Complementary and Alternative Medicine</i> , 2018 , 18, 289	4.7	21

67	Study protocol for a controlled trial of an eHealth system utilising patient reported outcome measures for personalised treatment and care: PROMPT-Care 2.0. <i>BMC Cancer</i> , 2018 , 18, 845	4.8	13
66	Risks and benefits of reducing target volume margins in breast tangent radiotherapy. <i>Australasian Physical and Engineering Sciences in Medicine</i> , 2017 , 40, 305-315	1.9	5
65	Strain Imaging Detects Dose-Dependent Segmental Cardiac Dysfunction in the Acute Phase After Breast Irradiation. <i>International Journal of Radiation Oncology Biology Physics</i> , 2017 , 99, 182-190	4	27
64	A Standard Set of Value-Based Patient-Centered Outcomes for Breast Cancer: The International Consortium for Health Outcomes Measurement (ICHOM) Initiative. <i>JAMA Oncology</i> , 2017 , 3, 677-685	13.4	111
63	Assessment of dose variation for accelerated partial-breast irradiation using rigid and deformable image registrations. <i>Practical Radiation Oncology</i> , 2017 , 7, e9-e17	2.8	
62	eHealth System for Collecting and Utilizing Patient Reported Outcome Measures for Personalized Treatment and Care (PROMPT-Care) Among Cancer Patients: Mixed Methods Approach to Evaluate Feasibility and Acceptability. <i>Journal of Medical Internet Research</i> , 2017 , 19, e330	7.6	50
61	The Pattern of Use of Hypofractionated Radiation Therapy for Early-Stage Breast Cancer in New South Wales, Australia, 2008 to 2012. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 266-272	4	22
60	Comparison of setup accuracy of three different image assessment methods for tangential breast radiotherapy. <i>Journal of Medical Radiation Sciences</i> , 2016 , 63, 224-231	1.5	21
59	Evidence-based optimal number of radiotherapy fractions for cancer: A useful tool to estimate radiotherapy demand. <i>Radiotherapy and Oncology</i> , 2016 , 119, 145-9	5.3	20
58	Estimation of the optimal utilisation rates of radical prostatectomy, external beam radiotherapy and brachytherapy in the treatment of prostate cancer by a review of clinical practice guidelines. <i>Radiotherapy and Oncology</i> , 2016 , 118, 118-21	5.3	6
57	Development and Feasibility Testing of PROMPT-Care, an eHealth System for Collection and Use of Patient-Reported Outcome Measures for Personalized Treatment and Care: A Study Protocol. <i>JMIR Research Protocols</i> , 2016 , 5, e227	2	14
56	Herbal Medicine for Hot Flushes Induced by Endocrine Therapy in Women with Breast Cancer: A Systematic Review and Meta-Analysis. <i>Evidence-based Complementary and Alternative Medicine</i> , 2016 , 2016, 1327251	2.3	8
55	A review of setup error in supine breast radiotherapy using cone-beam computed tomography. <i>Medical Dosimetry</i> , 2016 , 41, 225-9	1.3	15
54	Hypofractionated versus conventionally fractionated radiotherapy for ductal carcinoma in situ (DCIS) of the breast. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2016 , 60, 407-13	1.7	3
53	MRI geometric distortion: Impact on tangential whole-breast IMRT. <i>Journal of Applied Clinical Medical Physics</i> , 2016 , 17, 7-19	2.3	16
52	Assessment of MRI image quality for various setup positions used in breast radiotherapy planning. <i>Radiotherapy and Oncology,</i> 2016 , 119, 57-60	5.3	10
51	Comparison of Magnetic Resonance Imaging and Computed Tomography for Breast Target Volume Delineation in Prone and Supine Positions. <i>International Journal of Radiation Oncology Biology Physics</i> , 2016 , 96, 905-912	4	13
50	The effect of travel distance on radiotherapy utilization in NSW and ACT. <i>Radiotherapy and Oncology</i> , 2015 , 117, 386-9	5.3	27

(2011-2015)

49	Estimation of the optimal number of radiotherapy fractions for breast cancer: A review of the evidence. <i>Radiotherapy and Oncology</i> , 2015 , 116, 174-8	5.3	6
48	Optimal uptake rates for initial treatments for cervical cancer in concordance with guidelines in Australia and Canada: Results from two large cancer facilities. <i>Cancer Epidemiology</i> , 2015 , 39, 600-11	2.8	7
47	Patterns of care study of brachytherapy in New South Wales: malignancies of the uterine corpus. Journal of Contemporary Brachytherapy, 2015 , 7, 224-30	1.9	3
46	Estimation of an optimal chemotherapy utilisation rate for upper gastrointestinal cancers: setting an evidence-based benchmark for the best-quality cancer care. <i>Gastroenterology Research and Practice</i> , 2015 , 2015, 753480	2	2
45	Subclinical cardiac dysfunction detected by strain imaging during breast irradiation with persistent changes 6 weeks after treatment. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015 , 92, 268-76	4	33
44	Imaging dose in breast radiotherapy: does breast size affect the dose to the organs at risk and the risk of secondary cancer to the contralateral breast?. <i>Journal of Medical Radiation Sciences</i> , 2015 , 62, 32-9	1.5	5
43	Australian survey on current practices for breast radiotherapy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2015 , 59, 736-42	1.7	15
42	Prostate brachytherapy in New South Wales: patterns of care study and impact of caseload on treatment quality. <i>Journal of Contemporary Brachytherapy</i> , 2015 , 6, 344-9	1.9	3
41	Estimating the demand for radiotherapy from the evidence: a review of changes from 2003 to 2012. <i>Radiotherapy and Oncology</i> , 2014 , 112, 140-4	5.3	253
40	Do variations in hospital mortality patterns after weekend admission reflect reduced quality of care or different patient cohorts? A population-based study. <i>BMJ Quality and Safety</i> , 2014 , 23, 215-22	5.4	86
39	Rapid learning in practice: a lung cancer survival decision support system in routine patient care data. <i>Radiotherapy and Oncology</i> , 2014 , 113, 47-53	5.3	32
38	Patterns of care study of brachytherapy in New South Wales: cervical cancer treatment quality depends on caseload. <i>Journal of Contemporary Brachytherapy</i> , 2014 , 6, 28-32	1.9	11
37	Outcomes of ethnic minority groups with node-positive, non-metastatic breast cancer in two tertiary referral centers in Sydney, Australia. <i>PLoS ONE</i> , 2014 , 9, e95852	3.7	5
36	The impact of breast cosmetic and functional outcomes on quality of life: long-term results from the St. George and Wollongong randomized breast boost trial. <i>Breast Cancer Research and Treatment</i> , 2013 , 139, 115-23	4.4	45
35	Radiation dose and contralateral breast cancer risk associated with megavoltage cone-beam computed tomographic image verification in breast radiation therapy. <i>Practical Radiation Oncology</i> , 2013 , 3, 93-100	2.8	8
34	A comparison of systemic breast cancer therapy utilization in Canada (British Columbia), Scotland (Dundee), and Australia (Western Australia) with models of "optimal" therapy. <i>Breast</i> , 2012 , 21, 562-9	3.6	5
33	Chemotherapy in rectal cancer: variation in utilization and development of an evidence-based benchmark rate of optimal chemotherapy utilization. <i>Clinical Colorectal Cancer</i> , 2011 , 10, 102-7	3.8	5
32	A decade of investment in radiotherapy in New South Wales: why does the gap between optimal and actual persist?. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2011 , 55, 433-41	1.7	20

31	Do multidisciplinary meetings follow guideline-based care?. Journal of Oncology Practice, 2010, 6, 276-8	313.1	45
30	Why do some lung cancer patients receive no anticancer treatment?. <i>Journal of Thoracic Oncology</i> , 2010 , 5, 1025-32	8.9	46
29	Estimation of an evidence-based benchmark for the optimal endocrine therapy utilization rate in breast cancer. <i>Breast</i> , 2010 , 19, 345-9	3.6	3
28	Prediction of local recurrence, distant metastases, and death after breast-conserving therapy in early-stage invasive breast cancer using a five-biomarker panel. <i>Journal of Clinical Oncology</i> , 2009 , 27, 4701-8	2.2	253
27	Gaps in optimal care for lung cancer. <i>Journal of Thoracic Oncology</i> , 2008 , 3, 871-9	8.9	65
26	Establishing treatment benchmarks for mammography-screened breast cancer population based on a review of evidence-based clinical guidelines. <i>Cancer</i> , 2008 , 112, 1912-22	6.4	10
25	An evidence-based estimation of local control and survival benefit of radiotherapy for breast cancer. <i>Radiotherapy and Oncology</i> , 2007 , 84, 11-7	5.3	19
24	Estimating the optimal radiotherapy utilization for carcinoma of the central nervous system, thyroid carcinoma, and carcinoma of unknown primary origin from evidence-based clinical guidelines. <i>Cancer</i> , 2006 , 106, 453-65	6.4	10
23	Estimation of the optimal brachytherapy utilization rate in the treatment of carcinoma of the uterine cervix: review of clinical practice guidelines and primary evidence. <i>Cancer</i> , 2006 , 107, 2932-41	6.4	16
22	Recent advances in the use of radiotherapy to treat early breast cancer. <i>Current Opinion in Obstetrics and Gynecology</i> , 2005 , 17, 27-33	2.4	2
21	Socio-economic status and patterns of care in lung cancer. <i>Australian and New Zealand Journal of Public Health</i> , 2005 , 29, 372-7	2.3	14
20	Estimating the optimal utilization rates of radiotherapy for hematologic malignancies from a review of the evidence: part I-lymphoma. <i>Cancer</i> , 2005 , 103, 383-92	6.4	13
19	Estimating the optimal external-beam radiotherapy utilization rate for genitourinary malignancies. <i>Cancer</i> , 2005 , 103, 462-73	6.4	31
18	Estimation of an optimal external beam radiotherapy utilization rate for head and neck carcinoma. <i>Cancer</i> , 2005 , 103, 2216-27	6.4	30
17	The role of radiotherapy in cancer treatment: estimating optimal utilization from a review of evidence-based clinical guidelines. <i>Cancer</i> , 2005 , 104, 1129-37	6.4	917
16	Support of large breasts during tangential irradiation using a micro-shell and minimizing the skin dosea pilot study. <i>Medical Dosimetry</i> , 2005 , 30, 31-5	1.3	6
15	Estimation of an optimal radiotherapy utilization rate for melanoma: a review of the evidence. <i>Cancer</i> , 2004 , 100, 1293-301	6.4	36
14	Estimation of an optimal radiotherapy utilization rate for gastrointestinal carcinoma: a review of the evidence. <i>Cancer</i> , 2004 , 101, 657-70	6.4	22

LIST OF PUBLICATIONS

13	Estimation of an optimal radiotherapy utilization rate for gynecologic carcinoma: part Imalignancies of the cervix, ovary, vagina and vulva. <i>Cancer</i> , 2004 , 101, 671-81	6.4	39	
12	Estimation of an optimal radiotherapy utilization rate for gynecologic carcinoma: part IIcarcinoma of the endometrium. <i>Cancer</i> , 2004 , 101, 682-92	6.4	29	
11	Waiting times for radiotherapya survey of patientsTattitudes. <i>Radiotherapy and Oncology</i> , 2004 , 70, 283-9	5.3	20	
10	Estimation of an optimal radiotherapy utilization rate for breast carcinoma: a review of the evidence. <i>Cancer</i> , 2003 , 98, 1977-86	6.4	58	
9	A model for decision making for the use of radiotherapy in lung cancer. <i>Lancet Oncology, The</i> , 2003 , 4, 120-8	21.7	88	
8	The development of a model of outpatient chemotherapy deliverychemotherapy basic treatment equivalent (CBTE). <i>Clinical Oncology</i> , 2002 , 14, 406-12	2.8	8	
7	Breast radiotherapy: an Australasian survey of current treatment techniques. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2001 , 45, 170-8		14	
6	Fluorine-18 FDG dual-head gamma camera coincidence imaging of radiation pneumonitis. <i>Clinical Nuclear Medicine</i> , 2000 , 25, 866-9	1.7	23	
5	Primary central nervous system lymphoma and subcutaneous metastases. <i>Journal of Neuro-Oncology</i> , 2000 , 47, 141-4	4.8	7	
4	Comparison of kilovoltage x-ray and electron beam dose distributions for radiotherapy of the sternum. <i>Medical Dosimetry</i> , 1999 , 24, 141-4	1.3	3	
3	An Australasian assessment of the basic treatment equivalent model derived from New South Wales data. <i>Journal of Medical Imaging and Radiation Oncology</i> , 1999 , 43, 500-6		11	
2	Refinement of the basic treatment equivalent model to reflect radiotherapy treatment throughput using Australasian data. <i>Journal of Medical Imaging and Radiation Oncology</i> , 1999 , 43, 507-13		11	
1	An assessment of the number of CT slices necessary to plan breast radiotherapy. <i>Radiotherapy and Oncology</i> , 1999 , 52, 179-83	5.3	15	