

Wenbin Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3271543/publications.pdf>

Version: 2024-02-01

146
papers

3,607
citations

159585

30
h-index

189892

50
g-index

156
all docs

156
docs citations

156
times ranked

4688
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Rapid and Dynamic Alternative Splicing Impacts the Arabidopsis Cold Response Transcriptome. <i>Plant Cell</i> , 2018, 30, 1424-1444. | 6.6 | 294 |
| 2 | A high quality Arabidopsis transcriptome for accurate transcript-level analysis of alternative splicing. <i>Nucleic Acids Research</i> , 2017, 45, 5061-5073. | 14.5 | 262 |
| 3 | Strategies of modifying spiro-OMeTAD materials for perovskite solar cells: a review. <i>Journal of Materials Chemistry A</i> , 2021, 9, 4589-4625. | 10.3 | 149 |
| 4 | High sensitive and fast formaldehyde gas sensor based on Ag-doped LaFeO ₃ nanofibers. <i>Journal of Alloys and Compounds</i> , 2017, 695, 1122-1127. | 5.5 | 102 |
| 5 | Recent Progress of Inverted Perovskite Solar Cells with a Modified PEDOT:PSS Hole Transport Layer. <i>ACS Applied Materials & Interfaces</i> , 2020, 12, 49297-49322. | 8.0 | 88 |
| 6 | High performance humidity sensor based on metal organic framework MIL-101(Cr) nanoparticles. <i>Journal of Alloys and Compounds</i> , 2017, 695, 520-525. | 5.5 | 82 |
| 7 | Highly Efficient Semitransparent Polymer Solar Cells with Color Rendering Index Approaching 100 Using One-Dimensional Photonic Crystal. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 9920-9928. | 8.0 | 81 |
| 8 | Barley SIX-ROWED SPIKE3 encodes a putative Jumonji C-type H3K9me ₂ /me ₃ demethylase that represses lateral spikelet fertility. <i>Nature Communications</i> , 2017, 8, 936. | 12.8 | 78 |
| 9 | Cold-Dependent Expression and Alternative Splicing of Arabidopsis Long Non-coding RNAs. <i>Frontiers in Plant Science</i> , 2019, 10, 235. | 3.6 | 70 |
| 10 | High-Efficiency and High-Color-Rendering-Index Semitransparent Polymer Solar Cells Induced by Photonic Crystals and Surface Plasmon Resonance. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 6513-6520. | 8.0 | 68 |
| 11 | Performance improvement of TiO ₂ -P3HT solar cells using CuPc as a sensitizer. <i>Applied Physics Letters</i> , 2008, 92, 073307. | 3.3 | 67 |
| 12 | Enhanced toluene sensing performance of gold-functionalized WO ₃ -H ₂ O nanosheets. <i>Sensors and Actuators B: Chemical</i> , 2016, 223, 761-767. | 7.8 | 58 |
| 13 | TSIS: an R package to infer alternative splicing isoform switches for time-series data. <i>Bioinformatics</i> , 2017, 33, 3308-3310. | 4.1 | 58 |
| 14 | 3D RNA-seq: a powerful and flexible tool for rapid and accurate differential expression and alternative splicing analysis of RNA-seq data for biologists. <i>RNA Biology</i> , 2021, 18, 1574-1587. | 3.1 | 58 |
| 15 | V-doped In ₂ O ₃ nanofibers for H ₂ S detection at low temperature. <i>Ceramics International</i> , 2014, 40, 6685-6689. | 4.8 | 55 |
| 16 | Highly Efficient Low-Bandgap Polymer Solar Cells with Solution-Processed and Annealing-Free Phosphomolybdic Acid as Hole-Transport Layers. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 5367-5372. | 8.0 | 52 |
| 17 | At RTD â€” a comprehensive reference transcript dataset resource for accurate quantification of transcript-specific expression in Arabidopsis thaliana. <i>New Phytologist</i> , 2015, 208, 96-101. | 7.3 | 50 |
| 18 | BarTv1.0: an improved barley reference transcript dataset to determine accurate changes in the barley transcriptome using RNA-seq. <i>BMC Genomics</i> , 2019, 20, 968. | 2.8 | 50 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 19 | Performance Improvement of Polymer Solar Cells by Surface-Energy-Induced Dual Plasmon Resonance. ACS Applied Materials & Interfaces, 2016, 8, 6183-6189. | 8.0 | 46 |
| 20 | Highly efficient and high transmittance semitransparent polymer solar cells with one-dimensional photonic crystals as distributed Bragg reflectors. Organic Electronics, 2014, 15, 470-477. | 2.6 | 45 |
| 21 | Surface Plasmon Resonance Enhanced Polymer Solar Cells by Thermally Evaporating Au into Buffer Layer. ACS Applied Materials & Interfaces, 2015, 7, 18866-18871. | 8.0 | 45 |
| 22 | Improving charge transport property and energy transfer with carbon quantum dots in inverted polymer solar cells. Applied Physics Letters, 2014, 105, . | 3.3 | 42 |
| 23 | Nonsense-Mediated RNA Decay Factor UPF1 Is Critical for Posttranscriptional and Translational Gene Regulation in Arabidopsis. Plant Cell, 2020, 32, 2725-2741. | 6.6 | 42 |
| 24 | Semitransparent inverted polymer solar cells using MoO ₃ /Ag/V ₂ O ₅ as transparent anodes. Solar Energy Materials and Solar Cells, 2012, 97, 59-63. | 6.2 | 40 |
| 25 | Semitransparent polymer solar cells with one-dimensional (WO ₃ /LiF)N photonic crystals. Applied Physics Letters, 2012, 101, . | 3.3 | 37 |
| 26 | Surface Chlorination of ZnO for Perovskite Solar Cells with Enhanced Efficiency and Stability. Solar Rrl, 2019, 3, 1900154. | 5.8 | 37 |
| 27 | A high-resolution single-molecule sequencing-based Arabidopsis transcriptome using novel methods of Iso-seq analysis. Genome Biology, 2022, 23, . | 8.8 | 35 |
| 28 | Downy Mildew effector HaRxL21 interacts with the transcriptional repressor TOPLESS to promote pathogen susceptibility. PLoS Pathogens, 2020, 16, e1008835. | 4.7 | 34 |
| 29 | An easily prepared carbon quantum dots and employment for inverted organic photovoltaic devices. Chemical Engineering Journal, 2017, 315, 621-629. | 12.7 | 33 |
| 30 | High-efficiency polymer solar cells with low temperature solution-processed SnO ₂ /PFN as a dual-function electron transporting layer. Journal of Materials Chemistry A, 2018, 6, 17401-17408. | 10.3 | 33 |
| 31 | Efficient perovskite solar cells enabled by ion-modulated grain boundary passivation with a fill factor exceeding 84%. Journal of Materials Chemistry A, 2019, 7, 22359-22365. | 10.3 | 33 |
| 32 | The Effect of Drought on Transcriptome and Hormonal Profiles in Barley Genotypes With Contrasting Drought Tolerance. Frontiers in Plant Science, 2020, 11, 618491. | 3.6 | 33 |
| 33 | Open-circuit voltage enhancement of inverted polymer bulk heterojunction solar cells by doping NaYF ₄ nanoparticles/PVP composites. Journal of Materials Chemistry, 2012, 22, 22382. | 6.7 | 32 |
| 34 | Unique Gold Nanorods Embedded Active Layer Enabling Strong Plasmonic Effect To Improve the Performance of Polymer Photovoltaic Devices. Journal of Physical Chemistry C, 2016, 120, 6198-6205. | 3.1 | 32 |
| 35 | Annealing-Free ZnO:PEI Composite Cathode Interfacial Layer for Efficient Organic Solar Cells. ACS Photonics, 2017, 4, 2952-2958. | 6.6 | 32 |
| 36 | Magnetic coupling metasurface for achieving broad-band and broad-angular absorption in the MoS ₂ monolayer. Optical Materials Express, 2017, 7, 100. | 3.0 | 31 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Improving the performance of perovskite solar cells by surface passivation. Journal of Energy Chemistry, 2020, 46, 202-207. | 12.9 | 31 |
| 38 | Efficiency enhancement of inverted polymer solar cells by doping NaYF ₄ :Yb ³⁺ , Er ³⁺ nanocomposites in PCDTBT:PCBM active layer. Solar Energy Materials and Solar Cells, 2014, 124, 126-132. | 6.2 | 29 |
| 39 | Enhanced Electron Extraction Capability of Polymer Solar Cells via Employing Electrostatically Self-Assembled Molecule on Cathode Interfacial Layer. ACS Applied Materials & Interfaces, 2016, 8, 8224-8231. | 8.0 | 29 |
| 40 | Efficient 4,4'-bis(2,4,6-tris(3-methylphenylphenylamino)triphenylamine) triphenylamine (m-MTDATA) Hole Transport Layer in Perovskite Solar Cells Enabled by Using the Nonstoichiometric Precursors. Advanced Functional Materials, 2018, 28, 1803126. | 14.9 | 29 |
| 41 | Decreased Charge Transport Barrier and Recombination of Organic Solar Cells by Constructing Interfacial Nanojunction with Annealing-Free ZnO and Al Layers. ACS Applied Materials & Interfaces, 2017, 9, 22068-22075. | 8.0 | 28 |
| 42 | Colored semitransparent polymer solar cells with a power conversion efficiency of 9.36% achieved by controlling the optical Tamm state. Journal of Materials Chemistry A, 2019, 7, 4102-4109. | 10.3 | 27 |
| 43 | p-n Heterojunction diodes made by assembly of ITO/nano-crystalline TiO ₂ /polyaniline/ITO. Synthetic Metals, 2006, 156, 414-416. | 3.9 | 26 |
| 44 | The role of Ag nanoparticles in inverted polymer solar cells: Surface plasmon resonance and backscattering centers. Applied Physics Letters, 2013, 102, . | 3.3 | 26 |
| 45 | Effective stability enhancement in ZnO-based perovskite solar cells by MACl modification. Journal of Materials Chemistry A, 2021, 9, 12161-12168. | 10.3 | 26 |
| 46 | The Performance Enhancement of Polymer Solar Cells by Introducing Cadmium-Free Quantum Dots. Journal of Physical Chemistry C, 2015, 119, 26747-26752. | 3.1 | 25 |
| 47 | Boosted Electron Transport and Enlarged Built-In Potential by Eliminating the Interface Barrier in Organic Solar Cells. ACS Applied Materials & Interfaces, 2017, 9, 8830-8837. | 8.0 | 25 |
| 48 | Impedance investigation of the highly efficient polymer solar cells with composite CuBr ₂ /MoO ₃ hole transport layer. Physical Chemistry Chemical Physics, 2017, 19, 20839-20846. | 2.8 | 25 |
| 49 | How does temperature affect splicing events? Isoform switching of splicing factors regulates splicing of <i>LATE ELONGATED HYPOCOTYL</i> (<i>LHY</i>). Plant, Cell and Environment, 2018, 41, 1539-1550. | 5.7 | 25 |
| 50 | Using easily prepared carbon nanodots to improve hole transport capacity of perovskite solar cells. Materials Today Energy, 2019, 12, 161-167. | 4.7 | 25 |
| 51 | Light harvesting enhancement toward low IPCE region of semitransparent polymer solar cells via one-dimensional photonic crystal reflectors. Solar Energy Materials and Solar Cells, 2014, 127, 27-32. | 6.2 | 24 |
| 52 | Performance improvement of inverted polymer solar cells by doping Au nanoparticles into TiO ₂ cathode buffer layer. Applied Physics Letters, 2013, 103, . | 3.3 | 23 |
| 53 | Highly efficient ITO-free polymer solar cells based on metal resonant microcavity using WO ₃ /Au/WO ₃ as transparent electrodes. Organic Electronics, 2014, 15, 1545-1551. | 2.6 | 23 |
| 54 | Incorporating self-assembled silane-crosslinked carbon dots into perovskite solar cells to improve efficiency and stability. Journal of Materials Chemistry A, 2020, 8, 5629-5637. | 10.3 | 23 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 55 | Improving the charge carrier transport of organic solar cells by incorporating a deep energy level molecule. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 245-250. | 2.8 | 22 |
| 56 | Performance improvement of planar perovskite solar cells with cobalt-doped interface layer. <i>Applied Surface Science</i> , 2020, 507, 145081. | 6.1 | 22 |
| 57 | Developing 1D Sb-Embedded Carbon Nanorods to Improve Efficiency and Stability of Inverted Planar Perovskite Solar Cells. <i>Small</i> , 2019, 15, e1804692. | 10.0 | 21 |
| 58 | Improving the efficiency of inverted polymer solar cells by introducing inorganic dopants. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 7960-7965. | 2.8 | 20 |
| 59 | Improved Power Conversion Efficiency of Inverted Organic Solar Cells by Incorporating Au Nanorods into Active Layer. <i>ACS Applied Materials & Interfaces</i> , 2015, 7, 15848-15854. | 8.0 | 20 |
| 60 | Differential nucleosome occupancy modulates alternative splicing in <i>Arabidopsis thaliana</i> . <i>New Phytologist</i> , 2021, 229, 1937-1945. | 7.3 | 19 |
| 61 | Small molecules based on tetrazine unit for efficient performance solution-processed organic solar cells. <i>Solar Energy Materials and Solar Cells</i> , 2016, 155, 30-37. | 6.2 | 18 |
| 62 | Characterization and Humidity Sensing Properties of the Sensor Based on Na ₂ Ti ₃ O ₇ Nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 4303-4307. | 0.9 | 17 |
| 63 | Versatile dual organic interface layer for performance enhancement of polymer solar cells. <i>Journal of Power Sources</i> , 2016, 333, 99-106. | 7.8 | 17 |
| 64 | scRNA-seq: a highly resolved barley reference transcriptome for accurate transcript-specific RNA-seq quantification. <i>Plant Journal</i> , 2022, 111, 1183-1202. | 5.7 | 17 |
| 65 | Efficiency Improvement of Organic Solar Cells via Introducing Combined Anode Buffer Layer To Facilitate Hole Extraction. <i>Journal of Physical Chemistry C</i> , 2016, 120, 13954-13962. | 3.1 | 16 |
| 66 | Employing Easily Prepared Carbon Nanoparticles To Improve Performance of Inverted Organic Solar Cells. <i>ACS Sustainable Chemistry and Engineering</i> , 2016, 4, 2359-2365. | 6.7 | 16 |
| 67 | Cations Functionalized Carbon Nano-Enabling Interfacial Passivation and Crystallization Control for Inverted Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900369. | 5.8 | 16 |
| 68 | Incorporating a Polar Molecule to Passivate Defects for Perovskite Solar Cells. <i>Solar Rrl</i> , 2020, 4, 1900489. | 5.8 | 16 |
| 69 | Efficiency enhancement of inverted organic solar cells by introducing PFDTBT quantum dots into PCDTBT:PC71BM active layer. <i>Organic Electronics</i> , 2014, 15, 2632-2638. | 2.6 | 15 |
| 70 | Performance improvement of inverted polymer solar cells thermally evaporating CuI as an anode buffer layer. <i>Synthetic Metals</i> , 2014, 198, 1-5. | 3.9 | 15 |
| 71 | Semi-transparent polymer solar cells with optical adjusting layers. <i>Journal of Materials Chemistry C</i> , 2018, 6, 9494-9500. | 5.5 | 15 |
| 72 | Improved color rendering index of low band gap semi-transparent polymer solar cells using one-dimensional photonic crystals. <i>RSC Advances</i> , 2015, 5, 54638-54644. | 3.6 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 73 | Chromatin accessibility landscapes activated by cell-surface and intracellular immune receptors. <i>Journal of Experimental Botany</i> , 2021, 72, 7927-7941. | 4.8 | 14 |
| 74 | Preparation and employment of carbon nanodots to improve electron extraction capacity of polyethylenimine interfacial layer for polymer solar cells. <i>Organic Electronics</i> , 2016, 33, 62-70. | 2.6 | 13 |
| 75 | The role of Au nanorods in highly efficient inverted low bandgap polymer solar cells. <i>Applied Physics Letters</i> , 2014, 105, 223305. | 3.3 | 12 |
| 76 | Toward Efficient Carbon-Dots-Based Electron-Extraction Layer Through Surface Charge Engineering. <i>ACS Applied Materials & Interfaces</i> , 2018, 10, 40255-40264. | 8.0 | 12 |
| 77 | Reducing charge recombination of polymer solar cells by introducing composite anode buffer layer. <i>Solar Energy</i> , 2018, 171, 8-15. | 6.1 | 12 |
| 78 | Alkali metal salts doped ZnO interfacial layers facilitate charge transport for organic solar cells. <i>Organic Electronics</i> , 2019, 74, 258-264. | 2.6 | 11 |
| 79 | Role of solution-processed V ₂ O ₅ in P3HT:PCBM based inverted polymer solar cells. <i>Synthetic Metals</i> , 2013, 170, 7-10. | 3.9 | 10 |
| 80 | Application of Solution-Processed V ₂ O ₅ in Inverted Polymer Solar Cells Based on Fluorine-Doped Tin Oxide Substrate. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 4214-4217. | 0.9 | 10 |
| 81 | Performance enhancement of organic photovoltaic devices enabled by Au nanoarrows inducing surface plasmonic resonance effect. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 24285-24289. | 2.8 | 10 |
| 82 | An easily prepared Ag ₈ GeS ₆ nanocrystal and its role on the performance enhancement of polymer solar cells. <i>Organic Electronics</i> , 2017, 45, 247-255. | 2.6 | 10 |
| 83 | Enhanced Photovoltaic Performance of Tetrazine-Based Small Molecules with Conjugated Side Chains. <i>ACS Sustainable Chemistry and Engineering</i> , 2017, 5, 8684-8692. | 6.7 | 10 |
| 84 | The role of phosphor nanoparticles in high efficiency organic solar cells. <i>Synthetic Metals</i> , 2015, 204, 65-69. | 3.9 | 9 |
| 85 | Enhanced electron extraction capability of polymer solar cells via modifying the cathode buffer layer with inorganic quantum dots. <i>Physical Chemistry Chemical Physics</i> , 2016, 18, 11435-11442. | 2.8 | 9 |
| 86 | Highly efficient polymer solar cells based on low-temperature processed ZnO: application of a bifunctional Au@CNTs nanocomposite. <i>Journal of Materials Chemistry C</i> , 2019, 7, 2676-2685. | 5.5 | 9 |
| 87 | Overcoming intrinsic defects of the hole transport layer with optimized carbon nanorods for perovskite solar cells. <i>Nanoscale</i> , 2019, 11, 8776-8784. | 5.6 | 9 |
| 88 | Flexible Color Tunability and High Transmittance Semitransparent Organic Solar Cells. <i>Solar Rrl</i> , 2022, 6, . | 5.8 | 9 |
| 89 | Performance Improvement of Low-Band-Gap Polymer Solar Cells by Optical Microcavity Effect. <i>IEEE Electron Device Letters</i> , 2013, 34, 87-89. | 3.9 | 8 |
| 90 | Enhancing the light-harvesting and charge transport properties of polymer solar cells by embedding NaLuF ₄ :Yb,Tm nanorods. <i>RSC Advances</i> , 2015, 5, 32891-32896. | 3.6 | 8 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|------|-----------|
| 91 | Optimization of PDTS-DTffBT-Based Solar Cell Performance through Control of Polymer Molecular Weight. <i>Journal of Physical Chemistry C</i> , 2016, 120, 19513-19520. | 3.1 | 8 |
| 92 | Improved Optical Field Distribution and Charge Extraction through an Interlayer of Carbon Nanospheres in Polymer Solar Cells. <i>Chemistry of Materials</i> , 2017, 29, 2961-2968. | 6.7 | 8 |
| 93 | Interface passivation and electron transport improvement of polymer solar cells through embedding a polyfluorene layer. <i>Physical Chemistry Chemical Physics</i> , 2017, 19, 15207-15214. | 2.8 | 8 |
| 94 | Boosting Electron Extraction in Polymer Solar Cells by Introducing a N-Type Organic Semiconductor Interface Layer. <i>Journal of Physical Chemistry C</i> , 2018, 122, 207-215. | 3.1 | 8 |
| 95 | Incorporating deep electron traps into perovskite devices: towards high efficiency solar cells and fast photodetectors. <i>Journal of Materials Chemistry A</i> , 2018, 6, 21039-21046. | 10.3 | 8 |
| 96 | Alkali metal ions passivation to decrease interface defects of perovskite solar cells. <i>Solar Energy</i> , 2019, 193, 220-226. | 6.1 | 8 |
| 97 | The light trapping enhancement of inverted polymer solar cells by introducing NaYF ₄ nanoparticles. <i>Synthetic Metals</i> , 2014, 195, 117-121. | 3.9 | 7 |
| 98 | Facilitating electron extraction of inverted polymer solar cells by using organic/inorganic/organic composite buffer layer. <i>Organic Electronics</i> , 2019, 68, 187-192. | 2.6 | 7 |
| 99 | Unraveling the effect of polymer dots doping in inverted low bandgap organic solar cells. <i>Physical Chemistry Chemical Physics</i> , 2015, 17, 16086-16091. | 2.8 | 6 |
| 100 | The role of polymer dots on efficiency enhancement of organic solar cells: Improving charge transport property. <i>Optics Communications</i> , 2017, 395, 127-132. | 2.1 | 6 |
| 101 | Orienting the Microstructure Evolution of Copper Phthalocyanine as an Anode Interlayer in Inverted Polymer Solar Cells for High Performance. <i>ACS Applied Materials & Interfaces</i> , 2017, 9, 32044-32053. | 8.0 | 6 |
| 102 | A solution-processed binary cathode interfacial layer facilitates electron extraction for inverted polymer solar cells. <i>Journal of Colloid and Interface Science</i> , 2018, 514, 328-337. | 9.4 | 6 |
| 103 | Employing Pentacene To Balance the Charge Transport in Inverted Organic Solar Cells. <i>Journal of Physical Chemistry C</i> , 2018, 122, 17110-17117. | 3.1 | 6 |
| 104 | Overcoming Defect-Induced Charge Recombination Loss in Organic Solar Cells by Förster Resonance Energy Transfer. <i>ACS Sustainable Chemistry and Engineering</i> , 2018, 6, 9699-9706. | 6.7 | 6 |
| 105 | Recent process of plasma effect in organic solar cells. <i>Journal of Energy Chemistry</i> , 2021, 52, 181-190. | 12.9 | 6 |
| 106 | Facilitating electron collection of organic photovoltaics by passivating trap states and tailoring work function. <i>Solar Energy</i> , 2019, 181, 9-16. | 6.1 | 6 |
| 107 | Preparation and Ethanol Sensing Properties of In ₂ O ₃ Nanotubes. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 3653-3657. | 0.9 | 5 |
| 108 | Solar-Blind Photodetector Based on LaAlO ₃ with Low Dark Current. <i>Journal of Nanoscience and Nanotechnology</i> , 2014, 14, 3827-3830. | 0.9 | 5 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 109 | The action mechanism of TiO ₂ :NaYF ₄ :Yb ³⁺ ,Tm ³⁺ cathode buffer layer in highly efficient inverted organic solar cells. Applied Physics Letters, 2014, 105, 053301. | 3.3 | 5 |
| 110 | An organosilane self-assembled monolayer incorporated into polymer solar cells enabling interfacial coherence to improve charge transport. Physical Chemistry Chemical Physics, 2016, 18, 16005-16012. | 2.8 | 5 |
| 111 | Realizing efficiency improvement of polymer solar cells by using multi-functional cascade electron transport layers. Organic Electronics, 2020, 76, 105482. | 2.6 | 5 |
| 112 | Efficiency enhancement in an inverted organic light-emitting device with a TiO ₂ electron injection layer through interfacial engineering. Journal of Materials Chemistry C, 2020, 8, 8206-8212. | 5.5 | 5 |
| 113 | The operation mechanism of poly(9,9-dioctylfluorenyl-2,7-diyl) dots in high efficiency polymer solar cells. Applied Physics Letters, 2015, 106, . | 3.3 | 4 |
| 114 | Employing inorganic/organic hybrid interface layer to improve electron transfer for inverted polymer solar cells. Electrochimica Acta, 2016, 210, 874-879. | 5.2 | 4 |
| 115 | Dual Roles of the Fullerene Interlayer on Light Harvesting and Electron Transfer for Highly Efficient Polymer Solar Cells. Journal of Physical Chemistry C, 2017, 121, 8722-8730. | 3.1 | 4 |
| 116 | Simple Inverted Annealing Process to Improve Charge Transport Capability of Organic Photovoltaic Devices with Thick Active Layers. Journal of Physical Chemistry C, 2018, 122, 10706-10713. | 3.1 | 4 |
| 117 | Using 4-Chlorobenzoic Acid Layer Toward Stable and Low-Cost CsPbI ₂ Br Perovskite Solar Cells. Solar Rrl, 2021, 5, 2100347. | 5.8 | 4 |
| 118 | Study on actuating voltage and switching time of a MOEMS optical switch. Optics and Laser Technology, 2005, 37, 601-607. | 4.6 | 3 |
| 119 | Comparative study of field-effect mobility with different expressions in organic thin film transistors. Optik, 2009, 120, 668-672. | 2.9 | 3 |
| 120 | Sodium Titanate Nanorod Moisture Sensor and Its Sensing Mechanism. IEEE Electron Device Letters, 2013, 34, 1424-1426. | 3.9 | 3 |
| 121 | Using a facile processing method to facilitate charge extraction for polymer solar cells. Journal of Materials Chemistry C, 2018, 6, 11045-11051. | 5.5 | 3 |
| 122 | Fullerene derivative layer induced phase separation and charge transport improvement for inverted polymer solar cells. Thin Solid Films, 2019, 690, 137559. | 1.8 | 3 |
| 123 | Water-soluble poly(3,4-ethylenedioxythiophene)/nano-crystalline TiO ₂ heterojunction solar cells. Microelectronics Journal, 2008, 39, 1683-1686. | 2.0 | 2 |
| 124 | Photovoltaic Properties of ZrO ₂ /TiO ₂ /SnO ₂ /TiO ₂ /SnO ₂ Solid Solution Nanowire Arrays. Journal of Nanoscience and Nanotechnology, 2014, 14, 3731-3734. | 5.6 | 2 |
| 125 | Efficiency Improvement of Inverted Organic Solar Cells via Introducing a Series of Polyfluorene Dots in Electron Transport Layer. Journal of Physical Chemistry C, 2015, 119, 16462-16467. | 3.1 | 2 |
| 126 | Experimental Design for Time-Series RNA-Seq Analysis of Gene Expression and Alternative Splicing. Methods in Molecular Biology, 2022, 2398, 173-188. | 0.9 | 2 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Using a Simple Optical Management Layer to Solve the Contradiction between Efficiency and Transmittance for Semitransparent Organic Solar Cells. ACS Sustainable Chemistry and Engineering, 2022, 10, 2241-2247. | 6.7 | 2 |
| 128 | The value of genotype-specific reference for transcriptome analyses in barley. Life Science Alliance, 2022, 5, e202101255. | 2.8 | 2 |
| 129 | High-temperature characteristics of 1.55- μ m InGaAs/InGaAsP strain-compensated multiple-quantum-well lasers. , 2001, , . | | 1 |
| 130 | The Study of Transmission Characteristics of a 17 \times 17 All Fluorinated Polyimide Arrayed Waveguide Grating Multiplexer. , 2011, , . | | 1 |
| 131 | The Short Circuit Current Improvement in P3HT:PCBM Based Polymer Solar Cell by Introducing PSBTBT as Additional Electron Donor. Journal of Nanoscience and Nanotechnology, 2014, 14, 3446-3449. | 0.9 | 1 |
| 132 | Improved performance of inverted polymer solar cells using Cd ₂ Se/ZnS quantum dots. Materials Letters, 2017, 188, 244-247. | 2.6 | 1 |
| 133 | Using an easy interface passivation layer to improve performance of inverted polymer solar cells. Materials Letters, 2019, 250, 112-115. | 2.6 | 1 |
| 134 | Optimization of polymer-arrayed waveguide grating multiplexer. , 2001, 4603, 278. | | 0 |
| 135 | Design and loss characteristics of an 8x8 polymer arrayed-waveguide grating multi/demultiplexer. , 2001, , . | | 0 |
| 136 | Optimization and fabrication of a polymeric-arrayed waveguide grating multiplexer. , 2002, , . | | 0 |
| 137 | New method of optical variable attenuator with polymer-network liquid crystals. , 2004, , . | | 0 |
| 138 | Transparent ITO electrode in the polymer network liquid crystal variable optical attenuator. , 2004, 5280, 397. | | 0 |
| 139 | Study of dynamic response on a MOEMS 2x2 optical switch. , 2005, 5625, 386. | | 0 |
| 140 | Influence of TiO ₂ thin film morphology on the performance of polyaniline/TiO ₂ solar cells. , 2008, , . | | 0 |
| 141 | Analysis and extraction of contact resistance in pentacene thin film transistors. , 2008, , . | | 0 |
| 142 | Affect on the UV polymerization condition of polymer liquid crystal materials for variable optical attenuator. , 2008, , . | | 0 |
| 143 | Analysis of plasma waves resonant detection for terahertz radiation in high mobility field effect transistor. Optik, 2013, 124, 6408-6410. | 2.9 | 0 |
| 144 | The Role of Fe ₃ O ₄ Nanocrystal Film in Bilayer-Heterojunction CuPc/C ₆₀ Solar Cells. Journal of Nanoscience and Nanotechnology, 2014, 14, 3623-3626. | 0.9 | 0 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | The role of NaYF ₄ nanoparticles in inverted polymer solar cells. , 2014, , . | | 0 |
| 146 | Simulation and Analysis of Terahertz Modulator Based a Gated Nanostructure. Journal of Nanoscience and Nanotechnology, 2014, 14, 3403-3406. | 0.9 | 0 |