

Feng-Min Lu

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3272862/feng-min-lu-publications-by-year.pdf>

Version: 2024-04-28

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

76
papers

1,950
citations

24
h-index

43
g-index

83
ext. papers

2,503
ext. citations

6.8
avg, IF

4.47
L-index

#	Paper	IF	Citations
76	Diagnostic Value of Serum Golgi Protein 73 for Liver Inflammation in Patients with Autoimmune Hepatitis and Primary Biliary Cholangitis.. <i>Disease Markers</i> , 2022 , 2022, 4253566	3.2	0
75	Active HBV replication in hypoxic pericentral zone 3 is up-regulated by multiple host factors including HIF-1 α <i>Journal of Hepatology</i> , 2022 ,	13.4	1
74	Characterization and Distribution of HIV-infected Cells in Semen.. <i>Emerging Microbes and Infections</i> , 2022 , 1-40	18.9	
73	Inactivated Vaccines Against SARS-CoV-2: Neutralizing Antibody Titers in Vaccine Recipients.. <i>Frontiers in Microbiology</i> , 2022 , 13, 816778	5.7	1
72	Dynamic changes of HBV pgRNA splicing variants and 3Rterminal truncations affect the quantitative detection of serum HBV RNA.. <i>Emerging Microbes and Infections</i> , 2022 , 1-28	18.9	0
71	Solely HBsAg intrauterine exposure accelerates HBV clearance by promoting HBs-specific immune response in the mouse pups.. <i>Emerging Microbes and Infections</i> , 2022 , 1-50	18.9	0
70	Prevention and control measures significantly curbed the SARS-CoV-2 and influenza epidemics in China. <i>Journal of Virus Eradication</i> , 2021 , 7, 100040	2.8	1
69	A global survey of alternative splicing of HBV transcriptome using long-read sequencing. <i>Journal of Hepatology</i> , 2021 ,	13.4	2
68	Colloidal gold immunochromatographic assay (GICA) is an effective screening method for identifying detectable anti-SARS-CoV-2 neutralizing antibodies. <i>International Journal of Infectious Diseases</i> , 2021 , 108, 483-486	10.5	3
67	Letter to the Editor: Why Serum Hepatitis B Virus (HBV) DNA Has Higher Frequency of rtM204I/V Mutation Than Serum HBV RNA in the Same Individual?. <i>Hepatology</i> , 2021 , 73, 2075-2076	11.2	
66	STAT3 Promotes Schistosome-Induced Liver Injury by Inflammation, Oxidative Stress, Proliferation, and Apoptosis Signal Pathway. <i>Infection and Immunity</i> , 2021 , 89,	3.7	2
65	Deletion of Golgi protein 73 delayed hepatocyte proliferation of mouse in the early stages of liver regeneration. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021 , 36, 1346-1356	4	1
64	Reappraisal of the diagnostic value of alpha-fetoprotein for surveillance of HBV-related hepatocellular carcinoma in the era of antiviral therapy. <i>Journal of Viral Hepatitis</i> , 2021 , 28, 20-29	3.4	2
63	Cell Cycle Arrest Protein CDKN2C Is Not an HBV Host Factor. <i>Virologica Sinica</i> , 2021 , 36, 810-813	6.4	1
62	Restoration of a functional antiviral immune response to chronic HBV infection by reducing viral antigen load: if not sufficient, is it necessary?. <i>Emerging Microbes and Infections</i> , 2021 , 10, 1545-1554	18.9	1
61	NFATc3 inhibits hepatocarcinogenesis and HBV replication via positively regulating RIG-I-mediated interferon transcription. <i>Oncolmmunology</i> , 2021 , 10, 1869388	7.2	4
60	Junceல்லolide B, a novel inhibitor of Hepatitis B virus. <i>Bioorganic and Medicinal Chemistry</i> , 2020 , 28, 1156034	9.3	3

59	The Influence of Different Types of Serum Cholesterol on the Prognosis of Hepatitis B Virus-Related Hepatocellular Patients Needs More Attention. <i>Gastroenterology</i> , 2020 , 159, 1190-1191	13.3	
58	Serum Golgi Protein 73 as a Potential Biomarker for Hepatic Necroinflammation in Population with Nonalcoholic Steatohepatitis. <i>Disease Markers</i> , 2020 , 2020, 6036904	3.2	7
57	Combined and sequential non-invasive approach to diagnosing non-alcoholic steatohepatitis in patients with non-alcoholic fatty liver disease and persistently normal alanine aminotransferase levels. <i>BMJ Open Diabetes Research and Care</i> , 2020 , 8,	4.5	11
56	Application of serum Golgi protein-73 in the management of chronic liver disease. <i>Chinese Medical Journal</i> , 2020 , 134, 777-779	2.9	
55	HBV Genome and Life Cycle. <i>Advances in Experimental Medicine and Biology</i> , 2020 , 1179, 17-37	3.6	8
54	Efficacy of a combination of HBV RNA and HBeAg in predicting HBeAg seroconversion in patients treated with entecavir for 144 weeks. <i>International Journal of Infectious Diseases</i> , 2020 , 99, 171-178	10.5	7
53	Is the life-long entecavir treatment really inevitable in chronic hepatitis B patients?. <i>Journal of Viral Hepatitis</i> , 2020 , 27, 1509-1510	3.4	
52	Yin-Yang 1 and HBx protein activate HBV transcription by mediating the spatial interaction of cccDNA minichromosome with cellular chromosome 19p13.11. <i>Emerging Microbes and Infections</i> , 2020 , 9, 2455-2464	18.9	4
51	Hepatitis B Virus Virions Produced Under Nucleos(t)ide Analogue Treatment Are Mainly Not Infectious Because of Irreversible DNA Chain Termination. <i>Hepatology</i> , 2020 , 71, 463-476	11.2	14
50	Association Between Negative Results From Tests for HBV DNA and RNA and Durability of Response After Discontinuation of Nucleos(t)ide Analogue Therapy. <i>Clinical Gastroenterology and Hepatology</i> , 2020 , 18, 719-727.e7	6.9	45
49	Western oropharyngeal and gut microbial profiles are associated with allergic conditions in Chinese immigrant children. <i>World Allergy Organization Journal</i> , 2019 , 12, 100051	5.2	9
48	Down-regulation of cell membrane localized NTCP expression in proliferating hepatocytes prevents hepatitis B virus infection. <i>Emerging Microbes and Infections</i> , 2019 , 8, 879-894	18.9	19
47	Roadmap to functional cure of chronic hepatitis B: An expert consensus. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 1146-1155	3.4	32
46	Long-term functional maintenance of primary human hepatocytes in vitro. <i>Science</i> , 2019 , 364, 399-402	33.3	82
45	Elevated apolipoprotein B predicts poor postsurgery prognosis in patients with hepatocellular carcinoma. <i>OncoTargets and Therapy</i> , 2019 , 12, 1957-1964	4.4	12
44	Serum GP73 combined AST and GGT reflects moderate to severe liver inflammation in chronic hepatitis B. <i>Clinica Chimica Acta</i> , 2019 , 493, 92-97	6.2	9
43	A global scientific strategy to cure hepatitis B. <i>The Lancet Gastroenterology and Hepatology</i> , 2019 , 4, 545-558	18.8	187
42	HBV T1719G mutation reduced HBV replication through mutant Enh II and HBx protein in vitro. <i>Journal of Viral Hepatitis</i> , 2019 , 26, 710-717	3.4	5

41	The type VI secretion system protein AsaA in <i>Acinetobacter baumannii</i> is a periplasmic protein physically interacting with TssM and required for T6SS assembly. <i>Scientific Reports</i> , 2019 , 9, 9438	4.9	3
40	Friend or Foe? Evidence Indicates Endogenous Exosomes Can Deliver Functional gRNA and Cas9 Protein. <i>Small</i> , 2019 , 15, e1902686	11	29
39	Exploring the Diagnostic Potential of Serum Golgi Protein 73 for Hepatic Necroinflammation and Fibrosis in Chronic HCV Infection with Different Stages of Liver Injuries. <i>Disease Markers</i> , 2019 , 2019, 3862024	3.2	7
38	Compensatory upregulation of aldo-keto reductase 1B10 to protect hepatocytes against oxidative stress during hepatocarcinogenesis. <i>American Journal of Cancer Research</i> , 2019 , 9, 2730-2748	4.4	5
37	Monitoring of serum HBV RNA, HBcrAg, HBsAg and anti-HBc levels in patients during long-term nucleoside/nucleotide analogue therapy. <i>Antiviral Therapy</i> , 2019 , 24, 105-115	1.6	22
36	Integration of hepatitis B virus S gene impacts on hepatitis B surface antigen levels in patients with antiviral therapy. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2018 , 33, 1389-1396	4	18
35	The Clinical Significance of GP73 in Immunologically Mediated Chronic Liver Diseases: Experimental Data and Literature Review. <i>Clinical Reviews in Allergy and Immunology</i> , 2018 , 54, 282-294	12.3	26
34	Serum HBV DNA plus RNA shows superiority in reflecting the activity of intrahepatic cccDNA in treatment-naïve HBV-infected individuals. <i>Journal of Clinical Virology</i> , 2018 , 99-100, 71-78	14.5	44
33	Study on the relationship between insulin growth factor 1 and liver fibrosis in patients with chronic hepatitis C with type 2 diabetes mellitus. <i>Journal of Cellular Biochemistry</i> , 2018 , 119, 9513-9518	4.7	5
32	HBV RNA virion-like particles produced under nucleos(t)ide analogues treatment are mainly replication-deficient. <i>Journal of Hepatology</i> , 2018 , 68, 847-849	13.4	20
31	Serum HBV RNA is a Potential Predictor of Hepatitis B Surface Antigen Reversion. <i>Hepatology Communications</i> , 2018 , 2, 1168-1171	6	4
30	Long-distance interaction of the integrated HPV fragment with MYC gene and 8q24.22 region upregulating the allele-specific MYC expression in HeLa cells. <i>International Journal of Cancer</i> , 2017 , 141, 540-548	7.5	16
29	Complete genome sequencing and clinical analysis of intrahepatic hepatitis B virus cccDNA from HCC. <i>Microbial Pathogenesis</i> , 2017 , 109, 49-55	3.8	5
28	CRISPR/Cas9-mediated p53 and Pten dual mutation accelerates hepatocarcinogenesis in adult hepatitis B virus transgenic mice. <i>Scientific Reports</i> , 2017 , 7, 2796	4.9	34
27	Reply to: "Serum HBV pgRNA as a clinical marker for cccDNA activity": Consistent loss of serum HBV RNA might predict the "para-functional cure" of chronic hepatitis B. <i>Journal of Hepatology</i> , 2017 , 66, 462-463	13.4	30
26	Potential use of serum HBV RNA in antiviral therapy for chronic hepatitis B in the era of nucleos(t)ide analogs. <i>Frontiers of Medicine</i> , 2017 , 11, 502-508	12	21
25	Guideline of Prevention and Treatment for Chronic Hepatitis B (2015 Update). <i>Journal of Clinical and Translational Hepatology</i> , 2017 , 5, 297-318	5.2	136
24	The gRNA-miRNA-gRNA Ternary Cassette Combining CRISPR/Cas9 with RNAi Approach Strongly Inhibits Hepatitis B Virus Replication. <i>Theranostics</i> , 2017 , 7, 3090-3105	12.1	29

23	Serum Golgi protein 73 is not a suitable diagnostic marker for hepatocellular carcinoma. <i>Oncotarget</i> , 2017 , 8, 16498-16506	3.3	31
22	Down-regulation of NTCP expression by cyclin D1 in hepatitis B virus-related hepatocellular carcinoma has clinical significance. <i>Oncotarget</i> , 2017 , 8, 56041-56050	3.3	16
21	Digenic mutations on and predispose to premature myocardial infarction. <i>Oncotarget</i> , 2017 , 8, 100141-100149	3.9	142
20	CCR6 B lymphocytes responding to tumor cell-derived CCL20 support hepatocellular carcinoma progression via enhancing angiogenesis. <i>American Journal of Cancer Research</i> , 2017 , 7, 1151-1163	4.4	10
19	Baseline quantitative hepatitis B core antibody titre alone strongly predicts HBeAg seroconversion across chronic hepatitis B patients treated with peginterferon or nucleos(t)ide analogues. <i>Gut</i> , 2016 , 65, 313-20	19.2	85
18	Study on 2-arylthio-5-iodo pyrimidine derivatives as novel nonnucleoside inhibitors against hepatitis B virus DNA replication. <i>Future Medicinal Chemistry</i> , 2016 , 8, 751-63	4.1	1
17	Serum hepatitis B virus RNA is encapsidated pregenome RNA that may be associated with persistence of viral infection and rebound. <i>Journal of Hepatology</i> , 2016 , 65, 700-710	13.4	236
16	Failure recovery of circulating NKG2DCD56NK cells in HBV-associated hepatocellular carcinoma after hepatectomy predicts early recurrence. <i>Oncolmunology</i> , 2016 , 5, e1048061	7.2	13
15	Traceability, reproducibility and clinical evaluation of Sansure Realtime HCV RNA assay. <i>BMC Infectious Diseases</i> , 2016 , 16, 47	4	1
14	Alpha-fetoprotein still is a valuable diagnostic and prognosis predicting biomarker in hepatitis B virus infection-related hepatocellular carcinoma. <i>Oncotarget</i> , 2016 , 7, 3702-8	3.3	33
13	Dysregulation of host cellular genes targeted by human papillomavirus (HPV) integration contributes to HPV-related cervical carcinogenesis. <i>International Journal of Cancer</i> , 2016 , 138, 1163-74	7.5	33
12	Influence of CCND1 G870A polymorphism on the risk of HBV-related HCC and cyclin D1 splicing variant expression in Chinese population. <i>Tumor Biology</i> , 2015 , 36, 6891-900	2.9	3
11	Alpha fetoprotein mediates HBx induced carcinogenesis in the hepatocyte cytoplasm. <i>International Journal of Cancer</i> , 2015 , 137, 1818-29	7.5	31
10	Hepatitis B Virus X Protein Stabilizes Cyclin D1 and Increases Cyclin D1 Nuclear Accumulation through ERK-Mediated Inactivation of GSK-3 β . <i>Cancer Prevention Research</i> , 2015 , 8, 455-63	3.2	17
9	Integrative analysis of aberrant Wnt signaling in hepatitis B virus-related hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2015 , 21, 6317-28	5.6	25
8	Dual gRNAs guided CRISPR/Cas9 system inhibits hepatitis B virus replication. <i>World Journal of Gastroenterology</i> , 2015 , 21, 9554-65	5.6	75
7	Coinfection with HIV-1 alleviates iron accumulation in patients with chronic hepatitis C virus infection. <i>PLoS ONE</i> , 2014 , 9, e98039	3.7	6
6	The function of targeted host genes determines the oncogenicity of HBV integration in hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2014 , 60, 975-84	13.4	68

5	Re-evaluation of the carcinogenic significance of hepatitis B virus integration in hepatocarcinogenesis. <i>PLoS ONE</i> , 2012 , 7, e40363	3.7	51
4	Quantitative methylation analysis reveals gender and age differences in p16INK4a hypermethylation in hepatitis B virus-related hepatocellular carcinoma. <i>Liver International</i> , 2012 , 32, 420-8	7.9	40
3	Prevention of hepatitis B in China: achievements and challenges. <i>Chinese Medical Journal</i> , 2009 , 122, 2925-7	2.9	22
2	Fabrication and characterization of chitosan/PVA with hydroxyapatite biocomposite nanoscaffolds. <i>Journal of Applied Polymer Science</i> , 2008 , 110, 3328-3335	2.9	49
1	An alternatively spliced cyclin D1 isoform, cyclin D1b, is a nuclear oncogene. <i>Cancer Research</i> , 2003 , 63, 7056-61	10.1	169