## Ying-Hong Shi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/3273633/publications.pdf Version: 2024-02-01



VINC-HONC SHI

#	Article	IF	CITATIONS
1	FAP Promotes Immunosuppression by Cancer-Associated Fibroblasts in the Tumor Microenvironment via STAT3–CCL2 Signaling. Cancer Research, 2016, 76, 4124-4135.	0.4	470
2	Guidelines for Diagnosis and Treatment of Primary Liver Cancer in China (2017 Edition). Liver Cancer, 2018, 7, 235-260.	4.2	426
3	Targeting autophagy enhances sorafenib lethality for hepatocellular carcinoma via ER stress-related apoptosis. Autophagy, 2011, 7, 1159-1172.	4.3	287
4	Association of Autophagy Defect with a Malignant Phenotype and Poor Prognosis of Hepatocellular Carcinoma. Cancer Research, 2008, 68, 9167-9175.	0.4	245
5	Autophagy inhibition suppresses pulmonary metastasis of HCC in mice via impairing anoikis resistance and colonization of HCC cells. Autophagy, 2013, 9, 2056-2068.	4.3	222
6	<scp>SIRT</scp> 5 inhibits peroxisomal <scp>ACOX</scp> 1 to prevent oxidative damage and is downregulated in liver cancer. EMBO Reports, 2018, 19, .	2.0	171
7	Autophagy Activation in Hepatocellular Carcinoma Contributes to the Tolerance of Oxaliplatin via Reactive Oxygen Species Modulation. Clinical Cancer Research, 2011, 17, 6229-6238.	3.2	162
8	Margin-Infiltrating CD20+ B Cells Display an Atypical Memory Phenotype and Correlate with Favorable Prognosis in Hepatocellular Carcinoma. Clinical Cancer Research, 2013, 19, 5994-6005.	3.2	159
9	A Positive Feedback Loop Between Cancer Stemâ€Like Cells and Tumorâ€Associated Neutrophils Controls Hepatocellular Carcinoma Progression. Hepatology, 2019, 70, 1214-1230.	3.6	140
10	Metabolic reprogramming by PCK1 promotes TCA cataplerosis, oxidative stress and apoptosis in liver cancer cells and suppresses hepatocellular carcinoma. Oncogene, 2018, 37, 1637-1653.	2.6	125
11	Activating Mutations in PTPN3 Promote Cholangiocarcinoma Cell Proliferation and Migration and Are Associated With Tumor Recurrence in Patients. Gastroenterology, 2014, 146, 1397-1407.	0.6	111
12	Circulating Tumor Cells with Stem-Like Phenotypes for Diagnosis, Prognosis, and Therapeutic Response Evaluation in Hepatocellular Carcinoma. Clinical Cancer Research, 2018, 24, 2203-2213.	3.2	102
13	Expression of X-linked inhibitor-of-apoptosis protein in hepatocellular carcinoma promotes metastasis and tumor recurrence. Hepatology, 2008, 48, 497-507.	3.6	95
14	Destabilization of Fatty Acid Synthase by Acetylation Inhibits <i>De Novo</i> Lipogenesis and Tumor Cell Growth. Cancer Research, 2016, 76, 6924-6936.	0.4	92
15	Tumor-associated macrophages modulate resistance to oxaliplatin via inducing autophagy in hepatocellular carcinoma. Cancer Cell International, 2019, 19, 71.	1.8	92
16	HNRNPAB Induces Epithelial–Mesenchymal Transition and Promotes Metastasis of Hepatocellular Carcinoma by Transcriptionally Activating <i>SNAIL</i> . Cancer Research, 2014, 74, 2750-2762.	0.4	91
17	Prognostic significance of Beclin 1-dependent apoptotic activity in hepatocellular carcinoma. Autophagy, 2009, 5, 380-382.	4.3	90
18	Dissecting spatial heterogeneity and the immune-evasion mechanism of CTCs by single-cell RNA-seq in hepatocellular carcinoma. Nature Communications, 2021, 12, 4091.	5.8	90

#	Article	IF	CITATIONS
19	Associating Liver Partition and Portal Vein Ligation for Staged Hepatectomy for Unresectable Hepatitis B Virus-related Hepatocellular Carcinoma. Annals of Surgery, 2020, 271, 534-541.	2.1	88
20	Intratumoral IL-17+ Cells and Neutrophils show Strong Prognostic Significance in Intrahepatic Cholangiocarcinoma. Annals of Surgical Oncology, 2012, 19, 2506-2514.	0.7	87
21	PKM2 promotes metastasis by recruiting myeloid-derived suppressor cells and indicates poor prognosis for hepatocellular carcinoma. Oncotarget, 2015, 6, 846-861.	0.8	84
22	MicroRNA-30a suppresses autophagy-mediated anoikis resistance and metastasis in hepatocellular carcinoma. Cancer Letters, 2018, 412, 108-117.	3.2	79
23	CAFs shape myeloidâ€derived suppressor cells to promote stemness of intrahepatic cholangiocarcinoma through 5â€lipoxygenase. Hepatology, 2022, 75, 28-42.	3.6	77
24	The miR-561-5p/CX <sub>3</sub> CL1 Signaling Axis Regulates Pulmonary Metastasis in Hepatocellular Carcinoma Involving CX <sub>3</sub> CR1 <sup>+</sup> Natural Killer Cells Infiltration. Theranostics, 2019, 9, 4779-4794.	4.6	72
25	Amplification of spatially isolated adenosine pathway by tumor–macrophage interaction induces anti-PD1 resistance in hepatocellular carcinoma. Journal of Hematology and Oncology, 2021, 14, 200.	6.9	68
26	MicroRNA-29a induces loss of 5-hydroxymethylcytosine and promotes metastasis of hepatocellular carcinoma through a TET–SOCS1–MMP9 signaling axis. Cell Death and Disease, 2017, 8, e2906-e2906.	2.7	66
27	Sequestosome 1/p62 Protein Is Associated with Autophagic Removal of Excess Hepatic Endoplasmic Reticulum in Mice. Journal of Biological Chemistry, 2016, 291, 18663-18674.	1.6	65
28	Distinct PD-L1/PD1 Profiles and Clinical Implications in Intrahepatic Cholangiocarcinoma Patients with Different Risk Factors. Theranostics, 2019, 9, 4678-4687.	4.6	61
29	Genomic sequencing identifies WNK2 as a driver in hepatocellular carcinoma and a risk factor for early recurrence. Journal of Hepatology, 2019, 71, 1152-1163.	1.8	49
30	Receptor-Interacting Serine/Threonine-Protein Kinase 3 (RIPK3)–Mixed Lineage Kinase Domain-Like Protein (MLKL)–Mediated Necroptosis Contributes to Ischemia-Reperfusion Injury of Steatotic Livers. American Journal of Pathology, 2019, 189, 1363-1374.	1.9	48
31	Fibroblastic FAP promotes intrahepatic cholangiocarcinoma growth via MDSCs recruitment. Neoplasia, 2019, 21, 1133-1142.	2.3	44
32	Infiltrating Memory/Senescent T Cell Ratio Predicts Extrahepatic Metastasis of Hepatocellular Carcinoma. Annals of Surgical Oncology, 2012, 19, 455-466.	0.7	43
33	Nomograms for survival prediction in patients undergoing liver resection for hepatitis B virus related early stage hepatocellular carcinoma. European Journal of Cancer, 2016, 62, 86-95.	1.3	43
34	Lamp2a is required for tumor growth and promotes tumor recurrence of hepatocellular carcinoma. International Journal of Oncology, 2016, 49, 2367-2376.	1.4	39
35	Systemic inflammation score predicts survival in patients with intrahepatic cholangiocarcinoma undergoing curative resection. Journal of Cancer, 2019, 10, 494-503.	1.2	36
36	CCL24 contributes to HCC malignancy via RhoB- VEGFA-VEGFR2 angiogenesis pathway and indicates poor prognosis. Oncotarget, 2017, 8, 5135-5148.	0.8	35

#	Article	IF	CITATIONS
37	Prognostic alternative mRNA splicing signature in hepatocellular carcinoma: a study based on large-scale sequencing data. Carcinogenesis, 2019, 40, 1077-1085.	1.3	34
38	Mitogenâ€activated protein kinase kinase kinase 4 deficiency in intrahepatic cholangiocarcinoma leads to invasive growth and epithelialâ€mesenchymal transition. Hepatology, 2015, 62, 1804-1816.	3.6	33
39	Cystathionine β-synthase mediated PRRX2/IL-6/STAT3 inactivation suppresses Tregs infiltration and induces apoptosis to inhibit HCC carcinogenesis. , 2021, 9, e003031.		33
40	Caveolin-1 promotes tumor growth and metastasis via autophagy inhibition in hepatocellular carcinoma. Clinics and Research in Hepatology and Gastroenterology, 2016, 40, 169-178.	0.7	32
41	Tissue-infiltrating lymphocytes signature predicts survival in patients with early/intermediate stage hepatocellular carcinoma. BMC Medicine, 2019, 17, 106.	2.3	31
42	Monocarboxylate transporter 4 inhibition potentiates hepatocellular carcinoma immunotherapy through enhancing T cell infiltration and immune attack. Hepatology, 2023, 77, 109-123.	3.6	31
43	High expression of 5-hydroxymethylcytosine and isocitrate dehydrogenase 2 is associated with favorable prognosis after curative resection of hepatocellular carcinoma. Journal of Experimental and Clinical Cancer Research, 2014, 33, 32.	3.5	30
44	Prognostic Value and Predication Model of Microvascular Invasion in Patients with Intrahepatic Cholangiocarcinoma. Journal of Cancer, 2019, 10, 5575-5584.	1.2	28
45	HNRNPABâ€regulated IncRNAâ€ELF209 inhibits the malignancy of hepatocellular carcinoma. International Journal of Cancer, 2020, 146, 169-180.	2.3	28
46	The SphKs/S1P/S1PR1 axis in immunity and cancer: more ore to be mined. World Journal of Surgical Oncology, 2016, 14, 131.	0.8	25
47	Age-adjusted Charlson Comorbidity Index predicts survival in intrahepatic cholangiocarcinoma patients after curative resection. Annals of Translational Medicine, 2020, 8, 487-487.	0.7	25
48	Graft Programmed Death Ligand 1 Expression as a Marker for Transplant Rejection Following Anti–Programmed Death 1 Immunotherapy for Recurrent Liver Tumors. Liver Transplantation, 2021, 27, 444-449.	1.3	24
49	Serial circulating tumor DNA to predict early recurrence in patients with hepatocellular carcinoma: a prospective study. Molecular Oncology, 2022, 16, 549-561.	2.1	21
50	Shanghai Score. Chinese Medical Journal, 2017, 130, 2650-2660.	0.9	18
51	Development and validation of a new tumor-based gene signature predicting prognosis of HBV/HCV-included resected hepatocellular carcinoma patients. Journal of Translational Medicine, 2019, 17, 203.	1.8	18
52	CTLA-4 Synergizes With PD1/PD-L1 in the Inhibitory Tumor Microenvironment of Intrahepatic Cholangiocarcinoma. Frontiers in Immunology, 2021, 12, 705378.	2.2	17
53	SOMCL-085, a novel multi-targeted FGFR inhibitor, displays potent anticancer activity in FGFR-addicted human cancer models. Acta Pharmacologica Sinica, 2018, 39, 243-250.	2.8	16
54	Surgical Treatment of Combined Hepatocellular-Cholangiocarcinoma is as Effective in Elderly Patients as it is in Younger Patients: A Propensity Score Matching Analysis. Journal of Cancer, 2018, 9, 1106-1112.	1.2	16

#	Article	IF	CITATIONS
55	MicroRNA-19a-3p regulates cell growth through modulation of the PIK3IP1-AKT pathway in hepatocellular carcinoma. Journal of Cancer, 2020, 11, 2476-2484.	1.2	15
56	Targeting HNRNPM Inhibits Cancer Stemness and Enhances Antitumor Immunity in Wnt-activated Hepatocellular Carcinoma. Cellular and Molecular Gastroenterology and Hepatology, 2022, 13, 1413-1447.	2.3	15
57	Basal Autophagy and Feedback Activation of Akt Are Associated with Resistance to Metformin-Induced Inhibition of Hepatic Tumor Cell Growth. PLoS ONE, 2015, 10, e0130953.	1.1	14
58	A Novel Risk prediction Model for Patients with Combined Hepatocellular-Cholangiocarcinoma. Journal of Cancer, 2018, 9, 1025-1032.	1.2	14
59	Prediction of overall survival in resectable intrahepatic cholangiocarcinoma: IS ICC â€applied prediction model. Cancer Science, 2020, 111, 1084-1092.	1.7	14
60	KRAS acting through ERK signaling stabilizes PD-L1 via inhibiting autophagy pathway in intrahepatic cholangiocarcinoma. Cancer Cell International, 2022, 22, 128.	1.8	14
61	High level of serum protein DKK1 predicts poor prognosis for patients with hepatocellular carcinoma after hepatectomy. Hepatic Oncology, 2015, 2, 231-244.	4.2	13
62	Comparative efficacy and safety between ablative therapies or surgery for small hepatocellular carcinoma: a network meta-analysis. Expert Review of Gastroenterology and Hepatology, 2018, 12, 935-945.	1.4	13
63	Laparoscopic hepatectomy enhances recovery for small hepatocellular carcinoma with liver cirrhosis by postoperative inflammatory response attenuation: a propensity score matching analysis with a conventional open approach. Surgical Endoscopy and Other Interventional Techniques, 2021, 35, 910-920.	1.3	13
64	Perioperative blood transfusion does not affect recurrence-free and overall survivals after curative resection for intrahepatic cholangiocarcinoma: a propensity score matching analysis. BMC Cancer, 2017, 17, 762.	1.1	12
65	Aspartate aminotransferase-to-platelet ratio index predicts prognosis of hepatocellular carcinoma after postoperative adjuvant transarterial chemoembolization. Cancer Management and Research, 2019, Volume 11, 63-79.	0.9	12
66	Autophagy activation contributes to glutathione transferase Mu 1‑mediated chemoresistance in hepatocellular carcinoma. Oncology Letters, 2018, 16, 346-352.	0.8	12
67	Histopathology-based immunoscore predicts recurrence for intrahepatic cholangiocarcinoma after hepatectomy. Cancer Immunology, Immunotherapy, 2019, 68, 1369-1378.	2.0	12
68	<p>Development and validation of a prognostic score predicting recurrence in resected combined hepatocellular cholangiocarcinoma</p> . Cancer Management and Research, 2019, Volume 11, 5187-5195.	0.9	12
69	Adjuvant apatinib treatment after resection of hepatocellular carcinoma with portal vein tumor thrombosis: a phase II trial. Annals of Translational Medicine, 2020, 8, 1301-1301.	0.7	11
70	Genetic Alterations and Transcriptional Expression of m6A RNA Methylation Regulators Drive a Malignant Phenotype and Have Clinical Prognostic Impact in Hepatocellular Carcinoma. Frontiers in Oncology, 2020, 10, 900.	1.3	11
71	Nine-factor-based immunohistochemistry classifier predicts recurrence for early-stage hepatocellular carcinoma after curative resection. British Journal of Cancer, 2020, 123, 92-100.	2.9	10
72	Prostate-derived ETS factor improves prognosis and represses proliferation and invasion in hepatocellular carcinoma. Oncotarget, 2017, 8, 52488-52500.	0.8	10

#	Article	IF	CITATIONS
73	Adjuvant Transarterial chemoembolization does not influence recurrence-free or overall survival in patients with combined hepatocellular carcinoma and Cholangiocarcinoma after curative resection: a propensity score matching analysis. BMC Cancer, 2020, 20, 642.	1.1	9
74	Laparoscopic vs. Open Repeat Hepatectomy for Recurrent Liver Tumors: A Propensity Score–Matched Study and Meta-Analysis. Frontiers in Oncology, 2021, 11, 646737.	1.3	9
75	LOXL4 is downregulated in hepatocellular carcinoma with a favorable prognosis. International Journal of Clinical and Experimental Pathology, 2015, 8, 3892-900.	0.5	9
76	Abstract 486: A phase Ib/II, open-label study evaluating the efficacy and safety of Toripalimab injection (JS001) or combination with Lenvatinib as a neoadjuvant therapy for patients with resectable hepatocellular carcinoma (HCC). Cancer Research, 2021, 81, 486-486.	0.4	7
77	Whole-genome sequencing reveals the evolutionary trajectory of HBV-related hepatocellular carcinoma early recurrence. Signal Transduction and Targeted Therapy, 2022, 7, 24.	7.1	7
78	A novel very simple laparoscopic hepatic inflow occlusion apparatus for laparoscopic liver surgery. Surgical Endoscopy and Other Interventional Techniques, 2019, 33, 145-152.	1.3	6
79	Laparoscopic Versus Open Left Lateral Segmentectomy for Large Hepatocellular Carcinoma: A Propensity Score–Matched Analysis. Surgical Laparoscopy, Endoscopy and Percutaneous Techniques, 2019, 29, 513-519.	0.4	6
80	Lenvatinib plus toripalimab as first-line treatment for advanced intrahepatic cholangiocarcinoma: A single-arm, phase 2 trial Journal of Clinical Oncology, 2021, 39, 4099-4099.	0.8	6
81	Inhibition of peritoneal dissemination of colon cancer by hyperthermic CO2 insufflation: A novel approach to prevent intraperitoneal tumor spread. PLoS ONE, 2017, 12, e0172097.	1.1	6
82	Daily decrease of post-operative alpha-fetoprotein by 9% discriminates prognosis of HCC: A multicenter retrospective study. Aging, 2019, 11, 11111-11123.	1.4	6
83	Prognostic significance of preoperative systemic immune-inflammation index in combined hepatocellular-cholangiocarcinoma. Cancer Biomarkers, 2021, 31, 1-15.	0.8	5
84	Phase II study of lenvatinib in combination with GEMOX chemotherapy for advanced intrahepatic cholangiocarcinoma Journal of Clinical Oncology, 2021, 39, e16163-e16163.	0.8	5
85	Autophagy and Liver Diseases. Advances in Experimental Medicine and Biology, 2020, 1207, 497-528.	0.8	5
86	Gadoxetate-Enhanced MRI as a Diagnostic Tool in the Management of Hepatocellular Carcinoma: Report from a 2020 Asia-Pacific Multidisciplinary Expert Meeting. Korean Journal of Radiology, 2022, 23, 697.	1.5	4
87	<scp>SQSTM1</scp> /p62 in intrahepatic cholangiocarcinoma promotes tumor progression via epithelial–mesenchymal transition and mitochondrial function maintenance. Cancer Medicine, 2023, 12, 459-471.	1.3	4
88	Coagulopathy associated with poor prognosis in intrahepatic cholangiocarcinoma patients after curative resection. BioScience Trends, 2017, 11, 469-474.	1.1	3
89	Effect of postoperative apatinib treatment after resection of hepatocellular carcinoma with portal vein invasion: A phase II study Journal of Clinical Oncology, 2020, 38, 514-514.	0.8	3
90	A phase Ib, multicenter, open-label study to assess the safety, tolerability, and preliminary efficacy of sintilimab plus IBI310 (anti-CTLA4 mAb) in patients with advanced hepatocellular carcinoma Journal of Clinical Oncology, 2022, 40, 421-421.	0.8	3

#	Article	IF	CITATIONS
91	Adjuvant chemotherapy for intrahepatic cholangiocarcinoma: far from a clinical consensus. Hepatobiliary Surgery and Nutrition, 2021, 10, 887-889.	0.7	3
92	Application of circulating tumor DNA for prediction and surveillance of tumor recurrence after liver transplantation: A pilot study Journal of Clinical Oncology, 2022, 40, e16149-e16149.	0.8	3
93	Treatment for the recurrence of hepatocellular carcinoma following liver transplantation: What is the best strategy?. Cancer Biology and Therapy, 2009, 8, 591-593.	1.5	2
94	Association of hepatitis status with surgical outcomes in patients with dual hepatitis B and C related hepatocellular carcinoma. Infectious Agents and Cancer, 2017, 12, 28.	1.2	2
95	Clinical practice status of the adjuvant therapy in hepatocellular carcinoma (HCC): A survey of Chinese hepatobiliary surgeons Journal of Clinical Oncology, 2022, 40, e16127-e16127.	0.8	1