

Cristina Sánchez-Porro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3273743/publications.pdf>

Version: 2024-02-01

106
papers

3,785
citations

147801

31
h-index

168389

53
g-index

119
all docs

119
docs citations

119
times ranked

2949
citing authors

#	ARTICLE	IF	CITATIONS
1	Culturomics-based genomics sheds light on the ecology of the new haloarchaeal genus <i>Halosegnis</i> . <i>Environmental Microbiology</i> , 2021, 23, 3418-3434.	3.8	25
2	Taxogenomic and Comparative Genomic Analysis of the Genus <i>Saccharomonospora</i> Focused on the Identification of Biosynthetic Clusters PKS and NRPS. <i>Frontiers in Microbiology</i> , 2021, 12, 603791.	3.5	16
3	Genomic Insights Into New Species of the Genus <i>Halomicroarcula</i> Reveals Potential for New Osmoadaptive Strategies in Halophilic Archaea. <i>Frontiers in Microbiology</i> , 2021, 12, 751746.	3.5	18
4	<i>Haloglomus irregulare</i> gen. nov., sp. nov., a New Halophilic Archaeon Isolated from a Marine Saltern. <i>Microorganisms</i> , 2020, 8, 206.	3.6	15
5	Taxogenomics of the Genus <i>Cyclobacterium</i> : <i>Cyclobacterium xiamenense</i> and <i>Cyclobacterium halophilum</i> as Synonyms and Description of <i>Cyclobacterium plantarum</i> sp. nov.. <i>Microorganisms</i> , 2020, 8, 610.	3.6	12
6	Draft Genome Sequence of <i>Saccharomonospora piscinae</i> KCTC 19743 T, an Actinobacterium Containing Secondary Metabolite Biosynthetic Gene Clusters. <i>Microbiology Resource Announcements</i> , 2020, 9, .	0.6	1
7	<i>Natronomonas salsuginis</i> sp. nov., a New Inhabitant of a Marine Solar Saltern. <i>Microorganisms</i> , 2020, 8, 605.	3.6	13
8	Genome-based analyses reveal a synonymy among <i>Halorubrum distributum</i> Zvyagintseva and Tarasov 1989; Oren and Ventosa 1996, <i>Halorubrum terrestre</i> Ventosa et al. 2004, <i>Halorubrum arcis</i> Xu et al. 2007 and <i>Halorubrum litoreum</i> Cui et al. 2007. Emended description of <i>Halorubrum distributum</i> Zvyagintseva and Tarasov 1989; Oren and Ventosa 1996. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 1698-1705.	1.7	14
9	<i>Spiribacter aquaticus</i> Leon et al. 2017 is a later heterotypic synonym of <i>Spiribacter roseus</i> Leon et al. 2016. Reclassification of <i>Halopectonella vilamensis</i> Menes et al. 2016 as <i>Spiribacter vilamensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2020, 70, 2873-2878.	1.7	13
10	New <i>Halonotius</i> Species Provide Genomics-Based Insights Into Cobalamin Synthesis in Haloarchaea. <i>Frontiers in Microbiology</i> , 2019, 10, 1928.	3.5	34
11	Characterization of <i>Salinivibrio socompensis</i> sp. nov., A New Halophilic Bacterium Isolated from the High-Altitude Hypersaline Lake Socompa, Argentina. <i>Microorganisms</i> , 2019, 7, 241.	3.6	20
12	Comparative Genomics and Phylogenomic Analysis of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2019, 10, 2104.	3.5	23
13	Spatial distribution of prokaryotic communities in hypersaline soils. <i>Scientific Reports</i> , 2019, 9, 1769.	3.3	33
14	<i>Halonotius aquaticus</i> sp. nov., a new haloarchaeon isolated from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 1306-1312.	1.7	12
15	<i>Halorientalis pallida</i> sp. nov., an extremely halophilic archaeon isolated from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2019, 69, 3636-3643.	1.7	12
16	<i>Salinivibrio kushneri</i> sp. nov., a moderately halophilic bacterium isolated from salterns. <i>Systematic and Applied Microbiology</i> , 2018, 41, 159-166.	2.8	19
17	Detection of industrially potential enzymes of moderately halophilic bacteria on salted goat skins. <i>Biyokimya Dergisi</i> , 2018, 43, 312-322.	0.5	6
18	Compatible Solute Synthesis and Import by the Moderate Halophile <i>Spiribacter salinus</i> : Physiology and Genomics. <i>Frontiers in Microbiology</i> , 2018, 9, 108.	3.5	44

#	ARTICLE	IF	CITATIONS
19	Genotypic and Lipid Analyses of Strains From the Archaeal Genus Halorubrum Reveal Insights Into Their Taxonomy, Divergence, and Population Structure. <i>Frontiers in Microbiology</i> , 2018, 9, 512.	3.5	19
20	Emended description of <i>Salinivibrio proteolyticus</i> , including <i>Salinivibrio costicola</i> subsp. <i>vallismortis</i> and five new isolates. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 1599-1607.	1.7	6
21	<i>Halorubrum chaoviator</i> Mancinelli et al. 2009 is a later, heterotypic synonym of <i>Halorubrum ezzemoulense</i> Kharroub et al. 2006. Emended description of <i>Halorubrum ezzemoulense</i> Kharroub et al. 2006. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2018, 68, 3657-3665.	1.7	11
22	Draft Genome Sequences of <i>Salinivibrio proteolyticus</i> , <i>Salinivibrio sharmensis</i> , <i>Salinivibrio siamensis</i> , <i>Salinivibrio costicola</i> subsp. <i>alcaliphilus</i> , <i>Salinivibrio costicola</i> subsp. <i>vallismortis</i> , and 29 New Isolates Belonging to the Genus <i>Salinivibrio</i> . <i>Genome Announcements</i> , 2017, 5, .	0.8	7
23	Assessment of MultiLocus Sequence Analysis As a Valuable Tool for the Classification of the Genus <i>Salinivibrio</i> . <i>Frontiers in Microbiology</i> , 2017, 8, 1107.	3.5	19
24	<i>Soortia roseihalophila</i> gen. nov., sp. nov., a new taxon in the order <i>Balneolales</i> isolated from a travertine spring, and description of <i>Soortiaceae</i> fam. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 113-120.	1.7	12
25	<i>Marinobacter aquaticus</i> sp. nov., a moderately halophilic bacterium from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2622-2627.	1.7	15
26	<i>Spiribacter aquaticus</i> sp. nov., a novel member of the genus <i>Spiribacter</i> isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2017, 67, 2947-2952.	1.7	16
27	<i>Halorubrum halodurans</i> sp. nov., an extremely halophilic archaeon isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 435-444.	1.7	16
28	<i>Oceanobacillus halophilus</i> sp. nov., a novel moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 1317-1322.	1.7	22
29	<i>Spiribacter roseus</i> sp. nov., a moderately halophilic species of the genus <i>Spiribacter</i> from salterns. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4218-4224.	1.7	20
30	<i>Oceanobacillus longus</i> sp. nov., a moderately halophilic bacterium isolated from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2016, 66, 4225-4230.	1.7	11
31	Horizontal Gene Transfer, Dispersal and Haloarchaeal Speciation. <i>Life</i> , 2015, 5, 1405-1426.	2.4	28
32	<i>Halovenus salina</i> sp. nov., an extremely halophilic archaeon isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 3016-3023.	1.7	11
33	Microbial diversity of hypersaline environments: a metagenomic approach. <i>Current Opinion in Microbiology</i> , 2015, 25, 80-87.	5.1	157
34	<i>Aquisalimonas lutea</i> sp. nov., a moderately halophilic bacterium from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1354-1359.	1.7	7
35	<i>Halorubrum persicum</i> sp. nov., an extremely halophilic archaeon isolated from sediment of a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 1770-1778.	1.7	23
36	<i>Fodinicurvata halophila</i> sp. nov., a moderately halophilic bacterium from a marine saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 766-771.	1.7	14

#	ARTICLE	IF	CITATIONS
37	<i>Idiomarina aquatica</i> sp. nov., a moderately halophilic bacterium isolated from salterns. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4595-4600.	1.7	15
38	<i>Spiribacter curvatus</i> sp. nov., a moderately halophilic bacterium isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2015, 65, 4638-4643.	1.7	18
39	Comparison of prokaryotic community structure from Mediterranean and Atlantic saltern concentrator ponds by a metagenomic approach. <i>Frontiers in Microbiology</i> , 2014, 5, 196.	3.5	80
40	<i>Oceanobacillus limi</i> sp. nov., a moderately halophilic bacterium from a salt lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1284-1289.	1.7	32
41	<i>Aquibacillus halophilus</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Virgibacillus koreensis</i> as <i>Aquibacillus koreensis</i> comb. nov. and <i>Virgibacillus albus</i> as <i>Aquibacillus albus</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 3616-3623.	1.7	36
42	<i>Flavobacterium tructae</i> sp. nov. and <i>Flavobacterium piscis</i> sp. nov., isolated from farmed rainbow trout (<i>Oncorhynchus mykiss</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 392-399.	1.7	44
43	Prokaryotic taxonomic and metabolic diversity of an intermediate salinity hypersaline habitat assessed by metagenomics. <i>FEMS Microbiology Ecology</i> , 2014, 88, 623-635.	2.7	87
44	<i>Aliicoccus persicus</i> gen. nov., sp. nov., a halophilic member of the Firmicutes isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1964-1969.	1.7	21
45	<i>Alloactinosynnema iranicum</i> sp. nov., a rare actinomycete isolated from a hypersaline wetland, and emended description of the genus <i>Alloactinosynnema</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2014, 64, 1173-1179.	1.7	11
46	Metagenomic Sequence of Prokaryotic Microbiota from an Intermediate-Salinity Pond of a Saltern in Isla Cristina, Spain. <i>Genome Announcements</i> , 2014, 2, .	0.8	13
47	The Santa Pola saltern as a model for studying the microbiota of hypersaline environments. <i>Extremophiles</i> , 2014, 18, 811-824.	2.3	113
48	<i>Larsenia salina</i> gen. nov., sp. nov., a new member of the family Halomonadaceae based on multilocus sequence analysis. <i>Systematic and Applied Microbiology</i> , 2014, 37, 480-487.	2.8	20
49	From Metagenomics to Pure Culture: Isolation and Characterization of the Moderately Halophilic Bacterium <i>Spiribacter salinus</i> gen. nov., sp. nov. <i>Applied and Environmental Microbiology</i> , 2014, 80, 3850-3857.	3.1	78
50	<i>Bacillus halosaccharovorans</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 2776-2781.	1.7	33
51	Genomes of "Spiribacter", a streamlined, successful halophilic bacterium. <i>BMC Genomics</i> , 2013, 14, 787.	2.8	54
52	<i>Bacillus persicus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 1229-1234.	1.7	23
53	Characterization of flavobacteria possibly associated with fish and fish farm environment. Description of three novel <i>Flavobacterium</i> species: <i>Flavobacterium collinsii</i> sp. nov., <i>Flavobacterium branchiarum</i> sp. nov., and <i>Flavobacterium branchicola</i> sp. nov.. <i>Aquaculture</i> , 2013, 416-417, 346-353.	3.5	34
54	<i>Bacillus salsus</i> sp. nov., a halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 3324-3329.	1.7	19

#	ARTICLE	IF	CITATIONS
55	<i>Ornithinibacillus halophilus</i> sp. nov., a moderately halophilic, Gram-stain-positive, endospore-forming bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 844-848.	1.7	28
56	<i>Saliterribacillus persicus</i> gen. nov., sp. nov., a moderately halophilic bacterium isolated from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2013, 63, 345-351.	1.7	31
57	<i>Marinobacter persicus</i> sp. nov., a moderately halophilic bacterium from a saline lake in Iran. <i>Antonie Van Leeuwenhoek</i> , 2013, 104, 47-54.	1.7	27
58	Metagenome Sequencing of Prokaryotic Microbiota from Two Hypersaline Ponds of a Marine Saltern in Santa Pola, Spain. <i>Genome Announcements</i> , 2013, 1, .	0.8	35
59	Draft Genome of <i>Spiribacter salinus</i> M19-40, an Abundant Gammaproteobacterium in Aquatic Hypersaline Environments. <i>Genome Announcements</i> , 2013, 1, .	0.8	14
60	Draft Genome Sequence of the Moderately Halophilic Bacterium <i>Marinobacter lipolyticus</i> Strain SM19. <i>Genome Announcements</i> , 2013, 1, .	0.8	8
61	Draft Genome of the Marine Gammaproteobacterium <i>Halomonas titanicae</i> . <i>Genome Announcements</i> , 2013, 1, e0008313.	0.8	15
62	Draft Genome Sequence of the Moderately Halophilic Bacterium <i>Pseudoalteromonas ruthenica</i> Strain CP76. <i>Genome Announcements</i> , 2013, 1, .	0.8	2
63	<i>Flavobacterium plurextorum</i> sp. nov. Isolated from Farmed Rainbow Trout (<i>Oncorhynchus mykiss</i>). <i>PLoS ONE</i> , 2013, 8, e67741.	2.5	27
64	<i>Bacillus iranensis</i> sp. nov., a moderate halophile from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 811-816.	1.7	39
65	<i>Chryseobacterium viscerum</i> sp. nov., isolated from diseased fish. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2934-2940.	1.7	45
66	<i>Alteribacillus bidgolensis</i> gen. nov., sp. nov., a moderately halophilic bacterium from a hypersaline lake, and reclassification of <i>Bacillus persepolensis</i> as <i>Alteribacillus persepolensis</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2012, 62, 2691-2697.	1.7	34
67	<i>Chryseobacterium tructae</i> sp. nov., isolated from rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Systematic and Applied Microbiology</i> , 2012, 35, 315-319.	2.8	19
68	Carotenoidsâ€™™ Production from Halophilic Bacteria. <i>Methods in Molecular Biology</i> , 2012, 892, 207-217.	0.9	24
69	<i>Chryseobacterium oncorhynchi</i> sp. nov., isolated from rainbow trout (<i>Oncorhynchus mykiss</i>). <i>Systematic and Applied Microbiology</i> , 2012, 35, 24-29.	2.8	40
70	New Abundant Microbial Groups in Aquatic Hypersaline Environments. <i>Scientific Reports</i> , 2011, 1, 135.	3.3	288
71	Halophilic and Haloalkaliphilic, Aerobic Endospore-forming Bacteria in Soil. <i>Soil Biology</i> , 2011, , 309-339.	0.8	14
72	Cloning, Characterization and Analysis of cat and ben Genes from the Phenol Degrading Halophilic Bacterium <i>Halomonas organivorans</i> . <i>PLoS ONE</i> , 2011, 6, e21049.	2.5	28

#	ARTICLE	IF	CITATIONS
73	<i>Salimicrobium salexigens</i> sp. nov., a moderately halophilic bacterium from salted hides. <i>Systematic and Applied Microbiology</i> , 2011, 34, 435-9.	2.8	9
74	<i>Thalassobacillus pellis</i> sp. nov., a moderately halophilic, Gram-positive bacterium isolated from salted hides. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2011, 61, 1206-1210.	1.7	13
75	Taxonomy, Phylogeny, and Biotechnological Interest of the Family Halomonadaceae. , 2011, , 27-64.		4
76	Taxonomy, Phylogeny, and Biotechnological Interest of the Family Halomonadaceae. , 2011, , 27-64.		9
77	<i>Bacillus halochares</i> sp. nov., a halophilic bacterium isolated from a solar saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1432-1436.	1.7	26
78	Taxonomic study of the genus <i>Salinicola</i> : transfer of <i>Halomonas salaria</i> and <i>Chromohalobacter salarius</i> to the genus <i>Salinicola</i> as <i>Salinicola salarius</i> comb. nov. and <i>Salinicola halophilus</i> nom. nov., respectively. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 963-971.	1.7	30
79	<i>Moraxella porci</i> sp. nov., isolated from pigs. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2446-2450.	1.7	30
80	<i>Halomonas titanicae</i> sp. nov., a halophilic bacterium isolated from the RMS Titanic. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 2768-2774.	1.7	79
81	<i>Lentibacillus persicus</i> sp. nov., a moderately halophilic species isolated from a saline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2010, 60, 1407-1412.	1.7	20
82	The Haloprotease CPI Produced by the Moderately Halophilic Bacterium <i>Pseudoalteromonas ruthenica</i> Is Secreted by the Type II Secretion Pathway. <i>Applied and Environmental Microbiology</i> , 2009, 75, 4197-4201.	3.1	13
83	Description of <i>Kushneria aurantia</i> gen. nov., sp. nov., a novel member of the family Halomonadaceae, and a proposal for reclassification of <i>Halomonas marisflavi</i> as <i>Kushneria marisflavi</i> comb. nov., of <i>Halomonas indalinina</i> as <i>Kushneria indalinina</i> comb. nov. and of <i>Halomonas avicenniae</i> as <i>Kushneria avicenniae</i> comb. nov.. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 397-405.	1.7	87
84	<i>Halorubrum chaoviator</i> sp. nov., a haloarchaeon isolated from sea salt in Baja California, Mexico, Western Australia and Naxos, Greece. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1908-1913.	1.7	50
85	<i>Halomonas ilicicola</i> sp. nov., a moderately halophilic bacterium isolated from a saltern. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 578-582.	1.7	36
86	<i>Piscibacillus halophilus</i> sp. nov., a moderately halophilic bacterium from a hypersaline Iranian lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 3095-3099.	1.7	24
87	Transfer of <i>Teichococcus ludipueritiae</i> and <i>Muricoccus roseus</i> to the genus <i>Roseomonas</i> , as <i>Roseomonas ludipueritiae</i> comb. nov. and <i>Roseomonas rosea</i> comb. nov., respectively, and emended description of the genus <i>Roseomonas</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 1193-1198.	1.7	65
88	<i>Moraxella pluranimalium</i> sp. nov., isolated from animal specimens. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 671-674.	1.7	22
89	<i>Thalassobacillus cyri</i> sp. nov., a moderately halophilic Gram-positive bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2565-2570.	1.7	22
90	<i>Bacillus persepolensis</i> sp. nov., a moderately halophilic bacterium from a hypersaline lake. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2009, 59, 2352-2358.	1.7	28

#	ARTICLE	IF	CITATIONS
91	<i>Halorubrum californiense</i> sp. nov., an extreme archaeal halophile isolated from a crystallizer pond at a solar salt plant in California, USA. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 2710-2715.	1.7	37
92	Biogeography of the ubiquitous marine bacterium <i>Alteromonas macleodii</i> determined by multilocus sequence analysis. <i>Molecular Ecology</i> , 2008, 17, 4092-4106.	3.9	62
93	Halophilic and Halotolerant Micro-Organisms from Soils. <i>Soil Biology</i> , 2008, , 87-115.	0.8	51
94	<i>Halobacillus mangrovi</i> sp. nov., a moderately halophilic bacterium isolated from the black mangrove <i>Avicennia germinans</i> . <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 125-130.	1.7	35
95	<i>Algoriphagus hitonicola</i> sp. nov., isolated from an athalassohaline lagoon. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2008, 58, 424-428.	1.7	32
96	<i>Halomonas avicenniae</i> sp. nov., isolated from the salty leaves of the black mangrove <i>Avicennia germinans</i> in Puerto Rico. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 900-905.	1.7	32
97	<i>Aerococcus suis</i> sp. nov., isolated from clinical specimens from swine. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 1291-1294.	1.7	32
98	<i>Flavobacterium ceti</i> sp. nov., isolated from beaked whales (<i>Ziphius cavirostris</i>). <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2604-2608.	1.7	35
99	<i>Chromohalobacter japonicus</i> sp. nov., a moderately halophilic bacterium isolated from a Japanese salty food. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2007, 57, 2262-2266.	1.7	29
100	Engineering the halophilic bacterium <i>Halomonas elongata</i> to produce β -carotene. <i>Applied Microbiology and Biotechnology</i> , 2007, 77, 637-643.	3.6	21
101	<i>Roseomonas aquatica</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2291-2295.	1.7	60
102	<i>Massilia aurea</i> sp. nov., isolated from drinking water. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2006, 56, 2449-2453.	1.7	89
103	Halophilic Archaea and Bacteria as a Source of Extracellular Hydrolytic Enzymes. , 2005, , 337-354.		26
104	Screening and characterization of the protease CP1 produced by the moderately halophilic bacterium <i>Pseudoalteromonas</i> sp. strain CP76. <i>Extremophiles</i> , 2003, 7, 221-228.	2.3	122
105	Diversity of moderately halophilic bacteria producing extracellular hydrolytic enzymes. <i>Journal of Applied Microbiology</i> , 2003, 94, 295-300.	3.1	226
106	<i>Marinobacter lipolyticus</i> sp. nov., a novel moderate halophile with lipolytic activity. <i>International Journal of Systematic and Evolutionary Microbiology</i> , 2003, 53, 1383-1387.	1.7	118