

# Cheng Wang

## List of Publications by Year in Descending Order

**Source:** <https://exaly.com/author-pdf/3273780/cheng-wang-publications-by-year.pdf>

**Version:** 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

67  
papers

4,540  
citations

31  
h-index

67  
g-index

72  
ext. papers

5,277  
ext. citations

6  
avg, IF

4.89  
L-index

#	Paper	IF	Citations
67	Serum MicroRNA Expression Patterns in Subjects After the 5-km Exercise Are Strongly Associated With Cardiovascular Adaptation.. <i>Frontiers in Physiology</i> , <b>2021</b> , 12, 755656	4.6	1
66	Assessment of HCMV-encoded microRNAs in plasma as potential biomarkers in pregnant women with adverse pregnancy outcomes. <i>Annals of Translational Medicine</i> , <b>2021</b> , 9, 638	3.2	1
65	Discovery and validation of extracellular vesicle-associated miRNAs as noninvasive detection biomarkers for early-stage non-small-cell lung cancer. <i>Molecular Oncology</i> , <b>2021</b> , 15, 2439-2452	7.9	9
64	SIDT1-dependent absorption in the stomach mediates host uptake of dietary and orally administered microRNAs. <i>Cell Research</i> , <b>2021</b> , 31, 247-258	24.7	30
63	Serum Exosomal miRNA-1226 as Potential Biomarker of Pancreatic Ductal Adenocarcinoma. <i>OncoTargets and Therapy</i> , <b>2021</b> , 14, 1441-1451	4.4	13
62	Different expression pattern of human cytomegalovirus-encoded microRNAs in circulation from virus latency to reactivation. <i>Journal of Translational Medicine</i> , <b>2020</b> , 18, 469	8.5	3
61	Level of N6-Methyladenosine in Peripheral Blood RNA: A Novel Predictive Biomarker for Gastric Cancer. <i>Clinical Chemistry</i> , <b>2020</b> , 66, 342-351	5.5	25
60	Altered serum microRNA expression profile in subjects with heroin and methamphetamine use disorder. <i>Biomedicine and Pharmacotherapy</i> , <b>2020</b> , 125, 109918	7.5	9
59	Treatment for Liver Tumor Using Combined Transarterial Embolization and Intraarterial Transfecting HIF-1 $\beta$ RNA in a Rabbit VX2 Model. <i>OncoTargets and Therapy</i> , <b>2020</b> , 13, 8511-8519	4.4	
58	Altered Serum MicroRNA Profile May Serve as an Auxiliary Tool for Discriminating Aggressive Thyroid Carcinoma from Nonaggressive Thyroid Cancer and Benign Thyroid Nodules. <i>Disease Markers</i> , <b>2019</b> , 2019, 3717683	3.2	13
57	Ventral Hippocampus Modulates Anxiety-Like Behavior in Male But Not Female C57BL/6 J Mice. <i>Neuroscience</i> , <b>2019</b> , 418, 50-58	3.9	12
56	D2 receptor-mediated miRNA-143 expression is associated with the effects of antipsychotic drugs on phencyclidine-induced schizophrenia-related locomotor hyperactivity and with Neuregulin-1 expression in mice. <i>Neuropharmacology</i> , <b>2019</b> , 157, 107675	5.5	8
55	Association of Serum miR-186-5p With the Prognosis of Acute Coronary Syndrome Patients After Percutaneous Coronary Intervention. <i>Frontiers in Physiology</i> , <b>2019</b> , 10, 686	4.6	9
54	Screening the expression of several miRNAs from TaqMan Low Density Array in traumatic brain injury: miR-219a-5p regulates neuronal apoptosis by modulating CCNA2 and CACUL1. <i>Journal of Neurochemistry</i> , <b>2019</b> , 150, 202-217	6	13
53	Circulating miR-200a is a novel molecular biomarker for early-stage renal cell carcinoma. <i>ExRNA</i> , <b>2019</b> , 1,	4.2	9
52	Altered human cytomegalovirus-encoded miRNAs in host circulation: novel disease biomarkers and potential aetiological agents. <i>ExRNA</i> , <b>2019</b> , 1,	4.2	2
51	Comprehensive analysis of differentially expressed serum microRNAs in humans responding to infection. <i>Annals of Translational Medicine</i> , <b>2019</b> , 7, 301	3.2	5

50	Increased urinary exosomal microRNAs in children with idiopathic nephrotic syndrome. <i>EBioMedicine</i> , <b>2019</b> , 39, 552-561	8.8	28
49	Comparison of commercial exosome isolation kits for circulating exosomal microRNA profiling. <i>Analytical and Bioanalytical Chemistry</i> , <b>2018</b> , 410, 3805-3814	4.4	81
48	Genome-wide DNA methylome alterations in acute coronary syndrome. <i>International Journal of Molecular Medicine</i> , <b>2018</b> , 41, 220-232	4.4	8
47	FP774INCREASED URINARY EXOSOMAL MICRORNAS AS PROMISING DIAGNOSTIC BIOMARKERS FOR CHILDREN WITH IDIOPATHIC NEPHROTICSYNDROME. <i>Nephrology Dialysis Transplantation</i> , <b>2018</b> , 33, i306-i306	4.3	
46	The E2F1-miR-520/372/373-SPOP Axis Modulates Progression of Renal Carcinoma. <i>Cancer Research</i> , <b>2018</b> , 78, 6771-6784	10.1	22
45	Decreased miR-200a-3p is a key regulator of renal carcinoma growth and migration by directly targeting CBL. <i>Journal of Cellular Biochemistry</i> , <b>2018</b> , 119, 9974-9985	4.7	12
44	Peroxisome proliferator-activated receptor gamma coactivator-1 alpha acts as a tumor suppressor in hepatocellular carcinoma. <i>Tumor Biology</i> , <b>2017</b> , 39, 1010428317695031	2.9	15
43	Distinct expression profile of HCMV encoded miRNAs in plasma from oral lichen planus patients. <i>Journal of Translational Medicine</i> , <b>2017</b> , 15, 133	8.5	19
42	Increased serum miR-7 is a promising biomarker for type 2 diabetes mellitus and its microvascular complications. <i>Diabetes Research and Clinical Practice</i> , <b>2017</b> , 130, 171-179	7.4	30
41	Elevated Serum miR-7, miR-9, miR-122, and miR-141 Are Noninvasive Biomarkers of Acute Pancreatitis. <i>Disease Markers</i> , <b>2017</b> , 2017, 7293459	3.2	23
40	Distinctive expression signatures of serum microRNAs in ischaemic stroke and transient ischaemic attack patients. <i>Thrombosis and Haemostasis</i> , <b>2017</b> , 117, 992-1001	7	27
39	miR-25 is upregulated before the occurrence of esophageal squamous cell carcinoma. <i>American Journal of Translational Research (discontinued)</i> , <b>2017</b> , 9, 4458-4469	3	6
38	Identification of Circulating MiR-25 as a Potential Biomarker for Pancreatic Cancer Diagnosis. <i>Cellular Physiology and Biochemistry</i> , <b>2016</b> , 39, 1716-1722	3.9	41
37	Increased serum microRNAs are closely associated with the presence of microvascular complications in type 2 diabetes mellitus. <i>Scientific Reports</i> , <b>2016</b> , 6, 20032	4.9	72
36	Altered profile of serum microRNAs in pancreatic cancer-associated new-onset diabetes mellitus. <i>Journal of Diabetes</i> , <b>2016</b> , 8, 422-33	3.8	22
35	Identification of a panel of five serum miRNAs as a biomarker for Parkinson's disease. <i>Parkinsonism and Related Disorders</i> , <b>2016</b> , 22, 68-73	3.6	104
34	A panel of four decreased serum microRNAs as a novel biomarker for early Parkinson's disease. <i>Biomarkers</i> , <b>2016</b> , 21, 129-37	2.6	73
33	miR-28-5p acts as a tumor suppressor in renal cell carcinoma for multiple antitumor effects by targeting RAP1B. <i>Oncotarget</i> , <b>2016</b> , 7, 73888-73902	3.3	49

32	Elevation of Circulating miR-210-3p in High-Altitude Hypoxic Environment. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 84	4.6	23
31	Similar Responses of Circulating MicroRNAs to Acute High-Intensity Interval Exercise and Vigorous-Intensity Continuous Exercise. <i>Frontiers in Physiology</i> , <b>2016</b> , 7, 102	4.6	32
30	Elevated serum miR-93, miR-191, and miR-499 are noninvasive biomarkers for the presence and progression of traumatic brain injury. <i>Journal of Neurochemistry</i> , <b>2016</b> , 137, 122-9	6	58
29	Systematic characterization of seminal plasma piRNAs as molecular biomarkers for male infertility. <i>Scientific Reports</i> , <b>2016</b> , 6, 24229	4.9	47
28	Doxorubicin-Induced Systemic Inflammation Is Driven by Upregulation of Toll-Like Receptor TLR4 and Endotoxin Leakage. <i>Cancer Research</i> , <b>2016</b> , 76, 6631-6642	10.1	69
27	MicroRNA-193a-3p Reduces Intestinal Inflammation in Response to Microbiota via Down-regulation of Colonic PepT1. <i>Journal of Biological Chemistry</i> , <b>2015</b> , 290, 16099-115	5.4	55
26	Detection of circulating miRNA levels in schizophrenia. <i>American Journal of Psychiatry</i> , <b>2015</b> , 172, 1141-711.9	11.9	53
25	Differentially expressed microRNAs in kidney biopsies from various subtypes of nephrotic children. <i>Experimental and Molecular Pathology</i> , <b>2015</b> , 99, 590-5	4.4	15
24	A Five-miRNA Panel Identified From a Multicentric Case-control Study Serves as a Novel Diagnostic Tool for Ethnically Diverse Non-small-cell Lung Cancer Patients. <i>EBioMedicine</i> , <b>2015</b> , 2, 1377-85	8.8	58
23	Investigation of microRNA expression in human serum during the aging process. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , <b>2015</b> , 70, 102-9	6.4	79
22	Serum miRNA expression profile as a prognostic biomarker of stage II/III colorectal adenocarcinoma. <i>Scientific Reports</i> , <b>2015</b> , 5, 12921	4.9	64
21	miR-19b downregulates intestinal SOCS3 to reduce intestinal inflammation in Crohn's disease. <i>Scientific Reports</i> , <b>2015</b> , 5, 10397	4.9	44
20	Influence of a high-altitude hypoxic environment on human plasma microRNA profiles. <i>Scientific Reports</i> , <b>2015</b> , 5, 15156	4.9	27
19	miR-135b Promotes Cancer Progression by Targeting Transforming Growth Factor Beta Receptor II (TGFB2) in Colorectal Cancer. <i>PLoS ONE</i> , <b>2015</b> , 10, e0130194	3.7	26
18	Serum MicroRNA Profiles Serve as Novel Biomarkers for the Diagnosis of Alzheimer's Disease. <i>Disease Markers</i> , <b>2015</b> , 2015, 625659	3.2	110
17	A panel of five serum miRNAs as a potential diagnostic tool for early-stage renal cell carcinoma. <i>Scientific Reports</i> , <b>2015</b> , 5, 7610	4.9	104
16	Tumor-secreted miR-214 induces regulatory T cells: a major link between immune evasion and tumor growth. <i>Cell Research</i> , <b>2014</b> , 24, 1164-80	24.7	182
15	Diagnostic and prognostic implications of a serum miRNA panel in oesophageal squamous cell carcinoma. <i>PLoS ONE</i> , <b>2014</b> , 9, e92292	3.7	84

14	Identification of serum microRNAs for cardiovascular risk stratification in dyslipidemia subjects. <i>International Journal of Cardiology</i> , <b>2014</b> , 172, 232-4	3.2	8
13	Identification of seven serum microRNAs from a genome-wide serum microRNA expression profile as potential noninvasive biomarkers for malignant astrocytomas. <i>International Journal of Cancer</i> , <b>2013</b> , 132, 116-27	7.5	146
12	Microvesicle-mediated transfer of microRNA-150 from monocytes to endothelial cells promotes angiogenesis. <i>Journal of Biological Chemistry</i> , <b>2013</b> , 288, 23586-96	5.4	158
11	Elevated serum $\beta$ -glycoprotein-I-lipoprotein(a) complexes levels are associated with the presence and complications in type 2 diabetes mellitus. <i>Diabetes Research and Clinical Practice</i> , <b>2013</b> , 100, 250-6	7.4	8
10	Increased serum and urinary microRNAs in children with idiopathic nephrotic syndrome. <i>Clinical Chemistry</i> , <b>2013</b> , 59, 658-66	5.5	86
9	A combination of Let-7d, Let-7g and Let-7i serves as a stable reference for normalization of serum microRNAs. <i>PLoS ONE</i> , <b>2013</b> , 8, e79652	3.7	83
8	Identification of ten serum microRNAs from a genome-wide serum microRNA expression profile as novel noninvasive biomarkers for nonsmall cell lung cancer diagnosis. <i>International Journal of Cancer</i> , <b>2012</b> , 130, 1620-8	7.5	225
7	Serum microRNA expression profile as a biomarker in the diagnosis and prognosis of pancreatic cancer. <i>Clinical Chemistry</i> , <b>2012</b> , 58, 610-8	5.5	317
6	Exogenous plant MIR168a specifically targets mammalian LDLRAP1: evidence of cross-kingdom regulation by microRNA. <i>Cell Research</i> , <b>2012</b> , 22, 107-26	24.7	695
5	Increased serum levels of EGPI-Lp(a) complexes and their association with premature atherosclerosis in patients with rheumatoid arthritis. <i>Clinica Chimica Acta</i> , <b>2011</b> , 412, 1332-6	6.2	17
4	A five-microRNA signature identified from genome-wide serum microRNA expression profiling serves as a fingerprint for gastric cancer diagnosis. <i>European Journal of Cancer</i> , <b>2011</b> , 47, 784-91	7.5	361
3	Altered profile of seminal plasma microRNAs in the molecular diagnosis of male infertility. <i>Clinical Chemistry</i> , <b>2011</b> , 57, 1722-31	5.5	176
2	Expression profile of microRNAs in serum: a fingerprint for esophageal squamous cell carcinoma. <i>Clinical Chemistry</i> , <b>2010</b> , 56, 1871-9	5.5	269
1	Comparison of two-staged ORIF and limited internal fixation with external fixator for closed tibial plafond fractures. <i>Archives of Orthopaedic and Trauma Surgery</i> , <b>2010</b> , 130, 1289-97	3.6	32