

# Xingguo Han

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3275093/publications.pdf>

Version: 2024-02-01

314  
papers

19,155  
citations

11608

70  
h-index

19136

118  
g-index

319  
all docs

319  
docs citations

319  
times ranked

13768  
citing authors

#	ARTICLE	IF	CITATIONS
1	Ecosystem stability and compensatory effects in the Inner Mongolia grassland. <i>Nature</i> , 2004, 431, 181-184.	13.7	1,011
2	Tradeoffs and thresholds in the effects of nitrogen addition on biodiversity and ecosystem functioning: evidence from inner Mongolia Grasslands. <i>Global Change Biology</i> , 2010, 16, 358-372.	4.2	680
3	The FLUXNET2015 dataset and the ONEFlux processing pipeline for eddy covariance data. <i>Scientific Data</i> , 2020, 7, 225.	2.4	646
4	PRIMARY PRODUCTION AND RAIN USE EFFICIENCY ACROSS A PRECIPITATION GRADIENT ON THE MONGOLIA PLATEAU. <i>Ecology</i> , 2008, 89, 2140-2153.	1.5	593
5	Grassland ecosystems in China: review of current knowledge and research advancement. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2007, 362, 997-1008.	1.8	489
6	ECOLOGY: Three-Gorges Dam–Experiment in Habitat Fragmentation?. <i>Science</i> , 2003, 300, 1239-1240.	6.0	332
7	The Three Gorges Dam: an ecological perspective. <i>Frontiers in Ecology and the Environment</i> , 2004, 2, 241-248.	1.9	295
8	Temperature and soil moisture interactively affected soil net N mineralization in temperate grassland in Northern China. <i>Soil Biology and Biochemistry</i> , 2006, 38, 1101-1110.	4.2	271
9	Linking stoichiometric homeostasis with ecosystem structure, functioning and stability. <i>Ecology Letters</i> , 2010, 13, 1390-1399.	3.0	271
10	Grazing alters ecosystem functioning and C:N:P stoichiometry of grasslands along a regional precipitation gradient. <i>Journal of Applied Ecology</i> , 2012, 49, 1204-1215.	1.9	271
11	Grazing-induced reduction of natural nitrous oxide release from continental steppe. <i>Nature</i> , 2010, 464, 881-884.	13.7	254
12	Aridity threshold in controlling ecosystem nitrogen cycling in arid and semi-arid grasslands. <i>Nature Communications</i> , 2014, 5, 4799.	5.8	254
13	Nitrogen deposition weakens plant–microbe interactions in grassland ecosystems. <i>Global Change Biology</i> , 2013, 19, 3688-3697.	4.2	221
14	Habitat-specific patterns and drivers of bacterial $\beta$ -diversity in China's drylands. <i>ISME Journal</i> , 2017, 11, 1345-1358.	4.4	218
15	Positive linear relationship between productivity and diversity: evidence from the Eurasian Steppe. <i>Journal of Applied Ecology</i> , 2007, 44, 1023-1034.	1.9	217
16	Increased temperature and precipitation interact to affect root production, mortality, and turnover in a temperate steppe: implications for ecosystem C cycling. <i>Global Change Biology</i> , 2010, 16, 1306-1316.	4.2	179
17	Stoichiometric homeostasis of vascular plants in the Inner Mongolia grassland. <i>Oecologia</i> , 2011, 166, 1-10.	0.9	171
18	Convergent responses of nitrogen and phosphorus resorption to nitrogen inputs in a semiarid grassland. <i>Global Change Biology</i> , 2013, 19, 2775-2784.	4.2	171

#	ARTICLE	IF	CITATIONS
19	A novel soil manganese mechanism drives plant species loss with increased nitrogen deposition in a temperate steppe. <i>Ecology</i> , 2016, 97, 65-74.	1.5	165
20	The ameliorative effect of silicon on soybean seedlings grown in potassium-deficient medium. <i>Annals of Botany</i> , 2010, 105, 967-973.	1.4	155
21	Carbon and nitrogen store and storage potential as affected by land-use in a <i>Leymus chinensis</i> grassland of northern China. <i>Soil Biology and Biochemistry</i> , 2008, 40, 2952-2959.	4.2	153
22	Higher precipitation strengthens the microbial interactions in semi-arid grassland soils. <i>Global Ecology and Biogeography</i> , 2018, 27, 570-580.	2.7	151
23	Restoration and Management of the Inner Mongolia Grassland Require a Sustainable Strategy. <i>Ambio</i> , 2006, 35, 269-270.	2.8	150
24	Genotypic differences in leaf biochemical, physiological and growth responses to ozone in 20 winter wheat cultivars released over the past 60 years. <i>Global Change Biology</i> , 2008, 14, 46-59.	4.2	149
25	Environmental changes drive the temporal stability of semi-arid natural grasslands through altering species asynchrony. <i>Journal of Ecology</i> , 2015, 103, 1308-1316.	1.9	143
26	Global change effects on plant communities are magnified by time and the number of global change factors imposed. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 17867-17873.	3.3	141
27	Comparing physiological responses of two dominant grass species to nitrogen addition in Xilin River Basin of China. <i>Environmental and Experimental Botany</i> , 2005, 53, 65-75.	2.0	140
28	Ecosystem Traits Linking Functional Traits to Macroecology. <i>Trends in Ecology and Evolution</i> , 2019, 34, 200-210.	4.2	140
29	Nitrogen enrichment weakens ecosystem stability through decreased species asynchrony and population stability in a temperate grassland. <i>Global Change Biology</i> , 2016, 22, 1445-1455.	4.2	139
30	Energy balance and partition in Inner Mongolia steppe ecosystems with different land use types. <i>Agricultural and Forest Meteorology</i> , 2009, 149, 1800-1809.	1.9	138
31	Rapid plant species loss at high rates and at low frequency of N addition in temperate steppe. <i>Global Change Biology</i> , 2014, 20, 3520-3529.	4.2	132
32	Soil carbon and nitrogen stores and storage potential as affected by land-use in an agro-pastoral ecotone of northern China. <i>Biogeochemistry</i> , 2007, 82, 127-138.	1.7	125
33	Non-Additive Effects of Water and Nitrogen Addition on Ecosystem Carbon Exchange in a Temperate Steppe. <i>Ecosystems</i> , 2009, 12, 915-926.	1.6	125
34	Nitrogen and water availability interact to affect leaf stoichiometry in a semi-arid grassland. <i>Oecologia</i> , 2012, 168, 301-310.	0.9	109
35	Plant Trait Networks: Improved Resolution of the Dimensionality of Adaptation. <i>Trends in Ecology and Evolution</i> , 2020, 35, 908-918.	4.2	107
36	Strategies to alleviate poverty and grassland degradation in Inner Mongolia: Intensification vs production efficiency of livestock systems. <i>Journal of Environmental Management</i> , 2015, 152, 177-182.	3.8	106

#	ARTICLE	IF	CITATIONS
37	Stoichiometric homeostasis predicts plant species dominance, temporal stability, and responses to global change. <i>Ecology</i> , 2015, 96, 2328-2335.	1.5	106
38	Nitrogen response efficiency increased monotonically with decreasing soil resource availability: a case study from a semiarid grassland in northern China. <i>Oecologia</i> , 2006, 148, 564-572.	0.9	105
39	N balance and cycling of Inner Mongolia typical steppe: a comprehensive case study of grazing effects. <i>Ecological Monographs</i> , 2013, 83, 195-219.	2.4	105
40	Nutrient resorption responses to water and nitrogen amendment in semi-arid grassland of Inner Mongolia, China. <i>Plant and Soil</i> , 2010, 327, 481-491.	1.8	104
41	Annual methane uptake by temperate semiarid steppes as regulated by stocking rates, aboveground plant biomass and topsoil air permeability. <i>Global Change Biology</i> , 2011, 17, 2803-2816.	4.2	103
42	Differential responses of litter decomposition to increased soil nutrients and water between two contrasting grassland plant species of Inner Mongolia, China. <i>Applied Soil Ecology</i> , 2006, 34, 266-275.	2.1	100
43	Litter decomposition and nutrient release as affected by soil nitrogen availability and litter quality in a semiarid grassland ecosystem. <i>Oecologia</i> , 2010, 162, 771-780.	0.9	98
44	Do rhizome severing and shoot defoliation affect clonal growth of <i>Leymus chinensis</i> at ramet population level?. <i>Acta Oecologica</i> , 2004, 26, 255-260.	0.5	94
45	Plasticity in leaf and stem nutrient resorption proficiency potentially reinforces plant-soil feedbacks and microscale heterogeneity in a semi-arid grassland. <i>Journal of Ecology</i> , 2012, 100, 144-150.	1.9	94
46	Aerobic Methane Emission from Plants in the Inner Mongolia Steppe. <i>Environmental Science &amp; Technology</i> , 2008, 42, 62-68.	4.6	92
47	Nitrogen resorption from senescing leaves in 28 plant species in a semi-arid region of northern China. <i>Journal of Arid Environments</i> , 2005, 63, 191-202.	1.2	90
48	Winter-grazing reduces methane uptake by soils of a typical semi-arid steppe in Inner Mongolia, China. <i>Atmospheric Environment</i> , 2007, 41, 5948-5958.	1.9	88
49	The counteractive effects of nitrogen addition and watering on soil bacterial communities in a steppe ecosystem. <i>Soil Biology and Biochemistry</i> , 2014, 72, 26-34.	4.2	88
50	Scale-dependent effects of climate and geographic distance on bacterial diversity patterns across northern China's grasslands. <i>FEMS Microbiology Ecology</i> , 2015, 91, fiv133.	1.3	87
51	Environmental changes affect the assembly of soil bacterial community primarily by mediating stochastic processes. <i>Global Change Biology</i> , 2016, 22, 198-207.	4.2	87
52	Exacerbated nitrogen limitation ends transient stimulation of grassland productivity by increased precipitation. <i>Ecological Monographs</i> , 2017, 87, 457-469.	2.4	87
53	Responses of Soil Bacterial Communities to Nitrogen Deposition and Precipitation Increment Are Closely Linked with Aboveground Community Variation. <i>Microbial Ecology</i> , 2016, 71, 974-989.	1.4	86
54	China's new rural "separating three property rights" land reform results in grassland degradation: Evidence from Inner Mongolia. <i>Land Use Policy</i> , 2018, 71, 170-182.	2.5	86

#	ARTICLE	IF	CITATIONS
55	Plants alter their vertical root distribution rather than biomass allocation in response to changing precipitation. <i>Ecology</i> , 2019, 100, e02828.	1.5	86
56	Complementarity in water sources among dominant species in typical steppe ecosystems of Inner Mongolia, China. <i>Plant and Soil</i> , 2011, 340, 303-313.	1.8	84
57	Asymmetric sensitivity of ecosystem carbon and water processes in response to precipitation change in a semi-arid steppe. <i>Functional Ecology</i> , 2017, 31, 1301-1311.	1.7	84
58	Response of the Abundance of Key Soil Microbial Nitrogen-Cycling Genes to Multi-Factorial Global Changes. <i>PLoS ONE</i> , 2013, 8, e76500.	1.1	83
59	Predicting plant diversity based on remote sensing products in the semi-arid region of Inner Mongolia. <i>Remote Sensing of Environment</i> , 2008, 112, 2018-2032.	4.6	80
60	Mitigating methane emission from paddy soil with rice-straw biochar amendment under projected climate change. <i>Scientific Reports</i> , 2016, 6, 24731.	1.6	79
61	Respiratory substrate availability plays a crucial role in the response of soil respiration to environmental factors. <i>Applied Soil Ecology</i> , 2006, 32, 284-292.	2.1	78
62	N <sub>2</sub> O emission from the semi-arid ecosystem under mineral fertilizer (urea and superphosphate) and increased precipitation in northern China. <i>Atmospheric Environment</i> , 2008, 42, 291-302.	1.9	78
63	Changes in carbon and nitrogen in soil particle-size fractions along a grassland restoration chronosequence in northern China. <i>Geoderma</i> , 2009, 150, 302-308.	2.3	78
64	Methane emissions from the trunks of living trees on upland soils. <i>New Phytologist</i> , 2016, 211, 429-439.	3.5	78
65	Effects of long-term grazing on the morphological and functional traits of <i>Leymus chinensis</i> in the semiarid grassland of Inner Mongolia, China. <i>Ecological Research</i> , 2009, 24, 99-108.	0.7	77
66	Changes in litter quality induced by N deposition alter soil microbial communities. <i>Soil Biology and Biochemistry</i> , 2019, 130, 33-42.	4.2	77
67	Nitrogen Addition Regulates Soil Nematode Community Composition through Ammonium Suppression. <i>PLoS ONE</i> , 2012, 7, e43384.	1.1	77
68	Biophysical regulations of carbon fluxes of a steppe and a cultivated cropland in semiarid Inner Mongolia. <i>Agricultural and Forest Meteorology</i> , 2007, 146, 216-229.	1.9	75
69	Mechanisms of soil acidification reducing bacterial diversity. <i>Soil Biology and Biochemistry</i> , 2015, 81, 275-281.	4.2	75
70	Nonlinear responses of ecosystem carbon fluxes and water-use efficiency to nitrogen addition in Inner Mongolia grassland. <i>Functional Ecology</i> , 2016, 30, 490-499.	1.7	75
71	Responses of soil microbial functional genes to global changes are indirectly influenced by aboveground plant biomass variation. <i>Soil Biology and Biochemistry</i> , 2017, 104, 18-29.	4.2	75
72	Nitrogen addition does not reduce the role of spatial asynchrony in stabilising grassland communities. <i>Ecology Letters</i> , 2019, 22, 563-571.	3.0	75

#	ARTICLE	IF	CITATIONS
73	Climate variability decreases species richness and community stability in a temperate grassland. <i>Oecologia</i> , 2018, 188, 183-192.	0.9	74
74	Land use affects the relationship between species diversity and productivity at the local scale in a semi-arid steppe ecosystem. <i>Functional Ecology</i> , 2006, 20, 753-762.	1.7	73
75	Cultivation and grazing altered evapotranspiration and dynamics in Inner Mongolia steppes. <i>Agricultural and Forest Meteorology</i> , 2009, 149, 1810-1819.	1.9	73
76	Plant nitrogen uptake drives responses of productivity to nitrogen and water addition in a grassland. <i>Scientific Reports</i> , 2014, 4, 4817.	1.6	71
77	Mowing exacerbates the loss of ecosystem stability under nitrogen enrichment in a temperate grassland. <i>Functional Ecology</i> , 2017, 31, 1637-1646.	1.7	71
78	Microbial N Turnover and N-Oxide (N <sub>2</sub> O/NO/NO <sub>2</sub> ) Fluxes in Semi-arid Grassland of Inner Mongolia. <i>Ecosystems</i> , 2007, 10, 623-634.	1.6	67
79	Soil characteristics and nitrogen resorption in <i>Stipa krylovii</i> native to northern China. <i>Plant and Soil</i> , 2005, 273, 257-268.	1.8	66
80	Seasonal variations in nitrogen mineralization under three land use types in a grassland landscape. <i>Acta Oecologica</i> , 2008, 34, 322-330.	0.5	65
81	On the Nature of Environmental Gradients: Temporal and Spatial Variability of Soils and Vegetation in the New Jersey Pinelands. <i>Journal of Ecology</i> , 1997, 85, 785.	1.9	64
82	Diurnal variation in methane emissions in relation to plants and environmental variables in the Inner Mongolia marshes. <i>Atmospheric Environment</i> , 2005, 39, 6295-6305.	1.9	64
83	Poplar plantation has the potential to alter the water balance in semiarid Inner Mongolia. <i>Journal of Environmental Management</i> , 2009, 90, 2762-2770.	3.8	64
84	Effects of Water and Nitrogen Addition on Species Turnover in Temperate Grasslands in Northern China. <i>PLoS ONE</i> , 2012, 7, e39762.	1.1	64
85	Asymmetry in above- and belowground productivity responses to N addition in a semi-arid temperate steppe. <i>Global Change Biology</i> , 2019, 25, 2958-2969.	4.2	63
86	Nonadditive effects of litter mixtures on decomposition and correlation with initial litter N and P concentrations in grassland plant species of northern China. <i>Biology and Fertility of Soils</i> , 2007, 44, 211-216.	2.3	62
87	Plant nutrients do not covary with soil nutrients under changing climatic conditions. <i>Global Biogeochemical Cycles</i> , 2015, 29, 1298-1308.	1.9	62
88	Hierarchical responses of plant stoichiometry to nitrogen deposition and mowing in a temperate steppe. <i>Plant and Soil</i> , 2014, 382, 175-187.	1.8	61
89	Plant functional diversity modulates global environmental change effects on grassland productivity. <i>Journal of Ecology</i> , 2018, 106, 1941-1951.	1.9	61
90	Differential responses of canopy nutrients to experimental drought along a natural aridity gradient. <i>Ecology</i> , 2018, 99, 2230-2239.	1.5	61

#	ARTICLE	IF	CITATIONS
91	Effects of grassland conversion to croplands on soil organic carbon in the temperate Inner Mongolia. <i>Journal of Environmental Management</i> , 2008, 86, 529-534.	3.8	59
92	Temporal and spatial variability and controls of soil respiration in a temperate steppe in northern China. <i>Global Biogeochemical Cycles</i> , 2010, 24, .	1.9	59
93	Effects of plant functional group loss on soil biota and net ecosystem exchange: a plant removal experiment in the Mongolian grassland. <i>Journal of Ecology</i> , 2016, 104, 734-743.	1.9	58
94	Feedback of grazing on gross rates of N mineralization and inorganic N partitioning in steppe soils of Inner Mongolia. <i>Plant and Soil</i> , 2011, 340, 127-139.	1.8	57
95	LIVE AND DEAD ROOTS IN FOREST SOIL HORIZONS: CONTRASTING EFFECTS ON NITROGEN DYNAMICS. <i>Ecology</i> , 1997, 78, 348-362.	1.5	56
96	Grazing intensity impacts soil carbon and nitrogen storage of continental steppe. <i>Ecosphere</i> , 2011, 2, art8.	1.0	56
97	Sampling Date, Leaf Age and Root Size: Implications for the Study of Plant C:N:P Stoichiometry. <i>PLoS ONE</i> , 2013, 8, e60360.	1.1	56
98	Effects of functional diversity loss on ecosystem functions are influenced by compensation. <i>Ecology</i> , 2016, 97, 2293-2302.	1.5	56
99	Effects of grazing and climate variability on grassland ecosystem functions in Inner Mongolia: Synthesis of a 6-year grazing experiment. <i>Journal of Arid Environments</i> , 2016, 135, 50-63.	1.2	56
100	Topography and grazing effects on storage of soil organic carbon and nitrogen in the northern China grasslands. <i>Ecological Indicators</i> , 2018, 93, 45-53.	2.6	56
101	Changing precipitation exerts greater influence on soil heterotrophic than autotrophic respiration in a semiarid steppe. <i>Agricultural and Forest Meteorology</i> , 2019, 271, 413-421.	1.9	56
102	Nitrogen fertilization and fire act independently on foliar stoichiometry in a temperate steppe. <i>Plant and Soil</i> , 2010, 334, 209-219.	1.8	55
103	Foliar nutrient resorption differs between arbuscular mycorrhizal and ectomycorrhizal trees at local and global scales. <i>Global Ecology and Biogeography</i> , 2018, 27, 875-885.	2.7	55
104	Carbon limitation overrides acidification in mediating soil microbial activity to nitrogen enrichment in a temperate grassland. <i>Global Change Biology</i> , 2021, 27, 5976-5988.	4.2	55
105	Testing the Growth Rate Hypothesis in Vascular Plants with Above- and Below-Ground Biomass. <i>PLoS ONE</i> , 2012, 7, e32162.	1.1	55
106	Retention of deposited ammonium and nitrate and its impact on the global forest carbon sink. <i>Nature Communications</i> , 2022, 13, 880.	5.8	55
107	Increase in ammonia volatilization from soil in response to N deposition in Inner Mongolia grasslands. <i>Atmospheric Environment</i> , 2014, 84, 156-162.	1.9	54
108	Increasing rates of long-term nitrogen deposition consistently increased litter decomposition in a semi-arid grassland. <i>New Phytologist</i> , 2021, 229, 296-307.	3.5	54

#	ARTICLE	IF	CITATIONS
109	Changes in specific leaf area of dominant plants in temperate grasslands along a 2500-km transect in northern China. <i>Scientific Reports</i> , 2017, 7, 10780.	1.6	53
110	Storage and Dynamics of Carbon and Nitrogen in Soil after Grazing Exclusion in <i>Leymus chinensis</i> Grasslands of Northern China. <i>Journal of Environmental Quality</i> , 2008, 37, 663-668.	1.0	52
111	Changes in carbon and nitrogen of Chernozem soil along a cultivation chronosequence in a semi-arid grassland. <i>European Journal of Soil Science</i> , 2009, 60, 916-923.	1.8	52
112	Climate and ecosystem <sup>15</sup> N natural abundance along a transect of Inner Mongolian grasslands: Contrasting regional patterns and global patterns. <i>Global Biogeochemical Cycles</i> , 2009, 23, .	1.9	52
113	Effects of experimentally-enhanced precipitation and nitrogen on resistance, recovery and resilience of a semi-arid grassland after drought. <i>Oecologia</i> , 2014, 176, 1187-1197.	0.9	52
114	Nitrogen deposition alters soil chemical properties and bacterial communities in the Inner Mongolia grassland. <i>Journal of Environmental Sciences</i> , 2012, 24, 1483-1491.	3.2	51
115	Eutrophication as a driver of microbial community structure in lake sediments. <i>Environmental Microbiology</i> , 2020, 22, 3446-3462.	1.8	51
116	Labile organic C and N mineralization of soil aggregate size classes in semiarid grasslands as affected by grazing management. <i>Biology and Fertility of Soils</i> , 2012, 48, 305-313.	2.3	50
117	Soil organic and inorganic carbon contents under various land uses across a transect of continental steppes in Inner Mongolia. <i>Catena</i> , 2013, 109, 110-117.	2.2	50
118	Salt tolerance during seed germination and early seedling stages of 12 halophytes. <i>Plant and Soil</i> , 2015, 388, 229-241.	1.8	50
119	Nutrient resorption helps drive intra-specific coupling of foliar nitrogen and phosphorus under nutrient-enriched conditions. <i>Plant and Soil</i> , 2016, 398, 111-120.	1.8	50
120	Physical injury stimulates aerobic methane emissions from terrestrial plants. <i>Biogeosciences</i> , 2009, 6, 615-621.	1.3	49
121	Effects of prescribed burning and seasonal and interannual climate variation on nitrogen mineralization in a typical steppe in Inner Mongolia. <i>Soil Biology and Biochemistry</i> , 2009, 41, 796-803.	4.2	49
122	Contrasting responses in leaf nutrient-use strategies of two dominant grass species along a 30-yr temperate steppe grazing exclusion chronosequence. <i>Plant and Soil</i> , 2015, 387, 69-79.	1.8	49
123	Methane Production Explained Largely by Water Content in the Heartwood of Living Trees in Upland Forests. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2017, 122, 2479-2489.	1.3	49
124	Soil Bacterial Communities Respond to Mowing and Nutrient Addition in a Steppe Ecosystem. <i>PLoS ONE</i> , 2013, 8, e84210.	1.1	49
125	Widespread non-microbial methane production by organic compounds and the impact of environmental stresses. <i>Earth-Science Reviews</i> , 2013, 127, 193-202.	4.0	48
126	Effects of nitrogen deposition rates and frequencies on the abundance of soil nitrogen-related functional genes in temperate grassland of northern China. <i>Journal of Soils and Sediments</i> , 2015, 15, 694-704.	1.5	48



#	ARTICLE	IF	CITATIONS
127	Productivity depends more on the rate than the frequency of N addition in a temperate grassland. <i>Scientific Reports</i> , 2015, 5, 12558.	1.6	47
128	Experimental warming reveals positive feedbacks to climate change in the Eurasian Steppe. <i>ISME Journal</i> , 2017, 11, 885-895.	4.4	47
129	Variation in small-scale spatial heterogeneity of soil properties and vegetation with different land use in semiarid grassland ecosystem. <i>Plant and Soil</i> , 2008, 310, 103-112.	1.8	46
130	Patterns of Plant Biomass Allocation in Temperate Grasslands across a 2500-km Transect in Northern China. <i>PLoS ONE</i> , 2013, 8, e71749.	1.1	46
131	Mitigation of nitrous oxide emissions from acidic soils by <i>Bacillus amyloliquefaciens</i> , a plant growth-promoting bacterium. <i>Global Change Biology</i> , 2018, 24, 2352-2365.	4.2	46
132	Effects of grazing on photosynthetic characteristics of major steppe species in the Xilin River Basin, Inner Mongolia, China. <i>Photosynthetica</i> , 2005, 43, 559-565.	0.9	45
133	Decreased plant productivity resulting from plant group removal experiment constrains soil microbial functional diversity. <i>Global Change Biology</i> , 2017, 23, 4318-4332.	4.2	45
134	Nitrogen and water addition reduce leaf longevity of steppe species. <i>Annals of Botany</i> , 2011, 107, 145-155.	1.4	44
135	Grazing Density Effects on Cover, Species Composition, and Nitrogen Fixation of Biological Soil Crust in an Inner Mongolia Steppe. <i>Rangeland Ecology and Management</i> , 2009, 62, 321-327.	1.1	43
136	Soil phosphorus fractions, aluminum, and water retention as affected by microbial activity in an Ultisol. <i>Plant and Soil</i> , 1990, 121, 125-136.	1.8	42
137	The Influence of Historical Land Use and Water Availability on Grassland Restoration. <i>Restoration Ecology</i> , 2010, 18, 217-225.	1.4	42
138	Species asynchrony stabilises productivity under extreme drought across Northern China grasslands. <i>Journal of Ecology</i> , 2021, 109, 1665-1675.	1.9	42
139	Nitrogen deposition promotes phosphorus uptake of plants in a semi-arid temperate grassland. <i>Plant and Soil</i> , 2016, 408, 475-484.	1.8	41
140	Carbon and nitrogen allocation shifts in plants and soils along aridity and fertility gradients in grasslands of China. <i>Ecology and Evolution</i> , 2017, 7, 6927-6934.	0.8	41
141	Plant responses following grazing removal at different stocking rates in an Inner Mongolia grassland ecosystem. <i>Plant and Soil</i> , 2011, 340, 199-213.	1.8	40
142	Warming and increased precipitation individually influence soil carbon sequestration of Inner Mongolian grasslands, China. <i>Agriculture, Ecosystems and Environment</i> , 2012, 158, 184-191.	2.5	40
143	Contrasting pH buffering patterns in neutral-alkaline soils along a 3600 km transect in northern China. <i>Biogeosciences</i> , 2015, 12, 7047-7056.	1.3	40
144	Variations in life-form composition and foliar carbon isotope discrimination among eight plant communities under different soil moisture conditions in the Xilin River Basin, Inner Mongolia, China. <i>Ecological Research</i> , 2005, 20, 167-176.	0.7	39

#	ARTICLE	IF	CITATIONS
145	Importance of point sources on regional nitrous oxide fluxes in semi-arid steppe of Inner Mongolia, China. <i>Plant and Soil</i> , 2007, 296, 209-226.	1.8	39
146	Divergent Changes in Plant Community Composition under 3-Decade Grazing Exclusion in Continental Steppe. <i>PLoS ONE</i> , 2011, 6, e26506.	1.1	39
147	Nutrient resorption response to fire and nitrogen addition in a semi-arid grassland. <i>Ecological Engineering</i> , 2011, 37, 534-538.	1.6	39
148	Effect of nitrogen fertilization on net nitrogen mineralization in a grassland soil, northern China. <i>Grass and Forage Science</i> , 2012, 67, 219-230.	1.2	39
149	Increased precipitation induces a positive plant-soil feedback in a semi-arid grassland. <i>Plant and Soil</i> , 2015, 389, 211-223.	1.8	39
150	Lack of Evidence for 3/4 Scaling of Metabolism in Terrestrial Plants. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 1173-1183.	4.1	38
151	Quantitative assessment of bioenergy from crop stalk resources in Inner Mongolia, China. <i>Applied Energy</i> , 2012, 93, 305-318.	5.1	38
152	Soil gross N ammonification and nitrification from tropical to temperate forests in eastern China. <i>Functional Ecology</i> , 2018, 32, 83-94.	1.7	38
153	Arbuscular mycorrhizal fungi regulate soil respiration and its response to precipitation change in a semiarid steppe. <i>Scientific Reports</i> , 2016, 6, 19990.	1.6	37
154	Homeâ€field advantages of litter decomposition increase with increasing N deposition rates: a litter and soil perspective. <i>Functional Ecology</i> , 2017, 31, 1792-1801.	1.7	36
155	Nonlinear responses of soil nematode community composition to increasing aridity. <i>Global Ecology and Biogeography</i> , 2020, 29, 117-126.	2.7	36
156	Land use and drought interactively affect interspecific competition and species diversity at the local scale in a semiarid steppe ecosystem. <i>Ecological Research</i> , 2009, 24, 627-635.	0.7	35
157	Nitrogen deposition mediates the effects and importance of chance in changing biodiversity. <i>Molecular Ecology</i> , 2011, 20, 429-438.	2.0	35
158	Effects of extreme drought on plant nutrient uptake and resorption in rhizomatous vs bunchgrass-dominated grasslands. <i>Oecologia</i> , 2018, 188, 633-643.	0.9	35
159	Plant traits and soil fertility mediate productivity losses under extreme drought in C <sub>3</sub> grasslands. <i>Ecology</i> , 2021, 102, e03465.	1.5	35
160	Community response of arbuscular mycorrhizal fungi to extreme drought in a coldâ€temperate grassland. <i>New Phytologist</i> , 2022, 234, 2003-2017.	3.5	35
161	Nitrogen enrichment buffers phosphorus limitation by mobilizing mineralâ€bound soil phosphorus in grasslands. <i>Ecology</i> , 2022, 103, e3616.	1.5	35
162	Seasonality of soil microbial nitrogen turnover in continental steppe soils of Inner Mongolia. <i>Ecosphere</i> , 2012, 3, 1-18.	1.0	34

#	ARTICLE	IF	CITATIONS
163	Scale dependence of the diversity–stability relationship in a temperate grassland. <i>Journal of Ecology</i> , 2018, 106, 1277-1285.	1.9	33
164	Effects of irrigation on nitrous oxide, methane and carbon dioxide fluxes in an Inner Mongolian steppe. <i>Advances in Atmospheric Sciences</i> , 2008, 25, 748-756.	1.9	32
165	Plant species effects on soil carbon and nitrogen dynamics in a temperate steppe of northern China. <i>Plant and Soil</i> , 2011, 346, 331-347.	1.8	32
166	Rapid top–down regulation of plant C:N:P stoichiometry by grasshoppers in an Inner Mongolia grassland ecosystem. <i>Oecologia</i> , 2011, 166, 253-264.	0.9	32
167	Intra-seasonal precipitation amount and pattern differentially affect primary production of two dominant species of Inner Mongolia grassland. <i>Acta Oecologica</i> , 2012, 44, 2-10.	0.5	32
168	Experimentally increased water and nitrogen affect root production and vertical allocation of an old-field grassland. <i>Plant and Soil</i> , 2017, 412, 369-380.	1.8	32
169	China's grazed temperate grasslands are a net source of atmospheric methane. <i>Atmospheric Environment</i> , 2009, 43, 2148-2153.	1.9	31
170	The Grasslands of Inner Mongolia: A Special Feature. <i>Rangeland Ecology and Management</i> , 2009, 62, 303-304.	1.1	31
171	Plant carbon limitation does not reduce nitrogen transfer from arbuscular mycorrhizal fungi to <i>Plantago lanceolata</i> . <i>Plant and Soil</i> , 2015, 396, 369-380.	1.8	31
172	Differences in below-ground bud bank density and composition along a climatic gradient in the temperate steppe of northern China. <i>Annals of Botany</i> , 2017, 120, 755-764.	1.4	31
173	Depth profiles of soil carbon isotopes along a semi-arid grassland transect in northern China. <i>Plant and Soil</i> , 2017, 417, 43-52.	1.8	31
174	Long term experimental drought alters community plant trait variation, not trait means, across three semiarid grasslands. <i>Plant and Soil</i> , 2019, 442, 343-353.	1.8	31
175	Foliar Nitrogen Dynamics and Nitrogen Resorption of a Sandy Shrub <i>Salix gordejvii</i> in Northern China. <i>Plant and Soil</i> , 2005, 278, 183-193.	1.8	30
176	Carbon and nitrogen storage in plant and soil as related to nitrogen and water amendment in a temperate steppe of northern China. <i>Biology and Fertility of Soils</i> , 2011, 47, 187-196.	2.3	30
177	Stoichiometric response of dominant grasses to fire and mowing in a semi-arid grassland. <i>Journal of Arid Environments</i> , 2012, 78, 154-160.	1.2	30
178	Testing biodiversity-ecosystem functioning relationship in the world's largest grassland: overview of the IMGRE project. <i>Landscape Ecology</i> , 2015, 30, 1723-1736.	1.9	30
179	Thresholds in decoupled soil-plant elements under changing climatic conditions. <i>Plant and Soil</i> , 2016, 409, 159-173.	1.8	30
180	Methane emission from small wetlands and implications for semiarid region budgets. <i>Journal of Geophysical Research</i> , 2005, 110, .	3.3	29

#	ARTICLE	IF	CITATIONS
181	Effects of grazing exclusion on soil net nitrogen mineralization and nitrogen availability in a temperate steppe in northern China. <i>Journal of Arid Environments</i> , 2010, 74, 1287-1293.	1.2	29
182	Carbon and nitrogen contents in particle size fractions of topsoil along a 3000 km aridity gradient in grasslands of northern China. <i>Biogeosciences</i> , 2016, 13, 3635-3646.	1.3	29
183	A threshold reveals decoupled relationship of sulfur with carbon and nitrogen in soils across arid and semi-arid grasslands in northern China. <i>Biogeochemistry</i> , 2016, 127, 141-153.	1.7	29
184	Large-scale Distribution of Molecular Components in Chinese Grassland Soils: The Influence of Input and Decomposition Processes. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2018, 123, 239-255.	1.3	29
185	Response of fine root decomposition to different forms of N deposition in a temperate grassland. <i>Soil Biology and Biochemistry</i> , 2020, 147, 107845.	4.2	29
186	Grasshoppers Regulate N:P Stoichiometric Homeostasis by Changing Phosphorus Contents in Their Frass. <i>PLoS ONE</i> , 2014, 9, e103697.	1.1	29
187	Competition between <i>Artemisia frigida</i> and <i>Cleistogenes squarrosa</i> under different clipping intensities in replacement series mixtures at different nitrogen levels. <i>Grass and Forage Science</i> , 2005, 60, 119-127.	1.2	28
188	Isotopic carbon composition and related characters of dominant species along an environmental gradient in Inner Mongolia, China. <i>Journal of Arid Environments</i> , 2007, 71, 12-28.	1.2	28
189	Growing season methane budget of an Inner Mongolian steppe. <i>Atmospheric Environment</i> , 2009, 43, 3086-3095.	1.9	28
190	Distinct Drivers of Core and Accessory Components of Soil Microbial Community Functional Diversity under Environmental Changes. <i>MSystems</i> , 2019, 4, .	1.7	28
191	Soil microbial community responses to long-term nitrogen addition at different soil depths in a typical steppe. <i>Applied Soil Ecology</i> , 2021, 167, 104054.	2.1	28
192	Assessment of a phosphorus fractionation method for soils: problems for further investigation. <i>Agriculture, Ecosystems and Environment</i> , 1991, 34, 453-463.	2.5	27
193	Ecological consequences of the Three Gorges Dam: insularization affects foraging behavior and dynamics of rodent populations. <i>Frontiers in Ecology and the Environment</i> , 2010, 8, 13-19.	1.9	27
194	Hierarchical Plant Responses and Diversity Loss after Nitrogen Addition: Testing Three Functionally-Based Hypotheses in the Inner Mongolia Grassland. <i>PLoS ONE</i> , 2011, 6, e20078.	1.1	27
195	Land-use impact on soil carbon and nitrogen sequestration in typical steppe ecosystems, Inner Mongolia. <i>Journal of Chinese Geography</i> , 2012, 22, 859-873.	1.5	27
196	Carbon dioxide emission from temperate semiarid steppe during the non-growing season. <i>Atmospheric Environment</i> , 2013, 64, 141-149.	1.9	27
197	Intensity and frequency of nitrogen addition alter soil chemical properties depending on mowing management in a temperate steppe. <i>Journal of Environmental Management</i> , 2018, 224, 77-86.	3.8	27
198	The effects of biomass removal and N additions on microbial N transformations and biomass at different vegetation types in an old-field ecosystem in northern China. <i>Plant and Soil</i> , 2011, 340, 397-411.	1.8	26

#	ARTICLE	IF	CITATIONS
199	Soil Bacterial Communities Respond to Climate Changes in a Temperate Steppe. <i>PLoS ONE</i> , 2013, 8, e78616.	1.1	26
200	Effects of mistletoe removal on growth, N and C reserves, and carbon and oxygen isotope composition in Scots pine hosts. <i>Tree Physiology</i> , 2016, 36, 562-575.	1.4	26
201	Fewer new species colonize at low frequency N addition in a temperate grassland. <i>Functional Ecology</i> , 2016, 30, 1247-1256.	1.7	25
202	Variations in leaf carbon isotope composition along an arid and semi-arid grassland transect in northern China. <i>Journal of Plant Ecology</i> , 2016, 9, 576-585.	1.2	25
203	Grassland species respond differently to altered precipitation amount and pattern. <i>Environmental and Experimental Botany</i> , 2017, 137, 166-176.	2.0	25
204	The role of plant-soil feedbacks and land-use legacies in restoration of a temperate steppe in northern China. <i>Ecological Research</i> , 2010, 25, 1101-1111.	0.7	24
205	Restoring the degraded grassland and improving sustainability of grassland ecosystem through chicken farming: A case study in northern China. <i>Agriculture, Ecosystems and Environment</i> , 2014, 186, 115-123.	2.5	24
206	Stochastic processes play more important roles in driving the dynamics of rarer species. <i>Journal of Plant Ecology</i> , 2016, 9, 328-332.	1.2	24
207	Abiotic versus biotic controls on soil nitrogen cycling in drylands along a 3200-km transect. <i>Biogeosciences</i> , 2017, 14, 989-1001.	1.3	24
208	Effect of intermediate disturbance on soil microbial functional diversity depends on the amount of effective resources. <i>Environmental Microbiology</i> , 2018, 20, 3862-3875.	1.8	24
209	Annual methane uptake by typical semiarid steppe in Inner Mongolia. <i>Journal of Geophysical Research</i> , 2010, 115, .	3.3	23
210	Antithetical effects of nitrogen and water availability on community similarity of semiarid grasslands: evidence from a nine-year manipulation experiment. <i>Plant and Soil</i> , 2015, 397, 357-369.	1.8	23
211	Steppe ecosystems and climate and land-use changes vulnerability, feedbacks and possibilities for adaptation. <i>Plant and Soil</i> , 2011, 340, 1-6.	1.8	22
212	The carbon sequestration potential of China's grasslands. <i>Ecosphere</i> , 2018, 9, e02452.	1.0	22
213	Aerobic and Anaerobic Nonmicrobial Methane Emissions from Plant Material. <i>Environmental Science &amp; Technology</i> , 2011, 45, 9531-9537.	4.6	21
214	Facilitation by leguminous shrubs increases along a precipitation gradient. <i>Functional Ecology</i> , 2018, 32, 203-213.	1.7	21
215	Application of two remote sensing GPP algorithms at a semiarid grassland site of North China. <i>Journal of Plant Ecology</i> , 2011, 4, 302-312.	1.2	20
216	The impacts of nitrogen deposition on community N:P stoichiometry do not depend on phosphorus availability in a temperate meadow steppe. <i>Environmental Pollution</i> , 2018, 242, 82-89.	3.7	20

#	ARTICLE	IF	CITATIONS
217	Species responses to changing precipitation depend on trait plasticity rather than trait means and intraspecific variation. <i>Functional Ecology</i> , 2020, 34, 2622-2633.	1.7	20
218	Dynamics and allocation of recently photo-assimilated carbon in an Inner Mongolia temperate steppe. <i>Environmental and Experimental Botany</i> , 2007, 59, 1-10.	2.0	19
219	Spatial patterns of soil nutrients, plant diversity, and aboveground biomass in the Inner Mongolia grassland: before and after a biodiversity removal experiment. <i>Landscape Ecology</i> , 2015, 30, 1737-1750.	1.9	19
220	Methane emission patches in riparian marshes of the inner Mongolia. <i>Atmospheric Environment</i> , 2006, 40, 5528-5532.	1.9	18
221	A change of course: <i>JIPB</i> to focus on fundamental questions in plant sciences. <i>Journal of Integrative Plant Biology</i> , 2008, 50, 1-1.	4.1	18
222	Plant functional group removal alters root biomass and nutrient cycling in a typical steppe in Inner Mongolia, China. <i>Plant and Soil</i> , 2011, 346, 133-144.	1.8	18
223	Terrestrial Contributions to the Aquatic Food Web in the Middle Yangtze River. <i>PLoS ONE</i> , 2014, 9, e102473.	1.1	18
224	Nitrogen addition and mowing affect microbial nitrogen transformations in a <sc>C4</sc> grassland in northern <sc>C</sc>hina. <i>European Journal of Soil Science</i> , 2015, 66, 485-495.	1.8	18
225	Distribution of lignin phenols in comparison with plant-derived lipids in the alpine versus temperate grassland soils. <i>Plant and Soil</i> , 2019, 439, 325-338.	1.8	18
226	Variant Scaling Relationship for Mass-Density Across Tree-Dominated Communities. <i>Journal of Integrative Plant Biology</i> , 2006, 48, 268-277.	4.1	17
227	Responses of nutrient concentrations and stoichiometry of senesced leaves in dominant plants to nitrogen addition and prescribed burning in a temperate steppe. <i>Ecological Engineering</i> , 2014, 70, 154-161.	1.6	17
228	Higher capability of C3 than C4 plants to use nitrogen inferred from nitrogen stable isotopes along an aridity gradient. <i>Plant and Soil</i> , 2018, 428, 93-103.	1.8	17
229	Effects of nitrogen addition on plant-soil micronutrients vary with nitrogen form and mowing management in a meadow steppe. <i>Environmental Pollution</i> , 2021, 289, 117969.	3.7	17
230	Effects of <i>in situ</i> freezing on soil net nitrogen mineralization and net nitrification in fertilized grassland of northern China. <i>Grass and Forage Science</i> , 2011, 66, 391-401.	1.2	16
231	Hierarchical Reproductive Allocation and Allometry within a Perennial Bunchgrass after 11 Years of Nutrient Addition. <i>PLoS ONE</i> , 2012, 7, e42833.	1.1	16
232	Impacts of leguminous shrub encroachment on neighboring grasses include transfer of fixed nitrogen. <i>Oecologia</i> , 2016, 180, 1213-1222.	0.9	16
233	Plant "bacteria" soil response to frequency of simulated nitrogen deposition has implications for global ecosystem change. <i>Functional Ecology</i> , 2020, 34, 723-734.	1.7	16
234	Resistance of steppe communities to extreme drought in northeast China. <i>Plant and Soil</i> , 2020, , 1.	1.8	16

#	ARTICLE	IF	CITATIONS
235	Financial inclusion may limit sustainable development under economic globalization and climate change. <i>Environmental Research Letters</i> , 2021, 16, 054049.	2.2	16
236	Variations in $\delta^{13}C$ values among major plant community types in the Xilin River Basin, Inner Mongolia, China. <i>Australian Journal of Botany</i> , 2007, 55, 48.	0.3	15
237	Litter Decomposition in Semiarid Grassland of Inner Mongolia, China. <i>Rangeland Ecology and Management</i> , 2009, 62, 305-313.	1.1	15
238	Long-term mowing did not alter the impacts of nitrogen deposition on litter quality in a temperate steppe. <i>Ecological Engineering</i> , 2017, 102, 404-410.	1.6	15
239	Quantifying the indirect effects of nitrogen deposition on grassland litter chemical traits. <i>Biogeochemistry</i> , 2018, 139, 261-273.	1.7	15
240	Vertical variations in plant- and microbial-derived carbon components in grassland soils. <i>Plant and Soil</i> , 2020, 446, 441-455.	1.8	15
241	Aridity thresholds of soil microbial metabolic indices along a 3,200 km transect across arid and semi-arid regions in Northern China. <i>PeerJ</i> , 2019, 7, e6712.	0.9	15
242	Effect of Nitrogen Supply on the Nitrogen Use Efficiency of an Annual Herb, <i>Helianthus annuus</i> L.. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 539-548.	4.1	14
243	A new approach to the fight against desertification in Inner Mongolia. <i>Environmental Conservation</i> , 2007, 34, 95-97.	0.7	14
244	Influences of land use history and short-term nitrogen addition on community structure in temperate grasslands. <i>Journal of Arid Environments</i> , 2012, 87, 103-109.	1.2	14
245	Distribution and Preservation of Root- and Shoot-Derived Carbon Components in Soils Across the Chinese-Mongolian Grasslands. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2019, 124, 420-431.	1.3	14
246	Differential responses of grassland community nonstructural carbohydrate to experimental drought along a natural aridity gradient. <i>Science of the Total Environment</i> , 2022, 822, 153589.	3.9	14
247	Defoliation, nitrogen, and competition: effects on plant growth and resource allocation of <i>Cleistogenes squarrosa</i> and <i>Artemisia frigida</i> . <i>Journal of Plant Nutrition and Soil Science</i> , 2007, 170, 115-122.	1.1	13
248	Comparisons in water relations of plants between newly formed riparian and non-riparian habitats along the bank of Three Gorges Reservoir, China. <i>Trees - Structure and Function</i> , 2008, 22, 717-728.	0.9	13
249	Biophysical regulations of NEE light response in a steppe and a cropland in Inner Mongolia. <i>Journal of Plant Ecology</i> , 2012, 5, 238-248.	1.2	13
250	Long term prevention of disturbance induces the collapse of a dominant species without altering ecosystem function. <i>Scientific Reports</i> , 2015, 5, 14320.	1.6	13
251	Effect of soil coarseness on soil base cations and available micronutrients in a semi-arid sandy grassland. <i>Solid Earth</i> , 2016, 7, 549-556.	1.2	13
252	Environmental filtering rather than phylogeny determines plant leaf size in three floristically distinctive plateaus. <i>Ecological Indicators</i> , 2021, 130, 108049.	2.6	13

#	ARTICLE	IF	CITATIONS
253	Energy balance and partitioning over grasslands on the Mongolian Plateau. <i>Ecological Indicators</i> , 2022, 135, 108560.	2.6	13
254	Studies on litter decomposition processes in a temperate forest ecosystem. I. Change of organic matter in oak ( <i>Quercus liaotungensis</i> Koidz.) twigs. <i>Ecological Research</i> , 1998, 13, 163-170.	0.7	12
255	Sheepfolds as "hotspots" of nitric oxide (NO) emission in an Inner Mongolian steppe. <i>Agriculture, Ecosystems and Environment</i> , 2009, 134, 136-142.	2.5	12
256	Effects of the frequency and the rate of N enrichment on community structure in a temperate grassland. <i>Journal of Plant Ecology</i> , 2018, 11, 685-695.	1.2	12
257	Variation in nitrogen economy of two <i>Stipa</i> species in the semiarid region of northern China. <i>Journal of Arid Environments</i> , 2005, 61, 13-25.	1.2	11
258	Structural and chemical differences between shoot- and root-derived roots of three perennial grasses in a typical steppe in Inner Mongolia China. <i>Plant and Soil</i> , 2010, 336, 209-217.	1.8	11
259	Water Content Differences Have Stronger Effects than Plant Functional Groups on Soil Bacteria in a Steppe Ecosystem. <i>PLoS ONE</i> , 2014, 9, e115798.	1.1	11
260	Environmental and spatial variables determine the taxonomic but not functional structure patterns of microbial communities in alpine grasslands. <i>Science of the Total Environment</i> , 2019, 654, 960-968.	3.9	11
261	Contrasting community responses of root and soil dwelling fungi to extreme drought in a temperate grassland. <i>Soil Biology and Biochemistry</i> , 2022, 169, 108670.	4.2	11
262	The effects of live and dead roots on soil fungi in spodosolic soils of the New Jersey Pinelands. <i>Biology and Fertility of Soils</i> , 1996, 21, 215-226.	2.3	10
263	N:P stoichiometry in <i>Ficus racemosa</i> and its mutualistic pollinator. <i>Journal of Plant Ecology</i> , 2010, 3, 123-130.	1.2	10
264	Ammonia emissions from soil under sheep grazing in inner mongolian grasslands of China. <i>Journal of Arid Land</i> , 2013, 5, 155-165.	0.9	10
265	Chronic and intense droughts differentially influence grassland carbon-nutrient dynamics along a natural aridity gradient. <i>Plant and Soil</i> , 2022, 473, 137-148.	1.8	10
266	Biodiversity-productivity relationships in a natural grassland community vary under diversity loss scenarios. <i>Journal of Ecology</i> , 2022, 110, 210-220.	1.9	10
267	Biogeography of soil protistan consumer and parasite is contrasting and linked to microbial nutrient mineralization in forest soils at a wide-scale. <i>Soil Biology and Biochemistry</i> , 2022, 165, 108513.	4.2	10
268	Low carbon availability in paleosols nonlinearly attenuates temperature sensitivity of soil organic matter decomposition. <i>Global Change Biology</i> , 2022, 28, 4180-4193.	4.2	10
269	Variations in the Volatile Organic Compound Emission Potential of Plant Functional Groups in the Temperate Grassland Vegetation of Inner Mongolia, China. <i>Journal of Integrative Plant Biology</i> , 2005, 47, 13-19.	4.1	9
270	Losses in Carbon and Nitrogen Stocks in Soil Particle-Size Fractions along Cultivation Chronosequences in Inner Mongolian Grasslands. <i>Journal of Environmental Quality</i> , 2012, 41, 1507-1516.	1.0	9



#	ARTICLE	IF	CITATIONS
271	Responses and sensitivity of N, P and mobile carbohydrates of dominant species to increased water, N and P availability in semi-arid grasslands in northern China. <i>Journal of Plant Ecology</i> , 2016, , rtw053.	1.2	9
272	Dissolved methane in groundwater of domestic wells and its potential emissions in arid and semi-arid regions of Inner Mongolia, China. <i>Science of the Total Environment</i> , 2018, 626, 1193-1199.	3.9	9
273	Spatial patterns and ecological drivers of soil nematode diversity in natural grasslands vary among vegetation types and trophic position. <i>Journal of Animal Ecology</i> , 2021, 90, 1367-1378.	1.3	9
274	Applications of stable isotopes to study plant-animal relationships in terrestrial ecosystems. <i>Science Bulletin</i> , 2004, 49, 2339-2347.	1.7	8
275	Temporal variability of foliar nutrients: responses to nitrogen deposition and prescribed fire in a temperate steppe. <i>Biogeochemistry</i> , 2017, 133, 295-305.	1.7	8
276	Consistent responses of litter stoichiometry to N addition across different biological organization levels in a semi-arid grassland. <i>Plant and Soil</i> , 2017, 421, 191-202.	1.8	8
277	Population turnover promotes fungal stability in a semi-arid grassland under precipitation shifts. <i>Journal of Plant Ecology</i> , 2020, 13, 499-509.	1.2	8
278	Sensitivity of soil nitrifying and denitrifying microorganisms to nitrogen deposition on the Qinghai-Tibetan plateau. <i>Annals of Microbiology</i> , 2021, 71, .	1.1	8
279	Soil moisture, temperature and nitrogen availability interactively regulate carbon exchange in a meadow steppe ecosystem. <i>Agricultural and Forest Meteorology</i> , 2021, 304-305, 108389.	1.9	8
280	Intensity and Duration of Nitrogen Addition Jointly Alter Soil Nutrient Availability in a Temperate Grassland. <i>Journal of Geophysical Research G: Biogeosciences</i> , 2022, 127, .	1.3	8
281	Interactive effects of soil nitrogen and water availability on leaf mass loss in a temperate steppe. <i>Plant and Soil</i> , 2010, 331, 497-504.	1.8	7
282	BVOCs emission in a semi-arid grassland under climate warming and nitrogen deposition. <i>Atmospheric Chemistry and Physics</i> , 2012, 12, 3809-3819.	1.9	7
283	Linking ethylene to nitrogen-dependent leaf longevity of grass species in a temperate steppe. <i>Annals of Botany</i> , 2013, 112, 1879-1885.	1.4	7
284	Alteration of soil carbon and nitrogen pools and enzyme activities as affected by increased soil coarseness. <i>Biogeosciences</i> , 2017, 14, 2155-2166.	1.3	7
285	Mowing increased plant diversity but not soil microbial biomass under N-enriched environment in a temperate grassland. <i>Plant and Soil</i> , 2023, 491, 205-217.	1.8	7
286	Ecosystem stability in Inner Mongolia (reply). <i>Nature</i> , 2005, 435, E6-E7.	13.7	6
287	Differences in Net Primary Productivity Among Contrasting Habitats in <i>Artemisia ordosica</i> Rangeland of Northern China. <i>Rangeland Ecology and Management</i> , 2009, 62, 345-350.	1.1	6
288	Microbial versus non-microbial methane releases from fresh soils at different temperatures. <i>Geoderma</i> , 2016, 284, 178-184.	2.3	6

#	ARTICLE	IF	CITATIONS
289	Frequency and intensity of nitrogen addition alter soil inorganic sulfur fractions, but the effects vary with mowing management in a temperate steppe. <i>Biogeosciences</i> , 2019, 16, 2891-2904.	1.3	6
290	Sediment addition and legume cultivation result in sustainable, long-term increases in ecosystem functions of sandy grasslands. <i>Land Degradation and Development</i> , 2019, 30, 1667-1676.	1.8	5
291	Disturbance-level-dependent post-disturbance succession in a Eurasian steppe. <i>Science China Life Sciences</i> , 2022, 65, 142-150.	2.3	5
292	Effects of plant intraspecific variation on the prediction of C3/C4 vegetation ratio from carbon isotope composition of topsoil organic matter across grasslands. <i>Journal of Plant Ecology</i> , 2021, 14, 628-637.	1.2	5
293	Intra-annual species gain overrides species loss in determining species richness in a typical steppe ecosystem after a decade of nitrogen enrichment. <i>Journal of Ecology</i> , 2022, 110, 1942-1956.	1.9	5
294	Linking stoichiometric homeostasis with ecosystem structure, functioning, and stability. <i>Nature Precedings</i> , 2010, , .	0.1	4
295	Effects of Nitrogen Addition and Fire on Plant Nitrogen Use in a Temperate Steppe. <i>PLoS ONE</i> , 2014, 9, e90057.	1.1	4
296	Distinctive pattern and mechanism of precipitation changes affecting soil microbial assemblages in the Eurasian steppe. <i>IScience</i> , 2022, 25, 103893.	1.9	4
297	Redox Zone and Trophic State as Drivers of Methane-Oxidizing Bacterial Abundance and Community Structure in Lake Sediments. <i>Frontiers in Environmental Science</i> , 2022, 10, .	1.5	4
298	Long-term preservation of biomolecules in lake sediments: potential importance of physical shielding by recalcitrant cell walls. , 2022, 1, .		4
299	Beneficial effects of nitrogen deposition on carbon and nitrogen accumulation in grasses over other species in Inner Mongolian grasslands. <i>Global Ecology and Conservation</i> , 2021, 26, e01507.	1.0	3
300	Typical Steppe Ecosystem. <i>Ecosystems of China</i> , 2020, , 193-248.	0.1	3
301	Greater soil microbial biomass loss at low frequency of N addition in an Inner Mongolia grassland. <i>Journal of Plant Ecology</i> , 2022, 15, 721-732.	1.2	3
302	Live and Dead Roots in Forest Soil Horizons: Contrasting Effects on Nitrogen Dynamics. <i>Ecology</i> , 1997, 78, 348.	1.5	2
303	Applications of stable isotopes to study plant-animal relationships in terrestrial ecosystems. <i>Science Bulletin</i> , 2004, 49, 2339.	1.7	2
304	Bi-national research and education cooperation in the U.S.-China EcoPartnership for Environmental Sustainability. <i>Journal of Renewable and Sustainable Energy</i> , 2015, 7, 041512.	0.8	2
305	Evident elevation of atmospheric monoterpenes due to degradation-induced species changes in a semi-arid grassland. <i>Science of the Total Environment</i> , 2016, 541, 1499-1503.	3.9	2
306	Leaf Multi-Element Network Reveals the Change of Species Dominance Under Nitrogen Deposition. <i>Frontiers in Plant Science</i> , 2021, 12, 580340.	1.7	2

#	ARTICLE	IF	CITATIONS
307	Different deterministic versus stochastic drivers for the composition and structure of a temperate grassland community. <i>Global Ecology and Conservation</i> , 2021, 31, e01866.	1.0	2
308	Overview of Chinese Grassland Ecosystems. <i>Ecosystems of China</i> , 2020, , 23-47.	0.1	2
309	Major advances in plant ecology research in China (2020). <i>Journal of Plant Ecology</i> , 2021, 14, 995-1001.	1.2	1
310	Slow recovery of soil methane oxidation potential after cessation of N addition in a typical steppe. <i>Pedobiologia</i> , 2021, 85-86, 150709.	0.5	0
311	Nitrogen enrichment affects the competition network of aboveground species on the Inner Mongolia steppe. <i>Global Ecology and Conservation</i> , 2021, 31, e01826.	1.0	0
312	Nitrogen deposition influences the response of <i>Potentilla tanacetifolia</i> to phosphorus addition. <i>Phyton</i> , 2016, 85, 100-107.	0.4	0
313	Tussock and Savanna Ecosystems. <i>Ecosystems of China</i> , 2020, , 545-583.	0.1	0
314	Marsh Grassland Ecosystem. <i>Ecosystems of China</i> , 2020, , 515-544.	0.1	0