

Qing Shang

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3276261/publications.pdf>

Version: 2024-02-01

39
papers

1,157
citations

393982

19
h-index

454577

30
g-index

42
all docs

42
docs citations

42
times ranked

1707
citing authors

#	ARTICLE	IF	CITATIONS
1	Effect of Paricalcitol on Left Ventricular Mass and Function in CKD—The OPERA Trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2014, 25, 175-186.	3.0	214
2	Subclinical carotid atherosclerosis in patients with psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 2008, 59, 1322-1331.	6.7	126
3	Increased arterial stiffness correlated with disease activity in systemic lupus erythematosus. <i>Lupus</i> , 2008, 17, 1096-1102.	0.8	58
4	Infliximab is Associated with Improvement in Arterial Stiffness in Patients with Early Rheumatoid Arthritis—A Randomized Trial. <i>Journal of Rheumatology</i> , 2012, 39, 2267-2275.	1.0	55
5	Tumour necrosis factor alpha blockade is associated with sustained regression of carotid intima-media thickness for patients with active psoriatic arthritis: a 2-year pilot study. <i>Annals of the Rheumatic Diseases</i> , 2011, 70, 705-706.	0.5	53
6	High Prevalence of Subclinical Left Ventricular Dysfunction in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2011, 38, 1363-1370.	1.0	53
7	The effects of golimumab on subclinical atherosclerosis and arterial stiffness in ankylosing spondylitis—a randomized, placebo-controlled pilot trial. <i>Rheumatology</i> , 2014, 53, 1065-1074.	0.9	45
8	Increased prevalence of coronary plaque in patients with psoriatic arthritis without prior diagnosis of coronary artery disease. <i>Annals of the Rheumatic Diseases</i> , 2017, 76, 1237-1244.	0.5	43
9	A prospective cohort study of the long-term effects of CPAP on carotid artery intima-media thickness in Obstructive sleep apnea syndrome. <i>Respiratory Research</i> , 2012, 13, 22.	1.4	42
10	Effects of rosuvastatin on subclinical atherosclerosis and arterial stiffness in rheumatoid arthritis: a randomized controlled pilot trial. <i>Scandinavian Journal of Rheumatology</i> , 2011, 40, 411-421.	0.6	41
11	Increase in ventricular-arterial stiffness in patients with psoriatic arthritis. <i>Rheumatology</i> , 2012, 51, 2215-2223.	0.9	40
12	Cumulative inflammatory burden is independently associated with increased arterial stiffness in patients with psoriatic arthritis: a prospective study. <i>Arthritis Research and Therapy</i> , 2015, 17, 75.	1.6	40
13	Disease chronicity and activity predict subclinical left ventricular systolic dysfunction in patients with systemic lupus erythematosus. <i>Heart</i> , 2009, 95, 980-987.	1.2	36
14	Targeting inflammation in the prevention of cardiovascular disease in patients with inflammatory arthritis. <i>Translational Research</i> , 2016, 167, 138-151.	2.2	34
15	IL-33 and soluble ST2 levels as novel predictors for remission and progression of carotid plaque in early rheumatoid arthritis: A prospective study. <i>Seminars in Arthritis and Rheumatism</i> , 2015, 45, 18-27.	1.6	32
16	SLICC/ACR damage index independently associated with left ventricular diastolic dysfunction in patients with systemic lupus erythematosus. <i>Lupus</i> , 2012, 21, 1057-1062.	0.8	27
17	Effect of Achieving Minimal Disease Activity on the Progression of Subclinical Atherosclerosis and Arterial Stiffness: A Prospective Cohort Study in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2019, 71, 271-280.	2.9	24
18	Underestimation of Risk of Carotid Subclinical Atherosclerosis by Cardiovascular Risk Scores in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2018, 45, 218-226.	1.0	23

#	ARTICLE	IF	CITATIONS
19	Serum Soluble Receptor for Advanced Glycation End Products Levels and Aortic Augmentation Index in Early Rheumatoid Arthritis”A Prospective Study. <i>Seminars in Arthritis and Rheumatism</i> , 2013, 42, 333-345.	1.6	21
20	Acoustic cardiography helps to identify heart failure and its phenotypes. <i>International Journal of Cardiology</i> , 2013, 167, 681-686.	0.8	20
21	Difference in prevalence and pattern of mechanical dyssynchrony in left bundle branch block occurring in right ventricular apical pacing versus systolic heart failure. <i>American Heart Journal</i> , 2008, 156, 989-995.	1.2	17
22	Relation of Left Ventricular Systolic Dyssynchrony in Patients With Heart Failure to Left Ventricular Ejection Fraction and to QRS Duration. <i>American Journal of Cardiology</i> , 2008, 102, 602-605.	0.7	17
23	Impaired Left Ventricular Apical Rotation is Associated with Disease Activity of Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2014, 41, 706-713.	1.0	17
24	Rapid bedside identification of high-risk population in heart failure with reduced ejection fraction by acoustic cardiography. <i>International Journal of Cardiology</i> , 2013, 168, 1881-1886.	0.8	16
25	Carotid plaque and bone density and microarchitecture in psoriatic arthritis: the correlation with soluble ST2. <i>Scientific Reports</i> , 2016, 6, 32116.	1.6	16
26	Layer-specific quantification of myocardial deformation may disclose the subclinical systolic dysfunction and the mechanism of preserved ejection fraction in patients with hypertension. <i>International Journal of Cardiology</i> , 2016, 219, 172-176.	0.8	14
27	Prognostic value of acoustic cardiography in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016, 219, 121-126.	0.8	14
28	Effect of Treat-to-target Strategies Aiming at Remission of Arterial Stiffness in Early Rheumatoid Arthritis: A Randomized Controlled Study. <i>Journal of Rheumatology</i> , 2018, 45, 1229-1239.	1.0	14
29	Diabetic heart disease: the story continues. <i>Journal of Human Hypertension</i> , 2011, 25, 141-143.	1.0	1
30	SAT0073”MIR-186-5P targeting IL-33 gene as biomarker to predict subclinical atherosclerosis in patients with early rheumatoid arthritis. , 2017, , .		1
31	FRI0524”Carotid atherosclerosis is associated with compromised volumetric bone mineral density and microstructures in patients with inflammatory arthritis. , 2017, , .		1
32	Inflammatory Burden Is Related to An Early Reduction of LV Functional Reserve in Psoriatic Arthritis. <i>JACC: Cardiovascular Imaging</i> , 2018, 11, 369-370.	2.3	1
33	P336 Subclinical left ventricular systolic dysfunction in patients with systemic lupus erythematosus (SLE). <i>International Journal of Cardiology</i> , 2008, 125, S61.	0.8	0
34	SAT0397”Serum Apolipoprotein B is Associated with Increased Risk of the Presence and Progression of Carotid Atherosclerosis in Patients with Psoriatic Arthritis: Table 1.. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, 738.1-738.	0.5	0
35	IMPAIRED LEFT VENTRICULAR LONGITUDINAL FUNCTIONAL RESERVE IN PATIENTS WITH PSORIATIC ARTHRITIS: A LOW-LEVEL BICYCLE ERGOMETER EXERCISE TEST. <i>Journal of the American College of Cardiology</i> , 2017, 69, 1615.	1.2	0
36	SAT0479”Increased carotid intima-media thickness can discriminate significant coronary artery stenosis by coronary ct angiogram in patients with psoriatic arthritis. , 2017, , .		0

#	ARTICLE	IF	CITATIONS
37	SAT0747-HPRâ€¦Can achieving sustained das remission prevent progression of sub-clinical atherosclerosis? a prospective cohort study in early rheumatoid arthritis (ERA). , 2017, , .		0
38	THU0179â€¦Mir-382â€“5p targeting il-33 gene as biomarker to predict subclinical atherosclerosis progression in patients with early rheumatoid arthritis. , 2018, , .		0
39	OP0127â€¦Can achieving minimal disease activity (MDA) prevent progression of subclinical atherosclerosis and arterial stiffness? a two-year prospective cohort study in psoriatic arthritis. , 2018, , .		0