

Qing Shang

List of Publications by Citations

Source: <https://exaly.com/author-pdf/3276261/qing-shang-publications-by-citations.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

31
papers

923
citations

18
h-index

30
g-index

42
ext. papers

1,038
ext. citations

4.5
avg, IF

3.39
L-index

| # | Paper | IF | Citations |
|----|---|------|-----------|
| 31 | Effect of paricalcitol on left ventricular mass and function in CKD--the OPERA trial. <i>Journal of the American Society of Nephrology: JASN</i> , 2014 , 25, 175-86 | 12.7 | 168 |
| 30 | Subclinical carotid atherosclerosis in patients with psoriatic arthritis. <i>Arthritis and Rheumatism</i> , 2008 , 59, 1322-31 | | 109 |
| 29 | Increased arterial stiffness correlated with disease activity in systemic lupus erythematosus. <i>Lupus</i> , 2008 , 17, 1096-102 | 2.6 | 56 |
| 28 | Infliximab is associated with improvement in arterial stiffness in patients with early rheumatoid arthritis -- a randomized trial. <i>Journal of Rheumatology</i> , 2012 , 39, 2267-75 | 4.1 | 48 |
| 27 | Tumour necrosis factor alpha blockade is associated with sustained regression of carotid intima-media thickness for patients with active psoriatic arthritis: a 2-year pilot study. <i>Annals of the Rheumatic Diseases</i> , 2011 , 70, 705-6 | 2.4 | 46 |
| 26 | High prevalence of subclinical left ventricular dysfunction in patients with psoriatic arthritis. <i>Journal of Rheumatology</i> , 2011 , 38, 1363-70 | 4.1 | 38 |
| 25 | The effects of golimumab on subclinical atherosclerosis and arterial stiffness in ankylosing spondylitis-- randomized, placebo-controlled pilot trial. <i>Rheumatology</i> , 2014 , 53, 1065-74 | 3.9 | 34 |
| 24 | Cumulative inflammatory burden is independently associated with increased arterial stiffness in patients with psoriatic arthritis: a prospective study. <i>Arthritis Research and Therapy</i> , 2015 , 17, 75 | 5.7 | 33 |
| 23 | A prospective cohort study of the long-term effects of CPAP on carotid artery intima-media thickness in obstructive sleep apnea syndrome. <i>Respiratory Research</i> , 2012 , 13, 22 | 7.3 | 33 |
| 22 | Increased prevalence of coronary plaque in patients with psoriatic arthritis without prior diagnosis of coronary artery disease. <i>Annals of the Rheumatic Diseases</i> , 2017 , 76, 1237-1244 | 2.4 | 30 |
| 21 | Effects of rosuvastatin on subclinical atherosclerosis and arterial stiffness in rheumatoid arthritis: a randomized controlled pilot trial. <i>Scandinavian Journal of Rheumatology</i> , 2011 , 40, 411-21 | 1.9 | 30 |
| 20 | Increase in ventricular-arterial stiffness in patients with psoriatic arthritis. <i>Rheumatology</i> , 2012 , 51, 2215-23 | 3.9 | 30 |
| 19 | IL-33 and soluble ST2 levels as novel predictors for remission and progression of carotid plaque in early rheumatoid arthritis: A prospective study. <i>Seminars in Arthritis and Rheumatism</i> , 2015 , 45, 18-27 | 5.3 | 29 |
| 18 | Targeting inflammation in the prevention of cardiovascular disease in patients with inflammatory arthritis. <i>Translational Research</i> , 2016 , 167, 138-51 | 11 | 27 |
| 17 | Disease chronicity and activity predict subclinical left ventricular systolic dysfunction in patients with systemic lupus erythematosus. <i>Heart</i> , 2009 , 95, 980-7 | 5.1 | 25 |
| 16 | Serum soluble receptor for advanced glycation end products levels and aortic augmentation index in early rheumatoid arthritis--a prospective study. <i>Seminars in Arthritis and Rheumatism</i> , 2013 , 42, 333-45 | 5.3 | 20 |
| 15 | SLICC/ACR damage index independently associated with left ventricular diastolic dysfunction in patients with systemic lupus erythematosus. <i>Lupus</i> , 2012 , 21, 1057-62 | 2.6 | 20 |

| | | | |
|----|---|-----|----|
| 14 | Underestimation of Risk of Carotid Subclinical Atherosclerosis by Cardiovascular Risk Scores in Patients with Psoriatic Arthritis. <i>Journal of Rheumatology</i> , 2018 , 45, 218-226 | 4.1 | 19 |
| 13 | Effect of Achieving Minimal Disease Activity on the Progression of Subclinical Atherosclerosis and Arterial Stiffness: A Prospective Cohort Study in Psoriatic Arthritis. <i>Arthritis and Rheumatology</i> , 2019 , 71, 271-280 | 9.5 | 17 |
| 12 | Acoustic cardiography helps to identify heart failure and its phenotypes. <i>International Journal of Cardiology</i> , 2013 , 167, 681-6 | 3.2 | 17 |
| 11 | Difference in prevalence and pattern of mechanical dyssynchrony in left bundle branch block occurring in right ventricular apical pacing versus systolic heart failure. <i>American Heart Journal</i> , 2008 , 156, 989-95 | 4.9 | 14 |
| 10 | Relation of left ventricular systolic dyssynchrony in patients with heart failure to left ventricular ejection fraction and to QRS duration. <i>American Journal of Cardiology</i> , 2008 , 102, 602-5 | 3 | 14 |
| 9 | Impaired left ventricular apical rotation is associated with disease activity of psoriatic arthritis. <i>Journal of Rheumatology</i> , 2014 , 41, 706-13 | 4.1 | 13 |
| 8 | Layer-specific quantification of myocardial deformation may disclose the subclinical systolic dysfunction and the mechanism of preserved ejection fraction in patients with hypertension. <i>International Journal of Cardiology</i> , 2016 , 219, 172-6 | 3.2 | 12 |
| 7 | Prognostic value of acoustic cardiography in patients with chronic heart failure. <i>International Journal of Cardiology</i> , 2016 , 219, 121-6 | 3.2 | 12 |
| 6 | Rapid bedside identification of high-risk population in heart failure with reduced ejection fraction by acoustic cardiography. <i>International Journal of Cardiology</i> , 2013 , 168, 1881-6 | 3.2 | 10 |
| 5 | Carotid plaque and bone density and microarchitecture in psoriatic arthritis: the correlation with soluble ST2. <i>Scientific Reports</i> , 2016 , 6, 32116 | 4.9 | 10 |
| 4 | Effect of Treat-to-target Strategies Aiming at Remission of Arterial Stiffness in Early Rheumatoid Arthritis: A Randomized Controlled Study. <i>Journal of Rheumatology</i> , 2018 , 45, 1229-1239 | 4.1 | 6 |
| 3 | Inflammatory Burden Is Related to an Early Reduction of LV Functional Reserve in Psoriatic Arthritis. <i>JACC: Cardiovascular Imaging</i> , 2018 , 11, 369-370 | 8.4 | 1 |
| 2 | SAT0397 Serum Apolipoprotein B is Associated with Increased Risk of the Presence and Progression of Carotid Atherosclerosis in Patients with Psoriatic Arthritis. <i>Annals of the Rheumatic Diseases</i> , 2014 , 73, 738.1-738 | 2.4 | |
| 1 | Diabetic heart disease: the story continues. <i>Journal of Human Hypertension</i> , 2011 , 25, 141-3 | 2.6 | |