

Jordi Giralt LÃ³pez de Sagredo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3276768/publications.pdf>

Version: 2024-02-01

83
papers

14,027
citations

185998

28
h-index

95083

68
g-index

86
all docs

86
docs citations

86
times ranked

12385
citing authors

#	ARTICLE	IF	CITATIONS
1	Randomized Phase 2 Trial of a Novel Clonidine Mucoadhesive Buccal Tablet for the Amelioration of Oral Mucositis in Patients Treated With Concomitant Chemoradiation Therapy for Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2020, 106, 320-328.	0.4	15
2	Selection of lymph node target volumes for definitive head and neck radiation therapy: a 2019 Update. <i>Radiotherapy and Oncology</i> , 2019, 134, 1-9.	0.3	132
3	Radiotherapy practice for paediatric brain tumours across Europe and quality assurance initiatives: Current situation, international survey and future perspectives. <i>European Journal of Cancer</i> , 2019, 114, 36-46.	1.3	12
4	Does ITV vaginal procedure ensure dosimetric coverage during IMRT of post-operative gynaecological tumours without instructions concerning rectal filling?. <i>Reports of Practical Oncology and Radiotherapy</i> , 2018, 23, 136-142.	0.3	0
5	Delineation of the primary tumour Clinical Target Volumes (CTV-P) in laryngeal, hypopharyngeal, oropharyngeal and oral cavity squamous cell carcinoma: AIRO, CACA, DAHANCA, EORTC, GEORCC, CORTEC, HKNPCSG, HNCIG, IAG-KHT, LPRHHT, NCIC CTG, NCRI, NRG Oncology, PHNS, SBRT, SOMERA, SRO, SSHNO. TROG consensus guidelines. <i>Radiotherapy and Oncology</i> , 2018, 126, 3-24.	0.3	244
6	A phase II Study Evaluating Combined Neoadjuvant Cetuximab and Chemotherapy Followed by Chemoradiotherapy and Concomitant Cetuximab in Locoregional Oesophageal Cancer Patients. <i>Targeted Oncology</i> , 2018, 13, 69-78.	1.7	0
7	GEORCC recommendations on target volumes in radiotherapy for Head Neck Cancer of Unknown Primary. <i>Critical Reviews in Oncology/Hematology</i> , 2018, 130, 51-59.	2.0	13
8	New and safe experimental model of radiation-induced neurovascular histological changes for microsurgical research. <i>Laboratory Animals</i> , 2017, 51, 124-137.	0.5	0
9	Multidisciplinary management of head and neck cancer: First expert consensus using Delphi methodology from the Spanish Society for Head and Neck Cancer (part 1). <i>Oral Oncology</i> , 2017, 70, 58-64.	0.8	20
10	Multidisciplinary management of head and neck cancer: First expert consensus using Delphi methodology from the Spanish Society for Head and Neck Cancer (part 2). <i>Oral Oncology</i> , 2017, 70, 65-72.	0.8	8
11	Quality assurance of radiotherapy in the ongoing EORTC 1219-DAHANCA-29 trial for HPV/p16 negative squamous cell carcinoma of the head and neck: Results of the benchmark case procedure. <i>Radiotherapy and Oncology</i> , 2017, 123, 424-430.	0.3	16
12	p16, HPV, and Cetuximab: What Is the Evidence?. <i>Oncologist</i> , 2017, 22, 811-822.	1.9	19
13	A European randomised controlled trial of the addition of etoposide to standard vincristine and carboplatin induction as part of an 18-month treatment programme for childhood (>16 years) low grade glioma – A final report. <i>European Journal of Cancer</i> , 2017, 81, 206-225.	1.3	104
14	Fat grafting is a feasible technique for the sequelae of head and neck cancer treatment. <i>Journal of Cranio-Maxillo-Facial Surgery</i> , 2017, 45, 93-98.	0.7	28
15	Effectiveness of radiotherapy for metastatic spinal cord compression in patients with short life expectancy. <i>Reports of Practical Oncology and Radiotherapy</i> , 2017, 22, 58-63.	0.3	4
16	Impact of early trials in molecularly-characterized patients (pts) with head and neck cancer (HNC).. <i>Journal of Clinical Oncology</i> , 2017, 35, 6031-6031.	0.8	1
17	Cetuximab and Radiotherapy in Laryngeal Preservation for Cancers of the Larynx and Hypopharynx. <i>JAMA Otolaryngology - Head and Neck Surgery</i> , 2016, 142, 842.	1.2	40
18	Hypofractionated 3D radiotherapy for inoperable T1-3 N0-1 non-small-cell lung cancer. <i>British Journal of Radiology</i> , 2016, 89, 20150824.	1.0	0

#	ARTICLE	IF	CITATIONS
19	Association of human papillomavirus and p16 status with mucositis and dysphagia for head and neck cancer patients treated with radiotherapy with or without cetuximab: Assessment from a phase 3 registration trial. <i>European Journal of Cancer</i> , 2016, 64, 1-11.	1.3	26
20	Estudio comparativo en la definici3n del volumen de tratamiento en radioterapia con Â«Slow TC ScanÂ» vs. 4D PET/TC Scan en estadios iniciales de c3ncer de pulm3n de c3lula no pequea. <i>Revista Espanola De Medicina Nuclear E Imagen Molecular</i> , 2016, 35, 373-378.	0.0	1
21	Association of Human Papillomavirus and p16 Status With Outcomes in the IMCL-9815 Phase III Registration Trial for Patients With Locoregionally Advanced Oropharyngeal Squamous Cell Carcinoma of the Head and Neck Treated With Radiotherapy With or Without Cetuximab. <i>Journal of Clinical Oncology</i> , 2016, 34, 1300-1308.	0.8	190
22	Impact of molecular prescreening for genomically-guided trials in head and neck cancer (HNC).. <i>Journal of Clinical Oncology</i> , 2016, 34, 6030-6030.	0.8	1
23	2820 Association of p16 status and feeding tube use in patients with locoregionally advanced squamous cell cancer of the head and neck treated with radiotherapy +/- cetuximab in a phase III study. <i>European Journal of Cancer</i> , 2015, 51, S564-S565.	1.3	0
24	Compliance and Patient Acceptability of Clonidine Mucoadhesive Buccal Tablet (Clonidine Lauriad) to Prevent Severe Radiomucositis in Head and Neck Cancer Patients. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, S213.	0.4	0
25	Bernese Periacetabular Osteotomy in a Hip Extra-Articular Resection Followed by Reconstruction Using an Extracorporeal Irradiated Acetabulum Autograft with Megaprosthesis, for Proximal Femur Osteosarcoma in a Pediatric Patient. <i>Case Reports in Medicine</i> , 2015, 2015, 1-5.	0.3	4
26	Panitumumab plus radiotherapy versus chemoradiotherapy in patients with unresected, locally advanced squamous-cell carcinoma of the head and neck (CONCERT-2): a randomised, controlled, open-label phase 2 trial. <i>Lancet Oncology</i> , The, 2015, 16, 221-232.	5.1	153
27	Chemoradiotherapy with or without panitumumab in patients with unresected, locally advanced squamous-cell carcinoma of the head and neck (CONCERT-1): a randomised, controlled, open-label phase 2 trial. <i>Lancet Oncology</i> , The, 2015, 16, 208-220.	5.1	161
28	Short- and Long-Term Quality of Life and Bowel Function in Patients With MRI-Defined, High-Risk, Locally Advanced Rectal Cancer Treated With an Intensified Neoadjuvant Strategy in the Randomized Phase 2 EXPERT-C Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2015, 93, 303-312.	0.4	21
29	Mucoadhesive clonidine (Clonidine Lauriad) in the prevention of severe radiomucositis in head and neck cancer patients: A phase II randomized trial.. <i>Journal of Clinical Oncology</i> , 2015, 33, 6058-6058.	0.8	5
30	Association of Human Papillomavirus (Hpv) and P16 Status with Efficacy and Safety Data in the Phase III Radiotherapy (Rt)/Cetuximab (Cet) Registration Trial for Locoregionally Advanced Squamous Cell Carcinoma of the Head and Neck (Lascchn). <i>Annals of Oncology</i> , 2014, 25, iv343.	0.6	2
31	RAS mutations and cetuximab in locally advanced rectal cancer: Results of the EXPERT-C trial. <i>European Journal of Cancer</i> , 2014, 50, 1430-1436.	1.3	29
32	Fluorouracil-based adjuvant chemotherapy after preoperative chemoradiotherapy in rectal cancer: long-term results of the EORTC 22921 randomised study. <i>Lancet Oncology</i> , The, 2014, 15, 184-190.	5.1	611
33	Impact of p16 status on the results of the phase III cetuximab (cet)/radiotherapy (RT).. <i>Journal of Clinical Oncology</i> , 2014, 32, 6001-6001.	0.8	25
34	Targeting CD44high/ID1+ Patient Glioma Initiating Cells by TGFÎ² Receptor I Inhibitor Could Radiosensitize Glioblastoma. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 87, S650.	0.4	0
35	Rupatadine oral solution in children with persistent allergic rhinitis: A randomized, double-blind, placebo-controlled study. <i>Pediatric Allergy and Immunology</i> , 2013, 24, 144-150.	1.1	24
36	Adaptive and innovative Radiation Treatment FOR improving Cancer treatment outcome (ARTFORCE); a randomized controlled phase II trial for individualized treatment of head and neck cancer. <i>BMC Cancer</i> , 2013, 13, 84.	1.1	113

#	ARTICLE	IF	CITATIONS
37	Bio-radiation dermatitis: the need of a new grading: in regard to Bernier et al: Ann Oncol 2011; 22(10): 2191-2200. Annals of Oncology, 2013, 24, 2463-2465.	0.6	13
38	Constitutive HER2 Signaling Promotes Breast Cancer Metastasis through Cellular Senescence. Cancer Research, 2013, 73, 450-458.	0.4	76
39	Hyperfractionated Versus Conventional Radiotherapy Followed by Chemotherapy in Standard-Risk Medulloblastoma: Results From the Randomized Multicenter HIT-SIOP PNET 4 Trial. Journal of Clinical Oncology, 2012, 30, 3187-3193.	0.8	270
40	Dose variations in tumor volumes and organs at risk during IMRT for head and neck cancer. Journal of Applied Clinical Medical Physics, 2012, 13, 101-111.	0.8	41
41	A phase II, randomized trial (CONCERT-1) of chemoradiotherapy (CRT) with or without panitumumab (pmab) in patients (pts) with unresected, locally advanced squamous cell carcinoma of the head and neck (LASCCHN).. Journal of Clinical Oncology, 2012, 30, 5502-5502.	0.8	18
42	Phase II trial of induction irinotecan-cisplatin followed by concurrent irinotecan-cisplatin and radiotherapy for unresectable, locally advanced gastric and oesophageal-gastric junction adenocarcinoma. Cancer Chemotherapy and Pharmacology, 2011, 67, 75-82.	1.1	3
43	Palifermin Decreases Severe Oral Mucositis of Patients Undergoing Postoperative Radiochemotherapy for Head and Neck Cancer: A Randomized, Placebo-Controlled Trial. Journal of Clinical Oncology, 2011, 29, 2815-2820.	0.8	148
44	Perioperative treatment for locally advanced rectal carcinoma (LARC) in elderly patients: Evaluation of compliance, tolerability, and outcome in a Spanish referral institution.. Journal of Clinical Oncology, 2011, 29, e19650-e19650.	0.8	0
45	Evidence in medulloblastomas. Clinical and Translational Oncology, 2010, 12, 271-277.	1.2	4
46	Tirapazamine, Cisplatin, and Radiation Versus Cisplatin and Radiation for Advanced Squamous Cell Carcinoma of the Head and Neck (TROG 02.02, HeadSTART): A Phase III Trial of the Trans-Tasman Radiation Oncology Group. Journal of Clinical Oncology, 2010, 28, 2989-2995.	0.8	339
47	Management of squamous cell carcinoma of the head and neck: updated European treatment recommendations. Expert Review of Anticancer Therapy, 2010, 10, 339-344.	1.1	26
48	Radiotherapy plus cetuximab for locoregionally advanced head and neck cancer: 5-year survival data from a phase 3 randomised trial, and relation between cetuximab-induced rash and survival. Lancet Oncology, The, 2010, 11, 21-28.	5.1	1,773
49	Critical Impact of Radiotherapy Protocol Compliance and Quality in the Treatment of Advanced Head and Neck Cancer: Results From TROG 02.02. Journal of Clinical Oncology, 2010, 28, 2996-3001.	0.8	683
50	BRCA1 mRNA expression and response in locally advanced esophageal cancer patients (p) treated with chemoradiotherapy.. Journal of Clinical Oncology, 2010, 28, e14573-e14573.	0.8	0
51	Management of Painful Chronic Pancreatitis With Single-Dose Radiotherapy. American Journal of Gastroenterology, 2009, 104, 349-355.	0.2	27
52	QOL for Advanced Squamous Cell Carcinoma of the Head and Neck: Results of a Phase III Randomized Trial of Tirapazamine, Cisplatin, and Radiation vs. Cisplatin and Radiation (TROG 02.02). International Journal of Radiation Oncology Biology Physics, 2009, 75, S30-S31.	0.4	0
53	Phase II Trial of Preoperative Irinotecan-Cisplatin Followed by Concurrent Irinotecan-Cisplatin and Radiotherapy for Resectable Locally Advanced Gastric and Esophagogastric Junction Adenocarcinoma. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1430-1436.	0.4	34
54	Overexpression of Phosphorylated 4E-BP1 Predicts for Tumor Recurrence and Reduced Survival in Cervical Carcinoma Treated With Postoperative Radiotherapy. International Journal of Radiation Oncology Biology Physics, 2009, 75, 1316-1322.	0.4	22

#	ARTICLE	IF	CITATIONS
55	2053 Does electronic portal image device really impact set-up practice? A first step introducing a displacement correction protocol and PTV margin re-design. <i>European Journal of Cancer, Supplement</i> , 2009, 7, 166.	2.2	0
56	Faecal DNA and calprotectin as biomarkers of acute intestinal toxicity in patients undergoing pelvic radiotherapy. <i>Alimentary Pharmacology and Therapeutics</i> , 2009, 30, 175-185.	1.9	17
57	Effects of Probiotic <i>Lactobacillus Casei</i> DN-114 001 in Prevention of Radiation-Induced Diarrhea: Results From Multicenter, Randomized, Placebo-Controlled Nutritional Trial. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 71, 1213-1219.	0.4	134
58	Differential Activation of Protein Translation is Associated with Aggressive Phenotype of Cervical Cancers. <i>International Journal of Radiation Oncology Biology Physics</i> , 2008, 72, S362.	0.4	0
59	Pre-operative chemoradiotherapy with UFT and Leucovorin in patients with advanced rectal cancer: A phase II study. <i>Radiotherapy and Oncology</i> , 2008, 89, 263-269.	0.3	13
60	The Gut Microbiota Predispose to the Pathophysiology of Acute Postradiotherapy Diarrhea. <i>American Journal of Gastroenterology</i> , 2008, 103, 1754-1761.	0.2	154
61	Controversies surrounding the use of neoadjuvant chemotherapy in locally advanced head and neck cancer. <i>Expert Review of Anticancer Therapy</i> , 2008, 8, 1359-1363.	1.1	1
62	Optimizing approaches to head and neck cancer: strengths and weaknesses in multidisciplinary treatments of locally advanced disease. <i>Annals of Oncology</i> , 2008, 19, vii195-vii199.	0.6	10
63	Consensus guidelines for the management of radiation dermatitis and coexisting acne-like rash in patients receiving radiotherapy plus EGFR inhibitors for the treatment of squamous cell carcinoma of the head and neck. <i>Annals of Oncology</i> , 2008, 19, 142-149.	0.6	190
64	Phase III study of tirapazamine, cisplatin and radiation versus cisplatin and radiation for advanced squamous cell carcinoma of the head and neck. <i>Journal of Clinical Oncology</i> , 2008, 26, LBA6008-LBA6008.	0.8	23
65	Neoadjuvant chemoradiotherapy (CT-RT) in patients (pts) with stage II-IVA esophageal cancer (EC): Retrospective analysis of a Spanish single institution. <i>Journal of Clinical Oncology</i> , 2008, 26, 15635-15635.	0.8	0
66	Quality of Life in Head and Neck Cancer Patients After Treatment With High-Dose Radiotherapy Alone or in Combination With Cetuximab. <i>Journal of Clinical Oncology</i> , 2007, 25, 2191-2197.	0.8	225
67	5010 ORAL Phosphorylated 4E binding protein 1 (p4EBP1) correlates with pathologic grade and prognosis in cervical cancer treated with surgery and radiation therapy. <i>European Journal of Cancer, Supplement</i> , 2007, 5, 314.	2.2	0
68	Duration of Mucositis and Dysphagia following Radiotherapy (+ Cetuximab) for Locoregionally Advanced Head and Neck Cancer. <i>International Journal of Radiation Oncology Biology Physics</i> , 2007, 69, S137.	0.4	3
69	Radiotherapy plus Cetuximab for Squamous-Cell Carcinoma of the Head and Neck. <i>New England Journal of Medicine</i> , 2006, 354, 567-578.	13.9	4,705
70	2691. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, S593-S594.	0.4	0
71	1001. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, S129.	0.4	0
72	2255. <i>International Journal of Radiation Oncology Biology Physics</i> , 2006, 66, S352.	0.4	0

#	ARTICLE	IF	CITATIONS
73	2549. International Journal of Radiation Oncology Biology Physics, 2006, 66, S515.	0.4	1
74	Prognostic Significance of Vascular Endothelial Growth Factor and Cyclooxygenase-2 in Patients with Rectal Cancer Treated with Preoperative Radiotherapy. Oncology, 2006, 71, 312-319.	0.9	40
75	The expression of epidermal growth factor receptor results in a worse prognosis for patients with rectal cancer treated with preoperative radiotherapy: a multicenter, retrospective analysis. Radiotherapy and Oncology, 2005, 74, 101-108.	0.3	139
76	Postoperative Irradiation with or without Concomitant Chemotherapy for Locally Advanced Head and Neck Cancer. New England Journal of Medicine, 2004, 350, 1945-1952.	13.9	2,704
77	Epidermal growth factor receptor is a predictor of tumor response in locally advanced rectal cancer patients treated with preoperative radiotherapy. International Journal of Radiation Oncology Biology Physics, 2002, 54, 1460-1465.	0.4	89
78	Preoperative induction chemotherapy followed by concurrent chemoradiotherapy in advanced carcinoma of the oral cavity and oropharynx. Cancer, 2000, 89, 939-945.	2.0	36
79	³¹ Phosphorus magnetic resonance spectroscopy in the assessment of head and neck tumors. International Journal of Radiation Oncology Biology Physics, 1998, 40, 309-312.	0.4	14
80	Fluorouracil and High-dose Leucovorin with Radiotherapy as Adjuvant Therapy for Rectal Cancer: Results of a Phase II Study. Acta OncolÃ³gica, 1997, 36, 51-54.	0.8	1
81	Preoperative Simultaneous Chemoradiotherapy in Locally Advanced Cancer of the Oral Cavity and Oropharynx. American Journal of Clinical Oncology: Cancer Clinical Trials, 1997, 20, 97-100.	0.6	12
82	Improving Survival of Medulloblastoma: Results in Two Groups of Patients. Oncology, 1996, 53, 38-42.	0.9	6
83	Malignant Lymphoproliferative Diseases in HIV-Seropositive Patients: A study of 40 cases at a single institution in Spain. Acta OncolÃ³gica, 1995, 34, 75-82.	0.8	6