

Gang

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3277680/gang-publications-by-year.pdf>

Version: 2024-04-26

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

196
papers

2,275
citations

25
h-index

39
g-index

258
ext. papers

3,113
ext. citations

4.5
avg, IF

5.14
L-index

#	Paper	IF	Citations
196	P+ Base Doping Optimization of 6-in Gate Commutated Thyristors for Hybrid DC Circuit Breaker Application. <i>IEEE Transactions on Electron Devices</i> , 2022 , 69, 262-270	2.9	0
195	Systematic Analysis and Characterization of Extreme Failure for IGCT in MMC-HVDC systemPart I: Device Structure, Explosion Characteristics and Optimization. <i>IEEE Transactions on Power Electronics</i> , 2022 , 1-1	7.2	1
194	Comprehensive Analysis and Experiments of RB-IGCT, IGCT with Fast Recovery Diode and Standard Recovery Diode in Hybrid Line Commutated Converter for Commutation Failure Mitigation. <i>IEEE Transactions on Industrial Electronics</i> , 2022 , 1-1	8.9	1
193	Energy Diverting Converter Topology Using Unidirectional Current H-Bridge Submodules for VSC-HVDC Transmission System. <i>IEEE Transactions on Power Electronics</i> , 2021 , 1-1	7.2	1
192	A Novel Hybrid Line Commutated Converter Based on IGCT to Mitigate Commutation Failure for High-power HVDC Application. <i>IEEE Transactions on Power Electronics</i> , 2021 , 1-1	7.2	3
191	Short-Circuit Characteristics and High-Current Induced Oscillations in a 1200-V/80-m Normally-Off SiC/GaN Cascode Device. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	0
190	Observation and characterization of impact ionization-induced OFF-state breakdown in Schottky-type p-GaN gate HEMTs. <i>Applied Physics Letters</i> , 2021 , 118, 163502	3.4	4
189	Comparison of Short Circuit Robustness and Failure Mechanisms of GaN/SiC Cascode Devices and SiC Power MOSFETs 2021 ,		1
188	A Robust Nondestructive Test Scheme Based on Multistage Anode Voltage Detection for 4500 V Single-Cell Turn-Off Capability of Press-Packed Devices. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 4905-4909	7.2	2
187	Dv/Dt-Control of 1200-V Normally-off SiC-JFET/GaN-HEMT Cascode Device. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 3312-3322	7.2	7
186	Comprehensive Analysis, Design, and Experiment of Shoot-Through Faults in MMC Based on IGCT for VSC-HVDC. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 6241-6250	7.2	5
185	Current Oscillation Phenomenon of MMC Based on IGCT and Fast Recovery Diode With High Surge Current Capability for HVDC Application. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 6218-6222	7.2	4
184	Ultra-Low on-State Voltage IGCT for Solid-State DC Circuit Breaker With Single-Switching Attribute. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 3292-3303	7.2	6
183	An Advanced 4-in Integrated Emitter Turn-off Thyristor With Ultralow Commutation Impedance to Achieve 8 kA Turn-off Capability: Comprehensive Analysis, Design, and Experiments. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 9444-9454	8.9	1
182	Full-Time Junction Temperature Extraction of IGCT Based on Electrothermal Model and TSEP Method for High-Power Applications. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 68, 47-58	8.9	3
181	Short Circuit Failure Mechanisms of 650-V GaN/SiC Cascode Devices in Comparison with SiC MOSFETs. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	0
180	Flexible Noncontact Approach for Fault Location of Transmission Lines Using Electro-Optic Field Sensors. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2021 , 1-8	2	2

179	650-V Normally-off GaN/SiC Cascode Device for Power Switching Applications. <i>IEEE Transactions on Industrial Electronics</i> , 2021 , 1-1	8.9	0
178	Review on DC transmission systems for integrating large-scale offshore wind farms. <i>Energy Conversion and Economics</i> , 2021 , 2, 1-14	0.7	6
177	Development and prospect of direct-current circuit breaker in China. <i>High Voltage</i> , 2021 , 6, 1-15	4.1	7
176	Impact of Drain Leakage Current on Short Circuit Behavior of GaN/SiC Cascode Devices. <i>IEEE Transactions on Power Electronics</i> , 2021 , 36, 12158-12162	7.2	2
175	Dissociate lattice oxygen redox reactions from capacity and voltage drops of battery electrodes. <i>Science Advances</i> , 2020 , 6, eaaw3871	14.3	55
174	A Normally-off Copackaged SiC-JFET/GaN-HEMT Cascode Device for High-Voltage and High-Frequency Applications. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 9669-9679	7.2	11
173	Dynamic Model of the DC Fault Clearing Process of a Hybrid Modular Multilevel Converter Considering Commutations of the Fault Current. <i>IEEE Transactions on Power Electronics</i> , 2020 , 35, 6668-6672	7.2	8
172	Study on the current oscillation between IGCT and anti-paralleled FRD in IGCT-MMC half-bridge 2020 ,		1
171	Precise Measurement Methodology of nH-Level Gate Electrode Inductance Based on Calculation-Error-Free Algorithm for Unity-Gain Turn-Off Devices. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 1-1	8.9	3
170	HV isolated power supply system for complex multiple electrical potential equipment in 500kV hybrid DC breaker. <i>High Voltage</i> , 2020 , 5, 425-433	4.1	6
169	. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 10284-10294	8.9	12
168	Response to Comment on Electric field measurements under DC corona discharges in ambient air by electric field induced second harmonic generation[Appl. Phys. Lett. 117, 026101 (2020)]. <i>Applied Physics Letters</i> , 2020 , 117, 026102	3.4	2
167	A New Method for Current Distribution Study in the 6-in IGCT 2020 ,		1
166	Polymer/molecular semiconductor all-organic composites for high-temperature dielectric energy storage. <i>Nature Communications</i> , 2020 , 11, 3919	17.4	97
165	Dv/Dt-control of 1200-V Co-packaged SiC- JFET/GaN-HEMT Cascode Device 2020 ,		2
164	A Novel Mixture Solid-State Switch Based on IGCT With High Capacity and IGBT With High Turn-off Ability for Hybrid DC Breakers. <i>IEEE Transactions on Industrial Electronics</i> , 2020 , 67, 4485-4495	8.9	22
163	Development and Application of a 10 kV Mechanical DC Circuit Breaker. <i>Energies</i> , 2019 , 12, 3615	3.1	3
162	A DC Grid Access Solution Based on Series-connected Distributed Full-bridge Submodule-based MMCs 2019 ,		2

161	Mechanism and Novel Structure for di/dt Controllability in U-Shaped Channel Silicon-on-Insulator Lateral IGBTs. <i>IEEE Electron Device Letters</i> , 2019 , 40, 1658-1661	4.4	6
160	DC Current Distribution in Both AC Power Grids and Pipelines Near HVDC Grounding Electrode Considering Their Interaction. <i>IEEE Transactions on Power Delivery</i> , 2019 , 34, 2240-2247	4.3	5
159	Integrated Gate Commutated Thyristor-Based Modular Multilevel Converters: A Promising Solution for High-Voltage dc Applications. <i>IEEE Industrial Electronics Magazine</i> , 2019 , 13, 4-16	6.2	25
158	Multiple modular DC transformer for flexible HVDC application. <i>Journal of Engineering</i> , 2019 , 2019, 2193-2196	2.1	1
157	Research on temperature rise of high current switchgear in distribution system. <i>Journal of Engineering</i> , 2019 , 2019, 2931-2934	0.7	0
156	Design and test of a magnetic saturation-type fault current limiter. <i>Journal of Engineering</i> , 2019 , 2019, 2974-2979	0.7	5
155	Thermal variation of electric field sensor bias caused by anisotropy of LiNbO ₃ . <i>Applied Physics Letters</i> , 2019 , 114, 143501	3.4	13
154	6-in Dual-Gate Ring Commutated Thyristor for DC Circuit Breakers. <i>IEEE Transactions on Electron Devices</i> , 2019 , 66, 1444-1449	2.9	4
153	Transient Voltage Measurements for Overhead Transmission Lines and Substations by Metal-Free and Contactless Integrated Electro-Optic Field Sensors. <i>IEEE Transactions on Industrial Electronics</i> , 2019 , 66, 571-579	8.9	29
152	Stray Impedance Measurement and Improvement of High-Power IGCT Gate Driver Units. <i>IEEE Transactions on Power Electronics</i> , 2019 , 34, 6639-6647	7.2	10
151	Modular Multilevel Converter Using IGCT-based Cross-Connected Modules for Medium Voltage DC Grids 2019 ,		2
150	Calibration of a sensor for an ion electric field under HVDC transmission lines. <i>Journal of Engineering</i> , 2019 , 2019, 2842-2845	0.7	1
149	Long-term statistics of corona loss of HVDC transmission line. <i>Journal of Engineering</i> , 2019 , 2019, 3169-3174	1.7	1
148	Shock wave in a long-air-gap leader discharge. <i>AIP Advances</i> , 2019 , 9, 065011	1.5	7
147	A 1200-V GaN/SiC cascode device with E-mode p-GaN gate HEMT and D-mode SiC junction field-effect transistor. <i>Applied Physics Express</i> , 2019 , 12, 106505	2.4	6
146	Electromagnetic transient analysing of neutral bus in UHVDC converter station. <i>Journal of Engineering</i> , 2019 , 2019, 3078-3081	0.7	1
145	The LCOE-Indicator-Based Comprehensive Economic Comparison between AC and DC Power Distribution Networks with High Penetration of Renewable Energy. <i>Energies</i> , 2019 , 12, 4621	3.1	1
144	Analysis of factors influencing the parameters of electromagnetic environment. <i>Journal of Engineering</i> , 2019 , 2019, 2787-2789	0.7	

143	Electric field measurements under DC corona discharges in ambient air by electric field induced second harmonic generation. <i>Applied Physics Letters</i> , 2019 , 115, 244101	3.4	15
142	Reliability evaluation method for AC/DC hybrid distribution power network considering cascaded multiport power electronic transformer. <i>IET Generation, Transmission and Distribution</i> , 2019 , 13, 5357-5364	2.5	3
141	Research on Access Mode of the Flexible DC Power Distribution System into AC System. <i>Energies</i> , 2019 , 12, 4002	3.1	0
140	Self-healing of electrical damage in polymers using superparamagnetic nanoparticles. <i>Nature Nanotechnology</i> , 2019 , 14, 151-155	28.7	104
139	Planning and analysis of the demonstration project of the MVDC distribution network in Zhuhai. <i>Frontiers in Energy</i> , 2019 , 13, 120-130	2.6	23
138	Modular Design Methodology of DC Breaker Based on Discrete Metal Oxide Varistors With Series Power Electronic Devices for HVdc Application. <i>IEEE Transactions on Industrial Electronics</i> , 2019 , 66, 7653-7662	8.9	36
137	Practical Analytical Model and Comprehensive Comparison of Power Loss Performance for Various MMCs Based on IGCT in HVDC Application. <i>IEEE Journal of Emerging and Selected Topics in Power Electronics</i> , 2019 , 7, 1071-1083	5.6	26
136	Analysis and Experiments for IGBT, IEGT, and IGCT in Hybrid DC Circuit Breaker. <i>IEEE Transactions on Industrial Electronics</i> , 2018 , 65, 2883-2892	8.9	84
135	Experimental evaluation of IGCT converters with reduced di/dt limiting inductance 2018 ,		6
134	A Modular Multilevel Converter Integrated With DC Circuit Breaker. <i>IEEE Transactions on Power Delivery</i> , 2018 , 33, 2502-2512	4.3	35
133	Branching characteristics of positive streamers in nitrogen-oxygen gas mixtures. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 1128-1134	2.3	5
132	Design and test of the bidirectional solid-state switch for an 160kV/9kA hybrid DC circuit breaker 2018 ,		5
131	A Fast Tree Algorithm for Electric Field Calculation in Electrical Discharge Simulations. <i>IEEE Transactions on Magnetics</i> , 2018 , 54, 1-4	2	4
130	Analysis on the Commutation Loop Inductance of Different Cathode Regions in GCT Wafer 2018 ,		2
129	Analysis of Lightning-Induced Overvoltage Waveform Parameters 2018 ,		1
128	Physics-based compact model of integrated gate-commutated thyristor with multiple effects for high-power application. <i>IET Power Electronics</i> , 2018 , 11, 1239-1247	2.2	7
127	Simulation of positive streamers in atmospheric air by a macroscopic model with a new branching criterion. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2018 , 25, 2112-2121	2.3	2
126	Polymer Dielectrics: A Scalable, High-Throughput, and Environmentally Benign Approach to Polymer Dielectrics Exhibiting Significantly Improved Capacitive Performance at High Temperatures (Adv. Mater. 49/2018). <i>Advanced Materials</i> , 2018 , 30, 1870378	24	2

125	Research on a Novel MEMS Sensor for Spatial DC Electric Field Measurements in an Ion Flows Field. <i>Sensors</i> , 2018 , 18,	3.8	6
124	Optimization for Cell Arrangement Design of Gate-Commutated Thyristors Based on Whole Wafer Model and Tabu Search. <i>IEEE Transactions on Electron Devices</i> , 2018 , 65, 4938-4946	2.9	3
123	A More Prospective Look at IGCT: Uncovering a Promising Choice for dc Grids. <i>IEEE Industrial Electronics Magazine</i> , 2018 , 12, 6-18	6.2	32
122	A Scalable, High-Throughput, and Environmentally Benign Approach to Polymer Dielectrics Exhibiting Significantly Improved Capacitive Performance at High Temperatures. <i>Advanced Materials</i> , 2018 , 30, e1805672	24	145
121	Optimisation of gate-commutated thyristors for hybrid DC breakers. <i>IET Power Electronics</i> , 2017 , 10, 2002-2009	2.2	10
120	Modification of Transition-Metal Redox by Interstitial Water in Hexacyanometalate Electrodes for Sodium-Ion Batteries. <i>Journal of the American Chemical Society</i> , 2017 , 139, 18358-18364	16.4	65
119	High power IGCT compact model with impact ionization effect 2017 ,		1
118	Optimization of operation temperature of gate commutated thyristors for hybrid DC breaker 2017 ,		2
117	Adaptive Strategies in the Leader Propagation Model for Lightning Shielding Failure Evaluation: Implementation and Applications. <i>IEEE Transactions on Magnetics</i> , 2016 , 52, 1-4	2	12
116	Effect of Coke Bed on the Electrical Performance of HVDC Ground Electrode. <i>IEEE Transactions on Industry Applications</i> , 2016 , 52, 4594-4600	4.3	5
115	Electrical field evaluation around slender conductors by collocation boundary element method 2016 ,		1
114	Survey of recent progress on lightning and lightning protection research. <i>High Voltage</i> , 2016 , 1, 2-10	4.1	43
113	Research on a current commutation drive circuit for hybrid dc circuit breaker and its optimisation design. <i>IET Generation, Transmission and Distribution</i> , 2016 , 10, 3119-3126	2.5	28
112	A Comprehensive Approach for Transient Performance of Grounding System in the Time Domain. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2015 , 57, 250-256	2	18
111	Characteristics of Upward Leader Emerging From a Single-Phase Conductor With Different Voltage Class. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 1833-1842	4.3	3
110	Decreasing Electric Field in Soil Near Grounding Device by Building an Underground Insulating Wall. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 273-280	4.3	5
109	Study on the Influence of Space Charge on the Upward Leader Emerging From the Conductors of UHVDC Transmission Lines. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 106-113	4.3	4
108	Statistical Analysis on Lightning Performance of Transmission Lines in Several Regions of China. <i>IEEE Transactions on Power Delivery</i> , 2015 , 30, 1543-1551	4.3	30

107	A WENO Scheme for Simulating Streamer Discharge With Photoionizations. <i>IEEE Transactions on Magnetics</i> , 2014 , 50, 325-328	2	14
106	Comparison of the Characteristics of Upward Leader Emerging From the Ground Wire and Conductor. <i>IEEE Transactions on Power Delivery</i> , 2014 , 29, 708-715	4-3	4
105	Resultant Electric Field Reduction With Shielding Wires Under Bipolar HVDC Transmission Lines. <i>IEEE Transactions on Magnetics</i> , 2014 , 50, 221-224	2	4
104	A Positivity-Preserving Scheme for the Simulation of Streamer Discharges in Non-Attaching and Attaching Gases. <i>Communications in Computational Physics</i> , 2014 , 15, 153-178	2.4	12
103	Improve the electrogeometric model by the analysis results of leader propagation model for transmission lines 2014 ,		1
102	Research on measuring methods and sensors of high voltage DC electric field 2014 ,		1
101	Study on the field effects under reduced-scale DC/AC hybrid transmission lines. <i>IET Generation, Transmission and Distribution</i> , 2013 , 7, 717-723	2.5	8
100	Equivalent Waveform Parameters of Switching Overvoltages in UHV Systems. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 1740-1749	4-3	2
99	Failure Risk of UHV AC Transmission Line Considering the Statistical Characteristics of Switching Overvoltage Waveshape. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 1731-1739	4-3	8
98	Computation of Ion-Flow Field Near the Metal Board House Under the HVDC Bipolar Transmission Line. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 1233-1234	4-3	10
97	Analysis of ion flow field of UHV/EHV AC transmission lines. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2013 , 20, 496-504	2-3	7
96	Analysis of Transient Performance of Grounding System Considering Soil Ionization by Time Domain Method. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 1837-1840	2	32
95	2-D Discontinuous Galerkin Method for Streamer Discharge Simulations in Nitrogen. <i>IEEE Transactions on Magnetics</i> , 2013 , 49, 1929-1932	2	10
94	Study on the Influence of the DC Voltage on the Upward Leader Emerging From a Transmission Line. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 1674-1681	4-3	12
93	Switching impulse breakdown characteristics of large sphere-plane air gaps compared with rod-plane air gap. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2013 , 20, 839-844	2-3	15
92	Fault Current-Division Factor of Substation Grounding Grid in Seasonal Frozen Soil. <i>IEEE Transactions on Power Delivery</i> , 2013 , 28, 855-865	4-3	7
91	An integrated optical sensing system for DC E-field measurement 2013 ,		2
90	Development of topology and power electronic devices for solid-state circuit breakers 2013 ,		5

89	Elimination of Closing Resistors for Breakers in 1000-kV UHV System by Surge Arresters. <i>IEEE Transactions on Power Delivery</i> , 2012 , 27, 2168-2175	4-3	7
88	Development and application of integrated optical sensors for intense E-field measurement. <i>Sensors</i> , 2012 , 12, 11406-34	3-8	41
87	Switching Transient of 1000-kV UHV System Considering Detailed Substation Structure. <i>IEEE Transactions on Power Delivery</i> , 2012 , 27, 112-122	4-3	17
86	Measurement and Modeling of Soil Resistivity 2012 , 81-129		
85	Fundamental Concepts of Grounding 2012 , 1-26		
84	Current Field in the Earth 2012 , 27-79		
83	Numerical Analysis Method of Grounding 2012 , 131-189		
82	Ground Fault Current of a Substation 2012 , 191-222		
81	Grounding System for Substations 2012 , 223-273		
80	Grounding of Transmission and Distribution Lines 2012 , 275-302		
79	Impulse Characteristics of Grounding Devices 2012 , 303-390		
78	DC Ground Electrode 2012 , 391-460		
77	Materials for Grounding 2012 , 461-498		1
76	Measurement of Grounding 2012 , 499-551		
75	Finite Volume-Based Approach for the Hybrid Ion-Flow Field of UHVAC and UHVDC Transmission Lines in Parallel. <i>IEEE Transactions on Power Delivery</i> , 2011 , 26, 2809-2820	4-3	27
74	Design and application of an integrated electro-optic sensor for intensive electric field measurement. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2011 , 18, 312-319	2-3	48
73	Experimental Studies of Impulse Breakdown Delay Characteristics of Soil. <i>IEEE Transactions on Power Delivery</i> , 2011 , 26, 1600-1607	4-3	19
72	Surface Electric Field for Negative Corona Discharge in Atmospheric Pressure Air. <i>IEEE Transactions on Plasma Science</i> , 2011 , 39, 1644-1651	1-3	17

71	Effective Protection Distances of SPDs for Household Electrical Appliances. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2011 , 53, 690-699	2	12
70	Effects of manganese dioxide additives on the electrical characteristics of Al-doped ZnO varistors. <i>Science China Technological Sciences</i> , 2011 , 54, 2204-2208	3.5	4
69	Research on characteristics of surface electric field on transmission lines under lightning stroke 2011 ,		2
68	Experimental research of the upward leader inception from transmission line 2011 ,		2
67	Photoemission Replenishment Criterion for Inception of Negative Corona Discharges in Air. <i>IEEE Transactions on Power Delivery</i> , 2011 , 26, 1980-1987	4.3	11
66	Statistical Pulse Degradation Characteristics of Grain Boundaries in a ZnO Varistor Based on Microcontact Measurement. <i>Journal of the American Ceramic Society</i> , 2010 , 93, 2473-2475	3.8	6
65	The influence of wind on the audible noise of ultra HVDC transmission line in high altitude area 2010 ,		1
64	2D/3D hybrid computation of ion flow field around house near HVDC bipolar transmission lines 2010 ,		7
63	Radio interference of Ultra HVDC transmission lines in high altitude region 2010 ,		2
62	Analysing on characteristics of lightning shielding failure of UHVAC double circuit transmission line based on leader progression method 2010 ,		1
61	A statistical view for fractal simulation of lightning 2010 ,		2
60	Effective Protection Distances of Low-Voltage SPD With Different Voltage Protection Levels. <i>IEEE Transactions on Power Delivery</i> , 2010 , 25, 187-195	4.3	31
59	Power-Frequency Voltage Withstand Characteristics of Insulations of Substation Secondary Systems. <i>IEEE Transactions on Power Delivery</i> , 2010 , 25, 734-746	4.3	9
58	The Optimization of Entering Route for Live Working on 750 kV Transmission Towers by Space Electric-Field Analysis. <i>IEEE Transactions on Power Delivery</i> , 2010 , 25, 987-994	4.3	10
57	Influence of impulse breakdown delay of soil on lightning protection characteristics of transmission line 2010 ,		1
56	Spatially discontinuous ionization phenomenon in inhomogeneous soil. <i>Science China Technological Sciences</i> , 2010 , 53, 918-921	3.5	4
55	Ion Flow Effects on Negative Direct Current Corona in Air. <i>Plasma Chemistry and Plasma Processing</i> , 2010 , 30, 55-73	3.6	5
54	A Time-Domain Multiport Model of Thin-Wire System for Lightning Transient Simulation. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2010 , 52, 128-135	2	13

53	Dynamic Simulation of Surge Corona With Time-Dependent Upwind Difference Method. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 3109-3112	2	7
52	Effect of Grounding System on Electromagnetic Fields Around Building Struck by Lightning. <i>IEEE Transactions on Magnetics</i> , 2010 , 46, 2955-2958	2	11
51	Simulation Analysis on Conducted EMD Caused by Valves in \$pm\$ 800 kV UHVDC Converter Station. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2009 , 51, 236-244	2	19
50	Fractal model of lightning channel for simulating lightning strikes to transmission lines. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 3135-3141		16
49	Requirement of ultra-high voltage GIS arrester to voltage gradient of metal-oxide varistor. <i>Science in China Series D: Earth Sciences</i> , 2009 , 52, 450-455		11
48	Minimum Distance of Lightning Protection Between Insulator String and Line Surge Arrester in Parallel. <i>IEEE Transactions on Power Delivery</i> , 2009 , 24, 656-663	4-3	10
47	Effect of the mutual inductances among grounding conductors on the transient performance of grounding grids 2009 ,		1
46	Lightning Impulse Breakdown Characteristics of Frozen Soil. <i>IEEE Transactions on Power Delivery</i> , 2008 , 23, 2216-2223	4-3	12
45	Design and application of line surge arresters to improve lightning protection characteristics of transmission lines 2008 ,		4
44	Ion Flow Field Calculation of Multi-circuit DC Transmission Lines 2008 ,		4
43	Measurement of electric field distribution along composite insulators by integrated optical electric field sensor. <i>IEEE Transactions on Dielectrics and Electrical Insulation</i> , 2008 , 15, 302-310	2-3	28
42	Movement Simulation of Three-Phase Short-Circuit Arcs on Distribution Lines Based on the Coupling of Magnetic Field and Motion. <i>IEEE Transactions on Plasma Science</i> , 2008 , 36, 524-529	1-3	4
41	An electro-optic integrated sensor for lightning impulse electric field measurements 2008 ,		1
40	Experiment on the application of Bluetooth in vacuum switch cabinet 2008 ,		2
39	Analysis of Electromagnetic Interference on DC Line From Parallel AC Line in Close Proximity. <i>IEEE Transactions on Power Delivery</i> , 2007 , 22, 2401-2408	4-3	19
38	Calculation of Ion Flow Field Under HVdc Bipolar Transmission Lines by Integral Equation Method. <i>IEEE Transactions on Magnetics</i> , 2007 , 43, 1237-1240	2	18
37	Evaluation of Transmit Antenna Position in Reverberation Chamber. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2007 , 49, 86-93	2	2
36	New mathematical descriptions of ESD current waveform based on the polynomial of pulse function. <i>IEEE Transactions on Electromagnetic Compatibility</i> , 2006 , 48, 589-591	2	18

35	Transient near-field effect of electrostatic discharge. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 795-798	2	0
34	Calculation of DC current distribution in AC power system near HVDC system by using moment method coupled to circuit equations. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 703-706	2	23
33	Lightning transient performance analysis of substation based on complete transmission line model of power network and grounding systems. <i>IEEE Transactions on Magnetics</i> , 2006 , 42, 875-878	2	10
32	Immunity research of wireless communication in switch cabinet monitoring and control 2006 ,		1
31	Reliability Test of Using 802.11b Technology In Switchgear for Measurement and Control 2006 ,		3
30	Novel integrated electro-optic sensor for intensive transient electric field measurement 2006 ,		1
29	Effect of Nonuniformities of Microstructure and Electrical Property of Grain Boundary to the Global Electrical Characteristics 2006 ,		2
28	Research and Design of the Neutral Series Resistor to Restrain the HVDC Ground Current Flowing into Transformer 2006 ,		2
27	Development of polymeric surge ZnO arresters for 500-kV compact transmission line. <i>IEEE Transactions on Power Delivery</i> , 2006 , 21, 113-120	4-3	11
26	Lightning impulse performances of grounding devices covered with low-resistivity materials. <i>IEEE Transactions on Power Delivery</i> , 2006 , 21, 1706-1713	4-3	23
25	Novel measurement system for grounding impedance of substation. <i>IEEE Transactions on Power Delivery</i> , 2006 , 21, 719-725	4-3	24
24	Numerical analysis of electric-field distribution around composite insulator and head of transmission tower. <i>IEEE Transactions on Power Delivery</i> , 2006 , 21, 959-965	4-3	23
23	Effective length of counterpoise wire under lightning current. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 1585-1591	4-3	63
22	Influence of overhead transmission line on grounding impedance measurement of substation. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 1219-1225	4-3	11
21	Decreasing grounding resistance of substation by deep-ground-well method. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 738-744	4-3	21
20	Optimal design of grounding system considering the influence of seasonal frozen soil layer. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 107-115	4-3	21
19	Studies on Grounding Technologies for Power System in China. <i>IEEJ Transactions on Power and Energy</i> , 2005 , 125, 750-753	0.2	
18	Evaluation of the effective protection distance of low-voltage SPD to equipment. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 123-130	4-3	38

17	Electrical parameter statistic analysis and parallel coordination of ZnO varistors in low-voltage protection devices. <i>IEEE Transactions on Power Delivery</i> , 2005 , 20, 131-137	4.3	12
16	Nonuniformity of electrical Characteristics in microstructures of ZnO surge varistors. <i>IEEE Transactions on Power Delivery</i> , 2004 , 19, 138-144	4.3	18
15	Grounding resistance measurement analysis of grounding system in vertical-layered soil. <i>IEEE Transactions on Power Delivery</i> , 2004 , 19, 1553-1559	4.3	18
14	Fast algorithm for inverting structure parameters of the horizontal multi-layer soil. <i>Progress in Natural Science: Materials International</i> , 2003 , 13, 553-556	3.6	0
13	A general method for numerical Green's function in arbitrarily layered soils. <i>Progress in Natural Science: Materials International</i> , 2003 , 13, 637-640	3.6	1
12	Seasonal influences on safety of substation grounding system. <i>IEEE Transactions on Power Delivery</i> , 2003 , 18, 788-795	4.3	28
11	Potential distribution analysis of suspended-type metal-oxide surge arresters. <i>IEEE Transactions on Power Delivery</i> , 2003 , 18, 1214-1220	4.3	15
10	Laboratory investigation of impulse characteristics of transmission tower grounding devices. <i>IEEE Transactions on Power Delivery</i> , 2003 , 18, 994-1001	4.3	44
9	Thermal characteristics of high voltage whole-solid-insulated polymeric ZnO surge arrester. <i>IEEE Transactions on Power Delivery</i> , 2003 , 18, 1221-1227	4.3	17
8	10 kV insulated compact distribution line supported by composite spacers in urban area		1
7	Lightning electromagnetic environments of substation considering soil ionization around grounding systems		2
6	Analysis on influence of long vertical grounding electrodes on grounding system for substation		4
5	Safety analysis of grounding grid for substations with different structure		1
4	Novel method of corrosion diagnosis for grounding grid		5
3	Influence of chromium oxide additive on electrical characteristics of ZnO varistor		1
2	Novel measurement system for grounding impedance of substations and power plants		2
1	Optimal design analysis of grounding grids for substations built in nonuniform soil		2