

Ken Ng

List of Publications by Year in Descending Order

Source: <https://exaly.com/author-pdf/3278009/ken-ng-publications-by-year.pdf>

Version: 2024-04-24

This document has been generated based on the publications and citations recorded by exaly.com. For the latest version of this publication list, visit the link given above.

The third column is the impact factor (IF) of the journal, and the fourth column is the number of citations of the article.

60
papers

1,925
citations

22
h-index

43
g-index

63
ext. papers

2,263
ext. citations

6.1
avg, IF

4.94
L-index

#	Paper	IF	Citations
60	Recent development in fabrication and evaluation of phenolic-dietary fiber composites for potential treatment of colonic diseases.. <i>Critical Reviews in Food Science and Nutrition</i> , 2022 , 1-25	11.5	0
59	Phytochemical profile of differently processed tea: A review.. <i>Journal of Food Science</i> , 2022 ,	3.4	3
58	Sugarcane polyphenol and fiber to affect production of short-chain fatty acids and microbiota composition using in vitro digestion and pig faecal fermentation model.. <i>Food Chemistry</i> , 2022 , 385, 132665	8.5	2
57	Efficacy of flavonoids on biomarkers of type 2 diabetes mellitus: a systematic review and meta-analysis of randomized controlled trials. <i>Critical Reviews in Food Science and Nutrition</i> , 2021 , 1-27	11.5	1
56	The role of legume peptides released during different digestion stages in modulating the bioaccessibility of exogenous iron and zinc: An in-vitro study. <i>Current Research in Food Science</i> , 2021 , 4, 737-745	5.6	1
55	Fish gelatin as an alternative to mammalian gelatin for food industry: A meta-analysis. <i>LWT - Food Science and Technology</i> , 2021 , 141, 110899	5.4	7
54	Opportunities for plant-derived enhancers for iron, zinc, and calcium bioavailability: A review. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2021 , 20, 652-685	16.4	10
53	Revisiting phytate-element interactions: implications for iron, zinc and calcium bioavailability, with emphasis on legumes. <i>Critical Reviews in Food Science and Nutrition</i> , 2020 , 1-17	11.5	20
52	Modulation of the human gut microbiota by phenolics and phenolic fiber-rich foods. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2020 , 19, 1268-1298	16.4	52
51	Interaction of the prototypical Eketamide inhibitor with the SARS-CoV-2 main protease active site in silico: Molecular dynamic simulations highlight the stability of the ligand-protein complex. <i>Computational Biology and Chemistry</i> , 2020 , 87, 107292	3.6	38
50	Dietary fiber-based colon-targeted delivery systems for polyphenols. <i>Trends in Food Science and Technology</i> , 2020 , 100, 333-348	15.3	31
49	-Glucosidase and -Amylase Inhibitory Activities of Free and Bound Phenolic Extracts from the Bran and Kernel Fractions of Five Sorghum Grain Genotypes. <i>Foods</i> , 2020 , 9,	4.9	13
48	Site mapping and small molecule blind docking reveal a possible target site on the SARS-CoV-2 main protease dimer interface. <i>Computational Biology and Chemistry</i> , 2020 , 89, 107372	3.6	16
47	Interaction of small molecules with the SARS-CoV-2 main protease in silico and in vitro validation of potential lead compounds using an enzyme-linked immunosorbent assay. <i>Computational Biology and Chemistry</i> , 2020 , 89, 107408	3.6	23
46	Effect of a polyphenol-rich plant matrix on colonic digestion and plasma antioxidant capacity in a porcine model. <i>Journal of Functional Foods</i> , 2019 , 57, 211-221	5.1	5
45	In vitro degradation of curcuminoids by faecal bacteria: Influence of method of addition of curcuminoids into buttermilk yoghurt. <i>Food Chemistry</i> , 2019 , 283, 414-421	8.5	
44	Effects of macro-nutrient, micro-nutrient composition and cooking conditions on in vitro digestibility of meat and aquatic dietary proteins. <i>Food Chemistry</i> , 2018 , 254, 292-301	8.5	31

43	Simulated gastrointestinal digestion and in vitro colonic fermentation of date (<i>Phoenix dactylifera</i> L.) seed polyphenols. <i>International Journal of Food Science and Technology</i> , 2018 , 53, 412-422	3.8	21
42	Characterization of Date (Deglet Nour) Seed Free and Bound Polyphenols by High-Performance Liquid Chromatography-Mass Spectrometry. <i>Journal of Food Science</i> , 2017 , 82, 333-340	3.4	14
41	Effects of chemical composition and baking on in vitro digestibility of proteins in breads made from selected gluten-containing and gluten-free flours. <i>Food Chemistry</i> , 2017 , 233, 514-524	8.5	36
40	Dietary Phytochemicals Promote Health by Enhancing Antioxidant Defence in a Pig Model. <i>Nutrients</i> , 2017 , 9,	6.7	15
39	Evaluation of α -Amylase and β -Glucosidase Inhibitory Activity of Flavonoids. <i>International Journal of Food and Nutritional Science</i> , 2016 , 2, 1-6	0	4
38	Antioxidant activities and inhibitory effects of free and bound polyphenols from date (<i>Phoenix dactylifera</i> L.) seeds on starch digestive enzymes. <i>International Journal of Food Studies</i> , 2016 , 5, 212-223	0.8	4
37	Enhanced Bioaccessibility of Curcuminoids in Buttermilk Yogurt in Comparison to Curcuminoids in Aqueous Dispersions. <i>Journal of Food Science</i> , 2016 , 81, H769-76	3.4	16
36	Screening Flavonoids for Inhibition of Acetylcholinesterase Identified Baicalein as the Most Potent Inhibitor. <i>Journal of Agricultural Science</i> , 2015 , 7,	1	19
35	The Emerging Australian Date Palm Industry: Date Fruit Nutritional and Bioactive Compounds and Valuable Processing By-Products. <i>Comprehensive Reviews in Food Science and Food Safety</i> , 2015 , 14, 813-823	16.4	28
34	Bioaccessibility of curcuminoids in buttermilk in simulated gastrointestinal digestion models. <i>Food Chemistry</i> , 2015 , 179, 52-9	8.5	21
33	Iron sequestration is not the main mechanism in the inhibition of <i>Staphylococcus aureus</i> growth by cranberry phytochemicals. <i>Integrative Food, Nutrition and Metabolism</i> , 2015 , 2,	1.9	5
32	Selenium-enriched <i>Agaricus bisporus</i> mushroom regulates colonic selenoprotein expression in rats differently under thermoneutral and hyperthermal stress conditions. <i>International Journal of Food and Nutritional Science</i> , 2015 , 2, 1-10	0	
31	Interactions of buttermilk with curcuminoids. <i>Food Chemistry</i> , 2014 , 149, 47-53	8.5	25
30	Selenium-enriched <i>Agaricus bisporus</i> mushroom protects against increase in gut permeability ex vivo and up-regulates glutathione peroxidase 1 and 2 in hyperthermally-induced oxidative stress in rats. <i>Nutrients</i> , 2014 , 6, 2478-92	6.7	20
29	Selenium-enriched <i>Agaricus bisporus</i> increases expression and activity of glutathione peroxidase-1 and expression of glutathione peroxidase-2 in rat colon. <i>Food Chemistry</i> , 2014 , 146, 327-33	8.5	39
28	Screening culinary herbs for antioxidant and β -glucosidase inhibitory activities. <i>International Journal of Food Science and Technology</i> , 2013 , 48, 1884-1891	3.8	30
27	Chemical characterisation and speciation of organic selenium in cultivated selenium-enriched <i>Agaricus bisporus</i> . <i>Food Chemistry</i> , 2013 , 141, 3681-7	8.5	66
26	Evaluation of β -glucosidase inhibition potential of some flavonoids from <i>Epimedium brevicornum</i> . <i>LWT - Food Science and Technology</i> , 2013 , 53, 492-498	5.4	81

25	Antioxidant capacity and mineral contents of edible wild Australian mushrooms. <i>Food Science and Technology International</i> , 2012 , 18, 367-79	2.6	28
24	The antimicrobial effects of cranberry against <i>Staphylococcus aureus</i> . <i>Food Science and Technology International</i> , 2012 , 18, 179-86	2.6	13
23	Effective use of reducing agents and nanoparticle encapsulation in stabilizing catechins in alkaline solution. <i>Food Chemistry</i> , 2010 , 122, 662-667	8.5	147
22	Genistein- and daidzein 7-O-beta-D-glucuronic acid retain the ability to inhibit copper-mediated lipid oxidation of low density lipoprotein. <i>Molecular Nutrition and Food Research</i> , 2008 , 52, 1457-66	5.9	15
21	Identification and quantification of antioxidants in <i>Fructus lycii</i> . <i>Food Chemistry</i> , 2007 , 105, 353-363	8.5	143
20	ADAM22, expressed in normal brain but not in high-grade gliomas, inhibits cellular proliferation via the disintegrin domain. <i>Neurosurgery</i> , 2006 , 58, 179-86; discussion 179-86	3.2	33
19	Antioxidant activity of hot water extract from the fruit of the Doum palm, <i>Hyphaene thebaica</i> . <i>Food Chemistry</i> , 2006 , 98, 317-328	8.5	180
18	Mucin-Like Proteophosphoglycans from the Protozoan Parasite <i>Leishmania</i> .. <i>Trends in Glycoscience and Glycotechnology</i> , 1999 , 11, 53-71	0.1	14
17	Sulfate activation and transport in mammals: system components and mechanisms. <i>Chemico-Biological Interactions</i> , 1998 , 109, 143-51	5	33
16	The antimalarial drug, chloroquine, interacts with lactate dehydrogenase from <i>Plasmodium falciparum</i> . <i>Molecular and Biochemical Parasitology</i> , 1997 , 88, 215-24	1.9	48
15	Characterization of lipophosphoglycan from a ricin-resistant mutant of <i>Leishmania major</i> . <i>Glycobiology</i> , 1996 , 6, 387-97	5.8	10
14	Biosynthesis of lipophosphoglycan from <i>Leishmania major</i> : solubilization and characterization of a (beta 1-3)-galactosyltransferase. <i>Biochemical Journal</i> , 1996 , 317 (Pt 1), 247-55	3.8	20
13	Specificity of binding of beta-glucoside activators of ryegrass (1-->3)-beta-glucan synthase and the synthesis of some potential photoaffinity activators. <i>Plant Physiology</i> , 1996 , 111, 1227-31	6.6	14
12	Chondroitin sulfate A is a cell surface receptor for <i>Plasmodium falciparum</i> -infected erythrocytes. <i>Journal of Experimental Medicine</i> , 1995 , 182, 15-20	16.6	296
11	Biosynthesis of lipophosphoglycan from <i>Leishmania major</i> : characterization of (beta 1-3)-galactosyltransferase(s). <i>Glycobiology</i> , 1994 , 4, 845-53	5.8	20
10	Photoaffinity labelling of <i>Plasmodium falciparum</i> proteins involved in phospholipid transport. <i>Molecular and Biochemical Parasitology</i> , 1994 , 67, 235-43	1.9	12
9	Rat chondrosarcoma ATP sulfurylase and adenosine 5Vphosphosulfate kinase reside on a single bifunctional protein. <i>Biochemistry</i> , 1994 , 33, 5920-5	3.2	60
8	Kinetic mechanism of ATP-sulphurylase from rat chondrosarcoma. <i>Biochemical Journal</i> , 1994 , 301 (Pt 2), 349-54	3.8	18

7	Kinetic mechanism of adenosine 5-phosphosulphate kinase from rat chondrosarcoma. <i>Biochemical Journal</i> , 1994 , 301 (Pt 2), 355-9	3.8	20
6	Characterization of the 1,3-beta-glucan synthase of <i>Aspergillus fumigatus</i> . <i>Journal of General Microbiology</i> , 1993 , 139, 3071-8		51
5	Dibasic amines as competitive ions improve the resolution between polyanionic nucleotides. <i>Analytical Biochemistry</i> , 1991 , 196, 229-33	3.1	1
4	Synthesis and utilization of a nonhydrolyzable phosphoadenosine phosphosulfate analog. <i>Analytical Biochemistry</i> , 1991 , 198, 60-7	3.1	7
3	Synthesis and properties of a nonhydrolyzable adenosine phosphosulfate analog. <i>Analytical Biochemistry</i> , 1989 , 177, 67-71	3.1	14
2	The relation of RNA synthesis to chondroitin sulphate biosynthesis in cultured bovine cartilage. <i>Biochemical Journal</i> , 1986 , 235, 499-505	3.8	7
1	The relation of protein synthesis to chondroitin sulphate biosynthesis in cultured bovine cartilage. <i>Biochemical Journal</i> , 1984 , 224, 977-88	3.8	21