

# Carolynne J Vaizey

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3278015/publications.pdf>

Version: 2024-02-01

81  
papers

4,451  
citations

159585

30  
h-index

102487

66  
g-index

81  
all docs

81  
docs citations

81  
times ranked

2853  
citing authors

#	ARTICLE	IF	CITATIONS
1	Prospective comparison of faecal incontinence grading systems. <i>Gut</i> , 1999, 44, 77-80.	12.1	1,157
2	Effects of short term sacral nerve stimulation on anal and rectal function in patients with anal incontinence. <i>Gut</i> , 1999, 44, 407-412.	12.1	237
3	Sacral nerve stimulation for intractable constipation. <i>Gut</i> , 2010, 59, 333-340.	12.1	229
4	ECCO-ESCP Consensus on Surgery for Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 1-16.	1.3	191
5	The international anorectal physiology working group (IAPWG) recommendations: Standardized testing protocol and the London classification for disorders of anorectal function. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13679.	3.0	184
6	Permanent Sacral Nerve Stimulation for Fecal Incontinence. <i>Annals of Surgery</i> , 2000, 232, 143-148.	4.2	178
7	Double-blind placebo-controlled crossover study of sacral nerve stimulation for idiopathic constipation. <i>British Journal of Surgery</i> , 2002, 89, 1570-1571.	0.3	115
8	Sacral nerve stimulation for faecal incontinence due to systemic sclerosis. <i>Gut</i> , 2002, 51, 881-883.	12.1	114
9	Solitary rectal ulcer syndrome. <i>British Journal of Surgery</i> , 2003, 85, 1617-1623.	0.3	107
10	Relationship between disease severity and quality of life and assessment of health care utilization and cost for ulcerative colitis in Australia: A cross-sectional, observational study. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 598-606.	1.3	95
11	Randomized controlled trial of percutaneous versus transcutaneous posterior tibial nerve stimulation in faecal incontinence. <i>British Journal of Surgery</i> , 2013, 100, 330-338.	0.3	94
12	Sacral nerve stimulation for constipation. <i>British Journal of Surgery</i> , 2012, 100, 174-181.	0.3	91
13	Sacral Nerve Stimulation for Fecal Incontinence Related to Obstetric Anal Sphincter Damage. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 531-537.	1.3	90
14	Long-Term Results of Repeat Anterior Anal Sphincter Repair. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 858-863.	1.3	86
15	Does the St. Mark's Incontinence Score Reflect Patients' Perceptions? A Review of 390 Patients. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 436-442.	1.3	84
16	Randomized clinical trial of sacral versus percutaneous tibial nerve stimulation in patients with faecal incontinence. <i>British Journal of Surgery</i> , 2015, 102, 349-358.	0.3	77
17	Sacral nerve stimulation for faecal incontinence: results from a single centre over a 10-year period. <i>Colorectal Disease</i> , 2011, 13, 1030-1034.	1.4	74
18	Prospective evaluation of the treatment of solitary rectal ulcer syndrome with biofeedback. <i>Gut</i> , 1997, 41, 817-820.	12.1	72

#	ARTICLE	IF	CITATIONS
19	Economic evaluation of sacral nerve stimulation for faecal incontinence. <i>British Journal of Surgery</i> , 2008, 95, 1155-1163.	0.3	70
20	Long-Term Outcomes of Sacral Nerve Stimulation for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 302-306.	1.3	69
21	Mortality after acute primary mesenteric infarction: a systematic review and meta-analysis of observational studies. <i>Colorectal Disease</i> , 2015, 17, 566-577.	1.4	59
22	A review of posterior tibial nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 519-526.	1.4	51
23	Complex abdominal wall reconstruction in the setting of active infection and contamination: a systematic review of hernia and fistula recurrence rates. <i>Colorectal Disease</i> , 2017, 19, 319-330.	1.4	51
24	Improving the efficacy of sacral nerve stimulation for faecal incontinence by alteration of stimulation parameters. <i>British Journal of Surgery</i> , 2009, 96, 778-784.	0.3	47
25	European Society of Coloproctology consensus on the surgical management of intestinal failure in adults. <i>Colorectal Disease</i> , 2016, 18, 535-548.	1.4	44
26	Late gastrointestinal toxicity after radiotherapy for anal cancer: a systematic literature review. <i>Acta Oncologica</i> , 2018, 57, 1427-1437.	1.8	44
27	Clinical, physiological, and radiological study of a new purpose-designed artificial bowel sphincter. <i>Lancet</i> , The, 1998, 352, 105-109.	13.7	40
28	Bilateral transcutaneous tibial nerve stimulation for chronic constipation. <i>Colorectal Disease</i> , 2016, 18, 173-178.	1.4	39
29	Sacral nerve stimulation for faecal incontinence: patient selection, service provision and operative technique. <i>Colorectal Disease</i> , 2011, 13, e187-e195.	1.4	38
30	Major Complex Abdominal Wall Repair in Contaminated Fields with Use of a Non-cross-linked Biologic Mesh: A Dual-Institutional Experience. <i>World Journal of Surgery</i> , 2017, 41, 1993-1999.	1.6	34
31	Long-term outcome of sacral neuromodulation for chronic refractory constipation. <i>Techniques in Coloproctology</i> , 2017, 21, 277-286.	1.8	33
32	Assessment and management of patients with intestinal failure: a multidisciplinary approach. <i>Clinical and Experimental Gastroenterology</i> , 2018, Volume 11, 233-241.	2.3	32
33	Seven-year experience of enterocutaneous fistula with univariate and multivariate analysis of factors associated with healing: development of a validated scoring system. <i>Colorectal Disease</i> , 2013, 15, 1162-1170.	1.4	31
34	Guideline for the diagnosis and treatment of Faecal Incontinence – A UEG/ESCP/ESNM/ESPCG collaboration. <i>United European Gastroenterology Journal</i> , 2022, 10, 251-286.	3.8	30
35	A pilot study to compare daily with twice weekly transcutaneous posterior tibial nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 1504-1509.	1.4	27
36	A review of sacral nerve stimulation for faecal incontinence following rectal surgery and radiotherapy. <i>Colorectal Disease</i> , 2015, 17, 939-942.	1.4	27

#	ARTICLE	IF	CITATIONS
37	Bilateral Transcutaneous Posterior Tibial Nerve Stimulation for the Treatment of Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1075-1079.	1.3	25
38	Management of Intestinal Failure: The High-Output Enterostomy and Enterocutaneous Fistula. <i>Clinics in Colon and Rectal Surgery</i> , 2017, 30, 215-222.	1.1	24
39	Faecal incontinence: standardizing outcome measures. <i>Colorectal Disease</i> , 2014, 16, 156-158.	1.4	21
40	Sacral nerve stimulation: an effective treatment for chronic functional anal pain?. <i>Colorectal Disease</i> , 2013, 15, 1140-1144.	1.4	20
41	Sacral nerve stimulation for faecal incontinence secondary to congenital imperforate anus. <i>Techniques in Coloproctology</i> , 2013, 17, 227-229.	1.8	18
42	Combined Laparoscopic and Perineal Approach to Omental Interposition Repair of Complex Rectovaginal Fistula. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 140-143.	1.3	18
43	The Renew <sup>®</sup> anal insert for passive faecal incontinence: a retrospective audit of our use of a novel device. <i>Colorectal Disease</i> , 2019, 21, 684-688.	1.4	17
44	Disease status, patient quality of life and healthcare resource use for ulcerative colitis in the UK: an observational study. <i>Frontline Gastroenterology</i> , 2014, 5, 183-189.	1.8	16
45	Initial experience with SphinKeeper <sup>®</sup> , a intersphincteric implants for faecal incontinence in the UK: a two-centre retrospective clinical audit. <i>Colorectal Disease</i> , 2020, 22, 2161-2169.	1.4	16
46	A new minimally invasive technique for pudendal nerve stimulation <sup>1</sup> . <i>Colorectal Disease</i> , 2012, 14, 98-103.	1.4	15
47	A double-blind randomized multicentre study to investigate the effect of changes in stimulation parameters on sacral nerve stimulation for constipation. <i>Colorectal Disease</i> , 2015, 17, 990-995.	1.4	15
48	The CONFIDeNT trial. <i>Lancet</i> , The, 2016, 387, 644.	13.7	14
49	Chronic cholestasis in patients on parenteral nutrition: the influence of restoring bowel continuity after mesenteric infarction. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 189-193.	2.9	14
50	Tools for fecal incontinence assessment: lessons for inflammatory bowel disease trials based on a systematic review. <i>United European Gastroenterology Journal</i> , 2020, 8, 886-922.	3.8	14
51	The development of a cryptoglandular Anal Fistula Core Outcome Set (AFCOS): an international Delphi study protocol. <i>United European Gastroenterology Journal</i> , 2020, 8, 220-226.	3.8	14
52	Acceptability, effectiveness and safety of a Renew <sup>®</sup> anal insert in patients who have undergone restorative proctocolectomy with ileal pouch-anal anastomosis. <i>Colorectal Disease</i> , 2019, 21, 73-78.	1.4	13
53	European Society of Coloproctology guidance on the use of mesh in the pelvis in colorectal surgery. <i>Colorectal Disease</i> , 2021, 23, 2228-2285.	1.4	13
54	Home parenteral nutrition and employment in patients with intestinal failure: Factors associated with return to employment. <i>Clinical Nutrition</i> , 2019, 38, 1211-1214.	5.0	12

#	ARTICLE	IF	CITATIONS
55	Pudendal Nerve Stimulation for Bowel Dysfunction in Complete Cauda Equina Syndrome. <i>Annals of Surgery</i> , 2014, 259, 502-507.	4.2	11
56	Patient-Reported Outcome After Ostomy Surgery for Chronic Constipation. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2018, 45, 319-325.	1.0	11
57	The role of the defaecating pouchogram in the assessment of evacuation difficulty after restorative proctocolectomy and pouchâ€‘anal anastomosis. <i>Colorectal Disease</i> , 2016, 18, O292-300.	1.4	10
58	Factors Associated With Efficacy of Nurse-led Bowel Training of Patients With Chronic Constipation. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1785-1792.	4.4	9
59	Longâ€‘term outcome of sacral nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2020, 22, 2191-2198.	1.4	8
60	The COVIDâ€‘19 pandemic: considerations for resuming normal colorectal services. <i>Colorectal Disease</i> , 2020, 22, 1006-1014.	1.4	8
61	Evaluation of the Ventral Hernia Working Group classification for long-term outcome using English Hospital Episode Statistics: a population study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2021, 25, 977-984.	2.0	8
62	A pilot study of transcutaneous sacral nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 1406-1409.	1.4	7
63	Current practice of continence advisors in managing faecal incontinence in the United Kingdom: results of an online survey. <i>Colorectal Disease</i> , 2017, 19, O339-O344.	1.4	6
64	Changing paradigm of sacral neuromodulation and external anal sphincter repair for faecal incontinence in specialist centres. <i>Colorectal Disease</i> , 2021, 23, 710-715.	1.4	5
65	Which operation is most effective for complete rectal prolapse?. <i>BMJ: British Medical Journal</i> , 2019, 366, 14723.	2.3	4
66	Mapping the current flow in sacral nerve stimulation using computational modelling. <i>Healthcare Technology Letters</i> , 2019, 6, 8-12.	3.3	4
67	A pilot study of chronic pudendal nerve stimulation for faecal incontinence for those who have failed sacral nerve stimulation. <i>Techniques in Coloproctology</i> , 2014, 18, 731-737.	1.8	3
68	Faecal incontinence in inflammatory bowel disease: The Nancy experience. <i>Digestive and Liver Disease</i> , 2022, 54, 1195-1201.	0.9	3
69	Sacral transcutaneous stimulation for faecal incontinence may have a different mechanism of action to sacral nerve stimulation. <i>Colorectal Disease</i> , 2014, 16, 68-69.	1.4	2
70	Distal feedingâ€‘bowel stimulation to treat short-term or long-term pathology: a systematic review. <i>Frontline Gastroenterology</i> , 2021, 12, 677-682.	1.8	2
71	Diversion colitis: Aetiology, diagnosis and treatment. A systematic review. <i>GastroHep</i> , 2020, 2, 266-271.	0.6	2
72	Randomized Pilot Study: Anal Inserts Versus Percutaneous Tibial Nerve Stimulation in Patients With Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 466-474.	1.3	2

#	ARTICLE	IF	CITATIONS
73	Pudendal nerve stimulation for faecal incontinence in patients who have failed sacral nerve stimulation. Gut, 2011, 60, A156-A156.	12.1	1
74	Pudendal nerve stimulation for bowel dysfunction in complete cauda equina patients. Gut, 2011, 60, A155-A156.	12.1	1
75	Incisional hernia and enterocutaneous fistula in patients with chronic intestinal failure: prevalence and risk factors in a cohort of patients referred to a tertiary centre. Colorectal Disease, 2019, 21, 1288-1295.	1.4	1
76	The development of a faecal incontinence core outcome set: an international Delphi study protocol. International Journal of Colorectal Disease, 2021, 36, 617-622.	2.2	1
77	A European snapshot of psychosocial characteristics and patients' perspectives of faecal incontinence, do they correlate with current scoring systems?. International Journal of Colorectal Disease, 2021, 36, 1175-1180.	2.2	1
78	Standardised documentation and synoptic reporting of complex intestinal anatomy in enteric fistulation and intestinal failure. Colorectal Disease, 2021, , .	1.4	1
79	RESULTS OF SURGERY FOR INTESTINAL FAILURE. ANZ Journal of Surgery, 2009, 79, A26-A27.	0.7	0
80	Advances in the Surgical Treatment of Faecal Incontinence. Current Surgery Reports, 2013, 1, 182-187.	0.9	0
81	Posterior Tibial Nerve Stimulation for Faecal Incontinence. , 2021, , 511-516.		0