

Carolynne J Vaizey

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3278015/publications.pdf>

Version: 2024-02-01

81
papers

4,451
citations

159585

30
h-index

102487

66
g-index

81
all docs

81
docs citations

81
times ranked

2853
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Faecal incontinence in inflammatory bowel disease: The Nancy experience. <i>Digestive and Liver Disease</i> , 2022, 54, 1195-1201. | 0.9 | 3 |
| 2 | Guideline for the diagnosis and treatment of Faecal Incontinenceâ€”A UEG/ESCP/ESNM/ESPCG collaboration. <i>United European Gastroenterology Journal</i> , 2022, 10, 251-286. | 3.8 | 30 |
| 3 | Distal feedingâ€”bowel stimulation to treat short-term or long-term pathology: a systematic review. <i>Frontline Gastroenterology</i> , 2021, 12, 677-682. | 1.8 | 2 |
| 4 | Changing paradigm of sacral neuromodulation and external anal sphincter repair for faecal incontinence in specialist centres. <i>Colorectal Disease</i> , 2021, 23, 710-715. | 1.4 | 5 |
| 5 | The development of a faecal incontinence core outcome set: an international Delphi study protocol. <i>International Journal of Colorectal Disease</i> , 2021, 36, 617-622. | 2.2 | 1 |
| 6 | Evaluation of the Ventral Hernia Working Group classification for long-term outcome using English Hospital Episode Statistics: a population study. <i>Hernia: the Journal of Hernias and Abdominal Wall Surgery</i> , 2021, 25, 977-984. | 2.0 | 8 |
| 7 | European Society of Coloproctology guidance on the use of mesh in the pelvis in colorectal surgery. <i>Colorectal Disease</i> , 2021, 23, 2228-2285. | 1.4 | 13 |
| 8 | A European snapshot of psychosocial characteristics and patientsâ€™ perspectives of faecal incontinenceâ€”do they correlate with current scoring systems?. <i>International Journal of Colorectal Disease</i> , 2021, 36, 1175-1180. | 2.2 | 1 |
| 9 | Posterior Tibial Nerve Stimulation for Faecal Incontinence. , 2021, , 511-516. | | 0 |
| 10 | Randomized Pilot Study: Anal Inserts Versus Percutaneous Tibial Nerve Stimulation in Patients With Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2021, 64, 466-474. | 1.3 | 2 |
| 11 | Standardised documentation and synoptic reporting of complex intestinal anatomy in enteric fistulation and intestinal failure. <i>Colorectal Disease</i> , 2021, , . | 1.4 | 1 |
| 12 | The international anorectal physiology working group (IAPWG) recommendations: Standardized testing protocol and the London classification for disorders of anorectal function. <i>Neurogastroenterology and Motility</i> , 2020, 32, e13679. | 3.0 | 184 |
| 13 | Long-term outcome of sacral nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2020, 22, 2191-2198. | 1.4 | 8 |
| 14 | Initial experience with SphinKeeperâ„¢ intersphincteric implants for faecal incontinence in the UK: a two-centre retrospective clinical audit. <i>Colorectal Disease</i> , 2020, 22, 2161-2169. | 1.4 | 16 |
| 15 | Tools for fecal incontinence assessment: lessons for inflammatory bowel disease trials based on a systematic review. <i>United European Gastroenterology Journal</i> , 2020, 8, 886-922. | 3.8 | 14 |
| 16 | The COVID-19 pandemic: considerations for resuming normal colorectal services. <i>Colorectal Disease</i> , 2020, 22, 1006-1014. | 1.4 | 8 |
| 17 | Diversion colitis: Aetiology, diagnosis and treatment. A systematic review. <i>GastroHep</i> , 2020, 2, 266-271. | 0.6 | 2 |
| 18 | The development of a cryptoglandular Anal Fistula Core Outcome Set (AFCOS): an international Delphi study protocol. <i>United European Gastroenterology Journal</i> , 2020, 8, 220-226. | 3.8 | 14 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Which operation is most effective for complete rectal prolapse?. <i>BMJ: British Medical Journal</i> , 2019, 366, 14723. | 2.3 | 4 |
| 20 | Incisional hernia and enterocutaneous fistula in patients with chronic intestinal failure: prevalence and risk factors in a cohort of patients referred to a tertiary centre. <i>Colorectal Disease</i> , 2019, 21, 1288-1295. | 1.4 | 1 |
| 21 | The Renew [®] anal insert for passive faecal incontinence: a retrospective audit of our use of a novel device. <i>Colorectal Disease</i> , 2019, 21, 684-688. | 1.4 | 17 |
| 22 | Mapping the current flow in sacral nerve stimulation using computational modelling. <i>Healthcare Technology Letters</i> , 2019, 6, 8-12. | 3.3 | 4 |
| 23 | Acceptability, effectiveness and safety of a Renew [®] anal insert in patients who have undergone restorative proctocolectomy with ileal pouch-anal anastomosis. <i>Colorectal Disease</i> , 2019, 21, 73-78. | 1.4 | 13 |
| 24 | Home parenteral nutrition and employment in patients with intestinal failure: Factors associated with return to employment. <i>Clinical Nutrition</i> , 2019, 38, 1211-1214. | 5.0 | 12 |
| 25 | ECCO-ESCP Consensus on Surgery for Crohn's Disease. <i>Journal of Crohn's and Colitis</i> , 2018, 12, 1-16. | 1.3 | 191 |
| 26 | Combined Laparoscopic and Perineal Approach to Omental Interposition Repair of Complex Rectovaginal Fistula. <i>Diseases of the Colon and Rectum</i> , 2018, 61, 140-143. | 1.3 | 18 |
| 27 | Patient-Reported Outcome After Ostomy Surgery for Chronic Constipation. <i>Journal of Wound, Ostomy and Continence Nursing</i> , 2018, 45, 319-325. | 1.0 | 11 |
| 28 | Late gastrointestinal toxicity after radiotherapy for anal cancer: a systematic literature review. <i>Acta Oncologica</i> , 2018, 57, 1427-1437. | 1.8 | 44 |
| 29 | Assessment and management of patients with intestinal failure: a multidisciplinary approach. <i>Clinical and Experimental Gastroenterology</i> , 2018, Volume 11, 233-241. | 2.3 | 32 |
| 30 | Complex abdominal wall reconstruction in the setting of active infection and contamination: a systematic review of hernia and fistula recurrence rates. <i>Colorectal Disease</i> , 2017, 19, 319-330. | 1.4 | 51 |
| 31 | Long-term outcome of sacral neuromodulation for chronic refractory constipation. <i>Techniques in Coloproctology</i> , 2017, 21, 277-286. | 1.8 | 33 |
| 32 | Major Complex Abdominal Wall Repair in Contaminated Fields with Use of a Non-crosslinked Biologic Mesh: A Dual-Institutional Experience. <i>World Journal of Surgery</i> , 2017, 41, 1993-1999. | 1.6 | 34 |
| 33 | Current practice of continence advisors in managing faecal incontinence in the United Kingdom: results of an online survey. <i>Colorectal Disease</i> , 2017, 19, O339-O344. | 1.4 | 6 |
| 34 | Management of Intestinal Failure: The High-Output Enterostomy and Enterocutaneous Fistula. <i>Clinics in Colon and Rectal Surgery</i> , 2017, 30, 215-222. | 1.1 | 24 |
| 35 | The role of the defaecating pouchogram in the assessment of evacuation difficulty after restorative proctocolectomy and pouch-anal anastomosis. <i>Colorectal Disease</i> , 2016, 18, O292-300. | 1.4 | 10 |
| 36 | European Society of Coloproctology consensus on the surgical management of intestinal failure in adults. <i>Colorectal Disease</i> , 2016, 18, 535-548. | 1.4 | 44 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 37 | Bilateral transcutaneous tibial nerve stimulation for chronic constipation. <i>Colorectal Disease</i> , 2016, 18, 173-178. | 1.4 | 39 |
| 38 | The CONFIDeNT trial. <i>Lancet</i> , The, 2016, 387, 644. | 13.7 | 14 |
| 39 | Chronic cholestasis in patients on parenteral nutrition: the influence of restoring bowel continuity after mesenteric infarction. <i>European Journal of Clinical Nutrition</i> , 2016, 70, 189-193. | 2.9 | 14 |
| 40 | Mortality after acute primary mesenteric infarction: a systematic review and meta-analysis of observational studies. <i>Colorectal Disease</i> , 2015, 17, 566-577. | 1.4 | 59 |
| 41 | A double-blind randomized multicentre study to investigate the effect of changes in stimulation parameters on sacral nerve stimulation for constipation. <i>Colorectal Disease</i> , 2015, 17, 990-995. | 1.4 | 15 |
| 42 | A review of sacral nerve stimulation for faecal incontinence following rectal surgery and radiotherapy. <i>Colorectal Disease</i> , 2015, 17, 939-942. | 1.4 | 27 |
| 43 | Randomized clinical trial of sacral versus percutaneous tibial nerve stimulation in patients with faecal incontinence. <i>British Journal of Surgery</i> , 2015, 102, 349-358. | 0.3 | 77 |
| 44 | Factors Associated With Efficacy of Nurse-led Bowel Training of Patients With Chronic Constipation. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 1785-1792. | 4.4 | 9 |
| 45 | Disease status, patient quality of life and healthcare resource use for ulcerative colitis in the UK: an observational study. <i>Frontline Gastroenterology</i> , 2014, 5, 183-189. | 1.8 | 16 |
| 46 | Pudendal Nerve Stimulation for Bowel Dysfunction in Complete Cauda Equina Syndrome. <i>Annals of Surgery</i> , 2014, 259, 502-507. | 4.2 | 11 |
| 47 | Sacral transcutaneous stimulation for faecal incontinence may have a different mechanism of action to sacral nerve stimulation. <i>Colorectal Disease</i> , 2014, 16, 68-69. | 1.4 | 2 |
| 48 | Faecal incontinence: standardizing outcome measures. <i>Colorectal Disease</i> , 2014, 16, 156-158. | 1.4 | 21 |
| 49 | Relationship between disease severity and quality of life and assessment of health care utilization and cost for ulcerative colitis in Australia: A cross-sectional, observational study. <i>Journal of Crohn's and Colitis</i> , 2014, 8, 598-606. | 1.3 | 95 |
| 50 | A pilot study of chronic pudendal nerve stimulation for faecal incontinence for those who have failed sacral nerve stimulation. <i>Techniques in Coloproctology</i> , 2014, 18, 731-737. | 1.8 | 3 |
| 51 | Advances in the Surgical Treatment of Faecal Incontinence. <i>Current Surgery Reports</i> , 2013, 1, 182-187. | 0.9 | 0 |
| 52 | Randomized controlled trial of percutaneous versus transcutaneous posterior tibial nerve stimulation in faecal incontinence. <i>British Journal of Surgery</i> , 2013, 100, 330-338. | 0.3 | 94 |
| 53 | Sacral nerve stimulation for faecal incontinence secondary to congenital imperforate anus. <i>Techniques in Coloproctology</i> , 2013, 17, 227-229. | 1.8 | 18 |
| 54 | Bilateral Transcutaneous Posterior Tibial Nerve Stimulation for the Treatment of Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2013, 56, 1075-1079. | 1.3 | 25 |

| # | ARTICLE | IF | CITATIONS |
|----|--|------|-----------|
| 55 | A pilot study to compare daily with twice weekly transcutaneous posterior tibial nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 1504-1509. | 1.4 | 27 |
| 56 | Sacral nerve stimulation: an effective treatment for chronic functional anal pain?. <i>Colorectal Disease</i> , 2013, 15, 1140-1144. | 1.4 | 20 |
| 57 | A pilot study of transcutaneous sacral nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 1406-1409. | 1.4 | 7 |
| 58 | A review of posterior tibial nerve stimulation for faecal incontinence. <i>Colorectal Disease</i> , 2013, 15, 519-526. | 1.4 | 51 |
| 59 | Seven-year experience of enterocutaneous fistula with univariate and multivariate analysis of factors associated with healing: development of a validated scoring system. <i>Colorectal Disease</i> , 2013, 15, 1162-1170. | 1.4 | 31 |
| 60 | Long-Term Outcomes of Sacral Nerve Stimulation for Fecal Incontinence. <i>Diseases of the Colon and Rectum</i> , 2012, 55, 302-306. | 1.3 | 69 |
| 61 | Sacral nerve stimulation for constipation. <i>British Journal of Surgery</i> , 2012, 100, 174-181. | 0.3 | 91 |
| 62 | A new minimally invasive technique for pudendal nerve stimulation¹. <i>Colorectal Disease</i> , 2012, 14, 98-103. | 1.4 | 15 |
| 63 | Pudendal nerve stimulation for faecal incontinence in patients who have failed sacral nerve stimulation. <i>Gut</i> , 2011, 60, A156-A156. | 12.1 | 1 |
| 64 | Pudendal nerve stimulation for bowel dysfunction in complete cauda equina patients. <i>Gut</i> , 2011, 60, A155-A156. | 12.1 | 1 |
| 65 | Sacral nerve stimulation for faecal incontinence: results from a single centre over a 10-year period. <i>Colorectal Disease</i> , 2011, 13, 1030-1034. | 1.4 | 74 |
| 66 | Sacral nerve stimulation for faecal incontinence: patient selection, service provision and operative technique. <i>Colorectal Disease</i> , 2011, 13, e187-e195. | 1.4 | 38 |
| 67 | Sacral nerve stimulation for intractable constipation. <i>Gut</i> , 2010, 59, 333-340. | 12.1 | 229 |
| 68 | Improving the efficacy of sacral nerve stimulation for faecal incontinence by alteration of stimulation parameters. <i>British Journal of Surgery</i> , 2009, 96, 778-784. | 0.3 | 47 |
| 69 | GS09-RESULTS OF SURGERY FOR INTESTINAL FAILURE. <i>ANZ Journal of Surgery</i> , 2009, 79, A26-A27. | 0.7 | 0 |
| 70 | Does the St. Mark's Incontinence Score Reflect Patients' Perceptions? A Review of 390 Patients. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 436-442. | 1.3 | 84 |
| 71 | Sacral Nerve Stimulation for Fecal Incontinence Related to Obstetric Anal Sphincter Damage. <i>Diseases of the Colon and Rectum</i> , 2008, 51, 531-537. | 1.3 | 90 |
| 72 | Economic evaluation of sacral nerve stimulation for faecal incontinence. <i>British Journal of Surgery</i> , 2008, 95, 1155-1163. | 0.3 | 70 |

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 73 | Long-Term Results of Repeat Anterior Anal Sphincter Repair. <i>Diseases of the Colon and Rectum</i> , 2004, 47, 858-863. | 1.3 | 86 |
| 74 | Solitary rectal ulcer syndrome. <i>British Journal of Surgery</i> , 2003, 85, 1617-1623. | 0.3 | 107 |
| 75 | Sacral nerve stimulation for faecal incontinence due to systemic sclerosis. <i>Gut</i> , 2002, 51, 881-883. | 12.1 | 114 |
| 76 | Double-blind placebo-controlled crossover study of sacral nerve stimulation for idiopathic constipation. <i>British Journal of Surgery</i> , 2002, 89, 1570-1571. | 0.3 | 115 |
| 77 | Permanent Sacral Nerve Stimulation for Fecal Incontinence. <i>Annals of Surgery</i> , 2000, 232, 143-148. | 4.2 | 178 |
| 78 | Prospective comparison of faecal incontinence grading systems. <i>Gut</i> , 1999, 44, 77-80. | 12.1 | 1,157 |
| 79 | Effects of short term sacral nerve stimulation on anal and rectal function in patients with anal incontinence. <i>Gut</i> , 1999, 44, 407-412. | 12.1 | 237 |
| 80 | Cinical, physiological, and radiological study of a new purpose-designed artificial bowel sphincter. <i>Lancet, The</i> , 1998, 352, 105-109. | 13.7 | 40 |
| 81 | Prospective evaluation of the treatment of solitary rectal ulcer syndrome with biofeedback. <i>Gut</i> , 1997, 41, 817-820. | 12.1 | 72 |