

Boliang Guo

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3278779/publications.pdf>

Version: 2024-02-01

79
papers

2,173
citations

236833

25
h-index

254106

43
g-index

87
all docs

87
docs citations

87
times ranked

3860
citing authors

#	ARTICLE	IF	CITATIONS
1	Achieving Quality and Effectiveness in Dementia Using Crisis Teams (AQUEDUCT): a study protocol for a randomised controlled trial of a Resource Kit. <i>Trials</i> , 2022, 23, 54.	0.7	1
2	A randomised controlled trial investigating the clinical and cost-effectiveness of Alpha-Stim AID cranial electrotherapy stimulation (CES) in patients seeking treatment for moderate severity depression in primary care (Alpha-Stim-D Trial). <i>Trials</i> , 2022, 23, 250.	0.7	3
3	The Effectiveness and Cost-effectiveness of Well Parent Japan for Japanese Mothers of Children With ADHD: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2022, 11, e32693.	0.5	1
4	How do patients spend their time in stroke rehabilitation units in England? The REVIHR study. <i>Disability and Rehabilitation</i> , 2021, 43, 1-8.	0.9	4
5	Long-term effect of gender-affirming hormone treatment on depression and anxiety symptoms in transgender people: A prospective cohort study. <i>Andrology</i> , 2021, 9, 1808-1816.	1.9	32
6	Psychometric Properties of the Five Facets Mindfulness Questionnaire in Moderate-to-Severe, Persistent Depression. <i>Mindfulness</i> , 2021, 12, 1009-1021.	1.6	4
7	Optimising medication management in children and young people with ADHD using a computerised test (QbTest): a feasibility randomised controlled trial. <i>Pilot and Feasibility Studies</i> , 2021, 7, 68.	0.5	6
8	A Direct-to-Public Peer Support Program (Big White Wall) Versus Web-Based Information to Aid the Self-management of Depression and Anxiety: Results and Challenges of an Automated Randomized Controlled Trial. <i>Journal of Medical Internet Research</i> , 2021, 23, e23487.	2.1	10
9	The factor structure of the Zanarini Rating Scale for Borderline Personality Disorder: Exploratory Structural Equation Modelling and measurement invariance over time. <i>International Journal of Methods in Psychiatric Research</i> , 2021, 30, e1874.	1.1	3
10	The clinical effectiveness of using a predictive algorithm to guide antidepressant treatment in primary care (PREdicT): an open-label, randomised controlled trial. <i>Neuropsychopharmacology</i> , 2021, 46, 1307-1314.	2.8	33
11	The Validity of the SNAP-IV in Children Displaying ADHD Symptoms. <i>Assessment</i> , 2020, 27, 1258-1271.	1.9	61
12	The bi-factor structure of the 17-item Hamilton Depression Rating Scale in persistent major depression; dimensional measurement of outcome. <i>PLoS ONE</i> , 2020, 15, e0241370.	1.1	15
13	Title is missing!. , 2020, 15, e0241370.		0
14	Title is missing!. , 2020, 15, e0241370.		0
15	Title is missing!. , 2020, 15, e0241370.		0
16	Title is missing!. , 2020, 15, e0241370.		0
17	Title is missing!. , 2020, 15, e0241370.		0
18	Title is missing!. , 2020, 15, e0241370.		0

#	ARTICLE	IF	CITATIONS
19	Title is missing!. , 2020, 15, e0241370.		0
20	Title is missing!. , 2020, 15, e0241370.		0
21	The effectiveness of exercise-based interventions for preventing or treating postpartum depression: a systematic review and meta-analysis. Archives of Women's Mental Health, 2019, 22, 37-53.	1.2	49
22	Randomised controlled trial of effectiveness of a specialist depression service versus usual specialist mental health care for managing persistent depression: results up to 36 months. Journal of Affective Disorders, 2019, 254, 150.	2.0	0
23	Feasibility of a randomised controlled trial of remotely delivered problem-solving cognitive behaviour therapy versus usual care for young people with depression and repeat self-harm: lessons learnt (e-DASH). BMC Psychiatry, 2019, 19, 42.	1.1	22
24	Clinical and economic outcomes of remotely delivered cognitive behaviour therapy versus treatment as usual for repeat unscheduled care users with severe health anxiety: a multicentre randomised controlled trial. BMC Medicine, 2019, 17, 16.	2.3	45
25	The validity of the Strengths and Difficulties Questionnaire (SDQ) for children with ADHD symptoms. PLoS ONE, 2019, 14, e0218518.	1.1	68
26	SKIP (Supporting Kids with diabetes In Physical activity): Feasibility of a randomised controlled trial of a digital intervention for 9-12 year olds with type 1 diabetes mellitus. BMC Public Health, 2019, 19, 371.	1.2	11
27	The Trendelenburg Position and Cognitive Decline: A Case-Control Interventional Study Involving Healthy Volunteers. JMIR Perioperative Medicine, 2019, 2, e11219.	0.3	3
28	Protocol investigating the clinical utility of an objective measure of attention, impulsivity and activity (QbTest) for optimising medication management in children and young people with ADHD â€” QbTest Utility for Optimising Treatment in ADHDâ€™™ (QUOTA): a feasibility randomised controlled trial. BMJ Open, 2018, 8, e021104.	0.8	3
29	Long-stay in forensic-psychiatric care in the UK. Social Psychiatry and Psychiatric Epidemiology, 2018, 53, 313-321.	1.6	45
30	The impact of a computerised test of attention and activity (QbTest) on diagnostic decisionâ€™making in children and young people with suspected attention deficit hyperactivity disorder: singleâ€™blind randomised controlled trial. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2018, 59, 1298-1308.	3.1	40
31	Can the <sc>SENSIMED</sc> Triggerfish^{Â®} lens data be used as an accurate measure of intraocular pressure?. Acta Ophthalmologica, 2018, 96, e242-e246.	0.6	22
32	Monitoring oral health of people in Early Intervention for Psychosis (EIP) teams: The extended Three Shires randomised trial. International Journal of Nursing Studies, 2018, 77, 106-114.	2.5	11
33	Evaluating the Variation of Intraocular Pressure With Positional Change During Colorectal Laparoscopic Surgery: Observational Study. JMIR Perioperative Medicine, 2018, 1, e11221.	0.3	1
34	Performance of methods for meta-analysis of diagnostic test accuracy with few studies or sparse data. Statistical Methods in Medical Research, 2017, 26, 1896-1911.	0.7	164
35	Factor structure and longitudinal measurement invariance of PHQ-9 for specialist mental health care patients with persistent major depressive disorder: Exploratory Structural Equation Modelling. Journal of Affective Disorders, 2017, 219, 1-8.	2.0	48
36	First and second trimester serum tests with and without first trimester ultrasound tests for Down's syndrome screening. The Cochrane Library, 2017, 2017, CD012599.	1.5	19

#	ARTICLE	IF	CITATIONS
37	First trimester ultrasound tests alone or in combination with first trimester serum tests for Down's syndrome screening. The Cochrane Library, 2017, 2017, CD012600.	1.5	40
38	Assessing Associations Between Changes in Risk and Subsequent Reoffending. Criminal Justice and Behavior, 2017, 44, 59-84.	1.1	11
39	Cost-effectiveness of a preferred intensity exercise programme for young people with depression compared with treatment as usual: an economic evaluation alongside a clinical trial in the UK. BMJ Open, 2017, 7, e016211.	0.8	14
40	Clinical and cost-effectiveness of adapted cognitive behaviour therapy for non-cardiac chest pain: a multicentre, randomised controlled trial. Open Heart, 2017, 4, e000582.	0.9	12
41	Sequential Effects in Essay Ratings: Evidence of Assimilation Effects Using Cross-Classified Models. Frontiers in Psychology, 2017, 8, 933.	1.1	7
42	The effects of using the PReDicT Test to guide the antidepressant treatment of depressed patients: study protocol for a randomised controlled trial. Trials, 2017, 18, 558.	0.7	32
43	Direct to Public Peer Support and e-Therapy Program Versus Information to Aid Self-Management of Depression and Anxiety: Protocol for a Randomized Controlled Trial. JMIR Research Protocols, 2017, 6, e231.	0.5	9
44	Effectiveness and cost-effectiveness of a brief school-based group programme for parents of children at risk of ADHD: a cluster randomised controlled trial. Child: Care, Health and Development, 2016, 42, 521-533.	0.8	12
45	Innovations in Practice: an objective measure of attention, impulsivity and activity reduces time to confirm <scp>attention deficit/hyperactivity disorder</scp> diagnosis in children â€“ a completed audit cycle. Child and Adolescent Mental Health, 2016, 21, 175-178.	1.8	18
46	Feasibility of an online intervention (STAK-D) to promote physical activity in children with type 1 diabetes: protocol for a randomised controlled trial. Trials, 2016, 17, 583.	0.7	8
47	Cognitive behaviour therapy for long-term frequent attenders in primary care: a feasibility case series and treatment development study. British Journal of General Practice, 2016, 66, e729-e736.	0.7	19
48	Efficacy and cost-effectiveness of a specialist depression service versus usual specialist mental health care to manage persistent depression: a randomised controlled trial. Lancet Psychiatry, the, 2016, 3, 821-831.	3.7	27
49	Long-term impact of temporary and persistent personality disorder on anxiety and depressive disorders. Personality and Mental Health, 2016, 10, 76-83.	0.6	25
50	The General Neurotic Syndrome: A Re-Evaluation. Psychotherapy and Psychosomatics, 2016, 85, 193-197.	4.0	28
51	Protocol investigating the clinical outcomes and cost-effectiveness of cognitive-behavioural therapy delivered remotely for unscheduled care users with health anxiety: randomised controlled trial. BJPsych Open, 2016, 2, 81-87.	0.3	6
52	Individual placement and support versus individual placement and support enhanced with work-focused cognitive behaviour therapy: Feasibility study for a randomised controlled trial. British Journal of Occupational Therapy, 2016, 79, 257-269.	0.5	13
53	Preferred intensity exercise for adolescents receiving treatment for depression: a pragmatic randomised controlled trial. BMC Psychiatry, 2015, 15, 247.	1.1	69
54	Cognitive behaviour therapy for non-cardiac pain in the chest (COPIC): a multicentre randomized controlled trial with economic evaluation. BMC Psychology, 2015, 3, 41.	0.9	8

#	ARTICLE	IF	CITATIONS
55	Urine tests for Down's syndrome screening. The Cochrane Library, 2015, , CD011984.	1.5	5
56	First trimester serum tests for Down's syndrome screening. The Cochrane Library, 2015, 2015, CD011975.	1.5	24
57	Clinical characteristics of persistent frequent attenders in primary care: caseâ€“control study. Family Practice, 2015, 32, cmv076.	0.8	42
58	Protocol investigating the clinical utility of an objective measure of activity and attention (QbTest) on diagnostic and treatment decision-making in children and young people with ADHDâ€“â€“<i>A</i>ssessing<i>Q</i>bTest<i>U</i>tility in<i>A</i>DHDâ€“™ (AQUA): a randomised controlled trial. BMJ Open, 2014, 4, e006838.	0.8	20
59	Preliminary studies of the ICD-11 classification of personality disorder in practice. Personality and Mental Health, 2014, 8, 254-263.	0.6	57
60	An oral health intervention for people with serious mental illness (Three Shires Early Intervention) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 5	0.7	13
61	Individual participant data meta-analyses should not ignore clustering. Journal of Clinical Epidemiology, 2013, 66, 865-873.e4.	2.4	85
62	Health Promotion in Older Chinese. Medicine and Science in Sports and Exercise, 2012, 44, 1157-1166.	0.2	43
63	Second trimester serum tests for Down's Syndrome screening. The Cochrane Library, 2012, , CD009925.	1.5	42
64	Negative Affect Mediates Effects of Psychological Stress on Disordered Eating in Young Chinese Women. PLoS ONE, 2012, 7, e46878.	1.1	22
65	Heritability of body mass index in pre-adolescence, young adulthood and late adulthood. European Journal of Epidemiology, 2012, 27, 247-253.	2.5	72
66	Relative effectiveness of clinic and home blood pressure monitoring compared with ambulatory blood pressure monitoring in diagnosis of hypertension: systematic review. BMJ: British Medical Journal, 2011, 342, d3621-d3621.	2.4	297
67	Psychometric Properties of the Processes of Change Scale for Smoking Cessation in UK Adolescents. International Journal of Behavioral Medicine, 2011, 18, 71-78.	0.8	4
68	Evaluating the effectiveness of a schools-based programme to promote exercise self-efficacy in children and young people with risk factors for obesity: Steps to active kids (STAK). BMC Public Health, 2011, 11, 830.	1.2	13
69	Band slippage and erosion after laparoscopic gastric banding: a meta-analysis. Surgical Endoscopy and Other Interventional Techniques, 2010, 24, 2980-2986.	1.3	87
70	The Chinese Intelligence Scale for Young Children. Educational and Psychological Measurement, 2009, 69, 459-474.	1.2	10
71	The Factor Structure and Factorial Invariance for the Decisional Balance Scale for Adolescent Smoking. International Journal of Behavioral Medicine, 2009, 16, 158-163.	0.8	18
72	Do the Transtheoretical Model processes of change, decisional balance and temptation predict stage movement? Evidence from smoking cessation in adolescents. Addiction, 2009, 104, 828-838.	1.7	19

#	ARTICLE	IF	CITATIONS
73	Using Latent Class and Latent Transition Analysis to Examine the Transtheoretical Model Staging Algorithm and Sequential Stage Transition in Adolescent Smoking. Substance Use and Misuse, 2009, 44, 2028-2042.	0.7	23
74	Genetic variation in the serotonin pathway and smoking cessation with nicotine replacement therapy: New data from the Patch in Practice trial and pooled analyses. Drug and Alcohol Dependence, 2008, 98, 77-85.	1.6	27
75	Testing the convergent and discriminant validity of the Decisional Balance Scale of the Transtheoretical Model using the Multi-Trait Multi-Method approach.. Psychology of Addictive Behaviors, 2008, 22, 288-294.	1.4	34
76	Association of COMT Val108/158Met genotype with smoking cessation. Pharmacogenetics and Genomics, 2008, 18, 121-128.	0.7	62
77	Is attributing smoking to genetic causes associated with a reduced probability of quit attempt success? A cohort study. Addiction, 2007, 102, 1657-1664.	1.7	17
78	Peer acceptance and self-perceptions of verbal and behavioural aggression and social withdrawal. International Journal of Behavioral Development, 2005, 29, 48-57.	1.3	55
79	Does laparoscopic colorectal surgery result in short and long term post-operative cognitive decline (POCD)? (Preprint). Interactive Journal of Medical Research, 0, , .	0.6	0