

Michele Brignole

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3279194/publications.pdf>

Version: 2024-02-01

373
papers

36,176
citations

6613

79
h-index

3407

183
g-index

396
all docs

396
docs citations

396
times ranked

18520
citing authors

#	ARTICLE	IF	CITATIONS
1	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>Europace</i> , 2022, 24, 71-164.	1.7	370
2	Theophylline in patients with syncope without prodrome, normal heart, and normal electrocardiogram: a propensity-score matched study verified by implantable cardiac monitor. <i>Europace</i> , 2022, 24, 1164-1170.	1.7	6
3	Hypotensive episodes revealed by ambulatory blood pressure monitoring in nursing home residents. <i>Journal of the American Geriatrics Society</i> , 2022, 70, 902-905.	2.6	2
4	Randomized Pragmatic Trial of Pacemaker Versus Implantable Cardiac Monitor in Syncope and Bifascicular Block. <i>JACC: Clinical Electrophysiology</i> , 2022, 8, 239-248.	3.2	18
5	Adenosine and neurohumoral syncope. <i>Minerva Medica</i> , 2022, 113, .	0.9	5
6	Step-by-step guide to creating the best syncope units: From combined United States and European experiences. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2022, 239, 102950.	2.8	8
7	Early and late-onset syncope: insight into mechanisms. <i>European Heart Journal</i> , 2022, 43, 2116-2123.	2.2	24
8	OUP accepted manuscript. <i>European Heart Journal</i> , 2022, , .	2.2	1
9	Syncope in hypertrophic cardiomyopathy (part I): An updated systematic review and meta-analysis. <i>International Journal of Cardiology</i> , 2022, 357, 88-94.	1.7	17
10	Adenosine, Adenosine Receptors and Neurohumoral Syncope: From Molecular Basis to Personalized Treatment. <i>Biomedicines</i> , 2022, 10, 1127.	3.2	8
11	Cardioinhibitory syncope with asystole during nitroglycerin potentiated head up tilt test: prevalence and clinical predictors. <i>Clinical Autonomic Research</i> , 2022, 32, 167-173.	2.5	7
12	Pacing for vasovagal syncope: Tips for use in practice. <i>Autonomic Neuroscience: Basic and Clinical</i> , 2022, 241, 102998.	2.8	3
13	Hospital admission for syncope evaluation: Can we see the forest for the trees?. <i>Heart Rhythm</i> , 2022, 19, 1723-1724.	0.7	1
14	Association between hypotension during 24h ambulatory blood pressure monitoring and reflex syncope: the SynABPM 1 study. <i>European Heart Journal</i> , 2022, 43, 3765-3776.	2.2	24
15	Cardiac pacing in severe recurrent reflex syncope and tilt-induced asystole. <i>European Heart Journal</i> , 2021, 42, 508-516.	2.2	69
16	New insights in diagnostics and therapies in syncope: a novel approach to non-cardiac syncope. <i>Heart</i> , 2021, 107, 864-873.	2.9	26
17	Age-related tilt test responses in patients with suspected reflex syncope. <i>Europace</i> , 2021, 23, 1100-1105.	1.7	20
18	Tilt testing remains a valuable asset. <i>European Heart Journal</i> , 2021, 42, 1654-1660.	2.2	50

#	ARTICLE	IF	CITATIONS
19	Low-blood pressure phenotype underpins the tendency to reflex syncope. <i>Journal of Hypertension</i> , 2021, 39, 1319-1325.	0.5	34
20	Are convictions more dangerous enemies of truth than lies?. <i>European Heart Journal</i> , 2021, 42, 1711-1712.	2.2	6
21	Recommendations for tilt table testing and other provocative cardiovascular autonomic tests in conditions that may cause transient loss of consciousness. <i>Clinical Autonomic Research</i> , 2021, 31, 369-384.	2.5	48
22	Five cases of complete atrioventricular block induced by bending forward: unusual but not unique. <i>Europace</i> , 2021, 23, 1487-1492.	1.7	1
23	About syncopal recurrences in Biosync trial. <i>European Heart Journal</i> , 2021, 42, 4499-4500.	2.2	1
24	Brugada syndrome and syncope: a practical approach for diagnosis and treatment. <i>Europace</i> , 2021, 23, 996-1002.	1.7	29
25	Adenosine Receptor Reserve and Long-Term Potentiation: Unconventional Adaptive Mechanisms in Cardiovascular Diseases?. <i>International Journal of Molecular Sciences</i> , 2021, 22, 7584.	4.1	5
26	Heart rate distribution in paced and non-paced patients with severe recurrent reflex syncope and tilt-induced asystole: Findings from the BIOSync CLS study. <i>International Journal of Cardiology</i> , 2021, 335, 52-54.	1.7	6
27	Rethinking neurological attitudes towards vasovagal syncope: The European Federation of Autonomic Societies (EFAS) recommendations regarding tilt table testing. <i>European Journal of Neurology</i> , 2021, 28, e69-e70.	3.3	1
28	Recommendations for tilt table testing and other provocative cardiovascular autonomic tests in conditions that may cause transient loss of consciousness : Consensus statement of the European Federation of Autonomic Societies (EFAS) endorsed by the American Autonomic Society (AAS) and the European Academy of Neurology (EAN). <i>Autonomic Neuroscience: Basic and Clinical</i> , 2021, 233, 102792.	2.8	22
29	2021 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2021, 42, 3427-3520.	2.2	899
30	AV junction ablation and cardiac resynchronization for patients with permanent atrial fibrillation and narrow QRS: the APAF-CRT mortality trial. <i>European Heart Journal</i> , 2021, 42, 4731-4739.	2.2	111
31	Establishing the Efficacy of Midodrine to Prevent Vasovagal Syncope. <i>Annals of Internal Medicine</i> , 2021, 174, 1460-1461.	3.9	0
32	Is His bundle optimization superior to conventional cardiac resynchronization therapy in improving heart failure? Results from a propensity-matched study. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2021, 44, 1532-1539.	1.2	15
33	Underlying hemodynamic differences are associated with responses to tilt testing. <i>Scientific Reports</i> , 2021, 11, 17894.	3.3	7
34	Cardiac Pacing in Cardioinhibitory Reflex Syncope: Clinical Use of Closed-loop Stimulation. <i>Arrhythmia and Electrophysiology Review</i> , 2021, 10, 244-249.	2.4	5
35	Brugada syndrome and syncope: A systematic review. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3334-3338.	1.7	23
36	Complementary effectiveness of carotid sinus massage and tilt testing for the diagnosis of reflex syncope in patients older than 40 years: a cohort study. <i>Europace</i> , 2020, 22, 1737-1741.	1.7	5

#	ARTICLE	IF	CITATIONS
37	Recurrent syncope in paced patients, hitherto ignored?. <i>Europace</i> , 2020, 22, 1607-1608.	1.7	1
38	Prevalence of Antibodies to SARS-CoV-2 in Italian Adults and Associated Risk Factors. <i>Journal of Clinical Medicine</i> , 2020, 9, 2780.	2.4	71
39	Drug-Related Orthostatic Hypotension: Beyond Anti-Hypertensive Medications. <i>Drugs and Aging</i> , 2020, 37, 725-738.	2.7	62
40	Reproducibility of carotid sinus massage. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2020, 43, 1190-1193.	1.2	0
41	Adenosine and the Cardiovascular System: The Good and the Bad. <i>Journal of Clinical Medicine</i> , 2020, 9, 1366.	2.4	52
42	Additional benefits of nonconventional modalities of cardiac resynchronization therapy using His bundle pacing. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 647-657.	1.7	12
43	Syncope in the Young Adult and in the Athlete: Causes and Clinical Work-up to Exclude a Life-Threatening Cardiac Disease. <i>Journal of Cardiovascular Translational Research</i> , 2020, 13, 322-330.	2.4	8
44	Plasma adenosine and neurally mediated syncope: ready for clinical use. <i>Europace</i> , 2020, 22, 847-853.	1.7	17
45	Blood pressure management in hypertensive patients with syncope: how to balance hypotensive and cardiovascular risk. <i>Journal of Hypertension</i> , 2020, 38, 2356-2362.	0.5	11
46	ACC/AHA/HRS Versus ESC Guidelines for the Diagnosis and Management of Syncope. <i>Journal of the American College of Cardiology</i> , 2019, 74, 2410-2423.	2.8	49
47	Loss of His bundle capture due to repetitive non-reentrant ventriculohisian synchrony. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 1710-1713.	1.7	0
48	Efficacy of theophylline in patients with syncope without prodromes with normal heart and normal ECG. <i>International Journal of Cardiology</i> , 2019, 289, 70-73.	1.7	19
49	EHRA White Paper: knowledge gaps in arrhythmia management status 2019. <i>Europace</i> , 2019, 21, 993-994.	1.7	40
50	Neuro-arrhythmology. <i>Journal of Cardiovascular Medicine</i> , 2019, 20, 731-744.	1.5	11
51	Reply to the letter of Satish R. Rayet al. of 28 August 2018. <i>European Heart Journal</i> , 2019, 40, 71-71.	2.2	1
52	Optimization of coronary sinus lead placement targeted to right-to-left delay in patients undergoing cardiac resynchronization therapy. <i>Europace</i> , 2019, 21, 502-510.	1.7	8
53	Evaluation and management of syncope and related disorders in the elderly. , 2019, , 530-543.		0
54	Psychogenic pseudosyncope: Not always a diagnosis of exclusion. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 480-486.	1.2	15

#	ARTICLE	IF	CITATIONS
55	Pâ€Wave Amplitude and PR Changes in Patients With Inappropriate Sinus Tachycardia: Findings Supportive of a Central Mechanism. <i>Journal of the American Heart Association</i> , 2018, 7, .	3.7	14
56	Emerging concepts in diagnosis and treatment of syncope by pacing. <i>Trends in Cardiovascular Medicine</i> , 2018, 28, 421-426.	4.9	5
57	The benefit of pacemaker therapy in patients with neurally mediated syncope and documented asystole: a meta-analysis of implantable loop recorder studies. <i>Europace</i> , 2018, 20, 1362-1366.	1.7	29
58	The pathophysiology of the vasovagal response. <i>Heart Rhythm</i> , 2018, 15, 921-929.	0.7	101
59	Migration of an â€injectableâ€™ loop recorder in the dorsal pleural cavity. <i>Europace</i> , 2018, 20, 24-24.	1.7	4
60	Practical Instructions for the 2018 ESC Guidelines for the diagnosis and management of syncope. <i>European Heart Journal</i> , 2018, 39, e43-e80.	2.2	149
61	2018 ESC Guidelines for the diagnosis and management of syncope. <i>European Heart Journal</i> , 2018, 39, 1883-1948.	2.2	1,200
62	Outreach syncope clinic managed by a nurse practitioner: Outcome and cost effectiveness. <i>Journal of Telemedicine and Telecare</i> , 2018, 24, 566-571.	2.7	5
63	Theophyllineâ€™s an adjunct to control malignant ventricular arrhythmia associated with early repolarization. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 444-446.	1.2	6
64	Management of transient loss of consciousness in emergency department: whatâ€™s new from 2018 European Society of Cardiology guidelines?. <i>Emergency Care Journal</i> , 2018, 14, .	0.3	1
65	â€™Ten Commandmentsâ€™ of ESC Syncope Guidelines 2018. <i>European Heart Journal</i> , 2018, 39, 1870-1871.	2.2	58
66	Adenosine hypersensitivity and atrioventricular block. <i>Herzschrittmachertherapie Und Elektrophysiologie</i> , 2018, 29, 166-170.	0.8	16
67	A randomized controlled trial of atrioventricular junction ablation and cardiac resynchronization therapy in patients with permanent atrial fibrillation and narrow QRS. <i>European Heart Journal</i> , 2018, 39, 3999-4008.	2.2	123
68	Incidence and predictors of syncope recurrence after cardiac pacing in patients with carotid sinus syndrome. <i>International Journal of Cardiology</i> , 2018, 266, 119-123.	1.7	3
69	Stop vasodepressor drugs in reflex syncope: a randomised controlled trial. <i>Heart</i> , 2017, 103, 449-455.	2.9	46
70	Clinical Characteristics and Outcome of Patients with Situational Syncope Compared to Patients with Vasovagal Syncope. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 591-595.	1.2	10
71	Syncope and Unexplained Falls in the Elderly. , 2017, , 71-86.		1
72	Syncope and paroxysmal atrioventricular block. <i>Journal of Arrhythmia</i> , 2017, 33, 562-567.	1.2	45

#	ARTICLE	IF	CITATIONS
73	Optimization of coronary sinus lead placement targeted to the longest right-to-left delay in patients undergoing cardiac resynchronization therapy: The Optimal Pacing SITE 2 (OPSITE 2) acute study and protocol. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2017, 40, 1350-1357.	1.2	6
74	Temporal Relationship of Asystole to Onset of Transient Loss of Consciousness in Tilt-Induced Reflex Syncope. <i>JACC: Clinical Electrophysiology</i> , 2017, 3, 1592-1598.	3.2	40
75	Ventricular fibrillation and long-QT syndrome due to panhypopituitarism. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 833-834.	1.5	0
76	Benefit of dual-chamber pacing with Closed Loop Stimulation in tilt-induced cardio-inhibitory reflex syncope (BIOSync trial): study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 208.	1.6	28
77	Vasovagal syncope with asystole: the role of cardiac pacing. <i>Clinical Autonomic Research</i> , 2017, 27, 245-251.	2.5	11
78	The wearable cardioverter-defibrillator: current technology and evolving indications. <i>Europace</i> , 2017, 19, 335-345.	1.7	65
79	Mechanism of syncope without prodromes with normal heart and normal electrocardiogram. <i>Heart Rhythm</i> , 2017, 14, 234-239.	0.7	51
80	Device-detected subclinical atrial tachyarrhythmias: definition, implications and management – an European Heart Rhythm Association (EHRA) consensus document, endorsed by Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS) and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , 2017, 19, 1556-1578.	1.7	186
81	Screening for atrial fibrillation: a European Heart Rhythm Association (EHRA) consensus document endorsed by the Heart Rhythm Society (HRS), Asia Pacific Heart Rhythm Society (APHRS), and Sociedad Latinoamericana de Estimulación Cardíaca y Electrofisiología (SOLEACE). <i>Europace</i> , 2017, 19, 1589-1623.	1.7	208
82	Pacing in Reflex (Neurally-Mediated) Syncope. , 2017, , 454-463.		0
83	Management of transient loss of consciousness of suspected syncopal cause, after the initial evaluation in the Emergency Department. <i>Emergency Care Journal</i> , 2016, 1, .	0.3	2
84	Hyperoxia Improves Hemodynamic Status During Head-up Tilt Testing in Healthy Volunteers. <i>Medicine (United States)</i> , 2016, 95, e2876.	1.0	4
85	Efficacy of theophylline in patients affected by low adenosine syncope. <i>Heart Rhythm</i> , 2016, 13, 1151-1154.	0.7	23
86	Long-Term Outcome of Patients with Bifascicular Block and Unexplained Syncope Following Cardiac Pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2016, 39, 1126-1131.	1.2	23
87	Long-Term Results After Single and Multiple Procedures of Ablation of Ventricular Tachycardia. <i>Journal of Cardiovascular Electrophysiology</i> , 2016, 27, 1319-1324.	1.7	3
88	The pathophysiologic mechanisms associated with hypotensive susceptibility. <i>Clinical Autonomic Research</i> , 2016, 26, 261-268.	2.5	5
89	Finally, a Drug Proves to Be Effective Against Vasovagal Syncope!. <i>Journal of the American College of Cardiology</i> , 2016, 68, 10-12.	2.8	4
90	The Role of the Baroreflex in Tilt-Table Testing. <i>JACC: Clinical Electrophysiology</i> , 2016, 2, 812-817.	3.2	10

#	ARTICLE	IF	CITATIONS
91	Assessment of a structured management pathway for patients referred to the Emergency Department for syncope: results in a tertiary hospital. <i>Europace</i> , 2016, 18, 457-462.	1.7	29
92	Cardiac output and vasodilation in the vasovagal response: An analysis of the classic papers. <i>Heart Rhythm</i> , 2016, 13, 798-805.	0.7	57
93	Syncope in patients paced for atrioventricular block. <i>Europace</i> , 2016, 18, 1735-1739.	1.7	29
94	External prolonged electrocardiogram monitoring in unexplained syncope and palpitations: results of the SYNARR-Flash study. <i>Europace</i> , 2016, 18, 1265-1272.	1.7	66
95	Standardized algorithm for cardiac pacing in older patients affected by severe unpredictable reflex syncope: 3-year insights from the Syncope Unit Project 2 (SUP 2) study. <i>Europace</i> , 2016, 18, 1427-1433.	1.7	65
96	2015 HRS/EHRA/APHRS/SOLAECE expert consensus statement on optimal implantable cardioverter-defibrillator programming and testing. <i>Europace</i> , 2016, 18, 159-183.	1.7	135
97	Syncope clinical management in the emergency department: a consensus from the first international workshop on syncope risk stratification in the emergency department. <i>European Heart Journal</i> , 2016, 37, 1493-1498.	2.2	96
98	2015 Heart Rhythm Society Expert Consensus Statement on the Diagnosis and Treatment of Postural Tachycardia Syndrome, Inappropriate Sinus Tachycardia, and Vasovagal Syncope. <i>Heart Rhythm</i> , 2015, 12, e41-e63.	0.7	694
99	Adenosine and Clinical Forms of Neurally-Mediated Syncope. <i>Journal of the American College of Cardiology</i> , 2015, 66, 204-205.	2.8	36
100	Syncope and Idiopathic (Paroxysmal) AV Block. <i>Cardiology Clinics</i> , 2015, 33, 441-447.	2.2	17
101	Chronic kidney disease in patients with cardiac rhythm disturbances or implantable electrical devices: clinical significance and implications for decision making-a position paper of the European Heart Rhythm Association endorsed by the Heart Rhythm Society and the Asia Pacific Heart Rhythm Society. <i>Europace</i> , 2015, 17, 1169-1196.	1.7	138
102	Long-term clinical outcome of patients who failed catheter ablation of atrial fibrillation. <i>Europace</i> , 2015, 17, 403-408.	1.7	6
103	Assessment of a standardized algorithm for cardiac pacing in older patients affected by severe unpredictable reflex syncope. <i>European Heart Journal</i> , 2015, 36, 1529-1535.	2.2	73
104	Syncope Unit: rationale and requirement – the European Heart Rhythm Association position statement endorsed by the Heart Rhythm Society. <i>Europace</i> , 2015, 17, 1325-1340.	1.7	98
105	Benefit of Pacemaker Therapy in Patients With Presumed Neurally Mediated Syncope and Documented Asystole Is Greater When Tilt Test Is Negative. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 10-16.	4.8	114
106	Clinical context and outcome of carotid sinus syndrome diagnosed by means of the 'method of symptoms'. <i>Europace</i> , 2014, 16, 928-934.	1.7	40
107	Decline of defibrillation testing in the clinical practice: an 8-year nation-wide assessment. <i>Europace</i> , 2014, 16, 1103-1104.	1.7	10
108	Assessment of the Vasodepressor Reflex in Carotid Sinus Syndrome. <i>Circulation: Arrhythmia and Electrophysiology</i> , 2014, 7, 505-510.	4.8	22

#	ARTICLE	IF	CITATIONS
109	Cardiac pacing in patients with neurally mediated syncope and documented asystole: effectiveness analysis from the Third International Study on Syncope of Uncertain Etiology (ISSUE-3) Registry. <i>Europace</i> , 2014, 16, 595-599.	1.7	21
110	Risk of syncope during work. <i>Europace</i> , 2014, 16, 289-292.	1.7	7
111	Additional diagnostic value of implantable loop recorder in patients with initial diagnosis of real or apparent transient loss of consciousness of uncertain origin. <i>Europace</i> , 2014, 16, 1226-1230.	1.7	33
112	Twenty-eight years of research permit reinterpretation of tilt-testing: hypotensive susceptibility rather than diagnosis. <i>European Heart Journal</i> , 2014, 35, 2211-2212.	2.2	113
113	Purinergic profile of fainting divers is different from patients with vasovagal syncope. <i>International Journal of Cardiology</i> , 2014, 174, 741-743.	1.7	4
114	2013 ESC Guidelines on Cardiac Pacing and Cardiac Resynchronization Therapy. <i>Revista Espanola De Cardiologia (English Ed)</i> , 2014, 67, 58.	0.6	54
115	Guía de práctica clínica de la ESC 2013 sobre estimulación cardiaca y terapia de resincronización cardiaca. <i>Revista Espanola De Cardiologia</i> , 2014, 67, 58.e1-58.e60.	1.2	4
116	Priorities for Emergency Department Syncope Research. <i>Annals of Emergency Medicine</i> , 2014, 64, 649-655.e2.	0.6	79
117	Pacing for neurally-mediated syncope: How to decide?. <i>Cardiology Journal</i> , 2014, 21, 601-605.	1.2	3
118	Plasma adenosine release is associated with bradycardia and transient loss of consciousness during experimental breath-hold diving. <i>International Journal of Cardiology</i> , 2013, 168, e138-e141.	1.7	18
119	Syncope and Idiopathic (Paroxysmal) AV Block. <i>Cardiac Electrophysiology Clinics</i> , 2013, 5, 487-493.	1.7	3
120	Syncope Without Prodromes in Patients With Normal Heart and Normal Electrocardiogram. <i>Journal of the American College of Cardiology</i> , 2013, 62, 1075-1080.	2.8	49
121	Reply to the letter of Claas P. Naehle, MD 'Necessary clarifications and minor corrections: Letter to the Editor regarding "2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy"'. <i>Europace</i> , 2013, 15, 1533-1533.	1.7	2
122	About methodology of pre-/post-studies. <i>Europace</i> , 2013, 15, 919-919.	1.7	0
123	2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy: The Task Force on cardiac pacing and resynchronization therapy of the European Society of Cardiology (ESC). Developed in collaboration with the European Heart Rhythm Association (EHRA). <i>Europace</i> , 2013, 15, 1070-1118.	1.7	908
124	Diagnosis of neurally mediated syncope at initial evaluation and with tilt table testing compared with that revealed by prolonged ECG monitoring. An analysis from the Third International Study on Syncope of Uncertain Etiology (ISSUE-3). <i>Heart</i> , 2013, 99, 1825-1831.	2.9	52
125	At the heart of the arterial baroreflex: a physiological basis for a new classification of carotid sinus hypersensitivity. <i>Journal of Internal Medicine</i> , 2013, 273, 345-358.	6.0	37
126	Standardized Care Pathway Versus Conventional Approach in the Management of Patients Presenting with Faint at the University of Utah. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2013, 36, 152-162.	1.2	25

#	ARTICLE	IF	CITATIONS
127	2013 ESC Guidelines on cardiac pacing and cardiac resynchronization therapy. <i>European Heart Journal</i> , 2013, 34, 2281-2329.	2.2	2,176
128	Vagally mediated atrioventricular block: pathophysiology and diagnosis. <i>Heart</i> , 2013, 99, 904-908.	2.9	80
129	A2A adenosine receptor function in patients with vasovagal syncope. <i>Europace</i> , 2013, 15, 1328-1332.	1.7	21
130	Wytyczne ESC dotyczÄ...ce stymulacji serca i terapii resynchronizujÄ...cej w 2013 roku. <i>Kardiologia Polska</i> , 2013, 71, 133-192.	0.6	4
131	Predictors of clinical efficacy of â€Ablate and Paceâ€™™ therapy in patients with permanent atrial fibrillation. <i>Heart</i> , 2012, 98, 297-302.	2.9	37
132	Symptom onset-to-balloon time and mortality in the first seven years after STEMI treated with primary percutaneous coronary intervention. <i>Heart</i> , 2012, 98, 1738-1742.	2.9	52
133	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012: The Task Force for the Diagnosis and Treatment of Acute and Chronic Heart Failure 2012 of the European Society of Cardiology. Developed in collaboration with the Heart Failure Association (HFA) of the ESC. <i>European Heart Journal</i> , 2012, 33, 1787-1847.	2.2	5,233
134	Adenosine plasma level and A_{2A} adenosine receptor expression: correlation with laboratory tests in patients with neurally mediated syncope. <i>Heart</i> , 2012, 98, 855-859.	2.9	47
135	Pacemaker Therapy in Patients With Neurally Mediated Syncope and Documented Asystole. <i>Circulation</i> , 2012, 125, 2566-2571.	1.6	380
136	ISHNE/EHRA expert consensus on remote monitoring of cardiovascular implantable electronic devices (CIEDs). <i>Europace</i> , 2012, 14, 278-293.	1.7	156
137	Empiric pacemaker compared with a monitoring strategy in patients with syncope and bifascicular conduction block--rationale and design of the Syncope: Pacing or Recording in The Later Years (SPRITELY) study. <i>Europace</i> , 2012, 14, 1044-1048.	1.7	37
138	Clinical Evaluation of Defibrillation Testing in an Unselected Population of 2,120 Consecutive Patients Undergoing First Implantable Cardioverter-Defibrillator Implant. <i>Journal of the American College of Cardiology</i> , 2012, 60, 981-987.	2.8	71
139	Restoring Sinus Rhythm Results in Blood Pressure Reduction in Patients with Persistent Atrial Fibrillation and a History of Hypertension. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 722-726.	1.7	17
140	Key challenges in the current management of syncope. <i>Nature Reviews Cardiology</i> , 2012, 9, 590-598.	13.7	25
141	ESC Guidelines for the diagnosis and treatment of acute and chronic heart failure 2012. <i>European Journal of Heart Failure</i> , 2012, 14, 803-869.	7.1	2,307
142	2012 EHRA/HRS expert consensus statement on cardiac resynchronization therapy in heart failure: implant and follow-up recommendations and management: A registered branch of the European Society of Cardiology (ESC), and the Heart Rhythm Society; and in collaboration with the Heart Failure Society of America (HFSA), the American Society of Echocardiography (ASE), the American Heart Association (AHA), the European Association of Echocardiography (EAE) of the ESC and the Heart		

#	ARTICLE	IF	CITATIONS
145	Additional Diagnostic Value of Very Prolonged Observation by Implantable Loop Recorder in Patients with Unexplained Syncope. <i>Journal of Cardiovascular Electrophysiology</i> , 2012, 23, 67-71.	1.7	64
146	Atrial Fibrillation: An Independent Risk Factor for Nonaccidental Falls in Older Patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2012, 35, 973-979.	1.2	36
147	What Can We Expect from the ISSUE 3 Trial?. <i>Journal of Arrhythmia</i> , 2011, 27, 116-119.	1.2	1
148	Syncope Due to Idiopathic Paroxysmal Atrioventricular Block. <i>Journal of the American College of Cardiology</i> , 2011, 58, 167-173.	2.8	126
149	Cardiac Syncope. , 2011, , 199-224.		0
150	The natural history of carotid sinus syncope and the effect of cardiac pacing. <i>Europace</i> , 2011, 13, 462-464.	1.7	39
151	The Prevalence and Cost of the Faint and Fall Problem in the State of Utah. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 278-283.	1.2	45
152	Evaluation of Patients with "Faint" in an American Teaching Hospital: A Dire Need for a Standardized Approach. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2011, 34, 284-290.	1.2	14
153	Effect of Clinical Triggers on Positive Responses to Tilt-Table Testing Potentiated With Nitroglycerin or Clomipramine. <i>American Journal of Cardiology</i> , 2011, 107, 1693-1697.	1.6	21
154	Cardiac resynchronization therapy in patients undergoing atrioventricular junction ablation for permanent atrial fibrillation: a randomized trial. <i>European Heart Journal</i> , 2011, 32, 2420-2429.	2.2	241
155	Syncope in the emergency department: comparison of standardized admission criteria with clinical practice. <i>Europace</i> , 2011, 13, 1632-1638.	1.7	47
156	Underevaluation of Cardiovascular Risk Factors in Patients With Nonaccidental Falls. <i>Journal of Primary Care and Community Health</i> , 2011, 2, 173-180.	2.1	11
157	The history of diagnosing carotid sinus hypersensitivity: why are the current criteria too sensitive?. <i>Europace</i> , 2011, 13, 14-22.	1.7	72
158	A standardized guideline-based algorithm coupled with online decision-making tool: the new frontier for efficient management of syncope?. <i>Europace</i> , 2011, 13, 1359-1361.	1.7	3
159	Effectiveness of remote monitoring in the management of syncope and palpitations. <i>Europace</i> , 2011, 13, 431-437.	1.7	51
160	Indications for and Interpretation of Laboratory Diagnostic Tests. , 2011, , 79-105.		0
161	Conditions that Mimic Syncope. , 2011, , 225-236.		0
162	How to: Tilt-Table Testing. , 2011, , 279-289.		0

#	ARTICLE	IF	CITATIONS
163	Syncope (T-LOC) Management Units: The Italian Model. , 2011, , 139-150.		0
164	How to: Prolonged Ambulatory ECG Monitoring. , 2011, , 291-308.		0
165	Syncope Burden: Economic Impact of Syncope on Health-Care Resources and Personal Well-Being. , 2011, , 37-45.		0
166	Pathophysiology of Syncope. , 2011, , 15-25.		1
167	Orthostatic Intolerance: Orthostatic Hypotension and Postural Orthostatic Tachycardia Syndrome. , 2011, , 179-197.		0
168	Prolonged Ambulatory ECG Diagnostic Monitoring â€ Current and Evolving Indications. , 2011, , 107-125.		0
169	Transient Loss of Consciousness (T-LOC) Risk Stratification. , 2011, , 65-77.		0
170	How to: Carotid Sinus Massage. , 2011, , 267-277.		0
171	How to: Physical Maneuvers for Reflex and Orthostatic Syncope. , 2011, , 329-338.		0
172	Epidemiology of Syncope (Fainting). , 2011, , 27-36.		0
173	The Initial Evaluation of T-LOC: Diagnostic Strategy Based on the Initial Findings. , 2011, , 49-63.		0
174	Unexplained Syncope in Patients with High Risk of Sudden Cardiac Death. , 2011, , 237-250.		0
175	Reflex Syncope (Neurally Mediated Syncope). , 2011, , 153-177.		1
176	How to: Role of Questionnaires and Risk Stratification at the Initial Evaluation in the Clinic and in the Emergency Department. , 2011, , 253-265.		0
177	Syncope: Definition, Terminology, and Classification. , 2011, , 3-13.		0
178	When and How: Electrophysiological Study (EPS). , 2011, , 309-327.		0
179	Additional Diagnostic Value of Very Prolonged Observation by Implantable Loop Recorder in Patients with Unexplained Syncope. Journal of Arrhythmia, 2011, 27, OP48_3.	1.2	0
180	What Can We Expect from the ISSUE 3 Trial?. Journal of Arrhythmia, 2011, 27, 116-119.	1.2	0

#	ARTICLE	IF	CITATIONS
181	Discrepancy between clinical practice and standardized indications for an implantable loop recorder in patients with unexplained syncope. <i>Europace</i> , 2010, 12, 1475-1479.	1.7	21
182	The Diagnosis and Management of Syncope. <i>Current Hypertension Reports</i> , 2010, 12, 316-322.	3.5	8
183	Early and late outcome of treated patients referred for syncope to emergency department: the EGSYS 2 follow-up study. <i>European Heart Journal</i> , 2010, 31, 2021-2026.	2.2	98
184	A very prolonged asystolic vasovagal syncope is suspended but not aborted by counterpressure manoeuvre. <i>Europace</i> , 2010, 12, 91-91.	1.7	2
185	Prospective multicentre systematic guideline-based management of patients referred to the Syncope Units of general hospitals. <i>Europace</i> , 2010, 12, 109-118.	1.7	104
186	Adherence to guidelines for atrial fibrillation management of patients referred to cardiology departments: Studio Italiano multicentrico sul Trattamento della Fibrillazione Atriale (SITAF). <i>Europace</i> , 2010, 12, 1070-1077.	1.7	11
187	Non-invasive continuous blood pressure monitoring of tachycardic episodes during interventional electrophysiology. <i>Europace</i> , 2010, 12, 1616-1622.	1.7	30
188	Syncope: diagnosis and management according to the 2009 guidelines of the European Society of Cardiology. <i>Polish Archives of Internal Medicine</i> , 2010, 120, 42-48.	0.4	11
189	Managing patients affected by syncope in ER: differential diagnosis and risk stratification. <i>Emergency Care Journal</i> , 2009, 5, 8.	0.3	0
190	Treatment of persistent sinus bradycardia with intermittent symptoms: are guidelines clear?. <i>Europace</i> , 2009, 11, 562-564.	1.7	11
191	Are complications of implantable defibrillators under-estimated and benefits over-estimated?. <i>Europace</i> , 2009, 11, 1129-1133.	1.7	64
192	Indications for the use of diagnostic implantable and external ECG loop recorders. <i>Europace</i> , 2009, 11, 671-687.	1.7	309
193	Orthostatic Hypotension As Cause of Syncope in Patients Older Than 65 Years Admitted to Emergency Departments for Transient Loss of Consciousness. <i>Journals of Gerontology - Series A Biological Sciences and Medical Sciences</i> , 2009, 64A, 801-806.	3.6	60
194	The hemodynamic pattern of the syndrome of delayed orthostatic hypotension. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2009, 26, 143-149.	1.3	11
195	Guía de práctica clínica para el diagnóstico y manejo del síncope (versión 2009). <i>Revista Española De Cardiología (English Ed)</i> , 2009, 62, 1466.e1-1466.e52.	0.6	23
196	Guidelines for the diagnosis and management of syncope (version 2009): The Task Force for the Diagnosis and Management of Syncope of the European Society of Cardiology (ESC). <i>European Heart Journal</i> , 2009, 30, 2631-2671.	2.2	1,784
197	Improved Arrhythmia Detection in Implantable Loop Recorders. <i>Journal of Cardiovascular Electrophysiology</i> , 2008, 19, 928-934.	1.7	39
198	Usefulness of Echo-Guided Cardiac Resynchronization Pacing in Patients Undergoing Ablate and Pace Therapy for Permanent Atrial Fibrillation and Effects of Heart Rate Regularization and Left Ventricular Resynchronization - A list of participating institutions and investigators appears in the Appendix.. <i>American Journal of Cardiology</i> , 2008, 102, 854-860.	1.6	3

#	ARTICLE	IF	CITATIONS
199	Reproducibility of Electrocardiographic Findings in Patients With Suspected Reflex Neurally-Mediated Syncope. <i>American Journal of Cardiology</i> , 2008, 102, 1518-1523.	1.6	35
200	Experience With Implantable Loop Recorders for Recurrent Unexplained Syncope. <i>Congestive Heart Failure</i> , 2008, 14, 7-13.	2.0	6
201	Clinical predictors of cardiac syncope at initial evaluation in patients referred urgently to a general hospital: the EGSYS score. <i>Heart</i> , 2008, 94, 1620-1626.	2.9	271
202	Impact of the main implantable cardioverter-defibrillator trials in clinical practice: data from the Italian ICD Registry for the years 2005-07. <i>Europace</i> , 2008, 11, 465-475.	1.7	56
203	Consensus document on antithrombotic therapy in the setting of electrophysiological procedures. <i>Europace</i> , 2008, 10, 513-527.	1.7	52
204	Resynchronization of the left ventricular contraction by tailored programming of right and left ventricular pacing. <i>Europace</i> , 2008, 10, 489-495.	1.7	10
205	Different electrocardiographic manifestations of the cardioinhibitory vasovagal reflex. <i>Europace</i> , 2008, 11, 144-146.	1.7	11
206	Diagnosis and treatment of syncope. <i>Heart</i> , 2007, 93, 130-136.	2.9	62
207	Guidelines for cardiac pacing and cardiac resynchronization therapy: The Task Force for Cardiac Pacing and Cardiac Resynchronization Therapy of the European Society of Cardiology. Developed in Collaboration with the European Heart Rhythm Association. <i>European Heart Journal</i> , 2007, 28, 2256-2295.	2.2	677
208	International study on syncope of uncertain aetiology 3 (ISSUE 3): pacemaker therapy for patients with asystolic neurally-mediated syncope: rationale and study design. <i>Europace</i> , 2007, 9, 25-30.	1.7	61
209	Pacing for neurally mediated syncope: is placebo powerless?. <i>Europace</i> , 2007, 9, 31-33.	1.7	18
210	Is vasovagal syncope a disease?. <i>Europace</i> , 2007, 9, 83-87.	1.7	83
211	Analysis of rhythm variation during spontaneous cardioinhibitory neurally-mediated syncope. Implications for RDR pacing optimization: an ISSUE 2 substudy. <i>Europace</i> , 2007, 9, 305-311.	1.7	27
212	Defibrillation testing at the time of implantation of cardioverter defibrillator in the clinical practice: a nation-wide survey. <i>Europace</i> , 2007, 9, 540-543.	1.7	48
213	Cardioinhibitory carotid sinus hypersensitivity predicts an asystolic mechanism of spontaneous neurally mediated syncope. <i>Europace</i> , 2007, 9, 563-567.	1.7	66
214	Left ventricular electromechanical delay in patients with heart failure and normal QRS duration and in patients with right and left bundle branch block. <i>Europace</i> , 2007, 9, 41-47.	1.7	40
215	Transient left ventricular apical ballooning syndrome: all that glitters is not apical. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 934-936.	1.5	6
216	Pacing for syncope: what role? which perspective?. <i>Country Review Ukraine</i> , 2007, 9, 137-143.	0.8	0

#	ARTICLE	IF	CITATIONS
217	Left ventricular electromechanical delay in patients with heart failure and normal QRS duration and in patients with right and left bundle branch block. <i>Europace</i> , 2007, 9, 447-447.	1.7	1
218	Coronary embolization of a proximal vessel due to retrieval of a balloon catheter with an organized thrombus during primary PCI. <i>International Journal of Cardiology</i> , 2007, 123, e1-e2.	1.7	0
219	Current Practice in Italy of VF Testing at Implant: What Do We Know and Where Do We Go From Here?. , 2007, , 231-237.		0
220	Performing Carotid Sinus Massage. , 2007, , 145-151.		0
221	Implanting a Loop Recorder. , 2007, , 159-163.		0
222	A new management of syncope: prospective systematic guideline-based evaluation of patients referred urgently to general hospitals. <i>European Heart Journal</i> , 2006, 27, 76-82.	2.2	294
223	Early application of an implantable loop recorder allows effective specific therapy in patients with recurrent suspected neurally mediated syncope. <i>European Heart Journal</i> , 2006, 27, 1085-1092.	2.2	327
224	Lower Limb and Abdominal Compression Bandages Prevent Progressive Orthostatic Hypotension in Elderly Persons. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1425-1432.	2.8	148
225	Effectiveness of Physical Counterpressure Maneuvers in Preventing Vasovagal Syncope. <i>Journal of the American College of Cardiology</i> , 2006, 48, 1652-1657.	2.8	256
226	Seven-year follow-up after catheter ablation of atrioventricular nodal re-entrant tachycardia. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 39-44.	1.5	7
227	The ACCF/AHA Scientific Statement on Syncope. <i>Clinical Autonomic Research</i> , 2006, 16, 363-368.	2.5	13
228	Effects of Right Ventricular Pacing on Intra-Left Ventricular Electromechanical Activation in Patients With Native Narrow QRS. <i>American Journal of Cardiology</i> , 2006, 98, 219-222.	1.6	29
229	Standardized-care pathway vs. usual management of syncope patients presenting as emergencies at general hospitals. <i>Europace</i> , 2006, 8, 644-650.	1.7	164
230	Case 26-2005: Loss of Consciousness while Jogging. <i>New England Journal of Medicine</i> , 2006, 354, 209-209.	27.0	262
231	Lack of correlation between the responses to tilt testing and adenosine triphosphate test and the mechanism of spontaneous neurally mediated syncope. <i>European Heart Journal</i> , 2006, 27, 2232-2239.	2.2	126
232	Distinguishing syncopal from non-syncopal causes of fall in older people. <i>Age and Ageing</i> , 2006, 35, ii46-ii50.	1.6	30
233	Early EPS/ICD strategy in survivors of acute myocardial infarction with severe left ventricular dysfunction on optimal beta-blocker treatment. The BEta-blocker STRategy plus ICD trial. <i>Europace</i> , 2005, 7, 327-337.	1.7	43
234	Relation of Clinical Presentation of Syncope to the Age of Patients. <i>American Journal of Cardiology</i> , 2005, 96, 1431-1435.	1.6	129

#	ARTICLE	IF	CITATIONS
235	NET4ECG. an ECG digital network. , 2005, , .		2
236	The usage and diagnostic yield of the implantable loop-recorder in detection of the mechanism of syncope and in guiding effective antiarrhythmic therapy in older people. <i>Europace</i> , 2005, 7, 273-279.	1.7	67
237	Comparative assessment of right, left, and biventricular pacing in patients with permanent atrial fibrillation. <i>European Heart Journal</i> , 2005, 26, 712-722.	2.2	193
238	Proposed electrocardiographic classification of spontaneous syncope documented by an implantable loop recorder. <i>Europace</i> , 2005, 7, 14-18.	1.7	96
239	Neurally-mediated syncope. <i>Italian Heart Journal: Official Journal of the Italian Federation of Cardiology</i> , 2005, 6, 249-55.	0.1	3
240	A randomized, double-blind, placebo-controlled study of permanent cardiac pacing for the treatment of recurrent tilt-induced vasovagal syncope. The vasovagal syncope and pacing trial (SYNPACE). <i>European Heart Journal</i> , 2004, 25, 1741-1748.	2.2	283
241	Efficacy of tilt training in the treatment of neurally mediated syncope. A randomized study. <i>Europace</i> , 2004, 6, 199-204.	1.7	105
242	Efficacy and feasibility of isometric arm counter-pressure manoeuvres to abort impending vasovagal syncope during real life. <i>Europace</i> , 2004, 6, 287-291.	1.7	33
243	Outcome after cavo-tricuspid isthmus ablation in patients with recurrent atrial fibrillation and drug-related typical atrial flutter. <i>American Journal of Cardiology</i> , 2004, 94, 504-508.	1.6	26
244	Acute comparative effect of right and left ventricular pacing in patients with permanent atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 2004, 43, 234-238.	2.8	65
245	Left ventricular mechanics during right ventricular apical or left ventricular-based pacing in patients with chronic atrial fibrillation after atrioventricular junction ablation. <i>Journal of the American College of Cardiology</i> , 2004, 43, 1013-1018.	2.8	72
246	Guidelines on management (diagnosis and treatment) of syncope-update 2004. Executive Summary. <i>European Heart Journal</i> , 2004, 25, 2054-2072.	2.2	360
247	Clinical spectrum of neurally mediated reflex syncopes. <i>Europace</i> , 2004, 6, 55-62.	1.7	66
248	Incidence, diagnostic yield and safety of the implantable loop-recorder to detect the mechanism of syncope in patients with and without structural heart disease. <i>European Heart Journal</i> , 2004, 25, 1116-1119.	2.2	98
249	Guidelines on Management (diagnosis and treatment) of syncope ? update 2004. <i>Europace</i> , 2004, 6, 467-537.	1.7	542
250	To the Editor:. <i>Journal of Cardiovascular Electrophysiology</i> , 2004, 15, 615-615.	1.7	3
251	Rhythm versus rate control after ablation and pacing for paroxysmal atrial fibrillation: clinical implications of the PAF 2 trial. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 7, 127-129.	1.0	3
252	Randomized Clinical Trials of Neurally Mediated Syncope. <i>Journal of Cardiovascular Electrophysiology</i> , 2003, 14, S64-S69.	1.7	38

#	ARTICLE	IF	CITATIONS
253	Mechanism of syncope in patients with positive adenosine triphosphate tests. Journal of the American College of Cardiology, 2003, 41, 93-98.	2.8	59
254	Clinical and electrophysiological characteristics in patients with atrioventricular reentrant and atrioventricular nodal reentrant tachycardia. Europace, 2003, 5, 225-229.	1.7	15
255	The diagnostic value of ATP testing in patients with unexplained syncope. Europace, 2003, 5, 425-428.	1.7	9
256	International Study on Syncope of Uncertain Etiology 2: the management of patients with suspected or certain neurally mediated syncope after the initial evaluation Rationale and study design. Europace, 2003, 5, 317-321.	1.7	18
257	Management of syncope referred urgently to general hospitals with and without syncope units. Europace, 2003, 5, 293-298.	1.7	102
258	Management of patients with syncope referred urgently to general hospitals. Europace, 2003, 5, 283-291.	1.7	122
259	An evaluation of the strategy of maintenance of sinus rhythm by antiarrhythmic drug therapy after ablation and pacing therapy in patients with paroxysmal atrial fibrillation. European Heart Journal, 2002, 23, 892-900.	2.2	73
260	The hidden part of neurally mediated disease. Europace, 2002, 4, 339-342.	1.7	3
261	Exercise-related syncope: are athletes different from sedentary subjects?. European Heart Journal, 2002, 23, 1080-1082.	2.2	3
262	A novel use of cardiac pacing to improve cardiac function, quality of life and (hopefully) survival in patients with heart failure and permanent atrial fibrillation. European Heart Journal, 2002, 23, 1732-1736.	2.2	1
263	The application of a standardized strategy of evaluation in patients with syncope referred to three syncope units. Europace, 2002, 4, 351-355.	1.7	85
264	A standardized conventional evaluation of the mechanism of syncope in patients with bundle branch block. Europace, 2002, 4, 357-360.	1.7	22
265	Mechanism of Syncope in Patients With Heart Disease and Negative Electrophysiologic Test. Circulation, 2002, 105, 2741-2745.	1.6	192
266	Isometric arm counter-pressure maneuvers to abort impending vasovagal syncope. Journal of the American College of Cardiology, 2002, 40, 2053-2059.	2.8	190
267	Sick sinus syndrome. Clinics in Geriatric Medicine, 2002, 18, 211-227.	2.6	45
268	Results and complications of the carotid sinus massage performed according to the "method of symptoms". American Journal of Cardiology, 2002, 89, 599-601.	1.6	123
269	Nonarrhythmic syncope documented by an implantable loop recorder (an ISSUE substudy). American Journal of Cardiology, 2002, 90, 654-657.	1.6	10
270	Efficacy and safety of out-of-hospital self-administered single-dose oral drug treatment in the management of infrequent, well-tolerated paroxysmal supraventricular tachycardia. Journal of the American College of Cardiology, 2001, 37, 548-553.	2.8	91

#	ARTICLE	IF	CITATIONS
271	Diagnostic value of history in patients with syncope with or without heart disease. Journal of the American College of Cardiology, 2001, 37, 1921-1928.	2.8	416
272	Part 2. Diagnostic tests and treatment: summary of recommendations. Europace, 2001, 3, 261-268.	1.7	31
273	An assessment of the optimal ventricular pacing site in patients undergoing 'ablate and pace' therapy for permanent atrial fibrillation. Europace, 2001, 3, 153-156.	1.7	5
274	Part 1. The initial evaluation of patients with syncope. Europace, 2001, 3, 253-260.	1.7	38
275	A novel use of cardiac pacing to improve cardiac function in patients with heart failure and permanent atrial fibrillation. Europace, 2001, 3, 150-152.	1.7	0
276	The Vasovagal Syncope and Pacing (Synpace) trial: rationale and study design. Europace, 2001, 3, 336-341.	1.7	15
277	Mechanism of Syncope in Patients With Bundle Branch Block and Negative Electrophysiological Test. Circulation, 2001, 104, 2045-2050.	1.6	300
278	Mechanism of Syncope in Patients With Isolated Syncope and in Patients With Tilt-Positive Syncope. Circulation, 2001, 104, 1261-1267.	1.6	348
279	Guidelines on management (diagnosis and treatment) of syncope. European Heart Journal, 2001, 22, 1256-1306.	2.2	638
280	Long-Term Follow-Up After Atrioventricular Nodal Ablation and Pacing: Low Incidence of Sudden Cardiac Death. PACE - Pacing and Clinical Electrophysiology, 2000, 23, 1925-1929.	1.2	20
281	Comparison of diagnostic accuracy of sublingual Nitroglycerin test and low-dose Isoproterenol test in patients with unexplained syncope. American Journal of Cardiology, 2000, 85, 1194-1198.	1.6	68
282	Ablate and pace: palliating the symptoms?. American Journal of Cardiology, 2000, 86, K4-K8.	1.6	8
283	Effects of left ventricular pacing on cardiac performance and on quality of life in patients with drug refractory heart failure. American Journal of Cardiology, 2000, 86, 1267-1270.	1.6	24
284	'The Italian Protocol': a simplified head-up tilt testing potentiated with oral nitroglycerin to assess patients with unexplained syncope. Europace, 2000, 2, 339-342.	1.7	245
285	Dual-Chamber Pacing in the Treatment of Neurally Mediated Tilt-Positive Cardioinhibitory Syncope. Circulation, 2000, 102, 294-299.	1.6	384
286	Clinical and Genetic Heterogeneity of Right Bundle Branch Block and ST-Segment Elevation Syndrome. Circulation, 2000, 102, 2509-2515.	1.6	490
287	New classification of haemodynamics of vasovagal syncope: beyond the VASIS classification Analysis of the pre-syncope phase of the tilt test without and with nitroglycerin challenge. Europace, 2000, 2, 66-76.	1.7	369
288	Report of a study group on ablate and pace therapy for paroxysmal atrial fibrillation. Europace, 1999, 1, 8-13.	1.7	17

#	ARTICLE	IF	CITATIONS
289	Prospective, randomized study of atrioventricular ablation and mode-switching, dual chamber pacemaker implantation versus medical therapy in drug-resistant paroxysmal atrial fibrillation. <i>Europace</i> , 1999, 1, 15-19.	1.7	22
290	Determinants of development of permanent atrial fibrillation and its treatment. <i>Europace</i> , 1999, 1, 35-39.	1.7	13
291	Head-up tilt testing potentiated with oral nitroglycerin; a randomized trial of the contribution of a drug-free phase and a nitroglycerin phase in the diagnosis of neurally mediated syncope. <i>Europace</i> , 1999, 1, 183-186.	1.7	46
292	Is sinus bradycardia a factor facilitating overt heart failure?. <i>European Heart Journal</i> , 1999, 20, 252-255.	2.2	28
293	Effect of Etilefrine in Preventing Syncopal Recurrence in Patients With Vasovagal Syncope. <i>Circulation</i> , 1999, 99, 1452-1457.	1.6	186
294	Thromboembolism after atrioventricular node ablation and pacing: long term follow up. <i>Heart</i> , 1999, 82, 494-498.	2.9	13
295	Modification of Antegrade Slow Pathway is not Crucial for Successful Catheter Ablation of Common Atrioventricular Nodal Reentrant Tachycardia. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1999, 22, 263-267.	1.2	17
296	Progression of Permanent Atrial Fibrillation After Atrioventricular Junction Ablation and Dual-Chamber Pacemaker Implantation in Patients With Paroxysmal Atrial Tachyarrhythmias. <i>American Journal of Cardiology</i> , 1998, 81, 351-354.	1.6	43
297	The natural course of untreated sick sinus syndrome and identification of the variables predictive of unfavorable outcome. <i>American Journal of Cardiology</i> , 1998, 82, 1205-1209.	1.6	102
298	Effects of long-term vasodilator therapy in patients with carotid sinus hypersensitivity. <i>American Heart Journal</i> , 1998, 136, 264-268.	2.7	33
299	Assessment of Atrioventricular Junction Ablation and VVIR Pacemaker Versus Pharmacological Treatment in Patients With Heart Failure and Chronic Atrial Fibrillation. <i>Circulation</i> , 1998, 98, 953-960.	1.6	321
300	Ablate and pace: a pragmatic approach to paroxysmal atrial fibrillation not controlled by antiarrhythmic drugs. <i>Heart</i> , 1998, 79, 531-533.	2.9	11
301	Severe Paroxysmal Atrial Fibrillation: Atrioventricular Junction Ablation and DDDR Mode-Switching Pacemaker Versus Pharmacological Treatment. <i>Developments in Cardiovascular Medicine</i> , 1998, , 29-34.	0.1	0
302	Multiple mechanisms of successful slow-pathway catheter ablation of common atrioventricular nodal re-entrant tachycardia. <i>European Heart Journal</i> , 1997, 18, 985-993.	2.2	8
303	Methods Other Than Tilt Testing for Diagnosing Neurocardiogenic (Neurally Mediated) Syncope. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 795-800.	1.2	19
304	Detecting Incipient Vasovagal Syncope: Intraventricular Acceleration. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1997, 20, 801-805.	1.2	21
305	Clinical usefulness of slow pathway ablation in patients with both paroxysmal atrioventricular nodal reentrant tachycardia and atrial fibrillation. <i>American Journal of Cardiology</i> , 1997, 79, 1421-1423.	1.6	31
306	Effects of chronic vasodilator therapy to enhance susceptibility to vasovagal syncope during upright tilt testing. <i>American Journal of Cardiology</i> , 1997, 80, 1092-1094.	1.6	30

#	ARTICLE	IF	CITATIONS
307	Effects of Permanent Pacemaker and Oral Theophylline in Sick Sinus Syndrome. <i>Circulation</i> , 1997, 96, 260-266.	1.6	138
308	Adenosine-Induced Atrioventricular Block in Patients With Unexplained Syncope. <i>Circulation</i> , 1997, 96, 3921-3927.	1.6	79
309	Assessment of Atrioventricular Junction Ablation and DDDR Mode-Switching Pacemaker Versus Pharmacological Treatment in Patients With Severely Symptomatic Paroxysmal Atrial Fibrillation. <i>Circulation</i> , 1997, 96, 2617-2624.	1.6	207
310	A Patient with Syncopal Ventricular Tachycardia (Noninducible on Electrophysiologic Study) and Coronary Artery Disease. <i>American Journal of Cardiology</i> , 1996, 78, 105-107.	1.6	0
311	Control of Rapid Heart Rate in Patients with Atrial Fibrillation: Drugs or Ablation?. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1996, 19, 348-356.	1.2	27
312	Value of head-up tilt testing potentiated with sublingual nitroglycerin to assess the origin of unexplained syncope. <i>American Journal of Cardiology</i> , 1995, 76, 267-272.	1.6	226
313	Mechanisms of syncope caused by transient bradycardia and the diagnostic value of electrophysiologic testing and cardiovascular reflexivity maneuvers. <i>American Journal of Cardiology</i> , 1995, 76, 273-278.	1.6	42
314	A positive response to head-up tilt testing predicts syncopal recurrence in carotid sinus syndrome patients with permanent pacemakers. <i>American Journal of Cardiology</i> , 1995, 76, 720-722.	1.6	47
315	Reappraisal of the vasodepressor reflex in carotid sinus syndrome. <i>American Journal of Cardiology</i> , 1995, 75, 518-521.	1.6	32
316	Carotid sinus syncope: the most frequent neurally mediated syncope in the elderly. <i>Archives of Gerontology and Geriatrics</i> , 1995, 20, 7-14.	3.0	1
317	Influence of atrioventricular junction radiofrequency ablation in patients with chronic atrial fibrillation and flutter on quality of life and cardiac performance. <i>American Journal of Cardiology</i> , 1994, 74, 242-246.	1.6	190
318	A New Pacemaker for Paroxysmal Atrial Fibrillation Treated with Radiofrequency Ablation of the AV Junction. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 1889-1894.	1.2	15
319	Radiofrequency Catheter Ablation and Modulation of Atrioventricular Conduction in Patients with Atrial Fibrillation. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 2143-2149.	1.2	31
320	The Effect of Exogenous Adenosine in Patients with Neurally-Mediated Syncope and Sick Sinus Syndrome. <i>PACE - Pacing and Clinical Electrophysiology</i> , 1994, 17, 2211-2216.	1.2	19
321	Nitroglycerin infusion during upright tilt: A new test for the diagnosis of vasovagal syncope. <i>American Heart Journal</i> , 1994, 127, 103-111.	2.7	124
322	Follow-up of asystolic episodes in patients with cardioinhibitory, neurally mediated syncope and VVI pacemaker. <i>American Journal of Cardiology</i> , 1993, 72, 1152-1155.	1.6	89
323	Role of autonomic reflexes in syncope associated with paroxysmal atrial fibrillation. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1123-1129.	2.8	99
324	An abnormal neural reflex plays a role in causing syncope in sinus bradycardia. <i>Journal of the American College of Cardiology</i> , 1993, 22, 1130-1134.	2.8	60

#	ARTICLE	IF	CITATIONS
325	Long-term outcome in symptomatic carotid sinus hypersensitivity. American Heart Journal, 1992, 123, 687-692.	2.7	42
326	A controlled trial of acute and long-term medical therapy in tilt-induced neurologically mediated syncope. American Journal of Cardiology, 1992, 70, 339-342.	1.6	169
327	Long-term outcome of paced and nonpaced patients with severe carotid sinus syndrome. American Journal of Cardiology, 1992, 69, 1039-1043.	1.6	197
328	Carotid sinus massage, eyeball compression, and head-up tilt test in patients with syncope of uncertain origin and in healthy control subjects. American Heart Journal, 1991, 122, 1644-1651.	2.7	134
329	Neurally mediated syncope detected by carotid sinus massage and head-up tilt test in sick sinus syndrome. American Journal of Cardiology, 1991, 68, 1032-1036.	1.6	120
330	Spontaneous Occurrence of the Induced Cardioinhibitory Vasovagal Reflex. PACE - Pacing and Clinical Electrophysiology, 1991, 14, 415-419.	1.2	14
331	Validation of a Method for Choice of Pacing Mode in Carotid Sinus Syndrome With or Without Sinus Bradycardia. PACE - Pacing and Clinical Electrophysiology, 1991, 14, 196-203.	1.2	45
332	Long-term Reproducibility of Response to Noninvasive Programmed Cardiac Stimulation in Spontaneous, Sustained Ventricular Tachycardia Treated with Amiodarone Therapy. Journal of Cardiovascular Electrophysiology, 1991, 2, 30-36.	1.7	1
333	Inpatient Comparison Between Chronic VVIR and DDD Pacing in Patients Affected by High Degree AV Block Without Heart Failure. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 1816-1822.	1.2	50
334	Pacing for Carotid Sinus Syndrome and Sick Sinus Syndrome. PACE - Pacing and Clinical Electrophysiology, 1990, 13, 2071-2075.	1.2	37
335	Ventricular and Dual Chamber Pacing for Treatment of Carotid Sinus Syndrome. PACE - Pacing and Clinical Electrophysiology, 1989, 12, 582-590.	1.2	37
336	Natural and Unnatural History of Patients with Severe Carotid Sinus Hypersensitivity: A Preliminary Study. PACE - Pacing and Clinical Electrophysiology, 1988, 11, 1628-1635.	1.2	24
337	Is DDD Superior to VVI Pacing in Mixed Carotid Sinus Syndrome? An Acute and Medium-Term Study. PACE - Pacing and Clinical Electrophysiology, 1988, 11, 1902-1910.	1.2	53
338	Long-term Reproducibility of Response to Noninvasive Programmed Cardiac Stimulation in Spontaneous, Sustained Ventricular Tachycardia Treated with Amiodarone Therapy. Journal of Cardiovascular Electrophysiology, 1988, 2, 30-36.	1.7	1
339	The use of atrial pacing to induce atrial fibrillation and flutter. International Journal of Cardiology, 1986, 12, 45-54.	1.7	15
340	Noninvasive Serial Electrophysiological Testing Using an Implanted Pacemaker for Management of Recurrent Ventricular Tachycardia. PACE - Pacing and Clinical Electrophysiology, 1986, 9, 589-593.	1.2	5
341	Systolic time intervals as possible predictors of pressure response to sustained beta-adrenergic blockade in arterial hypertension. A within-patient, placebo-controlled study. Hypertension, 1983, 5, 140-146.	2.7	8
342	Adenosine Triphosphate-Sensitive Paroxysmal Atrioventricular Block. , 0, , 190-191.		0

#	ARTICLE	IF	CITATIONS
343	Syncope After Aortic Valve Replacement. , 0 , 288-290.		0
344	Post-Exercise Neuromediated Syncope. , 0 , 49-51.		0
345	Recurrent Syncope in a Patient with no Structural Heart Disease and a Negative Tilt-Table Test. , 0 , 60-61.		0
346	Transient Glossopharyngeal Syncope. , 0 , 66-68.		0
347	Averting a Vasovagal Faint with a Combination of Leg Crossing and Muscle Tensing. , 0 , 82-84.		0
348	Vasovagal Syncope Averted Using Arm-Tensing Maneuvers. , 0 , 85-86.		0
349	Training Patients in Physical Countermeasures using Continuous On-Screen Blood-Pressure Monitoring. , 0 , 87-88.		0
350	Syncope Relapse in a Patient with Cardioinhibitory Neuromediated Syncope Treated with Pacing. , 0 , 94-96.		0
351	Complex Cardioinhibitory Neurally Mediated Syncope. , 0 , 104-105.		0
352	Unexplained Falls in Older Patients. , 0 , 113-114.		0
353	Tilt-Induced Syncope: Mixed Response. , 0 , 15-18.		0
354	Congenital Long QT Syndrome. , 0 , 168-169.		0
355	Syncope and Wolff-Parkinson-White Syndrome: Atrial Fibrillation with Rapid Ventricular Response. , 0 , 204-207.		0
356	Syncope in a Patient with Atrial Fibrillation: Reflex Hypotension?. , 0 , 211-212.		0
357	Syncope in a Patient with an Earlier Myocardial Infarction: Induction of Ventricular Fibrillation During Electrophysiological Testing. , 0 , 256-259.		0
358	Conditions that Mimic Syncope. , 0 , 242-258.		2
359	Epidemiologic Aspects of Transient Loss of Consciousness/Syncope. , 0 , 8-14.		5
360	Syncope in Patients with Bundle-Branch Block and Other Conduction System Abnormalities. , 0 , 76-79.		0

#	ARTICLE	IF	CITATIONS
361	Value and Limitations of Ambulatory Electrocardiographic Monitoring. , 0, , 51-55.		0
362	Recording Ambulatory Blood Pressure in the Syncope and TLOC Evaluation. , 0, , 56-60.		0
363	Risk Stratificationâ€™Impact Diagnostic Strategy. , 0, , 24-28.		0
364	Value and Limitations of Clinical History in Assessing Cause of Syncope. , 0, , 29-35.		0
365	Treatment Strategies in Neurally-Mediated Reflex Syncope: Effectiveness of Drugs, Pacing, and Physical Maneuvers. , 0, , 81-88.		1
366	Improving Tolerance to Upright Posture: Current Status of Tilt-Training and Other Physical Maneuvers. , 0, , 72-75.		0
367	Clinical Trials Landscape: What's New, What's Ongoing, What Do We Need. , 0, , 157-168.		0
368	Tilt Table Testing. , 0, , 159-168.		4
369	Organizing Management of Syncope in the Hospital and Clinic (the Syncope Unit). , 0, , 75-80.		0
370	Impact of Syncope Guidelines on Clinical Care. , 0, , 81-84.		0
371	Who to Treat. , 0, , 151-158.		0
372	Overview of Recommended Diagnostic Strategies. , 0, , 45-53.		0
373	Adenosine Concentration in Patients With Neurally Mediated Syncope. <i>Frontiers in Cardiovascular Medicine</i> , 0, 9, .	2.4	4