

# Luigia Venegoni

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3279450/publications.pdf>

Version: 2024-02-01

36  
papers

1,250  
citations

394421

19  
h-index

434195

31  
g-index

36  
all docs

36  
docs citations

36  
times ranked

1786  
citing authors

#	ARTICLE	IF	CITATIONS
1	Deregulation of JAK2 signaling underlies primary cutaneous CD8 <sup>+</sup> aggressive epidermotropic cytotoxic T-cell lymphoma. <i>Haematologica</i> , 2022, 107, 702-714.	3.5	20
2	Detection of IgE autoantibodies in mucous membrane pemphigoid and their association with disease severity. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2021, 155, 754-759.	0.8	3
3	Immunohistochemical expression and prognostic role of CD10, CD271 and Nestin in primary and recurrent cutaneous melanoma. <i>Italian Journal of Dermatology and Venereology</i> , 2021, 156, 68-72.	0.2	3
4	Primary Cutaneous Gamma-Delta T Cell Lymphomas: A Case Series and Overview of the Literature. <i>Dermatopathology (Basel, Switzerland)</i> , 2021, 8, 515-524.	1.5	9
5	Merkel cell carcinoma: a single-institution retrospective case series analyzing CD271 expression with a focus on its prognostic role. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2020, 155, 518-520.	0.8	0
6	Linear IgA bullous dermatosis in adults and children: a clinical and immunopathological study of 38 patients. <i>Orphanet Journal of Rare Diseases</i> , 2019, 14, 115.	2.7	49
7	Lichen planopilaris and dermatitis herpetiformis: a fortuitous association?. <i>European Journal of Dermatology</i> , 2019, 29, 426-428.	0.6	0
8	Nestin Expression in Spitzoid Lesions: An Immunohistochemical Characterization With Clinical and Dermoscopic Correlations. <i>Applied Immunohistochemistry and Molecular Morphology</i> , 2019, 27, 430-435.	1.2	1
9	A NGFR+ S100- myxoid neurothekeoma: a never-described immunohistochemical phenotype. <i>Giornale Italiano Di Dermatologia E Venereologia</i> , 2019, 154, 502-504.	0.8	0
10	JAK2-mutated Langerhans cell histiocytosis associated with primary myelofibrosis treated with ruxolitinib. <i>Human Pathology</i> , 2018, 73, 171-175.	2.0	10
11	Extracellular MicroRNA Signature of Human Helper T Cell Subsets in Health and Autoimmunity. <i>Journal of Biological Chemistry</i> , 2017, 292, 2903-2915.	3.4	63
12	Primary cutaneous acral CD8 <sup>+</sup> positive T-cell lymphoma with extra-cutaneous involvement: A long-standing case with an unexpected progression. <i>Journal of Cutaneous Pathology</i> , 2017, 44, 964-968.	1.3	25
13	Cutaneous metastases of internal malignancies: an experience from a single institution. <i>European Journal of Dermatology</i> , 2017, 27, 609-614.	0.6	22
14	Mycetoma Caused by <i>Aspergillus nidulans</i> . <i>Acta Dermato-Venereologica</i> , 2016, 96, 118-119.	1.3	7
15	Clinicopathological and molecular study of primary cutaneous CD4 <sup>+</sup> small/medium-sized pleomorphic T-cell lymphoma. <i>Journal of Cutaneous Pathology</i> , 2016, 43, 1121-1130.	1.3	34
16	Sjögren Syndrome in a 17-Year-Old Boy: Clinicopathologic Features and Genomic Profile. <i>Pediatric Dermatology</i> , 2016, 33, e318-21.	0.9	1
17	Activation of Blood Coagulation in Two Prototypic Autoimmune Skin Diseases: A Possible Link with Thrombotic Risk. <i>PLoS ONE</i> , 2015, 10, e0129456.	2.5	28
18	The Treg/Th17 cell ratio is reduced in the skin lesions of patients with pyoderma gangrenosum. <i>British Journal of Dermatology</i> , 2015, 173, 275-278.	1.5	63

#	ARTICLE	IF	CITATIONS
19	Three cases of primary cutaneous lymphoblastic lymphoma: microarray-based comparative genomic hybridization and gene expression profiling studies with review of literature. <i>Leukemia and Lymphoma</i> , 2012, 53, 1978-1987.	1.3	20
20	Analysis of Chromosomal Alterations by Array-Based Comparative Genomic Hybridization in 25 Patients with Sezary Syndrome. <i>Blood</i> , 2012, 120, 2714-2714.	1.4	0
21	Twenty-one cases of blastic plasmacytoid dendritic cell neoplasm: focus on biallelic locus 9p21.3 deletion. <i>Blood</i> , 2011, 118, 4591-4594.	1.4	140
22	New monoclonal antibodies against B-cell antigens: Possible new strategies for diagnosis of primary cutaneous B-cell lymphomas. <i>Immunology Letters</i> , 2011, 134, 157-160.	2.5	93
23	Cutaneous extranodal NK/T-cell lymphoma: a clinicopathologic study of 5 patients with array-based comparative genomic hybridization. <i>Blood</i> , 2010, 116, 165-170.	1.4	55
24	Role of inflammatory cells, cytokines and matrix metalloproteinases in neutrophil-mediated skin diseases. <i>Clinical and Experimental Immunology</i> , 2010, 162, 100-107.	2.6	158
25	Cutaneous Lymphoid Hyperplasia Associated with <i>Leishmania panamensis</i> Infection. <i>Acta Dermato-Venereologica</i> , 2010, 90, 418-419.	1.3	16
26	Lymphogranuloma venereum: the Italian experience. <i>Sexually Transmitted Infections</i> , 2009, 85, 171-172.	1.9	12
27	Activation of blood coagulation in bullous pemphigoid: role of eosinophils, and local and systemic implications. <i>British Journal of Dermatology</i> , 2009, 160, 266-272.	1.5	71
28	Primary cutaneous T-cell lymphoma expressing FOXP3: A case report supporting the existence of malignancies of regulatory T cells. <i>Journal of the American Academy of Dermatology</i> , 2009, 61, 348-355.	1.2	17
29	Potential Role for Eosinophil-derived Tissue Factor in the Activation of Coagulation in Patients with Chronic Urticaria. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, S102-S102.	2.9	0
30	Expression of Tissue Factor by Eosinophils in Patients with Chronic Urticaria. <i>International Archives of Allergy and Immunology</i> , 2009, 148, 170-174.	2.1	101
31	Rationale and efficacy for the use of rituximab in paraneoplastic pemphigus. <i>Expert Review of Clinical Immunology</i> , 2008, 4, 351-363.	3.0	34
32	Cytokeratin Profile in Basal Cell Carcinoma. <i>American Journal of Dermatopathology</i> , 2008, 30, 249-255.	0.6	37
33	Treatment of Refractory Pemphigus with the Anti-CD20 Monoclonal Antibody (Rituximab). <i>Dermatology</i> , 2007, 214, 310-318.	2.1	50
34	The usefulness of clonality for the detection of cases clinically and/or histopathologically not recognized as cutaneous T-cell lymphoma. <i>British Journal of Dermatology</i> , 2005, 153, 368-371.	1.5	24
35	Treatment of advanced mycosis fungoides by allogeneic stem-cell transplantation with a nonmyeloablative regimen. <i>Bone Marrow Transplantation</i> , 2003, 31, 663-666.	2.4	66
36	Chronic hepatitis C virus infection and primary cutaneous B-cell lymphoma. <i>British Journal of Haematology</i> , 1999, 105, 841-841.	2.5	18