
Dawn A Aitken

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/328077/publications.pdf Version: 2024-02-01



| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 1 | Association between socioeconomic status and joint replacement of the hip and knee: a populationâ€based cohort study of older adults in Tasmania. Internal Medicine Journal, 2022, 52, 265-271. | 0.8 | 1 |
| 2 | Metabolomic signatures for the longitudinal reduction of muscle strength over 10 years. Skeletal Muscle, 2022, 12, 4. | 4.2 | 3 |
| 3 | Restricting Branched-Chain Amino Acids within a High-Fat Diet Prevents Obesity. Metabolites, 2022, 12, 334. | 2.9 | 14 |
| 4 | Serum Metabolomic Signatures for Knee Cartilage Volume Loss over 10 Years in Community-Dwelling Older Adults. Life, 2022, 12, 869. | 2.4 | 5 |
| 5 | Effect of zoledronic acid with or without methylprednisolone on 3D bone area and bone shape in patients with symptomatic knee osteoarthritis: A post-hoc analysis of the ZAP2 trial. Seminars in Arthritis and Rheumatism, 2022, 56, 152054. | 3.4 | 0 |
| 6 | The association between change in bone marrow lesion size and change in tibiofemoral cartilage volume and knee symptoms. Rheumatology, 2021, 60, 2791-2800. | 1.9 | 9 |
| 7 | What factors are associated with physical activity promotion in the podiatry setting? A cross-sectional study. Journal of Science and Medicine in Sport, 2021, 24, 60-66. | 1.3 | 5 |
| 8 | Hand Examination, Ultrasound, and the Association With Hand Pain and Function in Communityâ€Based Older Adults. Arthritis Care and Research, 2021, 73, 347-354. | 3.4 | 5 |
| 9 | Depression in patients with knee osteoarthritis: risk factors and associations with joint symptoms. BMC Musculoskeletal Disorders, 2021, 22, 40. | 1.9 | 47 |
| 10 | Linear and Nonlinear Associations Between Physical Activity, Body Composition, and Multimorbidity Over 10 Years Among Community-Dwelling Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2021, 76, 2015-2020. | 3.6 | 6 |
| 11 | Population Vitamin D Stores Are Increasing in Tasmania, and This Is Associated With Less BMD Loss Over 10 Years. Journal of Clinical Endocrinology and Metabolism, 2021, 106, e2995-e3004. | 3.6 | 5 |
| 12 | The impact of comorbidities on health-related quality of life of people with osteoarthritis over 10 years. Rheumatology, 2021, , . | 1.9 | 3 |
| 13 | Clinical relevance of MRI knee abnormalities in Australian rules football players: a longitudinal study. BMJ Open Sport and Exercise Medicine, 2021, 7, e001097. | 2.9 | 0 |
| 14 | Cross-sectional and temporal differences in health-related quality of life of people with and without osteoarthritis: a 10-year prospective study. Rheumatology, 2021, 60, 3352-3359. | 1.9 | 4 |
| 15 | Understanding the management of osteoarthritis: A qualitative study of GPs and orthopaedic surgeons in Tasmania, Australia. Osteoarthritis and Cartilage Open, 2021, 3, 100218. | 2.0 | 5 |
| 16 | Associations between socioeconomic status and obesity, sarcopenia, and sarcopenic obesity in community-dwelling older adults: The Tasmanian Older Adult Cohort Study. Experimental Gerontology, 2021, 156, 111627. | 2.8 | 7 |
| 17 | Longitudinal associations between dietary inflammatory index and musculoskeletal health in community-dwelling older adults. Clinical Nutrition, 2020, 39, 516-523. | 5.0 | 49 |
| 18 | Identifying subgroups of community-dwelling older adults and their prospective associations with long-term knee osteoarthritis outcomes. Clinical Rheumatology, 2020, 39, 1429-1437. | 2.2 | 1 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | A systematic review and metaâ€analysis of health state utility values for osteoarthritisâ€related conditions. Arthritis Care and Research, 2020, , . | 3.4 | 2 |
| 20 | Effectiveness of <i>Curcuma longa</i> Extract for the Treatment of Symptoms and Effusion–Synovitis of Knee Osteoarthritis. Annals of Internal Medicine, 2020, 173, 861-869. | 3.9 | 68 |
| 21 | Quantification of hip effusion-synovitis and its cross-sectional and longitudinal associations with hip pain, MRI findings and early radiographic hip OA. BMC Musculoskeletal Disorders, 2020, 21, 533. | 1.9 | 10 |
| 22 | Incidence and predictors of fractures in older adults with and without obesity defined by body mass index versus body fat percentage. Bone, 2020, 140, 115546. | 2.9 | 15 |
| 23 | A Systematic Review of the Evolution of Healthâ€Economic Evaluation Models of Osteoarthritis. Arthritis Care and Research, 2020, 73, 1617-1627. | 3.4 | 0 |
| 24 | Comparison of radiographic and MRI osteoarthritis definitions and their combination for prediction of tibial cartilage loss, knee symptoms and total knee replacement: a longitudinal study. Osteoarthritis and Cartilage, 2020, 28, 1062-1070. | 1.3 | 5 |
| 25 | Longitudinal study of the relationship between physical activity and knee pain and functional limitation in community-dwelling older adults. Archives of Gerontology and Geriatrics, 2020, 90, 104101. | 3.0 | 11 |
| 26 | The association of subchondral and systemic bone mineral density with osteoarthritis-related joint replacements in older adults. Osteoarthritis and Cartilage, 2020, 28, 438-445. | 1.3 | 5 |
| 27 | The effect of weight loss on the progression of meniscal extrusion and size in knee osteoarthritis: a post-hoc analysis of the Intensive Diet and Exercise for Arthritis (IDEA) trial. Osteoarthritis and Cartilage, 2020, 28, 410-417. | 1.3 | 12 |
| 28 | Do Older Adults with Low Muscle Mass or Strength, in the Presence of Obesity, Have an Increased Risk of Joint Replacement Over 13 Years?. Calcified Tissue International, 2020, 107, 10-17. | 3.1 | 4 |
| 29 | Effect of Intravenous Zoledronic Acid on Tibiofemoral Cartilage Volume Among Patients With Knee Osteoarthritis With Bone Marrow Lesions. JAMA - Journal of the American Medical Association, 2020, 323, 1456. | 7.4 | 59 |
| 30 | Association Between Quantitatively Measured Infrapatellar Fat Pad High Signalâ€Intensity Alteration and Magnetic Resonance Imaging–Assessed Progression of Knee Osteoarthritis. Arthritis Care and Research, 2019, 71, 638-646. | 3.4 | 16 |
| 31 | Activation of The Phosphatidylcholine to Lysophosphatidylcholine Pathway Is Associated with Osteoarthritis Knee Cartilage Volume Loss Over Time. Scientific Reports, 2019, 9, 9648. | 3.3 | 34 |
| 32 | Zoledronic acid plus methylprednisolone <i>versus</i> zoledronic acid or placebo in symptomatic knee osteoarthritis: a randomized controlled trial. Therapeutic Advances in Musculoskeletal Disease, 2019, 11, 1759720X1988005. | 2.7 | 9 |
| 33 | Clinical Overview of Osteoarthritis (OA) and the Challenges Faced for Future Management. , 2019, , . | | 3 |
| 34 | Higher Serum Levels of Resistin Are Associated With Knee Synovitis and Structural Abnormalities in Patients With Symptomatic Knee Osteoarthritis. Journal of the American Medical Directors Association, 2019, 20, 1242-1246. | 2.5 | 7 |
| 35 | Prospective associations of low muscle mass and strength with health-related quality of life over 10-year in community-dwelling older adults. Experimental Gerontology, 2019, 118, 65-71. | 2.8 | 15 |
| 36 | Prospective associations of osteosarcopenia and osteodynapenia with incident fracture and mortality over 10 years in community-dwelling older adults. Archives of Gerontology and Geriatrics, 2019, 82, 67-73. | 3.0 | 43 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Ambulatory activity interacts with common risk factors for osteoarthritis to modify increases in MRI-detected osteophytes. Osteoarthritis and Cartilage, 2019, 27, 650-658. | 1.3 | 8 |
| 38 | Pain at Multiple Sites Is Associated With Prevalent and Incident Fractures in Older Adults. Journal of Bone and Mineral Research, 2019, 34, 2012-2018. | 2.8 | 10 |
| 39 | THU0467â€DOES GENERALISED PAIN AND LOCALISED PAIN SEVERITY INCREASE RISK OF PREVALENT AND INCIDENT FRACTURES IN OLDER ADULTS?. , 2019, , . | | Ο |
| 40 | Patellar tendon enthesis abnormalities and their association with knee pain and structural abnormalities in older adults. Osteoarthritis and Cartilage, 2019, 27, 449-458. | 1.3 | 5 |
| 41 | Effect of Vitamin D Supplementation on Depressive Symptoms in Patients With Knee Osteoarthritis. Journal of the American Medical Directors Association, 2019, 20, 1634-1640.e1. | 2.5 | 21 |
| 42 | Differentiating knee pain phenotypes in older adults: a prospective cohort study. Rheumatology, 2019, 58, 274-283. | 1.9 | 18 |
| 43 | The association between ambulatory activity, body composition and hip or knee joint replacement due to osteoarthritis: a prospective cohort study. Osteoarthritis and Cartilage, 2018, 26, 671-679. | 1.3 | 18 |
| 44 | A randomised double-blind placebo-controlled crossover trial of HUMira (adalimumab) for erosive hand OsteoaRthritis – the HUMOR trial. Osteoarthritis and Cartilage, 2018, 26, 880-887. | 1.3 | 104 |
| 45 | How Do MRI-Detected Subchondral Bone Marrow Lesions (BMLs) on Two Different MRI Sequences Correlate with Clinically Important Outcomes?. Calcified Tissue International, 2018, 103, 131-143. | 3.1 | 3 |
| 46 | Longitudinal associations between serum 25-hydroxyvitamin D, physical activity, knee pain and dysfunction and physiological falls risk in community-dwelling older adults. Experimental Gerontology, 2018, 104, 72-77. | 2.8 | 4 |
| 47 | The optimal dosage regimen of vitamin D supplementation for correcting deficiency in adolescents: a pilot randomized controlled trial. European Journal of Clinical Nutrition, 2018, 72, 534-540. | 2.9 | 9 |
| 48 | Effect of Zoledronic Acid and Denosumab in Patients With Low Back Pain and Modic Change: A Proof-of-Principle Trial. Journal of Bone and Mineral Research, 2018, 33, 773-782. | 2.8 | 28 |
| 49 | Longitudinal Associations of Serum 25-hydroxyvitamin D, Physical Activity, and Knee Pain and Dysfunction with Muscle Loss in Community-dwelling Older Adults. Journals of Gerontology - Series A Biological Sciences and Medical Sciences, 2018, 73, 526-531. | 3.6 | 12 |
| 50 | Vitamin D supplementation and inflammatory and metabolic biomarkers in patients with knee osteoarthritis: <i>post hoc</i> analysis of a randomised controlled trial. British Journal of Nutrition, 2018, 120, 41-48. | 2.3 | 22 |
| 51 | Factors associated with physical activity promotion by allied and other non-medical health professionals: A systematic review. Patient Education and Counseling, 2018, 101, 1775-1785. | 2.2 | 33 |
| 52 | A protocol for a multicentre, randomised, double-blind, placebo-controlled trial to compare the effect of annual infusions of zoledronic acid to placebo on knee structural change and knee pain over 24Âmonths in knee osteoarthritis patients – ZAP2. BMC Musculoskeletal Disorders, 2018, 19, 217. | 1.9 | 22 |
| 53 | Predictors of pain severity trajectory in older adults: a 10.7-year follow-up study. Osteoarthritis and Cartilage, 2018, 26, 1619-1626. | 1.3 | 32 |
| 54 | Predictors of Beagley–Gibson skin cast grade in older adults. Skin Research and Technology, 2017, 23, 235-242. | 1.6 | 7 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Maintaining Vitamin D Sufficiency Is Associated with Improved Structural and Symptomatic Outcomes in Knee Osteoarthritis. American Journal of Medicine, 2017, 130, 1211-1218. | 1.5 | 39 |
| 56 | Hip Shape as a Predictor of Osteoarthritis Progression in a Prospective Population Cohort. Arthritis Care and Research, 2017, 69, 1566-1573. | 3.4 | 34 |
| 57 | The association of knee structural pathology with pain at the knee is modified by pain at other sites in those with knee osteoarthritis. Clinical Rheumatology, 2017, 36, 2549-2555. | 2.2 | 5 |
| 58 | Correlation Between Changes in Global Knee Structures Assessed by Magnetic Resonance Imaging and Radiographic Osteoarthritis Changes Over Ten Years in a Midlife Cohort. Arthritis Care and Research, 2016, 68, 958-964. | 3.4 | 7 |
| 59 | Hypointense signals in the infrapatellar fat pad assessed by magnetic resonance imaging are associated with knee symptoms and structure in older adults: a cohort study. Arthritis Research and Therapy, 2016, 18, 234. | 3.5 | 33 |
| 60 | Lysophosphatidylcholines to phosphatidylcholines ratio predicts advanced knee osteoarthritis. Rheumatology, 2016, 55, 1566-1574. | 1.9 | 68 |
| 61 | Accelerometerâ€determined physical activity, muscle mass, and leg strength in communityâ€dwelling older adults. Journal of Cachexia, Sarcopenia and Muscle, 2016, 7, 275-283. | 7.3 | 85 |
| 62 | Does cartilage volume measurement or radiographic osteoarthritis at baseline independently predict ten-year cartilage volume loss?. BMC Musculoskeletal Disorders, 2016, 17, 54. | 1.9 | 6 |
| 63 | Correlates of Hip Cartilage Defects: A Cross-sectional Study in Older Adults. Journal of Rheumatology, 2016, 43, 1406-1412. | 2.0 | 16 |
| 64 | Natural history and clinical significance of meniscal tears over 8Âyears in a midlife cohort. BMC Musculoskeletal Disorders, 2016, 17, 4. | 1.9 | 20 |
| 65 | Light physical activity is positively associated with cognitive performance in older community dwelling adults. Journal of Science and Medicine in Sport, 2016, 19, 877-882. | 1.3 | 48 |
| 66 | Signal intensity alteration in the infrapatellar fat pad at baseline for the prediction of knee symptoms and structure in older adults: a cohort study. Annals of the Rheumatic Diseases, 2016, 75, 1783-1788. | 0.9 | 75 |
| 67 | Fish oil in knee osteoarthritis: a randomised clinical trial of low dose versus high dose. Annals of the Rheumatic Diseases, 2016, 75, 23-29. | 0.9 | 95 |
| 68 | History of knee injury and MRI-assessed knee structures in middle- and older-aged adults: a cross-sectional study. Clinical Rheumatology, 2015, 34, 1463-1472. | 2.2 | 4 |
| 69 | A family history of knee joint replacement increases the progression of knee radiographic osteoarthritis and medial tibial cartilage volume loss over 10 years. Osteoarthritis and Cartilage, 2015, 23, 203-209. | 1.3 | 20 |
| 70 | Reply Letter to the Editor: Knee joint replacement and individual susceptibility for progression of knee osteoarthritis and tibial cartilage volume loss: not only genes run in the family. Osteoarthritis and Cartilage, 2015, 23, 1819-1820. | 1.3 | 0 |
| 71 | Vitamin D and Physical Activity Status: Associations With Five-Year Changes in Body Composition and Muscle Function in Community-Dwelling Older Adults. Journal of Clinical Endocrinology and Metabolism, 2015, 100, 670-678. | 3.6 | 38 |
| 72 | Cross-sectional and longitudinal associations between systemic, subchondral bone mineral density and knee cartilage thickness in older adults with or without radiographic osteoarthritis. Annals of the Rheumatic Diseases, 2014, 73, 2003-2009. | 0.9 | 41 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Infrapatellar fat pad in the knee: is local fat good or bad for knee osteoarthritis?. Arthritis Research and Therapy, 2014, 16, R145. | 3.5 | 80 |
| 74 | The clinical significance, natural history and predictors of bone marrow lesion change over eight years. Arthritis Research and Therapy, 2014, 16, R149. | 3.5 | 21 |
| 75 | Responsiveness of Magnetic Resonance Imaging-derived Measures Over 2.7 Years. Journal of Rheumatology, 2014, 41, 2060-2067. | 2.0 | 8 |
| 76 | The association between physical activity and reduced body fat lessens with age — Results from a cross-sectional study in community-dwelling older adults. Experimental Gerontology, 2014, 55, 107-112. | 2.8 | 30 |
| 77 | Operational definitions of sarcopenia and their associations with 5-year changes in falls risk in community-dwelling middle-aged and older adults. Osteoporosis International, 2014, 25, 187-193. | 3.1 | 113 |
| 78 | A population-based study of the association between hip bone marrow lesions, high cartilage signal, and hip and knee pain. Clinical Rheumatology, 2014, 33, 369-376. | 2.2 | 23 |
| 79 | Osteoarthritis bone marrow lesions at the knee and large artery characteristics. Osteoarthritis and Cartilage, 2014, 22, 91-94. | 1.3 | 12 |
| 80 | The Association Between Hip Muscle Cross-Sectional Area, Muscle Strength, and Bone Mineral Density. Calcified Tissue International, 2014, 95, 64-72. | 3.1 | 28 |
| 81 | Sarcopenic obesity and dynapenic obesity: 5-year associations with falls risk in middle-aged and older adults. Obesity, 2014, 22, 1568-1574. | 3.0 | 95 |
| 82 | The association between hip bone marrow lesions and bone mineral density: a cross-sectional and longitudinal population-based study. Osteoarthritis and Cartilage, 2013, 21, 1545-1549. | 1.3 | 9 |
| 83 | Association between hip and knee cartilage measured using radiographs and magnetic resonance imaging: the Tasmanian Older Adult Cohort Study. Rheumatology, 2013, 52, 2009-2015. | 1.9 | 5 |
| 84 | The association between objectively measured physical activity and knee structural change using MRI. Annals of the Rheumatic Diseases, 2013, 72, 1170-1175. | 0.9 | 91 |
| 85 | Zoledronic acid reduces knee pain and bone marrow lesions over 1 year: a randomised controlled trial. Annals of the Rheumatic Diseases, 2012, 71, 1322-1328. | 0.9 | 234 |
| 86 | Vitamin <scp>D</scp> deficiency in <scp>T</scp> asmania: a whole of life perspective. Internal Medicine Journal, 2012, 42, 1137-1144. | 0.8 | 9 |
| 87 | A longitudinal study of the association between dietary factors, serum lipids, and bone marrow lesions of the knee. Arthritis Research and Therapy, 2012, 14, R13. | 3.5 | 37 |
| 88 | Physical Activity and Osteoarthritis of the Knee: Can MRI Scans Shed More Light on This Issue?. Physician and Sportsmedicine, 2011, 39, 55-61. | 2.1 | 10 |
| 89 | Subchondral bone and cartilage damage: A prospective study in older adults. Arthritis and Rheumatism, 2010, 62, 1967-1973. | 6.7 | 46 |
| 90 | Bone marrow lesions predict site-specific cartilage defect development and volume loss: a prospective study in older adults. Arthritis Research and Therapy, 2010, 12, R222. | 3.5 | 96 |

| # | Article | IF | CITATIONS |
|----|--|-----|-----------|
| 91 | Natural history and clinical significance of MRI-detected bone marrow lesions at the knee: a prospective study in community dwelling older adults. Arthritis Research and Therapy, 2010, 12, R223. | 3.5 | 118 |
| 92 | The association between leptin, interleukin-6, and hip radiographic osteoarthritis in older people: a cross-sectional study. Arthritis Research and Therapy, 2010, 12, R95. | 3.5 | 63 |
| 93 | Correlates of Subchondral BMD: A Cross-Sectional Study. Journal of Bone and Mineral Research, 2009, 24, 2007-2015. | 2.8 | 46 |
| 94 | A pilot study of the reproducibility and validity of measuring knee subchondral bone density in the tibia. Osteoarthritis and Cartilage, 2008, 16, 1539-1544. | 1.3 | 21 |