

Victor Garcia

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/3281268/publications.pdf>

Version: 2024-02-01

36
papers

1,120
citations

471371

17
h-index

501076

28
g-index

36
all docs

36
docs citations

36
times ranked

1494
citing authors

#	ARTICLE	IF	CITATIONS
1	Blockade of 20-hydroxyeicosatetraenoic acid receptor lowers blood pressure and alters vascular function in mice with smooth muscle-specific overexpression of CYP4A12-20-HETE synthase. <i>Journal of Hypertension</i> , 2022, 40, 498-511.	0.3	8
2	The CYP/20-HETE/GPR75 axis in hypertension. <i>Advances in Pharmacology</i> , 2022, , 1-25.	1.2	6
3	Structure-Function Relationship of the 20-HETE-GPR75 pairing: Development and characterization of agonist, partial agonists, and receptor blockers. <i>FASEB Journal</i> , 2022, 36, .	0.2	0
4	20-HETE interferes with insulin signaling and contributes to obesity-driven insulin resistance. <i>Prostaglandins and Other Lipid Mediators</i> , 2021, 152, 106485.	1.0	22
5	Unraveling the Role of 12- and 20- HETE in Cardiac Pathophysiology: G-Protein-Coupled Receptors, Pharmacological Inhibitors, and Transgenic Approaches. <i>Journal of Cardiovascular Pharmacology</i> , 2021, 77, 707-717.	0.8	13
6	Uncovering the signalling, structure and function of the 20-HETE-GPR75 pairing: Identifying the chemokine CCL5 as a negative regulator of GPR75. <i>British Journal of Pharmacology</i> , 2021, 178, 3813-3828.	2.7	21
7	Sequencing of 640,000 exomes identifies GPR75 variants associated with protection from obesity. <i>Science</i> , 2021, 373, .	6.0	130
8	Heme-oxygenase and lipid mediators in obesity and associated cardiometabolic diseases: Therapeutic implications. , 2021, , 107975.		16
9	Proximal tubule-targeted overexpression of the Cyp4a12-20-HETE synthase promotes salt-sensitive hypertension in male mice. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2020, 319, R87-R95.	0.9	4
10	Unbiased proteomics identifies plasminogen activator inhibitor-1 as a negative regulator of endothelial nitric oxide synthase. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2020, 117, 9497-9507.	3.3	16
11	Identifying the 20-HETE Binding Site on the 20-HETE Receptor (GPR75). <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
12	Pharmacological blockade of the 20-HETE receptor (GPR75) lowers blood pressure and alters vascular remodeling in mice with vascular smooth muscle-specific overexpression of CYP4A12-20-HETE synthase. <i>FASEB Journal</i> , 2020, 34, 1-1.	0.2	0
13	19-Hydroxyeicosatetraenoic acid analogs: Antagonism of 20-hydroxyeicosatetraenoic acid-induced vascular sensitization and hypertension. <i>Bioorganic and Medicinal Chemistry Letters</i> , 2019, 29, 126616.	1.0	9
14	CYP4A/20-HETE regulates ischemia-induced neovascularization via its actions on endothelial progenitor and preexisting endothelial cells. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2019, 316, H1468-H1479.	1.5	19
15	Endothelial NOS: perspective and recent developments. <i>British Journal of Pharmacology</i> , 2019, 176, 189-196.	2.7	110
16	Deletion of the 20-HETE receptor (GPR75) impairs myogenic tone of renal preglomerular arteries. <i>FASEB Journal</i> , 2019, 33, 692.9.	0.2	0
17	High-fat diet-induced obesity and insulin resistance in CYP4a14 ^{+/+} mice is mediated by 20-HETE. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2018, 315, R934-R944.	0.9	29
18	20-HETE Signals Through G-Protein-Coupled Receptor GPR75 (G _q) to Affect Vascular Function and Trigger Hypertension. <i>Circulation Research</i> , 2017, 120, 1776-1788.	2.0	119

#	ARTICLE	IF	CITATIONS
19	The Blood Pressureâ€“Lowering Effect of 20-HETE Blockade in <i>Cyp4a14</i> Mice Is Associated with Natriuresis. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2017, 363, 412-418.	1.3	11
20	Androgen-sensitive hypertension associated with soluble guanylate cyclase-1 deficiency is mediated by 20-HETE. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2016, 310, H1790-H1800.	1.5	27
21	Recent developments on the vascular effects of 20-hydroxyeicosatetraenoic acid. <i>Current Opinion in Nephrology and Hypertension</i> , 2016, 26, 1.	1.0	18
22	20-HETE Activates the Transcription of Angiotensin-Converting Enzyme via Nuclear Factor- κ B Translocation and Promoter Binding. <i>Journal of Pharmacology and Experimental Therapeutics</i> , 2016, 356, 525-533.	1.3	41
23	Androgen-sensitive hypertension associated with soluble guanylate cyclase alpha1 deficiency is mediated by 20-HETE. <i>BMC Pharmacology & Toxicology</i> , 2015, 16, .	1.0	0
24	Angiotensin II receptor blockade or deletion of vascular endothelial ACE does not prevent vascular dysfunction and remodeling in 20-HETE-dependent hypertension. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2015, 309, R71-R78.	0.9	29
25	Hypertension Is a Major Contributor to 20-Hydroxyeicosatetraenoic Acidâ€“Mediated Kidney Injury in Diabetic Nephropathy. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 597-610.	3.0	44
26	Androgen-induced hypertension in angiotensinogen deficient mice: Role of 20-HETE and EETS. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 116-117, 124-130.	1.0	21
27	Vascular actions of 20-HETE. <i>Prostaglandins and Other Lipid Mediators</i> , 2015, 120, 9-16.	1.0	107
28	Vascular Endothelial ACE Deletion does not Prevent 20-HETEâ€“dependent Vascular Remodeling. <i>FASEB Journal</i> , 2015, 29, 630.4.	0.2	0
29	20- ϵ SOLA, a Novel Water Soluble 20-HETE Antagonist, Reduces Blood Pressure Through Regulation of Vascular ACE Expression via an IKK Dependent Pathway. <i>FASEB Journal</i> , 2015, 29, 647.9.	0.2	1
30	20-HETE and Blood Pressure Regulation. <i>Cardiology in Review</i> , 2014, 22, 1-12.	0.6	117
31	Vascular characterization of mice with endothelial expression of cytochrome P450 4F2. <i>FASEB Journal</i> , 2014, 28, 2915-2931.	0.2	33
32	20-HETE induces remodeling of renal resistance arteries independent of blood pressure elevation in hypertension. <i>American Journal of Physiology - Renal Physiology</i> , 2013, 305, F753-F763.	1.3	27
33	Androgen-Sensitive Hypertension Associates with Upregulated Vascular CYP4A12â€“20-HETE Synthase. <i>Journal of the American Society of Nephrology: JASN</i> , 2013, 24, 1288-1296.	3.0	52
34	20-HETE INDUCES REMODELING OF RENAL RESISTANCE ARTERIES INDEPENDENT OF BLOOD PRESSURE ELEVATION IN ANDROGENâ€“INDUCED HYPERTENSION. <i>FASEB Journal</i> , 2013, 27, 685.10.	0.2	0
35	Induction of Angiotensin-Converting Enzyme and Activation of the Reninâ€“Angiotensin System Contribute to 20-Hydroxyeicosatetraenoic Acidâ€“Mediated Endothelial Dysfunction. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 1917-1924.	1.1	57
36	GATA6 reporter gene reveals myocardial phenotypic heterogeneity that is related to variations in gap junction coupling. <i>American Journal of Physiology - Heart and Circulatory Physiology</i> , 2011, 301, H1952-H1964.	1.5	13